



Cisco WebEx Meetings Server 发行说明 1.1 发行版

首次发布日期: 2013 年 02 月 08 日

上次修改日期: 2013 年 06 月 13 日

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <http://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2013 Cisco Systems, Inc. All rights reserved.



目 录

Cisco WebEx Meetings Server 1.1 发行说明 1

查找文档 1

Cisco WebEx Meetings Server 1.1 的新增和更改的功能 2

对发行版 1.1 MR3 的浏览器支持 2

对发行版 1.1 MR2 的浏览器支持 3

对发行版 1.1 的浏览器支持 3

限制和约束 4

VMware vCenter 使用要求 4

录制文件限制 4

本地化 4

从平台删除互联网反向代理 5

重要说明 5

虚拟机管理程序支持 5

配置高可用性系统 5

关于使用自签名证书 6

扩展系统 6

Ping 频率 6

快捷会议工具升级通知 6

SNMP v2 团体名称 6

缺陷 6

使用 Bug Toolkit 6

Cisco WebEx Meetings Server 1.1 MR3 中已提交的缺陷 7

Cisco WebEx Meetings Server 1.1 MR2 中已提交的缺陷 9

Cisco WebEx Meetings Server 1.1 中已提交的缺陷 10

Cisco WebEx Meetings Server 1.1 MR3 中已解决的缺陷 11

Cisco WebEx Meetings Server 1.1 MR2 中已解决的缺陷 13

Cisco WebEx Meetings Server 1.1 中已解决的缺陷 16

[已知问题和声明](#) 54

[获取文档和提交服务请求](#) 55



第 1 章

Cisco WebEx Meetings Server 1.1 发行说明

以下发行说明描述了所有版本的 Cisco WebEx Meetings Server 发行版 1.1 的新功能、要求、限制和缺陷。这些发行说明针对每个维护发行版（不针对补丁和热修补）进行更新。在安装 Cisco WebEx Meetings Server 之前，我们建议您复查此文档以获取可能影响系统的问题的相关信息。



注 释

本版本的发行说明包含发行版 1.1 MR3（内部版本 1.1.1.316）的更新。

要访问本产品的最新软件升级，请转至以下 URL：<http://software.cisco.com/download/>，然后浏览至您的产品。从产品，选择 **WebEx > 网络会议 > Cisco WebEx Meetings Server > Cisco WebEx Meetings Server 1.1**。

- [查找文档, 第 1 页](#)
- [Cisco WebEx Meetings Server 1.1 的新增和更改的功能, 第 2 页](#)
- [限制和约束, 第 4 页](#)
- [重要说明, 第 5 页](#)
- [缺陷, 第 6 页](#)
- [已知问题和声明, 第 54 页](#)
- [获取文档和提交服务请求, 第 55 页](#)

查找文档

向您的用户提供以下 URL：

www.cisco.com/en/US/products/ps12732/tsd_products_support_series_home.html

Cisco WebEx Meetings Server 1.1 的新增和更改的功能

有关所有可用功能和优点的信息，请在

http://www.cisco.com/en/US/prod/collateral/ps10352/ps10362/ps12732/data_sheet_c78-717754.html 参阅 [Cisco WebEx Meetings Server](#) 的数据表。



注释

发行版 1.1 MR2 和 MR3 未添加其他功能。

- Jabber 9.1.2 及更新版本和 Cisco WebEx Meetings Server 集成（仅限 Windows）：

Cisco WebEx Meetings Server 中的会议将显示在 Cisco Jabber “会议” 标签页中。

从 “会议” 标签页开始/加入。

开始即时会议的功能。

会议提醒（“Toast Popup”）。

从即时消息程序开始即时会议。

- 添加了下列支持：

VMware 5.1 — 较大规模的部署现在可以使用 vSphere Enterprise 许可证代替 Enterprise Plus。

CUCM 9.1。

- 优化的网络和服务器要求。请参阅《*Cisco WebEx Meetings Server* 系统要求》获取更多信息。

- 修补了 550 多处缺陷。

- 产品增强：

改进了产品安装体验。

解决了性能和负载问题。

电子邮件模板改进（与监控、许可证使用和其他问题相关）。

简化了管理密码创建，从而改进了首次加入会议的体验。

改进了产品安装体验。

更新了文档。

对发行版 1.1 MR3 的浏览器支持

已对下列 Web 浏览器进行了测试，它们可与 Cisco WebEx Meetings Server 发行版 1.1 MR3 配合使用：

Windows

- Google Chrome: 23 - 27
- Mozilla Firefox: 10 - 21
- Microsoft Internet Explorer: 9.0 和 8.0 (32 位和 64 位)

Mac

- Mac OS X 10.6、Mac OS X 10.7 和 Mac OS X 10.8 操作系统支持的 Safari 版本
- Google Chrome: 23 - 27
- Mozilla Firefox: 10 - 21

对发行版 1.1 MR2 的浏览器支持

已对下列 Web 浏览器进行了测试，它们可与 Cisco WebEx Meetings Server 发行版 1.1 MR2 配合使用：

Windows

- Google Chrome: 23 - 26
- Mozilla Firefox: 10 - 20
- Microsoft Internet Explorer: 9.0 和 8.0 (32 位和 64 位)

Mac

- Mac OS X 10.6、Mac OS X 10.7 和 Mac OS X 10.8 操作系统支持的 Safari 版本
- Google Chrome: 23 - 26
- Mozilla Firefox: 10 - 20

对发行版 1.1 的浏览器支持

已对下列 Web 浏览器进行了测试，它们可与 Cisco WebEx Meetings Server 发行版 1.1 配合使用：

Windows

- Google Chrome: 23 和 24
- Mozilla Firefox: 10 - 18
- Microsoft Internet Explorer: 9.0 和 8.0 (32 位和 64 位)

Mac

- Mac OS X 10.6、Mac OS X 10.7 和 Mac OS X 10.8 操作系统支持的 Safari 版本
- Google Chrome: 23 和 24

- Mozilla Firefox: 10 - 18

限制和约束

VMware vCenter 使用要求

必须使用 VMware vCenter 来管理部署了 Cisco WebEx Meetings Server 系统的 ESXi 主机。使用 vSphere 客户端登录 vCenter 并部署管理虚拟机的 OVA 文件。

录制文件限制

只要存储服务器的容量允许，您可以创建任意多个录制文件。可使用以下公式估计通常情况下五年所需的存储服务器大小。

预计每天要录制的会议小时数 * 每小时录制 50-100 MB * 五年 * 每天 24 小时 * 每年 365 天

对每个用户的存储没有限制。录制文件可以无限期存储，直到您将其删除。没有提供可以让您自动删除录制文件的功能，因为这可能导致用户意外删除重要的录制文件。将某个录制文件标记为待删除后，该录制文件实际上会在存储服务器上最长保留六个月，以便您有时间在其他媒介上对录制文件进行归档。

有关录制文件限制的更多信息，请参阅 *Cisco WebEx* 网络带宽白皮书的“网络录制文件 - 录制的视频分辨率和 FPS”部分（位于

http://www.cisco.com/en/US/prod/collateral/ps10352/ps10362/ps10409/white_paper_c11-691351.pdf）。

本地化

语言

Cisco WebEx Meetings Server 提供以下语言版本：

- 中文
- 简体中文
- 繁体中文
- 日语
- 韩文
- 法语
- 德语
- 意大利语

- 卡斯蒂利亚西班牙语
- 西班牙语（拉丁美洲）
- 荷兰语
- 葡萄牙语
- 俄语

英语音频提示

要配置美国英语，转到管理站点，选择**设置 > 公司信息**，然后为“语言”设置选择**英语**，为“区域设置”选择**美国**。此操作将启用美国英语音频提示。要配置英国英语，转到管理站点，选择**设置 > 公司信息**，然后为“语言”设置选择**英语**，为“区域设置”选择**英国**。此操作将启用英国英语音频提示。

从平台删除互联网反向代理

管理虚拟机可以向互联网反向代理服务器发送删除消息，以将其从平台删除。此消息以明文发送，未经验证，可能导致拒绝服务。

请使用 IP 表或访问控制列表 (ACL) 配置防火墙，使到端口 64616 的连接只来自管理虚拟机。

重要说明

虚拟机管理程序支持

Cisco WebEx Meetings Server 在 VMware 虚拟机上运行。

- 要部署 Cisco WebEx Meetings Server，VMware vSphere 和 VMware vCenter 都是必需的。您将使用 vSphere 客户端在 vCenter 管理的 ESXi 主机上部署 Cisco WebEx Meetings Server OVA 文件。
- Cisco WebEx Meetings Server 不支持其他管理程序。

配置高可用性系统

当更新高可用性系统时，我们建议您在重启系统且重启进程显示完成后再等 15 分钟，然后开始添加高可用性系统的过程。

关于使用自签名证书

我们强烈建议使用公开签名证书来取代提供的自签名证书。公开签名的证书受用户浏览器的信任，因为对此类证书的信任是通过每个用户的计算机上安装的根证书中心证书列表来建立的。

如果使用自签名证书，有些用户可能在加入会议时遇到问题，因为浏览器在缺省情况下不信任这些证书。用户在这种情况下需要明确建立信任才能继续加入您站点上的会议。有些用户可能不懂如何使用此类证书建立信任。另一些用户可能被管理设置禁止执行此操作。

因此，您应该尽可能使用公开签名证书来提供最佳用户体验。

扩展系统

如果您有现有（扩展前）系统的 VMware 快照，在删除现有系统前请确保扩展系统已正常运行。这可以防止意外删除硬盘 4 基本 VMDK 文件，扩展系统可能会访问该文件。

Ping 频率

Cisco WebEx Meetings Server 现在允许每秒约 1 次 ICMP echo 请求，以前为每两秒约 1 次 ICMP echo 请求。

快捷会议工具升级通知

如果先前部署的快捷会议工具软件包的版本或构建号与新部署的快捷会议工具软件包不同，且升级未被阻止，那么您的快捷会议工具客户端将通过升级警告对话框通知您。

SNMP v2 团体名称

Cisco WebEx Meetings Server 1.1 中将没有缺省 SNMP v2 团体名称条目。升级后将删除现有的 Cisco WebEx Meetings Server 1.0 缺省社区名称“CWS-Public”。只有用户添加的 SNMP v2 社区名称会保留。

缺陷

使用 Bug Toolkit

已知问题（缺陷）已根据严重级别评级。本发行说明包含了对以下缺陷的描述：

- 客户发现的严重级别为 1-3 并已提交的缺陷

- 客户发现的严重级别为 1-3 并已解决的缺陷
- Cisco 发现并已解决的重大缺陷

您可以使用 Cisco Software Bug Toolkit 查找有关所列缺陷的详细信息并搜索其他缺陷。

**注释**

自发行版 1.1 MR3 起，个别缺陷不再链接到他们在 Bug Toolkit 中的条目。有关特定问题的详细信息，请按以下过程中所述搜索该缺陷。

开始之前

要访问 Bug Toolkit，您需要以下项目：

- 互联网连接
- Web 浏览器
- Cisco.com 用户名和密码

过程

- 步骤 1** 要访问 Bug Toolkit，请转至 <http://tools.cisco.com/Support/BugToolKit/action.do?hdnAction=searchBugs>。
- 步骤 2** 使用 Cisco.com 用户名和密码进行登录。
- 步骤 3** 要查找有关特定问题的信息，请在“Search for Bug ID”字段中输入缺陷标识号码，然后单击 **Go**。

接下来的操作

有关如何搜索缺陷、保存搜索及创建缺陷组的信息，请在 **Bug Toolkit** 页上选择 **Help**）。

Cisco WebEx Meetings Server 1.1 MR3 中已提交的缺陷

下表列出的警告描述了最新 Cisco WebEx Meetings Server 1.1 发行版本的意外行为。请参阅 Bug Toolkit 了解更多详细信息。

表 1: Cisco WebEx Meetings Server 1.1 MR3（内部版本 1.1.1.316）中已提交的缺陷

标识符	组件	严重级别	标题
CSCuf03447	sso	2	Admin server possibly preventing SSO for iPad/Iphone (管理服务器可能会阻止 iPad/iphone 进行单点登录)

标识符	组件	严重级别	标题
CSCue95183	documentation	3	MIB files for CWMS are not available (CWMS 的 MIB 文件不可用)
CSCug81299	platform-install	3	Update from 1.1.1.107.A to 1.1.1.220.A stuck for multiple hours (从 1.1.1.107.A 更新到 1.1.1.220.A 受到阻塞达多个小时)
CSCug92035	platform-install	3	Mctool is timeout before the return of puppet in CWMS deployment (在 CWMS 部署中返回 puppet 之前, Mctool 超时)
CSCug95151	ue-general	3	SSO First Time login sees incorrect Country-Region values (SSO 首次登录发现不正确的国家-地区值)
CSCuh07243	mc-client	3	Presenter cannot be passed to mobile device unless the device is host (除非移动设备是主机, 否则无法将主讲者传递到该设备)
CSCuh09270	mc-client-com-msi	3	Onpremmc_GB.msi and ptools_GB.msi are in Chinese instead of UK English (Onpremmc_GB.msi 和 ptools_GB.msi 是中文, 而不是英式英文)
CSCuh17468	admin-log	3	ELM logs not part of infocap (ELM 日志不包含在 infocap 中)
CSCuh20090	admin-sys-config	3	Deactivate host account after x days occurs when disabled (在禁用 x 天之后停用主持人帐户)
CSCuh27650	admin-sys-config	3	User timezone mistaken to author same GMT city (误将用户时区当做相同 GMT 的其他城市)
CSCuh28400	admin-meetingmon	3	Meeting in progress doesn't report Meeting don't started on the Web (正在进行的会议不报告未通过 Web 开始的会议)
CSCuh28776	mc-mobile-ios	3	CWMS - WebEx app on iOS doesn't show all dial-in numbers (CWMS - iOS 上的 WebEx 应用程序不显示所有呼入号码)
CSCuh31201	admin-sys-config	3	Administrator Account Setup fails (管理员帐户设置失败)
CSCuh33315	mc-web-enduser	3	Users able to continue scheduling after deactivation (用户在停用之后可以继续安排)
CSCuh36263	admin-sys-config	3	Attempting to regenerate CSR with new parameters results in the same CSR (尝试使用新的参数重新生成 CSR 生成了同一 CSR)

标识符	组件	严重级别	标题
CSCuh36401	admin-sys-config	3	Special characters in CSR parameters breaks CSR generation (CSR 参数中的特殊字符中断了 CSR 生成)
CSCuh37254	documentation	3	Useless SSO SAML Attribute Names show in Orion Planning Guide. (《Orion 规划指南》中显示无用的 SSO SAML 属性名称。)

Cisco WebEx Meetings Server 1.1 MR2 中已提交的缺陷

下表列出的警告描述了最新 Cisco WebEx Meetings Server 版本的意外行为。缺陷按严重级别列出。请参阅 Bug Toolkit 了解最新的已提交缺陷列表。

表 2: *Cisco WebEx Meetings Server 1.1 MR2* (内部版本 1.1.1.220) 中已提交的缺陷

标识符	组件	严重级别	标题
CSCug20116	admin-sys-config	2	User Account Creation Bug results in a locked out user account... (用户帐户创建缺陷会导致用户帐户被锁定...)
CSCuf66233	mc-web-enduser	2	User unable to schedule/start meeting (用户无法安排/启动会议)
CSCuf03447	sso	2	Admin server possibly preventing SSO for iPad/iphone (管理服务器可能会阻止 iPad/iphone 进行单点登录)
CSCug28451	admin-meetingtest	3	Meetings Test fails intermittently (会议测试会间歇性失败)
CSCug25645	admin-reporting	3	Customized tracking codes do not reflect correctly in exported user.csv (自定义的跟踪代码在 user.csv 中没有正确反映)
CSCuf29957	licensing-elm	3	ELM not accessible (无法访问 ELM)
CSCug09353	licensing-elm	3	Remove hostname from CSR (从 CSR 中删除主机名)
CSCug27854	mc-client-com-pt	3	Productivity tools installation causes installation of tools on MOC/Lync (生产力工具安装会在 MOC/Lync 上安装工具)

标识符	组件	严重级别	标题
CSCug08918	admin-sys-config	4	CWMS admin should not allow duplicate IP address for IRP and public VIP (CWMS 管理员不应允许 IRP 的重复 IP 地址和公共 VIP)
CSCug32014	admin-sys-config	4	Grammar error on the CWMS login page (CWMS 登录页上的语法错误)
CSCue88358	mc-web-com-api	4	Upper case in URL causes System error, please contact administrator msg (URL 中的大小写导致系统错误, 请联系管理员消息)

Cisco WebEx Meetings Server 1.1 中已提交的缺陷

下表列出的警告描述了最新 Cisco WebEx Meetings Server 版本的意外行为。缺陷按严重级别列出。请参阅 Bug Toolkit 了解最新的已提交缺陷列表。

表 3: *Cisco WebEx Meetings Server 1.1* 中的已知缺陷

标识符	组件	严重级别	标题
CSCue14445	platform-os	2	add HA failed due to RSync disconnect, cause active DB on both admin VMs (由于 RSync 断开连接, 添加 HA 失败, 导致两个管理虚拟机上都有活动数据库)
CSCue14962	platform-install	3	Added HA XU to the updated system shows down status - HA didn't reboot (向更新的系统添加了 HA XU, 显示停机状态 - HA 未重新启动)
CSCue19612	db-schema	3	ASIG: User password should not be stored in a recoverable format (ASIG: 用户密码不应该以可恢复的格式存储)
CSCue21761	admin-systemmon	3	Storage size is not reported correctly on Dashboard (在控制板上没有正确报告存储大小)
CSCue24053	ha	3	CWMS failover to HA:reconnect time too long and cannot restart video (CWMS 故障转移到 HA: 重新连接时间过长, 无法重新开始视频)
CSCue24205	platform-install	3	Cron job does not try to expand size (Cron 作业未尝试扩展大小)

标识符	组件	严重级别	标题
CSCuc94900	admin-meetingmon	3	CWMS admin sends out false email notification: (CWMS 管理员发出错误的电子邮件通知: 100% Mtgs having issues 100% 的会议有问题)

Cisco WebEx Meetings Server 1.1 MR3 中已解决的缺陷

下表列出的缺陷描述了此 Cisco WebEx Meetings Server 1.1 发行版本中已解决的问题。请参阅 Bug Toolkit 了解更多详细信息。

表 4: *Cisco WebEx Meetings Server 1.1 MR3* (内部版本 **1.1.1.316**) 中已解决的缺陷

标识符	组件	严重级别	标题
CSCuf66233	mc-web-enduser	2	User unable to schedule/start meeting (用户无法安排/启动会议)
CSCug20116	admin-sys-config	2	User Account Create Does Not Strip Leading or Trailing Space Characters (用户帐户创建未去除开头和结尾空格的字符)
CSCug44227	admin-systemmon	2	NBR doesn't work after system reboot (系统重启后, NBR 不运行)
CSCug93401	dld-java	2	Cannot start/join meeting via Firefox21 (无法通过 Firefox21 开始/加入会议)
CSCue81770	admin-sys-config	3	Call-in access numbers not restored from disaster recovery (呼叫接入号码未从灾难恢复中恢复)
CSCuf29957	licensing-elm	3	ELM not accessible (无法访问 ELM)
CSCuf61549	documentation	3	Admin Guide: (管理员指南: Need more comprehensive description of System Backup... 需要对系统备份的更全面描述...)
CSCuf94093	documentation	3	Maximum Meeting Capacity (最大会议容量)
CSCug09353	licensing-elm	3	Remove hostname from CSR (从 CSR 中删除主机名)
CSCug09787	documentation	3	Document SMTP Port requirements for Large Deployment (对于较大部署的文档 SMTP 端口要求)
CSCug11892	documentation	3	CWMS documentation should include visual effects during web sharing (CWMS 文档应该包括在 Web 共享期间的视觉效果)

标识符	组件	严重级别	标题
CSCug20257	admin-reporting	3	Pure call back user shall be counted on MeetingReport.csv report (纯回呼用户应计入 MeetingReport.csv 报告)
CSCug24749	documentation	3	Add CWMS Troubleshooting Steps for Downloading Reports (添加下载报告的 CWMS 疑难解答步骤)
CSCug25645	admin-reporting	3	Customized tracking codes do not reflect correctly in exported user.csv (自定义的跟踪代码在 user.csv 中没有正确反映)
CSCug28451	admin-meetingtestn	3	Meetings Test fails intermittently (会议测试会间歇性失败)
CSCug48982	admin-sys-config	3	Recording is allowed when not allowed in participant privileges. (允许录制, 但参加者权限中不允许。)
CSCug59161	documentation	3	Include ports used by Meeting Center in networking documentation (包括网络文档中 Meeting Center 使用的端口)
CSCug69146	admin-reporting	3	CWMS Reports cannot be downloaded using IE 8 (无法使用 IE8 下载 CWMS 报告)
CSCug74470	mmp-stream-server	3	Media node reaching out to 1.0.0.0 (介质节点达到 1.0.0.0)
CSCug85244	mc-client-com-pt	3	CWMS 1.1 Meeting does not show up on web for added participants (CWMS 1.1 会议不显示在添加的参加者的 Web 上)
CSCug86339	mc-web-enduser	3	Access https://SiteURL/manager/html, disclose tomcat server info. (访问 https://SiteURL/manager/html, 公开 Tomcat 服务器信息。)
CSCug94986	platform-integ	3	No excat info about mount failure in log when isStorageSever.sh failed (isStorageSever.sh 失败时, 日志中没有装入失败的准确相关信息)
CSCuh01025	platform-install	3	Update from 1.1.1.220 to 1.1.1.305 stuck (从 1.1.1.220 更新到 1.1.1.305 时受到阻塞)
CSCuh22603	admin-reporting	3	CWMS Reports and infocap cannot be downloaded using IE 8, from email (无法使用 IE8 从电子邮件下载 CWMS 报告和 infocap)
CSCue90282	ue-doc	4	Only one vNIC active on non-admin nodes (在非管理节点上只有一个 vNIC 活动)

标识符	组件	严重级别	标题
CSCuf86498	admin-systemmon	4	Webex site URL shows orion.webex.cisco.com on admin page intermittently (Webex 站点 URL 在管理页面上间歇性显示 orion.webex.cisco.com)
CSCug08918	admin-sys-config	4	CWMS admin should not allow duplicate IP address for IRP and public VIP (CWMS 管理员不应允许 IRP 的重复 IP 地址和公共 VIP)
CSCug32014	admin-sys-config	4	Grammar error on the CWMS login page (CWMS 登录页上的语法错误)
CSCug37373	admin-systemmon	4	CWMS communication throws security alert due to invalid getBulkRequest (由于 getBulkRequest 无效, CWMS 通信抛出安全警告)
CSCuf85994	admin-meetingmon	5	Text for the meeting status note should be corrected (应该更正会议状态节点的文本)
CSCug66780	admin-reporting	5	Monthly Report: Meetings Feature Usage has Bad legend (每月报告: 会议功能使用情况含有错误的图例)
CSCug66786	admin-reporting	5	Meetings Feature Usage graph for Web Sharing is not using right color (Web 共享的会议功能使用情况图使用了错误的颜色)

Cisco WebEx Meetings Server 1.1 MR2 中已解决的缺陷

下表列出的缺陷描述了此 Cisco WebEx Meetings Server 1.1 版本中已解决的问题。

表 5: Cisco WebEx Meetings Server 1.1 MR2 (内部版本 1.1.1.220) 中已解决的缺陷

标识符	组件	严重级别	标题
CSCue70983	licensing	1	CWMS 1.1 ELM Issue prevents use of top-level-domains for CWMS Admin Site (CWMS 1.1 ELM 问题将阻止 CWMS 管理站点使用顶级域)
CSCuf21793	mc-web-mobile	1	CWMS adding invitees to meeting in iOS problem (CWMS 在 iOS 中将受邀者添加到会议出现问题)
CSCue89570	db-core	2	after database file size is exhausted, new file not created (达到数据库文件大小后, 不再创建新文件)
CSCue31363	eureka-server	2	Ability to Read Uninitialized Memory (能够读取未初始化的内存)

标识符	组件	严重级别	标题
CSCue36629	eureka-server	2	The CB "cache" directory content can be downloaded (可以下载 CB "cache" 目录内容)
CSCue89871	platform-integ	2	Users could not log into scheduling page after the upgrade to 1.1.1.9 (升级到 1.1.1.9 后, 用户无法登录安排页面)
CSCuf96994	platform-integ	2	cancel dmz makes empty bootconfig (取消 dmz 会生成空的 bootconfig)
CSCue71736	电话	2	sRTP does not use FIPS-compliant routines (sRTP 不使用符合 FIPS 的例程)
CSCue29643	admin-reporting	3	Cannot generate user license report if system timezone is GMT+8 (如果系统时区为 GMT+8, 则无法生成用户许可证报告)
CSCue14886	admin-sys-config	3	Firefox infinite loop displaying page redirect pop-up confirmation (Firefox 无限循环显示页面重定向弹出式确认消息)
CSCue81770	admin-sys-config	3	Call-in access numbers not restored from disaster recovery (呼入接入号码未从灾难恢复中恢复)
CSCue19380	admin-systemmon	3	False alarm "One or more virtual machines needs your attention" (错误警告 “一个或多个虚拟机需要您的注意”)
CSCuf37985	ha	3	CWMS 1.1 admin HA node down (CWMS 1.1 管理高可用性节点出现故障)
CSCuf29946	licensing-elm	3	ELM server not accessible if webadmin fails over on HA admin node (如果 webadmin 在高可用性管理节点上发生故障, 则无法访问 ELM 服务器)
CSCuf24663	mc-as	3	Authenticaton module can not build with Maven. (可以使用 Maven 构建身份验证模块。)
CSCuf60313	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: 应告诉用户如何通过 PT 登录非 SSO 云站点。)
CSCue89193	mc-web-com-waf	3	We shouldn't eat the log of flush caching on other VMs. (我们不应消耗其他虚拟机上缓存的清空日志。)
CSCue89797	mc-web-com-waf	3	There is an invalid API call to http://meetings.atk.com1/dispatcher/ (存在对 http://meetings.atk.com1/dispatcher/ 的无效 API 调用)

标识符	组件	严重级别	标题
CSCue72804	mc-web-enduser	3	Mtg url in mtg-client shouldn't include psw if check on exclude psw (如果检查排除密码, 则会议客户端中的会议 url 不应包括密码)
CSCuf52200	platform-install	3	Deployment fte pages accessible without passphrase (部署不使用密码即可访问的 fte 页面)
CSCue24205	platform-install	3	Cron job does not try to expand size (Cron 作业未尝试扩展大小)
CSCue56377	platform-integ	3	Deployment FTE fails if the first DNS server is down or unreachable (如果第一个 DNS 服务器出现故障或无法连接, 则部署 FTE 失败)
CSCue62740	platform-integ	3	Allow grow using both OVA 1.0 and OVA 1.1 (允许使用 OVA 1.0 和 OVA 1.1 进行扩展)
CSCug11140	platform-integ	3	Block direct update from 1.0 to 1.1MR2 (阻止从 1.0 直接升级至 1.1 MR2)
CSCue78851	sso	3	SSO sign in fail and notice the the user is inactive (SSO 登录失败并通知用户处于非活动状态)
CSCue14799	admin-reporting	4	Meeting size statistics on pdf report does not follow data prepared (PDF 报告上的会议大小统计信息与准备的数据不一致)
CSCud86685	email	4	CWMS 1.1 TVT_percentage sign is missing in English source string (CWMS 1.1 TVT_percentage 符号在英文源字符串中缺失)
CSCue29401	email	4	Email: Won't show meeting password in reminder mail (电子邮件: 在提醒邮件中不显示会议密码)
CSCud67904	mc-web-enduser	4	Password not required to join meetings (加入会议不需要密码)
CSCud85417	mc-web-enduser	4	CWMS 1.1 TVT_global change for "cover the licenses" (CWMS 1.1 “支付许可证”的 TVT_global 变更)
CSCud85436	mc-web-enduser	4	CWMS 1.1 TVT_global change for "purchased licenses" (CWMS 1.1 “已购买许可证”的 TVT_global 变更)
CSCud85443	mc-web-enduser	4	CWMS 1.1 TVT_translation change for "You are using a free trial..." (CWMS 1.1 “您使用的是免费试用版...”的 TVT_translation 变更)
CSCue01592	mc-web-enduser	4	start' button always stays in grey in MDP when disable JBH in admin (在管理中禁用 JBH 时, MDP 中的“开始”按钮始终显示为灰色)

标识符	组件	严重级别	标题
CSCue03725	mc-web-enduser	4	CWMS End User Training Videos is not available for "Español de España" ("Español de España" 的 CWMS 最终用户培训视频不可用)
CSCue07774	mc-web-enduser	4	Company name won't change if starting meeting as soon as (如果尽快启动会议，则公司名称不会变化)
CSCue14840	mc-web-enduser	4	Do not show access code if attendee do not log in site (如果与会者未登录站点，则不显示访问码)
CSCue15556	mc-web-enduser	4	Create user password error when check on "Email address unacceptable" (检查“电子邮件地址不可接受”时会产生用户密码错误)
CSCue25425	platform-install	4	Adding high availability system fails intermittently (添加高可用性系统会间歇性失败)
CSCue60665	platform-install	4	CWMS cannot use alias for hostname to deploy a system (CWMS 无法使用主机名的别名部署系统)
CSCue96113	telephony-cms	4	CWMS need to disable VAD is peer side not support VAD (CWMS 需要禁用 VAD，因为对端不支持 VAD)
CSCuf66253	telephony-cms	4	Disable VAD parameter in config file (禁用 config 文件中的 VAD 参数)

Cisco WebEx Meetings Server 1.1 中已解决的缺陷

下表列出的缺陷描述于此 Cisco WebEx Meetings Server 1.1 版本中已解决的问题。

表 6: *Cisco WebEx Meetings Server* 中的已解决警告

标识符	组件	严重级别	标题
CSCud08598	eventbus	1	VM states flapping Up/Down every few mins (虚拟机状态每隔几分钟就发生变动)
CSCuc51705	admin-sys-config	2	UI doesn't show correct status on failed HA Add (高可用性系统添加失败时，UI 不显示正确的状态)
CSCud20537	admin-sys-config	2	Wrong initial value for special character rule is displayed (显示的特殊字符规则的初始值错误)
CSCud57104	admin-sys-config	2	OVA 1.1.0.51 :Basic Config FTE is not working (OVA 1.1.0.51 : 基本配置 FTE 无法正常工作)

标识符	组件	严重级别	标题
CSCud77315	admin-sys-config	2	Browser button does not work in IE (在 IE 中浏览器按钮无法正常工作)
CSCuc45013	db-core	2	Grow failed due to an error in db restore (由于数据库恢复时的错误, 扩展失败)
CSCud16831	db-core	2	Update from 1.0.1.157 -> 1.1.0.17 failed. missing DBMS upgrade file (从 1.0.1.157 到 1.1.0.17 的更新失败。缺少 DBMS 升级文件)
CSCud19410	db-core	2	Second out of DST meeting start time err for Recurrence meeting (重复会议的第二次 DST 会议开始时间错误)
CSCuc79643	email	2	Predictable Meeting ID allows joining others' meeting without password (可预测的会议标识使用户在不用密码的情况下也可加入他人的会议)
CSCuc69214	mc-client-com-pt	2	Cisco WebEx Meetings Server EFT: PT schedules a 48 hour meeting (Cisco WebEx Meetings Server EFT: PT 警告使用已配置的 SSO 进行重定向)
CSCud17691	mc-web-com-waf	2	Windows 8: page direct error when about 30 mins no operation on page (Windows 8: 页面上无操作时间达到约 30 分钟时, 页面定向错误)
CSCuc86344	mc-web-enduser	2	Inactive users get deactivated after upgrading system to 1.0.1.152.A (非活动用户在系统升级至 1.0.1.152.A 后被停用)
CSCud06109	mc-web-enduser	2	Cannot attend meetings using link from recurring meetings prior to DST (无法使用 DST 前的重复会议链接出席会议)
CSCud10559	mc-web-enduser	2	couple web node RPMs spec version is wrong in 1.1, failed Update (配合 Web 节点 RPM 规格版本在 1.1 中错误, 更新失败)
CSCud42802	mc-web-enduser	2	page direct error when start meeting from MDP/email/meeting list (从 MDP/电子邮件/会议列表开始会议时页面定向错误)
CSCud97736	mc-web-enduser	2	Meeting password is displayed on meeting details page. (会议详细信息页面上显示会议密码。)
CSCud54467	mmp-client	2	Several min delay between telephony and mmp endpoints on loaded system (在加载的系统上电话和 mmp 端点之间有几分钟延迟)

标识符	组件	严重级别	标题
CSCuc84100	platform-install	2	System stuck in Maintenance Mode after add HA in Patch 1.0.1.153 (在 Patch 1.0.1.153 中添加高可用性系统后，系统在维护模式下死机)
CSCuc84178	platform-install	2	Remove passphrase decoder from distribution (从分发中删除密码解码器)
CSCuc96970	platform-install	2	Add DMZ UI, click Continue but no response, page java error (添加 DMZ UI，单击"继续"但无响应，页面 java 错误)
CSCud21369	platform-install	2	Minor update completed ok, but admin web reports error 513 (次要更新成功完成，但管理 Web 报告错误 513)
CSCud45590	platform-install	2	Cannot exit MM after upgrade from 1.0.1.20053 to 1.1.0.34 - db is locked (从 1.0.1.20053 升级到 1.1.0.34 后无法退出 MM - 数据库被锁定)
CSCud67844	platform-install	2	Update successfully message pop-up missing after update completed (完成更新后缺少更新成功弹出消息)
CSCuc43375	platform-integ	2	Not In 1.0: (不在 1.0 中: OVA 20002: Cannot manual deploy with IRP OVA 20002: 无法使用 IRP 进行手动部署)
CSCuc47045	platform-integ	2	Not In 1.0 ova20006: stuck at media VM FTE check FQDN is not defined (不在 1.0 ova20006 中: 媒体虚拟机 FTE 检查时死机, FQDN 未定义)
CSCud20129	platform-integ	2	Enable public access page does not load (启用公开访问页面未加载)
CSCud32401	platform-integ	2	Minor update HA vm got minorupdateError Internal Server Error (次要更新高可用性虚拟机出现 minorupdateError 内部服务器错误)
CSCud33800	platform-integ	2	Cannot visit end user page with DMZ (无法通过 DMZ 访问最终用户页面)
CSCud41943	platform-integ	2	FTE stuck due to intermittent stopped Oracle listener by mctool kick (由于 mctool kick 间歇性停止 Oracle 侦听器, FTE 死机)
CSCud18964	telephony	2	Cisco WebEx Meetings Server Alpha: URL did not work to download monthly report (Cisco WebEx Meetings Server alpha: 回呼失败)

标识符	组件	严重级别	标题
CSCud09891	telephony-cms	2	MMA core file found on small standalone (在小型独立版上找到 MMA 核心文件)
CSCud61367	telephony-cms	2	gyromain doesn't open thread for every CPU (gyromain 没有为每个 CPU 打开线程)
CSCud10547	telephony-tahoe	2	Couple media RPMs spec version is wrong in 1.1, failed Update (配合媒体 RPM 规格版本在 1.1 中错误, 更新失败)
CSCud41545	ue-doc	2	Doc how SNMP works in CWMS (在 CWMS 中有 SNMP 工作方式文档)
CSCud79692	ue-doc	2	Wrong number for max NBR sessions (最大 NBR 会话数错误)
CSCuc79996	xmlapi	2	Security vulnerability in joinmeeting.do URL creation in XMLAPI (加入会议时有安全漏洞。在 XMLAPI 中执行 URL 创建)
CSCuc82567	admin-log	3	Infrastructure to gather logs on fail deployment (部署失败时用于收集日志的基础结构)
CSCuc85949	admin-log	3	Handle abnormally large log files (处理异常大的日志文件)
CSCuc85963	admin-log	3	Reduce the log collection wait time from 45 minutes (使日志收集等待时间小于 45 分钟)
CSCuc94100	admin-log	3	OVA 20044 : Remote support logs not included in infocap (OVA 20044: infocap 中不包括远程支持日志)
CSCuc98942	admin-log	3	Insecure File Permissions on Cisco WebEx Meetings Server VMs (Cisco WebEx Meetings Server 虚拟机上的文件权限不安全)
CSCud67864	admin-log	3	Path traversal in logadmin download (logadmin 下载中的路径遍历)
CSCud86077	admin-log	3	logagent on primary VM - is UP but doesn't archive or purge logs (主要虚拟机上的 logagent 已启动, 但没有存档或清除日志)
CSCuc23585	admin-meetingmon	3	Contents in usage/problematic email is not correct (使用/问题电子邮件中的内容不正确)
CSCuc72869	admin-meetingmon	3	IE8, meeting trend page take up too much memory (IE8, 会议趋势页面占用内存过多)

标识符	组件	严重级别	标题
CSCuc84266	admin-meetingmon	3	URLs on the Admin Web Interface allow non-admin user to see admin info (管理 Web 界面上的 URL 允许非管理用户查看管理信息)
CSCuc85196	admin-meetingmon	3	Data on meeting trend can't be automatically updated (会议趋势数据无法自动更新)
CSCud09182	admin-meetingmon	3	Meeting trend one week view: meetings coordinate disappear (会议趋势一周视图: 会议坐标消失)
CSCud13252	admin-meetingmon	3	Cisco WebEx Meetings Server EFT: PT schedules a 48 hour meeting (Cisco WebEx Meetings Server EFT: 管理显示的与会用户数不正确)
CSCud70783	admin-meetingmon	3	Dashboard page is navigated to meeting trend page automatically (控制板页面自动导航至会议趋势页面)
CSCud85575	admin-meetingmon	3	Miss "%" in Issue meeting mail content (问题会议邮件内容中缺少"%")
CSCud01587	admin-reporting	3	Regenerate PDF Report if the report is incomplete (如果报告不完整, 则重新生成 PDF 报告)
CSCud39539	admin-reporting	3	Report downloading path allows unauthenticated user to view local files (报告下载路径允许未经验证的用户查看本地文件)
CSCud47396	admin-reporting	3	Meeting data issue on monthly report of the meet site (会议站点的月度报告上有会议数据问题)
CSCud48615	admin-reporting	3	Cisco WebEx Meetings Server Alpha: URL did not work to download monthly report (Cisco WebEx Meetings Server alpha: 下载月度报告的 URL 无法正常工作)
CSCuc25453	admin-sys-config	3	Upgrade: restored certificate are removed during Deployment FTE (升级: 已恢复的证书在部署 FTE 过程中被删除)
CSCuc40177	admin-sys-config	3	UI page gets unexpectedly refreshed when MM is turned on (MM 打开时 UI 页面意外刷新)
CSCuc49527	admin-sys-config	3	Remote support account expiration date on admin is incorrect (管理上的远程支持帐户到期日不正确)
CSCuc51273	admin-sys-config	3	DR completes but no indication on admin until new admin session opened (灾难恢复完成, 不过在打开新管理会话之前无管理指示)

标识符	组件	严重级别	标题
CSCuc63386	admin-sys-config	3	No Email Server Validation in the initial config sequence (最初配置序列中无电子邮件服务器验证)
CSCuc64249	admin-sys-config	3	Could not access new Admin URL after changing URLs and VIPs (在更改 URL 和 VIP 后无法访问新管理 URL)
CSCuc69404	admin-sys-config	3	Apache Solr instance reveals internal IP , Administrator username, email (Apache Solr 实例显示内部 IP、管理员用户名、电子邮件)
CSCuc69509	admin-sys-config	3	No CSRF protection allows attacker to take over by creating admin (无 CSRF 保护，攻击者因此可通过创建管理员接管)
CSCuc69612	admin-sys-config	3	URLs on the Admin Web Interface allow non-admin user to see admin info (管理 Web 界面上的 URL 允许非管理用户查看管理信息)
CSCuc69670	admin-sys-config	3	Admin URL on port 10200 can be accessed without authentication (端口 10200 上的管理 URL 可以不经验证访问)
CSCuc69698	admin-sys-config	3	X-FRAME-Options not Enabled (Clickjacking Mitigation) (未启用 X-FRAME 选项 (用于防范点击劫持))
CSCuc69874	admin-sys-config	3	IE8-Can not Download CSR (IE8 - 无法下载证书签名请求)
CSCuc74116	admin-sys-config	3	update Wbxnbrstreamzone url value when updating site URL (更新站点 URL 时更新 Wbxnbrstreamzone url 值)
CSCuc74505	admin-sys-config	3	SSL cert invalid after grow, but warning msg did not appear after reboot (扩展后 SSL 证书无效，不过重启后不显示警告消息)
CSCuc75000	admin-sys-config	3	On new install, self signed certificate missing host names (新安装时，自签名证书缺少主机名)
CSCuc79701	admin-sys-config	3	Unauthenticated configuration changes to Admin site (对管理站点的配置更改未经验证)
CSCuc79738	admin-sys-config	3	CAPTCHA and Authenticity Token Bypass on Admin Login Page (在管理员登录页面上可绕过 CAPTCHA 和 Authenticity Token)

标识符	组件	严重级别	标题
CSCuc80430	admin-sys-config	3	HA Upgrade link doesn't work if extra space at beginning or end of FQDN (如果在 FQDN 开始或结束位置有多余空格, 则高可用性系统升级链接无效)
CSCuc82356	admin-sys-config	3	Glitch error when accessing the Admin Web page (访问管理网页时发生故障错误)
CSCuc91722	admin-sys-config	3	Navigation bug in System (系统中有导航缺陷)
CSCuc98917	admin-sys-config	3	Insecure File Permissions on Cisco WebEx Meetings Server VMs (Cisco WebEx Meetings Server 虚拟机上的文件权限不安全)
CSCud03365	admin-sys-config	3	ResultSet not closed while querying coruser table 查询 coruser 表时 ResultSet 未关闭)
CSCud08628	admin-sys-config	3	Missing rebooting icon in MM textbox in IE version 8 (IE v8 中的 MM 文本框中缺少重新启动图标)
CSCud10292	admin-sys-config	3	IE9 didn't auto redirect to Sign in page after taking system out of MM (将系统退出 MM 后 IE9 没有自动重定向到"登录"页面)
CSCud10500	admin-sys-config	3	Root ssh access turned off too early for Primary Admin VMs (主要管理虚拟机的根 ssh 访问关闭过早)
CSCud11134	admin-sys-config	3	Cannot move the slider to determine the meeting size in win8 & IE10 (在 win8 和 IE10 中无法移动滑块来确定会议大小)
CSCud11250	admin-sys-config	3	"Add Public Access" button should be disabled when admin in HA (管理在高可用性系统中时"添加公开访问"按钮应该停用)
CSCud15775	admin-sys-config	3	Force create password bug(强制创建密码缺陷)
CSCud16158	admin-sys-config	3	SSL certificate becomes invalid alert not appear after actions in sys tab (在系统标签页中进行操作后 SSL 证书失效, 未出现提示)
CSCud16189	admin-sys-config	3	Certificate going to expire email was sent out twice after system reboot (系统重新启动后两次发出证书将过期电子邮件)
CSCud18948	admin-sys-config	3	IE 9 stuck at createpwd.js, line 103, console not defined (IE 9 在 createpwd.js 第 103 行死机, 未定义控制台)

标识符	组件	严重级别	标题
CSCud19835	admin-sys-config	3	Special character required for admin pass (管理员密码需要特殊字符)
CSCud19930	admin-sys-config	3	Change password page not working for force change password option (对于强制更改密码选项, 更改密码页面无法正常工作)
CSCud23358	admin-sys-config	3	Importing CSV file of tab delimited failed in import users (导入用户时导入制表符分隔的 CSV 文件失败)
CSCud30902	admin-sys-config	3	The script getwbxsiteconfig cannot get QOS setting on Cisco WebEx Meetings Server DMZ VM (脚本 getwbxsiteconfig 无法在 Cisco WebEx Meetings Server DMZ 虚拟机上进行 QOS 设置)
CSCud32797	admin-sys-config	3	Change site URL UI becomes abnormal on Firefox (在 Firefox 上, 更改站点 URL UI 变得异常)
CSCud39011	admin-sys-config	3	Unauthenticated user can access /common/siteconfig admin settings (未经验证的用户可以访问 /common/siteconfig 管理设置)
CSCud41756	admin-sys-config	3	Lost /basicconfig URL and so deployment is stuck (丢失 /basicconfig URL, 因而部署死机)
CSCud42141	admin-sys-config	3	Certificate name include script code can be executed (证书名称包含可执行的脚本代码)
CSCud47115	admin-sys-config	3	Need to add tlsEnabled to webexproperties (easy) (需要将 tlsEnabled 添加到 webexproperties (容易))
CSCud51703	admin-sys-config	3	SNMP UDP port 161 -- remove default v2 entry in DB (SNMP UDP 端口 161 -- 在数据库中删除缺省 v2 条目)
CSCud51757	admin-sys-config	3	SNMP UDP port 161 -- remove default v2 entry in UI (SNMP UDP 端口 161 -- 在 UI 中删除缺省 v2 条目)
CSCud58023	admin-sys-config	3	Help content abnormal for settings>security>virtualmachines (settings>security>virtualmachines 的帮助内容异常)
CSCud64938	admin-sys-config	3	Need to clear SNMP init flag on update/upgrade (easy) (需要在更新/升级时清除 SNMP init 标记 (容易))

标识符	组件	严重级别	标题
CSCud69603	admin-sys-config	3	Invalid value for mail server port is remembered (系统记住了邮件服务器端口的无效值)
CSCud70197	admin-sys-config	3	UI page not refreshed after Diasaster Recovery (灾难恢复后 UI 页面不刷新)
CSCud75907	admin-sys-config	3	Admin FTE: should not set up account with invalid email (管理 FTE: 不应该设置有无效电子邮件的帐户)
CSCud92076	admin-sys-config	3	Should not show save DB error message when no Community String added (不应该在没有添加团体字符串时显示保存数据库错误消息)
CSCue00674	admin-sys-config	3	DB resource not closed after used by webadmin (数据库资源被 webadmin 使用后未关闭)
CSCue01921	admin-sys-config	3	Certificates are not uploaded after failover to HA system (故障转移到高可用性系统后未上传证书)
CSCue03424	admin-sys-config	3	NM --- SNMP trap configured but is not shown in snmpdv3.conf file (NM --- 配置了 SNMP 陷阱, 但未在 snmpdv3.conf 文件中显示)
CSCue03427	admin-sys-config	3	NM --- V3 usm entry does not have corresponding user privilege configured (NM --- V3 usm 条目没有配置相应的用户权限)
CSCuc79789	admin-systemmon	3	Insecure File Permissions on Cisco WebEx Meetings Server VMs (Cisco WebEx Meetings Server 虚拟机上的文件权限不安全)
CSCud22083	admin-systemmon	3	Admin dashboard shows "Not Configured" message when storage is down (存储关闭时管理控制板显示"未配置"消息)
CSCud25482	admin-systemmon	3	java and wbxmonxpm cores after deployment (部署后 java 和 wbxmonxpm 发生核心转储)
CSCud37360	admin-systemmon	3	Excessively high memory on administration dashboard system monitor (管理控制板系统监控器占用内存过大)
CSCud55029	admin-systemmon	3	Network history coordinate disappears, when all check box is unchecked (取消选中所有复选框时网络历史记录坐标消失)
CSCud91495	admin-systemmon	3	NM --- unused snmpdv2.conf file reveal cloud community string (NM --- 未使用的 snmpdv2.conf 文件显示云团体字符串)

标识符	组件	严重级别	标题
CSCuc71667	db-core	3	Unusable indexes checking during daily backup job (每日备份作业中有不可用索引检查)
CSCuc91410	db-core	3	Update is longer than 30 minutes sometimes, need reduce DB backup time (有时更新会超过 30 分钟，需要减少数据库备份时间)
CSCud00061	db-core	3	Modify timestamp in logs to show milliseconds (修改日志中的时间标记以显示毫秒数)
CSCud00776	db-core	3	Cisco WebEx Meetings Server DB RPM to use version env (Cisco WebEx Meetings Server 数据库 RPM 将使用版本 env)
CSCud06328	db-core	3	Cisco WebEx Meetings Server 1.1 update/upgrade path (Cisco WebEx Meetings Server 1.1 更新/升级路径)
CSCud08305	db-core	3	Restore log capture during upgrade (在升级时还原日志捕获)
CSCud15419	db-core	3	Change DB version in 1.1 to separate Update of official release (更改 1.1 中的数据库版本以分隔正式发行版的更新)
CSCud51814	db-core	3	SNMP UDP port 161 -- the v2 community Name "CWS-Public" is not a default (SNMP UDP 端口 161 -- v2 团体名称"CWS-Public"不是缺省值)
CSCud95898	db-core	3	Update finished but no successful msg and reboot (DB resource leak)(更新完成，但没有成功消息，也未重新启动（数据库资源泄漏）)
CSCud94434	db-schema	3	Save Notification DB error when configuring trap. (配置陷阱时保存通知数据库错误。)
CSCuc84976	documentation	3	We covered more errors in a simple error message (我们在单条错误消息中包含多个错误)
CSCud06091	documentation	3	Email server requirements (电子邮件服务器要求)
CSCud06100	documentation	3	Document QoS marking (文档 QoS 标记)
CSCud06214	documentation	3	PT tools upgrade (PT 工具升级)
CSCud13162	documentation	3	Need to have improved step by step RAID and ESXi configuration (需要逐步改进 RAID 和 ESXi 配置)

标识符	组件	严重级别	标题
CSCud24500	documentation	3	Planning guide needs to state Dual DC HA is Not supported (规划指南需要说明不支持双 DC 高可用性系统)
CSCud40457	documentation	3	Can't find meeting if join meeting with the old join URL after upgrade (如果在升级后用旧 URL 加入会议，则找不到会议)
CSCud40947	documentation	3	Include documentation explaining why CWMS drops pings (包含说明为何 CWMS 断开 ping 的文档)
CSCud82562	documentation	3	Document rsync ports in IRP (记录 IRP 中的 rsync 端口)
CSCud86086	documentation	3	Include vCenter requirement in deployment steps (在部署步骤中包括 vCenter 要求)
CSCud89686	documentation	3	Clarify hardware requirements table in the CWMS system requirements (在 CWMS 系统要求中阐明硬件要求表)
CSCud89728	documentation	3	Add documentation stating that user's email addresses are not editable (添加说明用户的电子邮件地址不可编辑的文档)
CSCud93592	documentation	3	Include site URL restrictions in planning guide (在规划指南中包括站点 URL 限制)
CSCud95949	documentation	3	Document network requirements for NFS storage on CWMS (记录 CWMS 上 NFS 存储的网络要求)
CSCuc70795	email	3	Email: Won't show meeting password in reminder mail (电子邮件: 回复录制文件电子邮件"收件人"时，无法获取正确的地址)
CSCud22750	email	3	Meeting alert URL to meeting list does not work (指向会议列表的会议提示 URL 无法正常工作)
CSCud54619	email	3	Email engine should support TLS (电子邮件引擎应该支持 TLS)
CSCud85998	eureka-sdk	3	Can't join meeting using host's account when meeting is restricted (会议受限时无法使用主持人的帐户加入会议)
CSCud68151	eureka-server	3	Admin dashboard still shows meetings and usage while in MM (在 MM 中时管理控制板仍然显示会议和使用情况)

标识符	组件	严重级别	标题
CSCuc37179	ha	3	DMZ SSL stays DOWN (DMZ SSL 依然存在故障)
CSCud15044	licensing	3	EADS issue - unable to redirect to ELM admin (EADS 问题 - 无法重定向到 ELM 管理)
CSCuc98938	licensing-elm	3	Insecure File Permissions on Cisco WebEx Meetings Server VMs - licensing-ELM (Cisco WebEx Meetings Server 虚拟机上的文件权限不安全 - licensing-ELM)
CSCud75821	licensing-elm	3	Severe error in catalina.out about thread failed to stop and memory leak (catalina.out 中有关于线程未能停止和内存泄漏的严重错误)
CSCud83167	licensing-elm	3	System should not be enabled after free trial ends (在免费试用结束后不应该启用系统)
CSCud85061	licensing-elm	3	Licensing: page should not show yellow warning div after install license (许可: 安装许可证后页面不应该显示黄色警告 div)
CSCtz46530	mc-client	3	Should open chat/polling panel if open chat/polling file from file menu (如果从文件菜单打开聊天/投票文件, 应该打开聊天/投票面板)
CSCtz79161	mc-client	3	Cisco WebEx Meetings Server: VM Failover causes loss of VOIP connection (Cisco WebEx Meetings Server: 虚拟机故障转移导致 VOIP 连接丢失)
CSCub78988	mc-client	3	TVT - 1668_Meeting client_Number format is not localized (TVT - 1668_Meeting client_Number 格式未本地化)
CSCud92530	mc-client	3	Please remove Pass Mic menu in Plist right click menu on Windows client (请在 Windows 客户端上从 Plist 右键单击菜单删除"传递麦克风"菜单)
CSCuc70208	mc-client-com-inst	3	Google Chrome gets into a hung loop and fails to load MC (Google Chrome 循环挂断, 无法加载 MC)
CSCuc27409	mc-client-com-msi	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Remove ptools_SV.msi and ptools_TSP.msi from admin PT download page. (从管理 PT 下载页面删除 ptools_SV.msi 和 ptools_TSP.msi。))

标识符	组件	严重级别	标题
CSCud30490	mc-client-com-msi	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: PT build info in registry and about dialog are wrong (注册表和关于对话框中的 PT 构建信息错误))
CSCud30663	mc-client-com-msi	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: PT MSI version should be changed according to OVA version (应该根据 OVA 版本更改 PT MSI 版本))
CSCuc89205	mc-client-com-pt	3	Cisco WebEx Meetings Server EFT: PT schedules a 48 hour meeting (Cisco WebEx Meetings Server EFT: PT 安排 48 小时的会议)
CSCud08613	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: It should add PT detail version on PT about dialog (应该在 PT 关于对话框上添加 PT 详细信息版本))
CSCud09114	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: PT build info on check for update dialog isn't same as OVA build (在检查更新对话框上的 PT 构建信息与 OVA 构建不同))
CSCud11291	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: User will sign out PT if update other user's meeting (如果更新其他用户的会议, 用户将注销 PT))
CSCud49776	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Some content in L10N help document needs to be updated (L10N 帮助文档中有些内容需要更新))
CSCud71221	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Meeting duration shows 0 min or empty when connect to cloud site (连接到云站点时, 会议持续时间显示为 0 分钟或空白))
CSCud73806	mc-client-com-pt	3	Translation is incorrect for PT language (PT 语言的翻译不正确)
CSCud78826	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Some words in L10N strings are translated wrongly (L10N 字符串中有些单词翻译错误))

标识符	组件	严重级别	标题
CSCud78842	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Some content in PT L10N help document should be updated (PT L10N 帮助文档中有些内容应该更新))
CSCud86182	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: SP PT client will open ES help L10N document (SP PT 客户端将打开 ES 帮助 L10N 文档))
CSCud91681	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Some L10N strings should be updated (有些 L10N 字符串应该更新))
CSCud99096	mc-client-com-pt	3	PT: It should tell user how to login cloud non-SSO site via PT. (PT: Sign in" in Portuguese can't display completely on PT login dialog (葡萄牙语的"登录"在 PT 登录对话框上无法完全显示))
CSCud55973	mc-client-framework	3	Meeting window cannot brought to the front when stop sharing (停止共享时无法将会议窗口调到前台)
CSCud47853	mc-web-com-waf	3	AES Hmac encryption implementation incorrect (AES Hmac 加密实施不正确)
CSCud67882	mc-web-com-waf	3	Logging of sensitive data before encryption (加密前记录敏感数据)
CSCud67925	mc-web-com-waf	3	Multiple XSS Issues in Cisco WebEx Meetings Server (Cisco WebEx Meetings Server 中有多个 XSS 问题)
CSCub17882	mc-web-enduser	3	When click "Back To" of IE after "Meet now", the user will join twice (如果在 IE 中单击"即时会议"后再单击"返回到", 用户将加入两次)
CSCuc77890	mc-web-enduser	3	Password tip disappears and submit button is disabled (密码提示消失, 提交按钮处于停用状态)
CSCuc79753	mc-web-enduser	3	Search Function Returns Sensitive Information in Meeting Site (在会议站点中搜索功能返回敏感信息)
CSCuc80615	mc-web-enduser	3	Scheduling future meetings within 30 minutes does not change button (安排在 30 分钟内召开的未来会议不更改按钮)

标识符	组件	严重级别	标题
CSCuc82833	mc-web-enduser	3	Jabber: Lose meeting password if join meeting from meeting reminder (从会议提醒加入会议时丢失会议密码)
CSCuc98931	mc-web-enduser	3	Insecure File Permissions on Cisco WebEx Meetings Server VMs (Cisco WebEx Meetings Server 虚拟机上的文件权限不安全)
CSCud06373	mc-web-enduser	3	Cannot playback recording on Windows 8 (无法在 Windows 8 上播放录制文件)
CSCud07031	mc-web-enduser	3	"Remember me" not work when you start meeting via email link (通过电子邮件链接开始会议时"记住我"无法正常工作)
CSCud07062	mc-web-enduser	3	Mail address instead of name displays on participants area (参加者区域显示邮件地址而不是姓名)
CSCud08914	mc-web-enduser	3	Display issue of alternate host tool tips in Russia (俄语的候补主持人工具提示有显示问题)
CSCud13530	mc-web-enduser	3	Javascript encode/decode problem causes page UI display error (Javascript 编码/解码问题导致页面 UI 显示错误)
CSCud13644	mc-web-enduser	3	A security issue of pageNotFound (发生 pageNotFound 的安全问题)
CSCud26071	mc-web-enduser	3	Insecure meetingdocshow link (meetingdocshow 链接不安全)
CSCud34189	mc-web-enduser	3	Can't delete meeting in web end-user page (无法在 Web 最终用户页面中删除会议)
CSCud54676	mc-web-enduser	3	Severe error in catalina.out about thread failed to stop and memory leak (catalina.out 中有关于线程未能停止和内存泄漏的严重错误)
CSCud76025	mc-web-enduser	3	My account UI problem (我的帐户 UI 问题)
CSCud92914	mc-web-enduser	3	Force all users to change password every X day' works un-normally ("强制所有用户每 X 天更改一次密码"工作不正常)
CSCuc46214	mmp-platform	3	wbxmcc,mcs and msc core files on micro standalone (微型独立版上的 wbxmcc、mcs 和 msc 核心文件)

标识符	组件	严重级别	标题
CSCuc57174	mmp-platform	3	All clients leave audio session after join audio session when cb failover (cb 故障转移时, 所有客户端退出已加入的音频会话)
CSCuc82438	mmp-platform	3	Core files found after add DMZ or HA and after update (在添加 DMZ 或高可用性系统之后和更新后找到核心文件)
CSCuc16926	platform-install	3	Re-enable maintenance lock for adddmz, upgrade, update, grow (为"添加 DMZ"、"升级"、"更新"和"扩展"重新启用维护锁定)
CSCuc42979	platform-install	3	Hostnames and URLs should be lower case in the system (系统中的主机名和 URL 应该小写)
CSCuc53262	platform-install	3	Auto deployment fails in certain VMWare setups (自动部署在某些 VMWare 设置中失败)
CSCuc55505	platform-install	3	Update HA skipped pre-checks (更新高可用性系统跳过预检查)
CSCuc71686	platform-install	3	NotIn1.0: Disable root ssh access when upgrade/expand deployment FTE (不在 1.0 中: 升级/扩展部署 FTE 时停用根 ssh 访问)
CSCuc72171	platform-install	3	Web Interfaces: Weak protections on sensitive cookies - Secure Flag (Web 界面: 对敏感 cookie 的保护很弱 - 安全标记)
CSCuc96688	platform-install	3	扩展后未调用证书生成
CSCud13678	platform-install	3	在"添加 DMZ"UI 中单击"取消"按钮后处理死机
CSCud24931	platform-install	3	从 First Customer Ship Patch1 版本 1.1.0.28 更新 - 遇到维护锁定/解锁问题
CSCud27602	platform-install	3	Cisco WebEx Meetings Server 1.1 的版权日期应该是 2013 (平台)
CSCud29661	platform-install	3	At end of grow operation the reboot did not work (在扩展操作结束时重新启动无法正常工作)
CSCud38659	platform-install	3	Still can click Continue button when it is dimmed out during upgrade ("继续"按钮在升级期间虽然显示为灰色, 但仍可单击)
CSCud39575	platform-install	3	Admin ran update but never saw status page (success/fail) (管理员运行了更新, 但始终没有看见状态页面 (成功/失败))

标识符	组件	严重级别	标题
CSCud51800	platform-install	3	SNMP udp port 161 -- remove restriction of udp port 161 (SNMP udp 端口 161 -- 消除 udp 端口 161 的限制)
CSCud54745	platform-install	3	System Check failed, insufficient CPU due to CPU speed calculation too low (系统检查失败, 由于 CPU 速度计算值过低, CPU 不足)
CSCud65064	platform-install	3	Update: archiving tarball has issue if grow, then add DMZ for a scenario (更新: 如果先扩展, 再为某种场景添加 DMZ, 则存档 tarball 时会有问题)
CSCud65076	platform-install	3	Update: archiving tarball has issue if grow, then add DMZ for a scenario (更新: 如果先扩展, 再添加 DMZ, 则存档 tarball 时会有问题)
CSCud69663	platform-install	3	Add HA/DMZ fixes after minor updates (次要更新后添加高可用性系统/DMZ 修订)
CSCud70531	platform-install	3	Adding 1.0 First Customer Ship DMZ to updated system fails (添加 1.0 First Customer Ship DMZ 到更新的系统时失败)
CSCud72274	platform-install	3	Update RPMs based on CIAM reports (根据 CIAM 报告更新 RPM)
CSCud86092	platform-install	3	At end of grow operation based on 1.0 First Customer Ship the reboot did not work (基于 1.0 First Customer Ship 的扩展操作结束时, 重新启动无法正常工作)
CSCue02938	platform-install	3	Update failed due to DB backup failed due to lack of disk space (数据库备份由于缺少磁盘空间而失败, 导致更新失败)
CSCuc45598	platform-integ	3	Add DMZ to system, UI alerted saveVipError() in HTTP request (将 DMZ 添加至系统, UI 在 HTTP 请求中提示 saveVipError())
CSCuc46603	platform-integ	3	Change VM IP by changing DNS, exit MM stuck at rebooting (通过更改 DNS 来更改虚拟机 IP, 重启时退出 MM 死机)
CSCuc59350	platform-integ	3	L10N JP, grow UI text ref to button does not match actual 'Continue' name (L10N JP, 扩展 UI 文本引用的按钮与实际的"继续"名称不匹配)
CSCuc75014	platform-integ	3	Existing root ssh session retained after deployment FTE (部署 FTE 后保留现有根 ssh 会话)

标识符	组件	严重级别	标题
CSCuc81918	platform-integ	3	Clean up supervisor.log (清理 supervisor.log)
CSCuc83225	platform-integ	3	After Update, Admin shows old version, take system off Maintenance stuck (更新后, 管理显示旧版本, 使系统脱离维护模式时死机)
CSCud07546	platform-integ	3	Admin should just warn instead of fail update when postUpdate.sh exit 2 (在 postUpdate.sh 退出 2 时, 管理应该只警告, 而不是让更新失败)
CSCud07578	platform-integ	3	Update to version 1.1.0.3 fails (更新到版本 1.1.0.3 失败)
CSCud10269	platform-integ	3	Update to 1.1.0.6 fails, version not updated, firstboot_part1 RPM wrong (更新到 1.1.0.6 失败, 版本未更新, firstboot_part1 RPM 错误)
CSCud10457	platform-integ	3	Couple platform RPM spec version is wrong in 1.1, failed Update (配合平台 RPM 规格版本在 1.1 中错误, 更新失败)
CSCud10635	platform-integ	3	remotesupport_disable_login.sh should not disc remote access connections (remotesupport_disable_login.sh 不应该断开远程访问连接)
CSCud15068	platform-integ	3	saveVIPError() in HTTP req due to unlocking before completing operation (由于在完成操作前解锁, HTTP 请求中发生 saveVIPError())
CSCud18128	platform-integ	3	Add DMZ, got saveVipError, issue with stomp server (添加 DMZ, 发生 saveVipError, stomp 服务器有问题)
CSCud18750	platform-integ	3	Minor update 1.0.1.20052 to 1.1.0.19 failed (从 1.0.1.20052 到 1.1.0.19 的次要更新失败)
CSCud20180	platform-integ	3	Grow in 1.1 with FCS OVA failed (在 1.1 中用 FCS OVA 扩展失败)
CSCud25263	platform-integ	3	Add DMZ to updated XU-system, got saveVipError (将 DMZ 添加到更新后的 XU 系统, 发生 saveVipError)
CSCud27474	platform-integ	3	mctool kick mounts timeouts after only 300 seconds (mctool kick 装入只过了 300 秒就超时)

标识符	组件	严重级别	标题
CSCud29720	platform-integ	3	Operations that auto-patch (grow, add DMZ, add HA) fail release updates (自动修补的操作 (扩展、添加 DMZ、添加高可用性系统) 未能发布更新)
CSCud35370	platform-integ	3	Cancel on minor update: Object doesn't support method updateStart (在次要更新时取消: 对象不支持方法 updateStart)
CSCud41089	platform-os	3	ICMP Rejection should be less frequent on Cisco WebEx Meetings Server (在 Cisco WebEx Meetings Server 上 ICMP 拒绝的频率应该减少)
CSCuc89172	sslwg-general	3	Cisco WebEx Meetings Server EFT: PT schedules a 48 hour meeting (Cisco WebEx Meetings Server EFT: Wireshark 跟踪中未找到 QoS 标记)
CSCuc94232	sslwg-general	3	Admin URL is bringing up the user web (管理 URL 调出用户 Web)
CSCud15071	电话	3	"Telephony - Unreachable (ref sip status for reason code)" ("电话 - 无法接通 (参考 sip 状态了解原因代码)")
CSCud34581	telephony-cms	3	tls fallback, cms failover - call is disconnected (tls 回退, cms 故障转移 - 呼叫断开)
CSCud92077	telephony-tahoe	3	Call back to secure phone fail in the case of TLS+SRTP (如果使用 TLS+SRTP, 对安全电话的回呼会失败)
CSCuc69563	ue-doc	3	mCollective/ActiveMQ Use Default Passwords and no SSL (mCollective/ActiveMQ 使用缺省密码, 无 SSL)
CSCud55236	urlapi-oriondata	3	Won't receive Invitation mail when schedule meeting by mobile (通过移动设备安排会议时不会收到邀请邮件)
CSCuc85339	xmlapi	3	Click meeting URL jumped to another meeting info page (单击跳至其他会议信息页面的会议 URL)
CSCud54069	xmlapi	3	XMLAPI LscCalendarSession not retrieving recurring meetings (XMLAPI LscCalendarSession 不接受重复会议)
CSCud16067	admin-log	4	Add some files in media VM log packages (在媒体虚拟机日志包中添加了一些文件)

标识符	组件	严重级别	标题
CSCuc25173	admin-meetingmon	4	On meeting list page: Meetings should be sorted by Status by default (在会议列表页面上: 会议在缺省情况下应该按状态排序)
CSCuc28760	admin-meetingmon	4	Alarm meeting template missing "of system capacity" CSCuc23585 (警报会议模板缺少"系统容量" CSCuc23585)
CSCud09195	admin-meetingmon	4	Time stamps in admin alarm and clear mail hasn't followed user's locale (管理警报和清除邮件中的时间标记不符合用户的区域设置)
CSCud13803	admin-meetingmon	4	Status column is incorrect for future meeting on meeting list page (会议列表页面上未来会议的状态列不正确)
CSCud21770	admin-meetingmon	4	Sometimes meeting trend page can not be successfully loaded (有时会议趋势页面无法成功加载)
CSCud23916	admin-meetingmon	4	Miss track ball on meeting trend after page refresh for several times (页面刷新几次后, 会议趋势上缺少跟踪球)
CSCud35561	admin-meetingmon	4	Status is incorrect for repeated future meeting on meeting list page (会议列表页面上重复的未来会议的状态不正确)
CSCud60087	admin-meetingmon	4	OVA 1.1.0.51 :Basic Config FTE is not working (OVA 1.1.0.51 : MeetingMon 后合作业抛出异常)
CSCuc60713	admin-reporting	4	Some issues related to peak day/hour charts, and summary messages (有一些与峰值日/小时图表和摘要消息有关的问题)
CSCuc61443	admin-reporting	4	PDFReport - update wording to reflect the data (PDFReport - 更新文字以反映数据)
CSCuc64273	admin-reporting	4	Meeting size&single largest meeting are different on two reports (会议大小和单次最大会议在两个报告上不同)
CSCuc64661	admin-reporting	4	Shall not show feature name on report if it's disabled on system setting (如果功能在系统设置上被停用, 就不应该在报告上显示功能名称)
CSCuc69525	admin-reporting	4	Report downloading allows an authenticated admin to view local files (报告下载允许未经验证的管理员查看本地文件)

标识符	组件	严重级别	标题
CSCuc15388	admin-sys-config	4	Add HA -UI mistranslates error code "Platform-11" into text (添加高可用性系统 - UI 错将错误代码"Platform-11"翻译成了文本)
CSCuc27300	admin-sys-config	4	Confusing certificate message after minor upgrade (次要升级后显示令人迷惑的证书消息)
CSCuc29121	admin-sys-config	4	Javascript errors in admin pages (管理页面中有 Javascript 错误)
CSCuc29892	admin-sys-config	4	Miss hint msg under "Minimum character length." in user/meeting password (在用户/会议密码中的"最小字符长度："下缺少提示消息)
CSCuc33253	admin-sys-config	4	Wrong hostname entered in Add HA, icon 'Verifying' takes forever (在添加高可用性系统时输入了错误的主机名，图标"正在验证"始终显示)
CSCuc35476	admin-sys-config	4	AdminSettings:National Flag for some countries do not follow meeting client (AdminSettings: 某些国家/地区的国旗与会议客户端不符)
CSCuc41368	admin-sys-config	4	L10N ALL - msg about invalid certificate after VMs added to system (L10N 所有语言 - 有关虚拟机添加至系统后的无效证书消息)
CSCuc42987	admin-sys-config	4	Admin:Time format is not correct when locale is of Spanish language (管理员: 区域设置为西班牙语时时间格式不正确)
CSCuc46472	admin-sys-config	4	Cisco WebEx Meetings Server 1.1: Change private VIP or admin URL then exit maintenance mode (更改专用 VIP 或管理 URL，然后退出维护模式)
CSCuc47161	admin-sys-config	4	L10N all except English - WebEx site URL resolve to VIP text in English (L10N 除英语外的所有语言 - WebEx 站点 URL 解析为英语的 VIP 文本)
CSCuc50987	admin-sys-config	4	Remove dummy boot config (删除假启动配置)
CSCuc51484	admin-sys-config	4	Translation needed for message key "gsSiteInfoMessage2" (消息键"gsSiteInfoMessage2"需要翻译)
CSCuc53201	admin-sys-config	4	Lower case all fqdns from system properties page (系统属性页面中的所有 fqdn 均改为小写)

标识符	组件	严重级别	标题
CSCuc53895	admin-sys-config	4	VM Hostname change: Save button does not work in one scenario (虚拟机主机名更改: ("保存"按钮在一种场景中无法正常工作))
CSCuc56432	admin-sys-config	4	L10N ALL, HA version text and upgrade link in English (L10N 所有语言: 高可用性系统版本文本和升级链接为英语)
CSCuc56838	admin-sys-config	4	I18N-Message not translated in SSL certificate expire alert after add HA (I18N - 添加高可用性系统后 SSL 证书到期提示中的消息未翻译)
CSCuc57315	admin-sys-config	4	(After reboot, SSL certificate become invalid top alert still appear 重新启动后, 顶部仍然显示 SSL 证书失效提示)
CSCuc59051	admin-sys-config	4	Browser back button cause blank page and constant reloading (浏览器后退按钮导致页面空白和不断重新加载)
CSCuc60977	admin-sys-config	4	Branding logo < 120px by 32px stretched (小于 120 * 32 像素的品牌徽标被拉伸)
CSCuc61673	admin-sys-config	4	Add user: get default language (Spanish) instead of English (添加用户: 显示缺省语言 (西班牙语) 而非英语)
CSCuc61691	admin-sys-config	4	Add HS: fails with Database-106 with no message (添加 HS: 因 Database-106 而失败, 无错误消息)
CSCuc62253	admin-sys-config	4	Data in import/export summary is diff between page and mail if abort (如果中止, 页面和邮件中的导入/导出摘要数据会不同)
CSCuc62391	admin-sys-config	4	Hidden area can lead to turn on/off MM mode in all browsers (隐藏区域可能导致在所有浏览区中打开/关闭 MM 模式)
CSCuc65497	admin-sys-config	4	Implement "You cannot re-use your last password" case for pwd bubble (为密码框实施"您不能重复使用上次的密码"设置)
CSCuc69372	admin-sys-config	4	Branding page - Contact Support link vulnerable to CSRF (品牌页面 - "联系支持"链接易遭 CSRF)
CSCuc73060	admin-sys-config	4	Admin:List of unacceptable passwords in user password works abnormally (管理员: 用户密码中的不可接受密码列表工作异常)

标识符	组件	严重级别	标题
CSCuc73874	admin-sys-config	4	i18n ES-SP, welcome pop-up missing version (i18n ES-SP, 弹出的欢迎信息缺少版本)
CSCuc75720	admin-sys-config	4	Wrong English string issue in SNMP page (SNMP 页面中英语字符串错误问题)
CSCuc77052	admin-sys-config	4	Need verify if FQDN is resolvable by the DNS (需要验证 DNS 是否可以解析 FQDN)
CSCuc82265	admin-sys-config	4	Remove HA: used the first VM in bootconfig instead of secondary admin (删除高可用性系统: 使用了 bootconfig 中的第一个虚拟机而不是次要管理虚拟机)
CSCuc83425	admin-sys-config	4	Cannot edit USMuser who is added with SecurityLevel set as "authNoPriv" (无法编辑 SecurityLevel 设置为"authNoPriv"的 USMuser)
CSCuc84176	admin-sys-config	4	Add HA xu build to primary non-xu build, no error description (向主要的非 xu 构建版添加高可用性 xu 内部版本时, 无错误描述)
CSCuc84760	admin-sys-config	4	Create remote support: enter large number fix to 30 fails (创建远程支持: 输入大量修订 (达到30) 会失败)
CSCuc85859	admin-sys-config	4	Trash bootconfig*.xml files need to be removed from customer-facing software (需要从面向客户的软件删除垃圾箱的 bootconfig*.xml 文件)
CSCuc86549	admin-sys-config	4	Sometimes the Turn Off MM rebooting pop up shows "undefined" (有时"关闭 MM"的重新启动弹出消息会显示"未定义")
CSCuc89869	admin-sys-config	4	System->Servers->Add Storage Server (系统 -> 服务器 -> 添加存储服务器)
CSCuc91754	admin-sys-config	4	Help page for settings > security > virtual machines link slightly bad ("设置 > 安全性 > 虚拟机链接"的帮助页面略有错误)
CSCuc91938	admin-sys-config	4	Invalid IP address when extra space given at the end of Cisco Unified Communications Manager IP (在 Cisco Unified Communications Manager IP 末尾给出多余空格时会导致 IP 地址无效)
CSCud06664	admin-sys-config	4	loadSmtptServerFromDBError pop up when system is taken out of MM (系统退出 MM 时弹出 loadSmtptServerFromDBError)

标识符	组件	严重级别	标题
CSCud08569	admin-sys-config	4	Warning message when extra space given at the beginning or end of HA (在高可用性系统开头或末尾给出多余空格时会显示警告消息)
CSCud08702	admin-sys-config	4	Per US doc team requirement, change an English string (按照美国文档小组要求, 更改一个英语字符串)
CSCud08828	admin-sys-config	4	Can save USM user when Authentication Password is null (当验证密码为空时可以保存 USM 用户)
CSCud09104	admin-sys-config	4	"Must not include previous passwords" in user password works abnormally ("不得包含先前的密码"在用户密码中工作异常)
CSCud10430	admin-sys-config	4	ResultSet not closed after use in several webadmin project classes (ResultSet 在多个 webadmin 项目类中使用后未关闭)
CSCud11129	admin-sys-config	4	UI abnormal buttons with background color in Windows 8 & Internet Explorer 10 (在 Windows 8 和 Internet Explorer 10 中, UI 有显示背景颜色的异常按钮)
CSCud11634	admin-sys-config	4	Should can not save email include "~" into reply-to in email>variables (在"回复电子邮件 > 变量"中应该不能保存包含"~"的电子邮件)
CSCud13787	admin-sys-config	4	Should remove "Remove UID domain suffix ..." in preview sso settings dlg (应该在预览 sso 设置对话框中删除"删除 UID 域后缀 ...")
CSCud13859	admin-sys-config	4	Internet Explorer 8 Meet Javascript error when import users with wrong Delimiter selected (导入用户时如果选择了错误的分隔符, Internet Explorer 8 会遇到 Javascript 错误)
CSCud14132	admin-sys-config	4	Email:HTML content disappeared when click save button two times (电子邮件: 如果两次单击保存按钮, HTML 内容会消失)
CSCud14592	admin-sys-config	4	Two type of error message appear same time in sign in page (在登录页面中同时出现两种错误消息)
CSCud15082	admin-sys-config	4	Avoid mctool kick all from webadmin (避免从 webadmin 执行 mctool kick all)
CSCud15163	admin-sys-config	4	[Admin] New admin users should not get "password changed" email ([管理员] 新的管理员用户不应该收到"密码已更改"电子邮件)

标识符	组件	严重级别	标题
CSCud16209	admin-sys-config	4	IE-Cursor abnormal after click or type into custom footer text input area (IE - 在自定义页脚文本输入区域中单击或输入后光标会变得异常)
CSCud16238	admin-sys-config	4	Should check required field before enable SSO (启用 SSO 前应该检查必填字段)
CSCud16260	admin-sys-config	4	L10N-GB-"CUCM" spelling error in call in access number tooltip (L10N - GB - 在呼入接入号码工具提示中"CUCM"拼写错误)
CSCud16276	admin-sys-config	4	Can save invalid hostname/IP Address in Notification Destination (在"通知目标"中可以保存无效的主机名/IP 地址)
CSCud17048	admin-sys-config	4	L10N, FR exit MM, pop-up English message 'The system is rebooting' (L10N, FR: 退出 MM 时会弹出英语消息"The system is rebooting")
CSCud17340	admin-sys-config	4	No space between year and time in the meeting cancel email to host (给主持人的会议取消电子邮件中, 年份和时间之间没有空格)
CSCud17344	admin-sys-config	4	Limitation for PhoneNumber Input should sync between admin and end user (对电话号码输入的限制在管理员和最终用户之间应该同步)
CSCud17366	admin-sys-config	4	Bugs for add/edit Community String (添加/编辑团体字符串有问题)
CSCud17572	admin-sys-config	4	"Turn off background color" should not take effect for admin pages ("关闭背景颜色"不应该对管理页面生效)
CSCud17653	admin-sys-config	4	Predictive search should not display user who has been Filtered out (预测搜索应该不显示已被过滤掉的用户)
CSCud18721	admin-sys-config	4	FTE->Mail Server UI page takes input very slowly (FTE->邮件服务器 UI 页面接受输入的速度非常慢)
CSCud18928	admin-sys-config	4	L10N-PT-error message not correct if input invalid hour number (L10N - PT - 输入无效的小时数时错误消息不正确)
CSCud19307	admin-sys-config	4	Warning message should disappear after branding logo upload successfully (品牌徽标上传成功后警告消息应该消失)

标识符	组件	严重级别	标题
CSCud19345	admin-sys-config	4	With some specific language, text "ON" "OFF" are not in capital letters (在某些特定语言中, 文本"ON"和"OFF"不是大写字母)
CSCud20320	admin-sys-config	4	Settings->Audio:Call-In Access Numbers (Settings->Audio: 呼入接入号码)
CSCud21707	admin-sys-config	4	UI abnormal in admin password bubble (管理员密码框中 UI 异常)
CSCud22261	admin-sys-config	4	Meet system error when save contact URL includes characters in uppercase (保存包含大写字母的联系人 URL 时遇到系统错误)
CSCud22339	admin-sys-config	4	Duplicated labels in edit mail server UI (编辑邮件服务器 UI 中有重复标签)
CSCud28184	admin-sys-config	4	L10N-Error message of phone number does not translate in admin page (L10N - 在管理页面中电话号码的错误消息未翻译)
CSCud28224	admin-sys-config	4	View certificate displays blank after doing some operations in Internet Explorer 8 (在 Internet Explorer 8 中执行一些操作后查看证书会显示空白)
CSCud30345	admin-sys-config	4	Clear text password in Web admin log (Web 管理日志中有明文密码)
CSCud30349	admin-sys-config	4	L10N-ESSP-Should use singular form when 0/1 character left (L10N - ESSP - 剩下 0/1 个字符时应该使用单一表格)
CSCud30387	admin-sys-config	4	Left words in Custom Footer Text display abnormally when loading page (加载页面时"自定义页脚文本"中的剩余单词显示异常)
CSCud30445	admin-sys-config	4	Inline error is not reasonable when empty hostname/IP input (主机名/IP 输入为空时内联错误不合理)
CSCud30959	admin-sys-config	4	Filter should change to "All users" when click go back in users search (单击返回用户搜索时过滤器应该更改为"所有用户")
CSCud31215	admin-sys-config	4	Admin FTE, email and confirmation validation should ignore case diff (管理 FTE, 电子邮件和确认验证应该忽略大小写差异)

标识符	组件	严重级别	标题
CSCud32532	admin-sys-config	4	Order of Call-In Access Numbers list is not correct when click continue (单击继续时呼入接入号码列表的顺序不正确)
CSCud32538	admin-sys-config	4	Click cancel should back to the last page in Federated SSO (单击取消应该回到联合 SSO 中的最后一页)
CSCud33635	admin-sys-config	4	Upload CUCM certificate - Add .pem and .der as supported file format in info (上传 CUCM 证书 - 按信息中支持的文件格式添加 .pem 和 .der)
CSCud38341	admin-sys-config	4	Field for page number isn't wide enough (页码的字段不够宽)
CSCud40730	admin-sys-config	4	SSLGW failover - on admin page error: (SSLGW 故障转移 - 在管理页面上错误:) getMaintStatusFromDBError
CSCud41166	admin-sys-config	4	Out of memory on idle system (空闲系统上内存不足)
CSCud42809	admin-sys-config	4	Javascript error if import CUCM certificate with name set as longer than 1024 (如果导入设置的名称长于 1024 的 CUCM 证书, 会发生 Javascript 错误)
CSCud44085	admin-sys-config	4	Incorrect status in admin page when lost network connectivity to Storage (丢失与存储空间的网络连接时, 管理页面中的状态不正确)
CSCud44518	admin-sys-config	4	L10N, password rule, at least 2 mixed case is in English (L10N, 密码规则"至少有 2 个大小写混合形式"是英语)
CSCud45040	admin-sys-config	4	Comma should be allowed in user password (用户密码中应该允许有逗号)
CSCud45068	admin-sys-config	4	User password with period works abnormally (有句点的用户密码工作异常)
CSCud51183	admin-sys-config	4	FTE Create Password UI not localized (FTE 创建密码 UI 未本地化)
CSCud55238	admin-sys-config	4	Large port number can be saved for email server (可以为电子邮件服务器保存大端口号)
CSCud55312	admin-sys-config	4	Wrong logic of displaying email server port (显示电子邮件服务器端口的逻辑错误)

标识符	组件	严重级别	标题
CSCud59591	admin-sys-config	4	SSL certificate reused in expanded system, but false msg about cert invalid (在扩展系统中复用了 SSL 证书, 但出现关于证书无效的错误消息)
CSCud60411	admin-sys-config	4	System has to validate new FQDN in small system (系统必须验证小系统中的新 FQDN)
CSCud60415	admin-sys-config	4	After changing FQDN, Site URL and Admin URL are unavailable (更改 FQDN 后, 站点 URL 和管理 URL 不可用)
CSCud60811	admin-sys-config	4	Admin Add User dialog does not strip leading and trailing spaces, tabs (管理"添加用户"对话框未去除开头和结尾的空格、制表符)
CSCud61498	admin-sys-config	4	Check problems of boundary value in edit alarms page (检查编辑警报页面中的边界值问题)
CSCud63747	admin-sys-config	4	On alarm setting page, alarm info sometimes will be lost (在警报设置页面上, 警报信息有时会丢失)
CSCud67589	admin-sys-config	4	Need unsecured siteconfigs during reboot (在重新启动时需要不安全的站点配置)
CSCud68672	admin-sys-config	4	Unreasonable logic of adding Storage Server in admin (在管理中添加存储服务器的逻辑不合理)
CSCud72136	admin-sys-config	4	Bug when changing hostnames (更改主机名时有缺陷)
CSCud76474	admin-sys-config	4	Words extend out of the More Options box in SSL Certificate in IE8 (在 IE8 中, SSL 证书中的"更多选项"框的文字突出框外)
CSCud77314	admin-sys-config	4	upload company logo button not working in ie9 (上传公司徽标按钮在 IE9 中无法正常工作)
CSCuc79315	admin-systemmon	4	NM--forceStop extra delay to accommodate time required for TAS and NBRSS. (NM--forceStop 额外延迟以容纳 TAS 和 NBRSS 所需的时间。)
CSCud16865	admin-systemmon	4	Improving Troubleshooting Guide in CWMS 1.1 (改进 CWMS 1.1 中的疑难解答指南)
CSCud18617	admin-systemmon	4	wbxmonxagt core dump - agent crash when entering Maintenance Mode (wbxmonxagt 核心转储 - 进入维护模式时代理崩溃)

标识符	组件	严重级别	标题
CSCud39094	admin-systemmon	4	admin dash, storage meter not active but not shown with grayed out image (管理控制板, 存储指示器不处于活动状态, 但未显示为灰色图像)
CSCud31790	db-core	4	Improper partitioned index handling (分区索引处理不当)
CSCud64274	db-core	4	db_service.sh script shows syntax error after time-out on listener (db_service.sh 脚本在侦听器超时后显示语法错误)
CSCuc70473	db-schema	4	performance have potential concern when get host language for reporting (获取用于报告的主机语言时有潜在性能问题)
CSCuc70485	db-schema	4	index may become unusable when partition was dropped (分区被删除时索引可能变为不可用)
CSCuc70861	db-schema	4	performance concern on wbxeventloguser (wbxeventloguser 有性能问题)
CSCuc69549	email	4	WebEx Email Engine Monitoring Console exposed via browser (WebEx 电子邮件引擎监视控制台通过浏览器显示)
CSCud09027	email	4	Email: 1 month(s) shows as 1 months in mail content (电子邮件: 在邮件内容中 1 month(s) 显示为 1 months)
CSCud23580	email	4	Email: Won't show meeting password in reminder mail (电子邮件: 停用 WebEx 音频时不应该显示电话信息)
CSCud85845	email	4	Email: Won't show meeting password in reminder mail (电子邮件: 提醒邮件中显示错误的访问码)
CSCud43859	ha	4	DMZ VM reboots because of old Admin VM (DMZ 虚拟机因为旧管理虚拟机而重新启动)
CSCuc80565	licensing	4	Shouldn't give 180 days again if system fails over before 1 day expire (如果系统在到期前 1 天故障转移, 不应再提供 180 天期限)
CSCuc81048	licensing	4	Elm connection lost alert should display primary VM name (Elm 丢失连接提示应该显示主要虚拟机名称)
CSCud28501	licensing	4	Shouldn't display out-of-date alert if minor ver change (如果发生次要版本更改, 不应该显示过时提示)

标识符	组件	严重级别	标题
CSCud28526	licensing	4	License version should hide when system is free trial (如果系统为免费试用, 许可证版本应该隐藏)
CSCud33810	licensing	4	L10N: UI issue of License area on system page with RU (带 RU 的系统页面上的"许可证"区域 UI 有问题)
CSCud34168	licensing	4	Shall show "Licenses" & "Licenses version" on License area of system page (在系统页面的"许可证"区域上应该显示"许可证"和"许可证版本")
CSCud39834	licensing	4	Wrong punctuation in overage email (超额电子邮件中标点错误)
CSCud40470	licensing	4	Content of overage expired email is wrong (超额到期电子邮件的内容错误)
CSCud48585	licensing-elm	4	Licensing msg on admin web needs update to better inform administrator (管理 Web 上的许可消息需要更新以更好地向管理员提供信息)
CSCud86305	licensing-elm	4	GraceEndDate is empty in outofdate expiring email (在 outofdate 到期电子邮件中 GraceEndDate 为空)
CSCud87183	licensing-elm	4	There is no any word in licensing warning div (在许可警告 div 中没有任何文字)
CSCud40174	mc-client-com-nbr	4	Can't play recording after play webex11/train recording (播放 webex11/train 录制文件后无法播放录制文件)
CSCuc59709	mc-client-com-pt	4	L10N-PT: One string in B5 can't display completely. (L10N-PT: B5 中的一个字符串无法完整显示。)
CSCuc72497	mc-client-com-pt	4	PT: It should tell user how to login cloud non-SSO site via PT. (PT: PT SSO 登录不应该显示切换站点)
CSCuc72977	mc-client-com-pt	4	PT: It should tell user how to login cloud non-SSO site via PT. (PT: 如果更新不同会议, 邮件正文将被错误地更改)
CSCuc93003	mc-client-com-pt	4	PT: It should tell user how to login cloud non-SSO site via PT. (PT: 在 PT 关于对话框上不应该显示"BTS"。)

标识符	组件	严重级别	标题
CSCuc33289	mc-web-com-waf	4	PT: It should tell user how to login cloud non-SSO site via PT. (PT: 无法编辑代表另一个主持人安排的会议。)
CSCuc21010	mc-web-enduser	4	New strings for tooltip of alt host is changed. (候补主持人的工具提示的新字符串已更改。)
CSCuc40278	mc-web-enduser	4	"Remember me" token expiration time not controlled by server side logic ("记住我"令牌到期时间不受服务器端逻辑控制。)
CSCuc40311	mc-web-enduser	4	Logging of password (记录密码)
CSCuc40971	mc-web-enduser	4	Copy from train/wbx11 CSCuc38769 (从 train/wbx11 复制 CSCuc38769)
CSCuc72987	mc-web-enduser	4	L10N- Window title of help docs are not localized. (L10N - 帮助文档的窗口标题未本地化。)
CSCuc80988	mc-web-enduser	4	after edit mtg,mistaken the exclude password option to include password (编辑会议后, 不包含密码选项错改为包含密码)
CSCuc85504	mc-web-enduser	4	User can schedule an invalid meeting (用户可以安排无效的会议)
CSCud08640	mc-web-enduser	4	Arrow pointing oppositely on docshow page in Windows 8 & IE10 (在 Windows 8 和 IE10 中 docshow 页面上的箭头指向相反)
CSCud08855	mc-web-enduser	4	Meeting list cannot sorted by duration (会议列表无法按持续时间排序)
CSCud08886	mc-web-enduser	4	if meeting in progress locked in client, page redirect error when join it (如果正在进行的会议在客户端中被锁定, 加入会议时会发生页面重定向错误)
CSCud08950	mc-web-enduser	4	"Who" field error: type account and click '+' in schedule page ("人员"字段错误: 在安排页面中输入帐户并单击"+")
CSCud11376	mc-web-enduser	4	Click a deleted recording link in the mail will direct to a wrong page (在邮件中单击已删除的录制文件链接将转到错误页面)
CSCud17406	mc-web-enduser	4	User can type invalid data when schedule meeting (在安排会议时用户可以输入无效数据)
CSCud33586	mc-web-enduser	4	User can type decimal numbers when schedule meeting (在安排会议时用户可以输入小数)

标识符	组件	严重级别	标题
CSCud33595	mc-web-enduser	4	Meetings > All Meetings search by date - sorting shows meetings beyond range (按日期进行"会议 > 所有会议"搜索 - 排序显示超出范围的会议)
CSCud40512	mc-web-enduser	4	UI shows wrong in 'All meetings->the meetings you are invited to' page (在"所有会议 -> 您受邀参加的会议"页面中 UI 显示错误)
CSCud42610	mc-web-enduser	4	ED parameter issue leads to fail to join meeting. (ED 参数问题导致加入会议失败。)
CSCud57667	mc-web-enduser	4	Page direct error when use "Enter" in keyboard to submit new psu (使用键盘上的"Enter"提交新密码时页面定向错误)
CSCud57683	mc-web-enduser	4	scheduling permission: Don't recognize UpperCase account (安排许可权: 无法识别大写帐户)
CSCud76402	mc-web-enduser	4	fail to start meeting when language is Francais (语言为法语时开始会议失败)
CSCuc33204	mmp-platform	4	MCS/MCC generate Core file after kill -15/TERM wbxmcs (MCS/MCC 在去除 -15/TERM wbxmcs 后生成核心文件)
CSCuc72278	NBR	4	Meeting Recording: Verbose Error Message in HTML source (会议录制文件: HTML 源中有详尽的错误消息)
CSCud67906	NBR	4	Remove Hard-Coded Cryptographic Keys from TokenEncode classes (从 TokenEncode 类删除硬编码的密钥)
CSCuc04821	platform-install	4	click hyperlink, new browser opened, but got erroneous pop-up warning (单击超链接会打开新浏览器, 但出现错误的弹出警告)
CSCuc35189	platform-install	4	Add DMZ lower version to system, no msg alerts for mismatch version (将 DMZ 较早版本添加至系统, 不发布版本不匹配的消息提示)
CSCuc38047	platform-install	4	No error msg on FTE when expanding new system lower version (扩展新系统较低版本时, FTE 上无错误消息)
CSCuc43729	platform-install	4	L10N ALL except English - DMZ UI defects (L10N 除英语外的所有语言 - DMZ UI 缺陷)
CSCuc46671	platform-install	4	Pass config_dmz reason (传递 config_dmz 原因)

标识符	组件	严重级别	标题
CSCuc48571	platform-install	4	Major Upgrade Not challenged for site URL while deploying VMs (重要升级在部署虚拟机时没有被要求提供站点 URL)
CSCuc49029	platform-install	4	Extra spaces around URL give Invalid URL error in FTE (URL 周围的多余空格导致 FTE 中发生 URL 无效错误)
CSCuc51573	platform-install	4	VM console remains unchanged even on "Start Over" in deployment (即使"重新开始"部署, 虚拟机控制台仍保持不变)
CSCuc58707	platform-install	4	OVA lang A, FTE lang B, manual, after detect VM failed, UI changed to A (OVA 语言 A, FTE 语言 B, 手动, 检测到虚拟机故障后, UI 更改为 A)
CSCuc61067	platform-install	4	public and private VIP should not match (公共和专用 VIP 不应该相同)
CSCuc65899	platform-install	4	NIC for external VIP not connected after auto install of DMZ VM (在自动安装 DMZ 虚拟机后, 外部 VIP 的 NIC 未连接)
CSCuc79265	platform-install	4	Admin UI not redirected to Login after update from 1.0.1.5 to 1.0.1.143 (从 1.0.1.5 更新到 1.0.1.143 后, 管理 UI 未重定向到登录)
CSCuc86778	platform-install	4	Remnants of past history of DMZ left in "Add Public Access" UI page ("添加公开访问"UI 页面中残留 DMZ 的过往历史记录)
CSCud06018	platform-install	4	Sign the .OVA files during the build (在构建期间签署 .OVA 文件)
CSCud32290	platform-install	4	Expand System Capacity gives option to create HA system (扩展系统容量可提供创建高可用性系统的选项)
CSCud46520	platform-install	4	remove DMZ, should not require 2nd click Continue to start removal (删除 DMZ, 应该不需要第二次单击"继续"就可开始删除)
CSCud59496	platform-install	4	Unexpected exception' Message when changing FQDN and IP of VM (创建虚拟机的 FQDN 和 IP 时出现"意外异常"消息)
CSCud92878	platform-install	4	HA updated 1.0.1.6 to 1.1.0.87, system rebooted but rebooting pop-up stuck (高可用性系统已从 1.0.1.6 更新到 1.1.0.87, 系统已重新启动, 但重新启动弹出消息后死机)

标识符	组件	严重级别	标题
CSCuc34692	platform-integ	4	Add DMZ UI text defect - Continue until all virtual machines ... (添加 DMZ UI 文本缺陷 - 继续操作, 直到所有虚拟机 ...)
CSCuc43849	platform-integ	4	close yellow element top of FTE UIs - IE generates pop-up (关闭 FTE UI 顶部黄色元素 - IE 生成弹出消息)
CSCuc49378	platform-integ	4	Major Upgrade/Expand, re-activate the original remote access account (重要升级/扩展, 重新激活原始远程访问帐户)
CSCuc52457	platform-integ	4	I18N RU - media VM info FTE UI format defect (I18N RU - 媒体虚拟机信息 FTE UI 格式缺陷)
CSCuc59009	platform-integ	4	If the added dmz system cannot be patched from the admin, give an error (如果无法从管理为添加的 dmz 系统安装补丁, 将给出错误)
CSCuc94572	platform-integ	4	Upgrade/grow:remove couple files from restore (从还原中删除配合文件)
CSCud02728	platform-integ	4	Need verify if FQDN is resolvable by the DNS (需要验证 DNS 是否可以解析 FQDN)
CSCud15303	platform-integ	4	Some platform RPMs' spec need to be changed in 1.1 for Update (在 1.1 中为了更新, 有些平台 RPM 的规格需要更改)
CSCud27932	platform-integ	4	i18n all except Eng, deploy success page date time format not localized (i18n 除英语外的所有语言, 部署成功页面日期时间格式未本地化)
CSCuc70188	sslwg-forwarding	4	Micro: Primary DMZ VM cannot be upgraded to ISO 137 (Micro: 主要 DMZ 虚拟机无法升级至 ISO 137)
CSCuc63532	sslwg-general	4	Remove DES-CBC-SHA from FIPS list (从 FIPS 列表删除 DES-CBC-SHA)
CSCub86278	telephony	4	Do cms failover, then end conference, the phone panel still has info. (执行 cms 故障转移, 然后结束会议, 电话面板仍有信息。)
CSCud34435	telephony	4	Mtg number contains 0 - user hears ring tone when presses 0 (会议号包含 0 - 用户按 0 时听到铃声)
CSCuc64842	telephony-cms	4	9971 call back user hear a short noise before "welcome to webex ..." (9971 回呼用户在听到"欢迎使用 webex ..."前听到短暂的噪声)

标识符	组件	严重级别	标题
CSCud04662	telephony-cms	4	guest user can not record name. (访客用户无法记录姓名。)
CSCud04738	telephony-cms	4	stat variable in endpoint structure is not initialized (端点结构中的统计变量未初始化)
CSCud04803	telephony-cms	4	Ports get stacked after call beeing ported from waiting (呼叫从等待转到端口时端口堆叠)
CSCuc97163	timezonemanager	4	Time zone error in system update (timezonemanager 系统更新中发生时区错误)
CSCud18921	tools	4	Create SVN code branch for 1.1 (工具为 1.1 创建 SVN 代码分支)
CSCuc32948	ue-doc	4	[Doc]Not related source file, or point to wrong item. ([文档]未与源文件相关，或指向错误项目。)
CSCuc69577	ue-doc	4	The rsync deamon (873/TCP) on the DMZ system (rsync deamon (873/TCP) 在 DMZ 系统上)
CSCuc69625	ue-doc	4	DMZ can be removed from platform unauthenticated - document (DMZ 可以未经验证从平台删除 - 文档)
CSCuc26462	xmlapi	4	Remove insecure http methods used by web server (删除 Web 服务器使用的不安全 http 方法)
CSCuc36218	xmlapi	4	CreateUser with timeZoneID = 8/19/.../35/37, it is not summer time now (CreateUser 带 timeZoneID = 8/19/.../35/37，现在不是夏令时)
CSCuc87769	xmlapi	4	The encryption algorithm need keep same with WAF when GetJoinurlmeeting (GetJoinurlmeeting 时加密算法需要与 WAF 保持一致)
CSCud23346	xmlapi	4	GetJoinurlmeeting: please remove RT=MiM0, UID=0 two parameters. (GetJoinurlmeeting: 请删除 RT=MiM0、UID=0 这两个参数。)
CSCud35891	xmlapi	4	Get user with timZWithDST 3/4/6/7/11/12/13/15/16/52/55/57/60 is wrong. (获取有 timZWithDST 3/4/6/7/11/12/13/15/16/52/55/57/60 的用户出错。)
CSCud14049	admin-log	5	Sometimes it will not respond if 1st log is generating&2nd request comes (有时如果正在生成第 1 个日志时第 2 个请求传来，会失去响应)
CSCud52320	admin-log	5	Date pick UI issue on a small site with IE sometimes (在使用 IE 的小站点上有时日期选择 UI 有问题)

标识符	组件	严重级别	标题
CSCud13979	admin-meetingmon	5	Part of time zone info in listbox can't be displayed (列表框中部分时区信息无法显示)
CSCub79031	admin-sys-config	5	System properties page UI is ugly when on secondary admin (在次要管理上系统属性页面 UI 很难看)
CSCuc43723	admin-sys-config	5	I18N RU - copy right section too wide, cause mis-alignment with top area (I18N RU - 版权部分过宽, 导致未与顶部区域对齐)
CSCuc60665	admin-sys-config	5	L10N-GB-button name in dialog content is not same as label on button (L10N -GB - 对话框内容中的按钮名称与按钮上的标签不同)
CSCuc89437	admin-sys-config	5	New HA Add error code 14 (新高可用性系统添加错误代码 14)
CSCud11589	admin-sys-config	5	Mail server address display beyond severs section if it is long (邮件服务器地址如果很长, 会显示到服务器部分之外)
CSCud13939	admin-sys-config	5	No favorite icon for forgot pwd mail sent page (忘记密码邮件发送页面没有常用联系人图标)
CSCud14207	admin-sys-config	5	Email:Content disappeared when refresh page (电子邮件: 刷新页面时内容消失)
CSCud16240	admin-sys-config	5	I18N-"Import SSL Certificate/private key" out of dropdown layer (I18N -"导入 SSL 证书/私钥"在下拉层之外)
CSCud16258	admin-sys-config	5	UI abnormal when click off items in SNMP Settings (在"SNMP 设置"中单击项目时 UI 异常)
CSCud16431	admin-sys-config	5	Help icon disappears after removing all call in access number (删除所有呼入接入号码后帮助图标消失)
CSCud17462	admin-sys-config	5	Meeting size hint text should left align with slide bar (会议大小提示文本应该与滑动条对齐)
CSCud17481	admin-sys-config	5	Default code is not correct if value in DB is not one of set in codelist (如果数据库中的值不是代码列表中设置的值, 缺省代码将不正确)
CSCud18895	admin-sys-config	5	L10N-Miss period in downloads page (L10N - 下载页面中缺少句点)

标识符	组件	严重级别	标题
CSCud19280	admin-sys-config	5	file select dialog box can't be pop-up when click "browse" button (单击"浏览"按钮时文件选择对话框无法弹出)
CSCud20272	admin-sys-config	5	Settings->Audio:Call-In Access Numbers (Settings->Audio: visual bug with IE browser (设置 -> 音频: IE 浏览器有显示缺陷))
CSCud21340	admin-sys-config	5	Should not show "loading..." when enabling remote support account (启用远程支持帐户时不应该显示"正在加载...")
CSCud30403	admin-sys-config	5	L10N-Period format is not correct and space unnecessary in HA page (L10N - 高可用性页面中句点格式不正确, 不需要空格)
CSCud30518	admin-sys-config	5	Error messages when add/edit usm users should change (添加/编辑 usm 用户应该更改时显示错误消息)
CSCud31273	admin-sys-config	5	i18n RU, cosmetic System Properties admin web UI issues (i18n RU, "系统属性"管理 Web UI 美观问题)
CSCud33789	admin-sys-config	5	The slide bar should be in the same line with label (滑动条应该与标签在同一行)
CSCud33832	admin-sys-config	5	Enable SSO:Click cancel without any change, still pop up confirm (启用 SSO: 单击取消后无任何更改, 仍然弹出确认)
CSCud37421	admin-sys-config	5	Spaces of user name display not consistently in users (各用户的用户名空格显示不一致)
CSCud40252	admin-sys-config	5	L10N:Space position is wrong in Error message of import SSL certificate (L10N: 导入 SSL 证书的错误消息中空格位置错误)
CSCud43558	admin-sys-config	5	On Glitch error page "%Y" appears after year (在故障错误页面上年份后面显示"%Y")
CSCud44011	admin-sys-config	5	CWMS - 1.0.1.156.A email template exists for Setup Cisco WebEx - Android (CWMS - 1.0.1.156. 存在用于安装 Cisco WebEx Meetings Server - Android 的电子邮件模板)
CSCud44561	admin-sys-config	5	UI abnormal of global warnings when browser is not maximum (浏览器未最大化时全局警告的 UI 异常)

标识符	组件	严重级别	标题
CSCud44606	admin-sys-config	5	admin web pages copy right should change to 2013 (管理网页版权应该更改为 2013)
CSCud52112	admin-sys-config	5	Add user page is not working in Chinese (中文的添加用户页面无法正常工作)
CSCud54851	admin-sys-config	5	L10N:Some spelling mistakes in certificate expiring email of ES (L10N: ES 的证书过期电子邮件中有一些拼写错误)
CSCud55050	admin-sys-config	5	Logo has been expanded in preview header (徽标在预览页眉中被扩大)
CSCud55382	admin-sys-config	5	UI abnormal of meetings page in settings (设置中的会议页面 UI 异常)
CSCud68639	admin-sys-config	5	UI not good when check on strong pwd option with no sub option (选取强密码选项时 UI 不正确, 没有子选项)
CSCud69651	admin-sys-config	5	Wrong Country name when creating CSR (创建证书签名请求时国家/地区名称错误)
CSCud76438	admin-sys-config	5	Turn off background color should take effect on preview page in IE8 (关闭背景颜色应该在 IE8 中的预览页面上生效)
CSCud13393	email	5	L10N:Punctuation should keep the same in GB/B5 (L10N: GB/B5 的标点不应该保持相同)
CSCud86180	email	5	UI on free trial expiring/expired mails are different from UI spec (免费试用到期/过期邮件上的 UI 与 UI 规格不同)
CSCuc61796	mc-web-enduser	5	Sign out on page header change to next line in Chrome 22. (Chrome 22 中页眉上的"注销"移到了下一行)
CSCuc64546	mc-web-enduser	5	Cisco WebEx Meetings Server doc translation problem (Cisco WebEx Meetings Server 文档翻译问题)
CSCud19297	mc-web-enduser	5	my account update error when tracking code dropdown menu is empty (跟踪代码下拉列表菜单为空时, 出现我的帐户更新错误)
CSCud45461	platform-install	5	Two dots (..) in FQDN of media and DMZ virtual machine (媒体虚拟机和 DMZ 虚拟机的 FQDN 中出现两个句点 (..))

标识符	组件	严重级别	标题
CSCub57264	platform-integ	5	need to know from UIs that removed component cannot be re-used (需要在 UI 中说明删除的组件不能复用)
CSCuc27212	platform-integ	5	minor update failed, Continue button disabled but still green color (次要更新失败, "继续"按钮被停用, 但仍为绿色)
CSCuc42715	platform-integ	5	remove DMZ UI and UE corruption if system not in MM first when starting (如果系统在启动时没有先处于 MM, 删除 DMZ UI 和 UE 损坏)
CSCuc82343	platform-integ	5	Missing "-XU" in the version string of message for Updating XU system (更新 XU 系统的消息中的版本字符串缺少"-XU")
CSCud02564	telephony-cms	5	Adding missed CR at the end of trace lines in MPE module (在 MPE 模块中跟踪行末尾添加缺少的 CR)
CSCud04563	telephony-cms	5	MPE log:Removing CR from the beginning of log format string (MPE 日志: 从日志格式字符串开头删除 CR)
CSCud42810	telephony-cms	5	RTP CNG packets timeout should be increased (应该增大 RTP CNG 数据包超时)

已知问题和声明

以下部分包含 Cisco WebEx Meetings Server 已知问题和声明。

翻译文档

Cisco WebEx Meetings Server 1.1 MR3 的翻译文档将于英文版发行后 4-6 周发布。

更改虚拟机 IP 地址时保持主机名不变

不要更改部署过程中配置的主机名的 DNS 条目。您可以更改作为部署组成部分的的虚拟机主机名。相应的 IP 地址将自动从 DNS 选取。如果想要更改虚拟机的 IP 地址并保持主机名不变, 则必须执行以下步骤:

- 1 在 DNS 中配置临时主机名。
- 2 将虚拟机的主机名更改为您配置的临时主机名, 然后将系统退出维护模式, 以使新主机名生效。作出此更改后, 原始主机名将不再是部署的一部分。
- 3 将 DNS 中原始主机名的 IP 地址更改为新的 IP 地址。

- 4 将虚拟机的临时主机名更改为原始主机名，然后将系统退出维护模式，以使该主机名生效。这样便配置了带有新 IP 地址的原始主机名。

FQDN 文本

当使用 OVA 文件从 vCenter 部署虚拟机时，请确保虚拟机主机名不包含大写字符或下划字符。当在管理站点更改主机名时，也请确保虚拟机主机名不包含大写字符或下划字符。

支持信息

最终用户在线帮助包含不完整的浏览器支持信息。请参阅《Cisco WebEx Meetings Server 系统要求》获取最新信息。

控制板问题

在“月度报告”下的会议状态页面上，当您显示上月数据时，图表下的文本会错误显示“在过去三个月中，x% 的会议遇到问题”。它应显示“在上个月中，x% 的会议遇到问题”。

音频配置

在音频配置设置上，请注意 G.711 将比 G.729 产生更好的语音质量。请参阅《Cisco WebEx Meetings Server 管理指南》中的“关于配置音频设置”以获取更多信息。

IP Communicator 7.0.x 端点

IP Communicator 7.0.x 端点加入 Cisco WebEx Meetings Server 会议时，如果此端点处于取消静音状态或使用此端点的参加者变成当前发言人，则可能在会议中引起音频质量问题（回音和其他噪音）。为避免此问题，请务必调整 IP Communicator 环境（例如，耳机、麦克风和扬声器）或使用其他传统电话。

使用 iOS 设备开始或安排的会议

使用 iOS 设备开始或安排的会议无法进行录制。

获取文档和提交服务请求

有关获取文档、提交服务请求和收集其他信息的信息，请参阅每月的 Cisco 产品文档更新内容（其中也列有所有新增和修订的 Cisco 技术文档，网址如下：<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>）。

使用阅读器应用程序将内容设置为直接发送到桌面。RSS 源是一项免费服务，Cisco 当前支持 RSS V2.0。

