



Hardware and Software Interoperability Matrix

This document provides interoperability matrices for Cisco Unified Computing System components and configurations that have been tested and validated by Cisco, by Cisco partners, or both. Use this document as a reference for supported hardware and software.

This document contains the following sections:

- [Audience, page 1](#)
- [Operating System Interoperability Matrix, page 2](#)
- [Converged Network Adapter Interoperability Matrix, page 8](#)
- [Host Bus Adapter Interoperability Matrix, page 51](#)
- [LAN on Motherboard Interoperability Matrix, page 103](#)
- [Network Interface Card Interoperability Matrix, page 134](#)
- [RAID Controller on Motherboard or PCIe Adapter Interoperability Matrix, page 194](#)
- [Storage Controller Interoperability Matrix, page 257](#)
- [PCIe Flash Storage Interoperability Matrix, page 259](#)
- [Graphics Processing Unit Interoperability Matrix, page 263](#)
- [Third-Party Qualified Adapters, page 264](#)
- [Related Documentation, page 265](#)
- [Obtaining Documentation and Submitting a Service Request, page 265](#)

Audience

This document is designed for use by Cisco TAC, sales, support engineers, professional service partners, and systems administrators responsible for the design and deployment of the Unified Computing System in the data center environment.

This document applies to the following C-Series Servers in the Cisco Unified Computing System, and the corresponding software releases:

Server	Software Container	Software Container for Windows Server 2012 only
C220 (SFF/LFF) M3	1.4.6c	1.4.6c
C240 (SFF/LFF) M3	1.4.6c	1.4.6c
C22/C24 (SFF) M3	1.4.6c	1.4.6c
C460 (M1 /M2) C260 M2	1.4.6c	1.4.6d
C200 M1, C200 (SFF/LFF) M2, C210 (M1 / M2) C250 (M1/M2)	1.4.3k	1.4.6p

The content of this document is updated on a regular basis. The current version was created on 2012-09-14.

Operating System Interoperability Matrix

Table 1 lists the operating systems that the Unified Computing System C Series Servers support.

Table 1: Operating System

UCS Server	Vendor	Operating System Version	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Microsoft	Windows Server 2008 R2 x64 w/ Hyper- V SP1	12
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Microsoft	Windows Server 2008 x64 w/ Hyper- V SP2	12, 18
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Microsoft	Windows Server 2012	12
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Novell	SUSE Linux Enterprise Server 10 SP3 64bit	10

UCS Server	Vendor	Operating System Version	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Novell	SUSE Linux Enterprise Server 10 SP4 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Novell	SUSE Linux Enterprise Server 11.1 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Novell	SUSE Linux Enterprise Server 11.2 64bit	11
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Solaris 10 Update 9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Solaris 10 Update 10	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Solaris 11	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Oracle	Oracle Linux 4.9 64bit (Redhat Compatible Kernel)	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Oracle	Oracle Linux 5.4 64bit (Redhat Compatible Kernel)	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.5 64bit (Redhat Compatible Kernel)	

UCS Server	Vendor	Operating System Version	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.6 64bit (Redhat Compatible Kernel)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 5.6 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 5.7 64bit (Redhat Compatible Kernel)	5
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 5.7 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 5.8 64bit (Redhat Compatible Kernel)	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 5.8 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 6.0 64bit (Redhat Compatible Kernel)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Oracle	Oracle Linux 6.0 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240	Oracle	Oracle Linux 6.1 64bit (Redhat Compatible Kernel)	5

UCS Server	Vendor	Operating System Version	Notes
M3(SFF/ LFF), C22/ C24 M3(SFF)			
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 6.1 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 6.2 64bit (Redhat Compatible Kernel)	5
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 6.2 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C260 M2, C460 M2 C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	Oracle Linux 6.3 64bit (Unbreakable Enterprise Kernel)	5, 6, 11
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Oracle	OVM 3.0 UEK	Note5, Note 6, Note 11
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		OVM 3.1.1 UEK	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Redhat	Enterprise Linux 4.9 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Redhat	Enterprise Linux 5.4 64bit	4
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1	Redhat	Enterprise Linux 5.5 64bit	

UCS Server	Vendor	Operating System Version	Notes
& M2, C260 M2, C460 M1 & M2			
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 5.6 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Redhat	Enterprise Linux 5.7 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Redhat	Enterprise Linux 5.8 64bit	11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Redhat	Enterprise Linux 6.0 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Redhat	Enterprise Linux 6.1 64bit	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Redhat	Enterprise Linux 6.2 64bit	
C260 M2, C460 M2 C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Redhat	Enterprise Linux 6.3 64bit	
C200/C210 M1, C250 M1	VMware	vSphere 4.0	3, 6
C200/C210 M1, C250 M1	VMware	vSphere 4.0i	3

UCS Server	Vendor	Operating System Version	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U1	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U1	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U2	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U2	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U3	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U3	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0 U4	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.0i U4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.1	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	VMware	vSphere 4.1i	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1 U1	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	VMware	vSphere 4.1i U1	

UCS Server	Vendor	Operating System Version	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	VMware	vSphere 4.1 U2	6, 16
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	VMware	vSphere 4.1i U2	13
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	VMware	vSphere 5.0i	14
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	VMware	vSphere 5.0i U1	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Citrix	Citrix XenServer 5.6 FP1 SP2	6, 11
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF)	Citrix	Citrix XenServer 6.0 Boston	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Citrix	Citrix XenServer 6.0.2 Boston	6, 11

Converged Network Adapter Interoperability Matrix

Table 2 lists the converged network adapters that the Unified Computing System C Series Servers support.

Table 2: Converged Network Adapters

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	SUSE Linux Enterprise Server 11.1 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	SUSE Linux Enterprise Server 11.1 64bit	1.5.0.1/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	SUSE Linux Enterprise Server 11.2 64bit	1.5.0.2/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	SUSE Linux Enterprise Server 11.2 64bit	1.5.0.2/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.5 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.5 64bit	1.5.0.1/2.1.1.24(NIC)	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.6 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.7 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.7 64bit	1.5.0.1/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.8 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 5.8 64bit	1.5.0.1/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.0 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.1 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.1 64bit	1.5.0.1/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.2 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.2 64bit	1.5.0.1/2.1.1.35(NIC)	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.3 64bit	1.5.0.1/2.1.1.38(NIC)	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Enterprise Linux 6.3 64bit	1.5.0.1/2.1.1.38(NIC)	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2,	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.6 64bit	1.5.0.1/2.1.1.13(NIC)	2.0(2i)	2.0(2i)	5
C260 M2, C460M1 & M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.6 64bit	1.5.0.1/2.1.1.13(NIC)	2.1(0.367e)	2.1(0.367e)	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.7 64bit	1.5.0.1/2.1.1.13(NIC)	2.0(2i)	2.0(2i)	5
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.7 64bit	1.5.0.1/2.1.1.13(NIC)	2.1(0.367e)	2.1(0.367e)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.8 64bit	1.5.0.1/2.1.1.24(NIC)	2.0(2i)	2.0(2i)	5
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 5.8 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.0 64bit	1.4.0.145/1.4.1.6(NIC)	2.0(2i)	2.0(2i)	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.0 64bit	1.4.0.145/1.4.1.6(NIC)	2.1(0.367e)	2.1(0.367e)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.1 64bit	1.5.0.1/2.1.1.13(NIC)	2.0(2i)	2.0(2i)	5
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.1 64bit	1.5.0.1/2.1.1.13(NIC)	2.1(0.367e)	2.1(0.367e)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.2 64bit	1.5.0.1/2.1.1.24(NIC)	2.0(2i)	2.0(2i)	5
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.2 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.3 64bit	1.5.0.1/2.1.1.24(NIC)	2.1(0.367e)	2.1(0.367e)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Oracle Linux 6.3 64bit	1.5.0.1/2.1.1.24(NIC)	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U1	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U1	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U2	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U2	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U3	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U3	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0 U4	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10- Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.0i U4	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200	Cisco	P81E Dual Port 10- Gbps	vSphere 4.1	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M2, C460 M1		Ethernet to PCIe Virtual Interface Card					
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M1	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1 U1	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i U1	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	5
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1 U2	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual	vSphere 4.1 U2	1.4.0.201/2.1.2.20	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
LFF), C22/ C24 M3(SFF)		Interface Card					
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i U2	1.4.0.201/2.1.2.20	2.0(2i)	2.0(2i)	8, 13, 16
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 4.1i U2	1.4.0.201/2.1.2.20	2.1(0.367e)	2.1(0.367e)	8, 13, 16
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 5.0i	1.5.0.8/2.1.2.22	2.1(0.367e)	2.1(0.367e)	8, 14
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 5.0i	1.5.0.8/2.1.2.22	2.0(2i)	2.0(2i)	8, 14
C260 M2, C460 M1 & M2, C571	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual	vSphere 5.0i U1	1.5.0.8/2.1.2.22	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Interface Card					
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	vSphere 5.0i U1	1.5.0.8/2.1.2.22	2.0(2i)	2.0(2i)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 x64 w/ Hyper-V SP2	2.1.0.17/2.1.0.9	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 x64 w/ Hyper-V SP2	2.1.0.17/2.1.0.9	2.1(0.367e)	2.1(0.367e)	
C200/ C210 M2, C200 M2(SFF), C250 M2	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 R2 x64 w/ Hyper-V SP1	2.1.0.17/2.1.0.9	2.0(2i)	2.0(2i)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF),	Cisco	P81E Dual Port 10-Gbps Ethernet to PCIe Virtual Interface Card	Windows Server 2008 R2 x64 w/ Hyper-V SP1	2.1.0.17/2.1.0.9	2.1(0.367e)	2.1(0.367e)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)							
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	SUSE Linux Enterprise Server 11.2 64bit	1.5.0.2/2.1.1.35(NIC)	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	Enterprise Linux 5.8 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	Enterprise Linux 6.2 64bit	1.5.0.1/2.1.1.35(NIC)	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	Enterprise Linux 6.3 64bit	1.5.0.1/2.1.1.38(NIC)	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	vSphere 4.1 U2	1.4.0.201/2.1.2.20	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	vSphere 5.0i	1.5.0.8/2.1.2.22	2.1(0.367a)	2.1(0.367a)	8, 14
C260 M2, C460 M2, C220/	Cisco	UCS VIC 1225 10-Gbps 2	vSphere 5.0i U1	1.5.0.8/2.1.2.22	2.1(0.367a)	2.1(0.367a)	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C240 M3(SFF/LFF)		port CNA SFP+					
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	Windows Server 2008 x64 w/ Hyper-V SP2	2.1.0.17/2.1.0.9	2.1(0.367a)	2.1(0.367a)	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/LFF)	Cisco	UCS VIC 1225 10-Gbps 2 port CNA SFP+	Windows Server 2008 R2 x64 w/ Hyper-V SP1	2.1.0.17/2.1.0.9	2.1(0.367a)	2.1(0.367a)	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96/ 2.103.397.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe	Enterprise Linux 5.6 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2		Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.8 64bit	0:8.2.0.108.4p/ 4.0.100r(NIC)	4.0.467.0	4.02a14	11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.44.4p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.44.4p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.2 64bit	0:8.3.5.45.4p/ 4.0.160r(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.6 64bit	0:8.3.18/2.102.426r(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.7 64bit	0:8.3.5.44/ 2.103.298r(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.8 64bit	0:8.3.5.45.4p/ 4.0.160r(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200	Emulex	OneConnect OCe10102- FX Dual Port 10-	Oracle Linux 6.0 64bit	0:8.3.18/2.102.426r(NIC)	4.0.467.0	4.02a14	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		Gbps Ethernet to PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.1 64bit	0:8.3.5.30.1p/ 2.103.298r(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.2 64bit	0:8.3.5.45.4p/ 4.0.0.160r(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.3 64bit	0:8.3.5.68.6p/ 4.2.220o(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged	SUSE Linux Enterprise Server 10 SP3 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.1 64bit	0:8.3.5.44.4p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.2 64bit	0:8.3.5.48.2p/ 4.1.227u(NIC)	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Solaris 10 Update 9	2.50o/1.10f2(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1, C250 M1	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0	0:8.2.0.105.34/4.0.306.0(NIC)	4.0.467.0	4.02a14	
C200/C210 M1, C250 M1	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i	0:8.2.0.105.34/4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U1	0:8.2.0.105.34/4.0.306.0(NIC)	4.0.467.0	4.02a14	
C200/C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U1	0:8.2.0.105.34/4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/C210 M1 & M2, C200	Emulex	OneConnect OCe10102-FX Dual Port 10-	vSphere 4.0 U2	0:8.2.0.105.34/4.0.306.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C460 M1		Gbps Ethernet to PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U2	0:8.2.0.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U3	0:8.2.0.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U3	0:8.2.0.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U4	0:8.2.0.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U4	0:8.2.0.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U1	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U1	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	8
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i	0:8.2.2.105.36/ 4.0.355.1(NIC)	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF),	Emulex	OneConnect OCe10102- FX Dual Port 10-	vSphere 5.0i U1	0:8.2.2.105.36/ 4.0.355.1(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M2		Gbps Ethernet to PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	7.2.50.7/4.0.449.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	7.2.50.7/4.0.449.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2012	2.72.12.1/4.2.313.0(NIC)	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25/2.103.269.2	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P/2.104.277.1	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0.2 Boston	0:8.3.5.44.4p/ 4.0.359.0(nic)	4.0.467.0	4.02a14	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	OneConnect OCe10102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	OVM 3.0 UEK	0:8.3.5.30.1p/ 2.103.298r(NIC)	4.0.467.0	4.02a14	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.4 64bit	8.03.03.15.05.06- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.5 64bit	8.03.07.03.5.6- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.6 64bit	8.03.07.09.5.6- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.7 64bit	8.03.07.09.5.6- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.8 64bit	8.03.07.09.05.08- k/ 1.00.00.29(NIC)	5.04.01	3.00	11,6
C200/ C210 M1 & M2, C200	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to	Enterprise Linux 6.0 64bit	8.03.07.03.06.0- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	8.03.07.08.06.0- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.2 64bit	8.03.07.05.06.2- k/ v1.00.0.29.00.00- 01(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.6 64bit	8.03.01.02.32.1- k9/ v1.00.00.25.00.00- 01(NIC)	5.04.01	3.00	5,6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.7 64bit	8.03.07.04.32.1- k/ v1.00.00.27.00.00- 01(NIC)	5.04.01	3.00	5,6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.8 64bit	8.03.07.08.32.1- k/ v1.00.00.29.00.00-01(NIC)	5.04.01	3.00	5,6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.0 64bit	8.03.01.02.32.1- k9/ v1.00.00.25.00.00-01(NIC)	5.04.01	3.00	5,6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.1 64bit	8.03.07.03.32.1- k/ v1.00.00.27.00.00-01(NIC)	5.04.01	3.00	5,6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.2 64bit	8.03.07.08.32.1- k/ v1.00.00.29.00.00-01(NIC)	5.04.01	3.00	5,6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.3 64bit	8.04.00.03.39.0- k/ v1.00.00.30(NIC)	5.04.01	3.00	5,6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	8.03.07.03.10.3- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	8.03.07.08.10.3- k/ 1.00.00.29.1(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.1 64bit	8.03.07.08.11.1- k/ 1.00.00.23.00.00- 01(NIC)	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	SUSE Linux Enterprise Server 11.2 64bit	8.03.07.07- k/ 1.00.00.29.00.00- 01(NIC)	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2							
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Solaris 10 Update 9	3.00/1.05	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Solaris 11	3.05/1.12	5.04.01	3.00	6
C200/C210 M1, C250 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/C210 M1, C250 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U1	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U1	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U2	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U2	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0 U3	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U3	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2,	QLogic	QLE8152 Dual Port 10- Gbps	vSphere 4.0 U4	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		Ethernet to PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.0i U4	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U1	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to	vSphere 4.1i U1	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		PCIe Converged Network Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	841.k1.34.1- 1vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i	911.k1.1- 19vmw/ v1.00.00.47	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i U1	911.k1.1- 19vmw/ v1.00.00.47	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	9.1.9.36/1.0.1.12	5.04.01	3.00	6
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	9.1.9.36/1.0.1.12	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2012	9.1.10.15/1.0.1.15	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 5.6 FP1 SP2	8.03.03.11.5.7- k0/ v1.00.00.28.00.00- 01	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0 Boston	8.03.07.03.55.6- k2/ v1.00.00.28..00.00- 01	5.04.01	3.00	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0.2 Boston	8.03.07.03.55.6- k2/ v1.00.00.28..00.00- 01	5.04.01	3.00	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	QLE8152 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	OVM 3.0 UEK	0:8.03.07.03.32.1- k/ v1.00.00.27.00.00- 01(NIC)	5.04.01	3.00	6
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.6 64bit	0:8.2.0.87.1p/ 2.102.518r(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.106.1p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged	Enterprise Linux 5.8 64bit	0:8.2.0.108.4p/ 4.0.100r(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCell1102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.44.4p/ 4.0.462.0(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCell1102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.2 64bit	0:8.3.5.45.4p/ 4.0.160r(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCell1102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.3 64bit	0:8.3.5.68.5pp/ 4.1.307r(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCell1102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.5 64bit	0:8.2.0.63.3p/ 2.102.115r(NIC)	4.0.467.0	4.02a14	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.6 64bit	0:8.3.18/2.102.426r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.7 64bit	0:8.3.5.44/ 2.103.298r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.8 64bit	0:8.3.5.45.4p/ 4.0.160r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.0 64bit	0:8.3.18/2.102.426r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.1 64bit	0:8.3.5.30.1p/ 2.103.298r(NIC)	4.0.467.0	4.02a14	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M3(SFF/ LFF), C22/ C24 M3(SFF)		Gbps Ethernet to PCIe Converged Network Adapter					
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.2 64bit	0:8.3.5.45.4p/ 4.0.160r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.3 64bit	0:8.3..5.68.6p/ 4.2.220o(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2,,C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	14
C260 M2, C460 M2	Emulex	OneConnect OCe11102- FX Dual Port 10- Gbps Ethernet to PCIe Converged	vSphere 4.1i U2	0:8.2.1.105.34/ 4.0.306.0(NIC)	4.0.467.0	4.02a14	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Network Adapter					
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i	0:8.2.2.105.36/ 4.0.355.1(NIC)	4.0.467.0	4.02a14	14
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i U1	0:8.2.2.105.36/ 4.0.355.1(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	7.2.50.7/4.0.449.0(NIC)	4.0.467.0	4.02a14	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	7.2.50.7/4.0.449.0(NIC)	4.0.467.0	4.02a14	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2012	2.72.12.1/4.2.313.0	4.0.467.0	4.02a14	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0.2 Boston	0:8.3.5.39.1p/ 2.104.277.1(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	OneConnect OCe11102-FX Dual Port 10-Gbps Ethernet to PCIe Converged Network Adapter	OVM 3.0 UEK	0:8.3.5.30.1p/ 2.103.298r(NIC)	4.0.467.0	4.02a14	5
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.6 64bit	8.03.07.12.5.6- k/ 5.0.7(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF),	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged	Enterprise Linux 5.7 64bit	8.03.07.12.5.6- k/ 5.0.25.1(NIC)	4.09.73	3.06	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)		Network Adapter					
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 5.8 64bit	8.03.07.09.05.08- k/ 5.0.24(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.1 64bit	8.03.07.12.06.0- k/ 5.0.25.1(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.2 64bit	8.03.07.12.06.0- k/ 5.0.25.1(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Enterprise Linux 6.3 64bit	8.04.00.04.06.03- k/ 5.0.26(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.7 64bit	8.03.07.04.32.1- k/ 5.0.15.2(NIC)	4.09.73	3.06	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 5.8 64bit	8.03.07.08.32.1- k/ 5.0.24(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.0 64bit	8.03.01.02.32.1- k9./ 5.0.9(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.1 64bit	8.03.07.03.32.1- k/ 5.0.15.2(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.2 64bit	8.03.07.08.32.1- k/ 5.0.24(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Oracle Linux 6.3 64bit	8.04.00.03.39.0- k/ 5.0.28.1(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/	QLogic	QLE8242 Dual Port 10- Gbps	Solaris 10 Update 10	v1.0.a12	4.09.73	3.06	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C240 M3(SFF/LFF), C22/ C24 M3(SFF)		Ethernet to PCIe Converged Network Adapter					
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U1	841.k1.34.1- 1vmw/ 4.0.735(NIC)	4.09.73	3.06	5, 6
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	841.k1.34.1- 1vmw/ 4.0.735(NIC)	4.09.73	3.06	5, 6
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1 U2	841.k1.34.1- 1vmw/ 4.0.735(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 4.1i U2	841.k1.34.1- 1vmw/ 4.0.735(NIC)	4.09.73	3.06	6, 13, 16
C260 M2, C460 M2, C220/ C240 M3(SFF/LFF),	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged	vSphere 5.0i	911.k1.1-19vmw/5.0.736	4.09.73	3.06	6, 14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)		Network Adapter					
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	vSphere 5.0i U1	911.k1.1-19vmw/5.0.736	4.09.73	3.06	6, 27
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	9.1.9.38/4.6.6.1213(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	9.1.9.38/4.6.6.1213(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Windows Server 2012	9.1.10.15/4.5.18.306(NIC)	4.09.73	3.06	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	Citrix XenServer 6.0.2 Boston	8.03.07.03.55.6- k2 / 5.0.24(NIC)	4.09.73	3.06	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	QLE8242 Dual Port 10- Gbps Ethernet to PCIe Converged Network Adapter	OVM 3.0 UEK	8.03.07.03.32.1- k/ 5.0.15.2(NIC)	4.09.73	3.06	6

Host Bus Adapter Interoperability Matrix

Table 3 lists the host bus adapters that the Unified Computing System C Series Servers support.

Table 3: Host Bus Adapters

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	0:8.0.16.47	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.106.1p	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	0:8.2.0.106.1p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.106.1p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.8 64bit	0:8.2.0.108.4p	ZS2.82A4	ZB2.12a9	11

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.44.4p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.44.4p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.2 64bit	0:8.3.5.45.4p	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.3 64bit	0:8.3.5.68.5p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 5.6 64bit	0:8.3.18	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 5.7 64bit	0:8.3.5.44	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 5.8 64bit	0:8.3.5.45.4p	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.0 64bit	0:8.3.18	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.1 64bit	0:8.3.5.30.1p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.2 64bit	0:8.3.5.45.4p	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.3 64bit	0:8.3.5.68.6p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	0:8.2.0.106.1p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	0:8.2.0.106.1p	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express	SUSE Linux Enterprise Server 11.1 64bit	0:8.3.5.44.4p	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.2 64bit	0:8.3.5.48.2p	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris 10 Update 9	2.50o	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris 11	2.60k	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1, C250 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/C210 M1, C250 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U1	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U1	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express	vSphere 4.0 U2	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U2	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U3	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U3	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U4	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF),	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel	vSphere 4.0i U4	0:8.2.0.105.34	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C460 M1		PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U1	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U1	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U2	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U2	0:8.2.1.105.34	ZS2.82A4	ZB2.12a9	13, 16
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 5.0i	0:8.2.2.105.36	ZS2.82A4	ZB2.12a9	14
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2,	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI	vSphere 5.0i U1	0:8.2.2.105.36	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	7.2.50.7	ZS2.82A4	ZB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	7.2.50.7	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2,	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI	Windows Server 2012	2.72.12.1	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Express Host Bus Adapter					
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe11002 4- Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 6.0.2 Boston	0:8.3.5.39.1P	ZS2.82A4	ZB2.12a9	
C200/ C210 M2, C200	Emulex	LightPulse LPe11002 4- Gbps	OVM 3.0 UEK	0:8.3.5.30.1P	ZS2.82A4	ZB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Fibre Channel PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	0:8.0.16.47	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	0:8.2.0.96	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	0:8.2.0.106.1p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2,	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express	Enterprise Linux 5.6 64bit	0:8.2.0.106.1p	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	0:8.2.0.106.1p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 5.8 64bit	0:8.2.0.108.4p	US2.00A4	UB2.12a9	11
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	0:8.3.5.44.4p	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	0:8.3.5.44.4p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.2 64bit	0:8.3.5.45.4p	US2.00A4	UB2.12a9	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Enterprise Linux 6.3 64bit	0:8.3.5.68.5p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express	Oracle Linux 5.6 64bit	0:8.3.18	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 5.7 64bit	0:8.3.5.44	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 5.8 64bit	0:8.3.5.45.4p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.0 64bit	0:8.3.18	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.1 64bit	0:8.3.5.30.1p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.2 64bit	0:8.3.5.45.4p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Oracle Linux 6.3 64bit	0:8.3.5.68.6p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2,	Emulex	LightPulse LPe12002 8- Gbps	SUSE Linux Enterprise	0:8.2.0.106.1p	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1		Fibre Channel PCI Express Host Bus Adapter	Server 10 SP3 64bit				
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	0.8.2.0.106.1p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	0.8.3.5.44.4p	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.2 64bit	0:8.3.5.48.2p	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris 10 Update 9	2.50o	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Solaris 11	2.60k	US2.00A4	UB2.12a9	
C200/C210 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/C210 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express	vSphere 4.0 U1	0:8.2.0.105.34	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U1	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U2	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U2	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U3	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel	vSphere 4.0i U3	0:8.2.0.105.34	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C460 M1		PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0 U4	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.0i U4	0:8.2.0.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1	0:8.2.1.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i	0:8.2.1.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2,	Emulex	LightPulse LPe12002 8- Gbps	vSphere 4.1 U1	0:8.2.1.105.34	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C260 M2, C460 M1 & M2		Fibre Channel PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U1	0:8.2.1.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1 U2	0:8.2.1.105.34	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2,	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 4.1i U2	0:8.2.1.105.34	US2.00A4	UB2.12a9	
C200/ C210 M2, C200 M2(SFF), C260 M2, C460 M2,	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI	vSphere 5.0i	0:8.2.2.105.36	US2.00A4	UB2.12a9	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Express Host Bus Adapter					
C200/ C210 M2, C200 M2(SFF), C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	vSphere 5.0i U1	0:8.2.2.105.36	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	7.2.50.7	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF),	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	7.2.50.7	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)							
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Windows Server 2012	2.72.12.1	US2.00A4	UB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	0:8.3.5.25	US2.00A4	UB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	0:8.3.5.39.1P	US2.00A4	UB2.12a9	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2,	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express	Citrix XenServer 6.0.2 Boston	0:8.3.5.39.1P	US2.00A4	UB2.12a9	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Host Bus Adapter					
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Emulex	LightPulse LPe12002 8- Gbps Fibre Channel PCI Express Host Bus Adapter	OVN 3.0 UEK	0:8.3.5.30.1P	US2.00A4	UB2.12a9	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	8.02.10.01.04.09-d	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	8.03.03.15.05.06-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express	Enterprise Linux 5.5 64bit	8.03.07.03.5.6-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	8.03.07.09.5.6-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	8.03.07.09.05.06-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.8 64bit	8.03.07.09.05.08-k	5.04.01	3.00	11

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	8.03.07.03.06.0-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	8.03.07.08.06.0-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.2 64bit	8.03.07.05.06.2-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.3 64bit	8.04.00.04.06.3-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.6 64bit	8.03.01.02.32.1-k9	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.7 64bit	8.03.07.04.32.1-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.8 64bit	8.03.07.08.32.1-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.0 64bit	8.03.01.02.32.1-k9	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.1 64bit	8.03.07.03.32.1-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.2 64bit	8.03.07.08.32.1-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.3 64bit	8.04.00.03.39.0-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	8.03.07.03.10.3-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	8.03.07.08.10.3-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express	SUSE Linux Enterprise Server 11.1 64bit	8.03.07.08.11.1-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.2 64bit	8.03.07.07-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 10 Update 9	3.00	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 10 Update 10	3.05	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 11	3.05	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0	841.k1.34.1-1vmw	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U1	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U2	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U2	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U3	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express	vSphere 4.0i U3	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U4	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U4	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF),	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to	vSphere 4.1 U1	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2		PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U2	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF),	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U2	841.k1.34.1-1vmw	5.04.01	3.00	13, 16

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)							
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i	911.k1.1-19vmw	5.04.01	3.00	14
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i U1	911.k1.1-19vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	9.1.9.27	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	9.1.9.27	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2012	9.1.10.25	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 5.6 FP1 SP2	8.03.03.11.5.7-k0	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2,	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI	Citrix XenServer 6.0 Boston	8.03.07.03.55.6-k2	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M2, C220/ C240 M3(SFF/ LFF)		Express Host Bus Adapter					
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 6.0.2 Boston	0:8.3.5.39.1P	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2462 4- Gbps Fibre Channel to PCI Express Host Bus Adapter	OVM 3.0 UEK	0:8.3.5.30.1P	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 4.9 64bit	8.02.10.01.04.09-d	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.4 64bit	8.03.03.15.05.06-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.5 64bit	8.03.07.03.5.6-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.6 64bit	8.03.07.09.5.6-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.7 64bit	8.03.07.09.05.06-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 5.8 64bit	8.03.07.09.05.08-k	5.04.01	3.00	11
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.0 64bit	8.03.07.03.06.0-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.1 64bit	8.03.07.08.06.0-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.2 64bit	8.03.07.05.06.2-k	5.04.01	3.00	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Enterprise Linux 6.3 64bit	8.04.00.04.06.3-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.6 64bit	8.03.01.02.32.1-k9	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.7 64bit	8.03.07.04.32.1-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 5.8 64bit	8.03.07.08.32.1-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.0 64bit	8.03.01.02.32.1-k9	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.1 64bit	8.03.07.03.32.1-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.2 64bit	8.03.07.08.32.1-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Oracle Linux 6.3 64bit	8.04.00.03.39.0-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	8.03.07.03.10.3-k	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	8.03.07.08.10.3-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.1 64bit	8.03.07.08.11.1-k	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	SUSE Linux Enterprise Server 11.2 64bit	8:03.07.07-k	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF),	QLogic	SANblade QLE2562 8- Gbps Fibre	Solaris 10 Update 9	3.00	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M1 & M2		Channel to PCI Express Host Bus Adapter					
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 10 Update 10	3.05	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Solaris 11	3.05	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0	841.k1.34.1-1vmw	5.04.01	3.00	
C200/C210 M1, C250 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express	vSphere 4.0i	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U2	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U2	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U3	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C460 M1		PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U3	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0 U4	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.0i U4	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2,	QLogic	SANblade QLE2562 8- Gbps	vSphere 4.1i	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		Fibre Channel to PCI Express Host Bus Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U1	841.k1.34.1-1vmw	5.04.01	3.00	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1 U2	841.k1.34.1-1vmw	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 4.1i U2	841.k1.34.1-1vmw	5.04.01	3.00	13, 16
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i	911.k1.1-19vmw	5.04.01	3.00	14
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	vSphere 5.0i U1	911.k1.1-19vmw	5.04.01	3.00	
C200/ C210 M1 & M2,	QLogic	SANblade QLE2562 8- Gbps	Windows Server 2008 R2	9.1.9.27	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Fibre Channel to PCI Express Host Bus Adapter	x64 w/ Hyper- V SP1				
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	9.1.9.27	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Windows Server 2012	9.1.10.25	5.04.01	3.00	
C200/ C210 M2,	QLogic	SANblade QLE2562	Citrix XenServer	8.03.03.11.5.7-k0	5.04.01	3.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M2, C260 M2, C460 M2		8- Gbps Fibre Channel to PCI Express Host Bus Adapter	5.6 FP1 SP2				
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 6.0 Boston	8.03.07.03.55.6-k2	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	Citrix XenServer 6.0.2 Boston	0:8.3.5.39.1P	5.04.01	3.00	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	QLogic	SANblade QLE2562 8- Gbps Fibre Channel to PCI Express Host Bus Adapter	OVM 3.0 UEK	0:8.3.5.30.1P	5.04.01	3.00	

LAN on Motherboard Interoperability Matrix

Table 4 lists the LAN on motherboard adapters that the Unified Computing System C Series Servers support.

Table 4: LAN on Motherboard

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 4.9 64bit	1.7.9-2	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	2.0.8e	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	2.1.6b	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	2.1.6b	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	2.0.21	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 5.8 64bit	2.1.11/2.7.0.3	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 6.0 64bit	2.1.6b	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	2.2.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 6.2 64bit	2.1.11	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Enterprise Linux 6.3 64bit	2.2.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 5.6 64bit	2.0.8-j15/2.1.1	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 5.7 64bit	2.1.6/2.6.2.3	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 5.8 64bit	2.1.11/2.7.0.3	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 6.0 64bit	2.0.8-j15/2.1.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 6.1 64bit	2.1.6/2.6.2.3	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 6.2 64bit	2.1.11/2.7.0.3	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Oracle Linux 6.3 64bit	2.2.1/2.7.0.3	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP3 64bit	2.0.8e	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP4 64bit	2.0.18-suse	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	2.1.6b	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.2 64bit	2.1.11	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Solaris 10 Update 9	6.4.2	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Solaris 10 Update 10	6.4.2	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Solaris 11	6.0.3	6.0.0	v6.4.4	
C250 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	2.1.5d.v40.1	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U2	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0 U4	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.0i U4	2.1.5d.v40.1	6.0.0	v6.4.4	
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1	2.2.11.v41.1	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1i	2.2.11.v41.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	2.2.11.v41.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1i U1	2.2.11.v41.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	2.2.11.v41.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	2.2.11.v41.1	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 5.0i	2.2.11.v50.1	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	vSphere 5.0i U1	2.2.11.v50.1	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.13.0/6.4.10.0(iSCSI)	6.0.0	v6.4.4	
C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.13.0/6.4.10.0(iSCSI)	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Windows Server 2012	7.0.543/7.0.13.51(iSCSI)	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	2.0.8e	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0 Boston	2.0.24b	6.0.0	v6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0.2 Boston	2.0.24b	6.0.0	v6.4.4	
C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Quad Port Gigabit Ethernet Onboard Controller	OVM 3.0 UEK	2.1.6	6.0.0	v6.4.4	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	1.52.17	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	1.64.32	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	1.64.32	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	1.62.00-6	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.8 64bit	1.70.00-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.0 64bit	1.64.32	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	1.62.00-6	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.2 64bit	1.70.00-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.3 64bit	1.72.00-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 5.6 64bit	1.52.1-7	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 5.7 64bit	1.62.00-6	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 5.8 64bit	1.70.00-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 6.0 64bit	1.52.1-7	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 6.1 64bit	1.62.00-6	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 6.2 64bit	1.70.00-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Oracle Linux 6.3 64bit	1.72.00-0	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP3 64bit	1.52.17	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP4 64bit	1.62.00-3	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	1.64.32	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.2 64bit	1.70.35-0	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Solaris 10 Update 9	6.4.35	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Solaris 10 Update 10	v5.2.11	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Solaris 11	6.4.37.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	1.64.32.v40.1	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U2	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0 U4	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.0i U4	1.64.32.v40.1	6.0.35	6.0.40	
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1	1.72.54.v41.1	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1i	1.72.54.v41.1	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	1.72.54.v41.1	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1i U1	1.72.54.v41.1	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	1.72.54.v41.1	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	1.72.54.v41.1	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 5.0i	1.72.54.v50.2	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	vSphere 5.0i U1	1.72.54.v50.2	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.13.0/6.4.10.0(iSCSI)	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.13.0/6.4.10.0(iSCSI)	6.0.35	6.0.40	
C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Windows Server 2012	7.0.543/7.0.13.51(iSCSI)	6.0.35	6.0.40	
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	1.52.15	6.0.35	6.0.40	
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0 Boston	1.62.17	6.0.35	6.0.40	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0.2 Boston	1.70.35	6.0.35	6.0.40	
C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet Onboard Controller	OVM 3.0 UEK	1.62.00-6	6.0.35	6.0.40	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.5 64bit	1.64.32(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.6 64bit	1.64.32(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.7 64bit	1.62.00-6(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 5.8 64bit	1.70.00-0(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port	Enterprise Linux 6.0 64bit	0.9.5/1.64.32	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		10GbE NIC SFP+					
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 6.1 64bit	1.62.00-6(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 6.2 64bit	1.70.00-0	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Enterprise Linux 6.3 64bit	1.72.00-0	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 5.6 64bit	1.52.1-7(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 5.7 64bit	1.0.2/1.62.00-6(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 5.8 64bit	1.70.00-0(NIC)	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 6.0 64bit	1.52.1-7(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 6.1 64bit	1.0.2/1.62.00-6(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 6.2 64bit	1.0.8/1.70.00-0(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Oracle Linux 6.3 64bit	1.72.00-0	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	SUSE Linux Enterprise Server 11.1 64bit	0.9.5/1.64.32(NIC)	6.4.22	6.4.23	5
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	SUSE Linux Enterprise Server 11.2 64bit	1.0.9/1.70.35-0(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Solaris 10 Update 9	6.4.35	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Solaris 10 Update 10	6.4.35	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Solaris 11	6.4.37.1	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1	1.64.32.v41.1(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1i	1.64.32.v41.1(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1 U1	1.64.32.v41.1(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1i U1	1.64.32.v41.1(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1 U2	1.72.54.v41.1(NIC)	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 4.1i U2	1.72.54.v41.1(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 5.0i	1.72.54.v50.2(NIC)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	vSphere 5.0i U1	1.72.54.v50.2(NIC)	6.4.22	6.4.23	5
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.20.0(FC)/ 6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.20.0(FC)/ 6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.4.22	6.4.23	
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Windows Server 2012	7.0.16.53(FC)/ 7.0.5.43(NIC)/ 7.0.13.51(iSCSI)	6.4.22	6.4.23	5, 28
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Citrix XenServer 5.6 FP1 SP2	1.52.15(NIC)	6.4.22	6.4.23	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Citrix XenServer 6.0 Boston	1.62.17(NIC)	6.4.22	6.4.23	5
C260 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	Citrix XenServer 6.0.2 Boston	1.62.17(NIC)	6.4.22	6.4.23	
C460 M2	Broadcom	CISCO LOM BCM57712 Dual Port 10GbE NIC SFP+	OVM 3.0 UEK	1.62.00-6	6.4.22	6.4.23	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 4.9 64bit	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.4 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.5 64bit	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.6 64bit	3.4.7	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.7 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 5.8 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.0 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.1 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.2 64bit	3.2.10-k	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Enterprise Linux 6.3 64bit	3.2.10-k	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 5.6 64bit	3.1.10-k2	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 5.7 64bit	3.0.6-k2	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 5.8 64bit	3.0.6-k	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 6.0 64bit	2.1.0-k2	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 6.1 64bit	3.0.6-k2	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 6.2 64bit	3.0.6-k	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Oracle Linux 6.3 64bit	3.2.10-k	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP3 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 10 SP4 64bit	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.1 64bit	3.4.7	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	SUSE Linux Enterprise Server 11.2 64bit	3.4.7	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Solaris 10 Update 9	1.1.14	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Solaris 10 Update 10	1.1.18	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Solaris 11	2.3.5	1.4-3	1.3.35	
C200/C210 M1	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0	3.2.10	1.4-3	1.3.35	1
C200/C210 M1	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i	3.2.10	1.4-3	1.3.35	1
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U1	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U1	3.2.10	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U2	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U2	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U3	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U3	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0 U4	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.0i U4	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i	3.2.10	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1 U1	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i U1	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1 U2	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 4.1i U2	3.2.10	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 5.0i	3.2.10	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	vSphere 5.0i U1	3.2.10	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	11.14.48.0	1.4-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Windows Server 2008 x64 w/ Hyper- V SP2	11.14.48.0	1.4-3	1.3.35	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Windows Server 2012	12.1.77.0	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Citrix XenServer 5.6 FP1 SP2	2.3.4	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0 Boston	2.4.13	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	Citrix XenServer 6.0.2 Boston	3.2.10	1.4-3	1.3.35	
C200/ C210 M2, C200 M2(SFF)	Intel	82576 Gigabit Ethernet Onboard Controller	OVM 3.0 UEK	3.0.6-k2	1.4-3	1.3.35	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.7 64bit	3.4.7	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.8 64bit	3.4.7	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.1 64bit	3.4.7	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.2 64bit	3.4.7	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.3 64bit	3.2.10-k	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 5.7 64bit	3.0.6-k2	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 5.8 64bit	3.0.6-k	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.1 64bit	3.0.6-k2	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.2 64bit	3.0.6-k	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.3 64bit	3.2.10-k	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	SUSE Linux Enterprise Server 11.1 64bit	3.4.7	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	SUSE Linux Enterprise Server 11.2 64bit	3.4.7	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Solaris 10 Update 10	v1.1.18	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 4.1 U2	3.2.10	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 4.1i U2	3.2.10	1.5-9	v1.3.82	13, 16
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 5.0i	3.2.10	1.5-9	v1.3.82	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 5.0i U1	3.2.10	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2008 R2 x64 w/ Hyper- V SP1	11.14.48.0	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2008 x64 w/ Hyper- V SP2	11.14.48.0	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2012	12.1.76.0	1.5-9	v1.3.82	
C220/C240 M3(SFF/LFF)	Intel	Intel Ethernet Server Adapter I350- T4	Citrix XenServer 6.0 Boston	2.4.13	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Citrix XenServer 6.0.2 Boston	3.2.10	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	OVM 3.0 UEK	3.0.6-k2	1.5-9	v1.3.82	

Network Interface Card Interoperability Matrix

Table 5 lists the network interface cards that the Unified Computing System C Series Servers support.

Table 5: Network Interface Cards

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C460 M1	Mellanox	ConnectX- 2 EN 10 Gigabit Ethernet	SUSE Linux Enterprise Server 10 SP3 64bit	1.5.6	2.7.8.100	1.5.5	
C260 M2	Mellanox	ConnectX- 2 EN 10 Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	1.5.6	2.7.8.100	1.5.5	
C200/ C210 M1 & M2, C200 M2(SFF), C260 M2	Mellanox	ConnectX- 2 EN 10 Gigabit Ethernet	Enterprise Linux 5.6 64bit	1.5.6	2.7.8.100	1.5.5	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Mellanox	ConnectX- 2 EN MNP29D- XTR 10 Gigabit Ethernet	Enterprise Linux 5.6 64bit	1.5.6	2.9.1000	3.3.400	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Mellanox	ConnectX- 2 EN MNP29D- XTR 10 Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	1.5.6	2.9.1000	3.3.400	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	Mellanox	ConnectX-3 EN 10 Gigabit Ethernet	Enterprise Linux 5.7 64bit	1.5.7.2	2.10.800	v3.3.420	
C220/C240 M3(SFF/LFF)	Mellanox	ConnectX-3 EN 10 Gigabit Ethernet	Enterprise Linux 6.1 64bit	1.5.7.2	2.10.800	v3.3.420	
C220/C240 M3(SFF/LFF)	Mellanox	ConnectX-3 EN 10 Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	1.5.7.2	2.10.800	v3.3.420	
C460 M1, C250 M1 & M2	SolarFlare	SFN5122F Dual- Port 10G SFP+	SUSE Linux Enterprise Server 10 SP3 64bit	3.0.11.2248	3.0.10.2236	v3.0.9.2233	19
C250 M2	SolarFlare	SFN5122F Dual- Port 10G SFP+	SUSE Linux Enterprise Server 11.1 64bit	3.2.1.6099	3.2.1.6100	v3.2.1.6087	19
C460 M2	SolarFlare	SFN5122F Dual- Port 10G SFP+	SUSE Linux Enterprise Server 11.1 64bit	3.2.1.6099	3.2.1.6100	v3.2.1.6087	19
C260 M2, C220/C240 M3(SFF/LFF)	SolarFlare	SFN6122F Dual- Port 10G SFP+	Enterprise Linux 6.1 64bit	3.2.1.6099	3.2.1.6100	v3.2.1.6087	19
C260 M2, C220/C240 M3(SFF/LFF)	SolarFlare	SFN6122F Dual- Port 10G SFP+	SUSE Linux Enterprise Server 11.1 64bit	3.2.1.6099	3.2.1.6100	v3.2.1.6087	19

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	1.7.9-2	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	2.0.8e	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	2.1.6b	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	2.1.6b	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2,	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	2.0.21	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.8 64bit	2.1.11/2.7.0.3	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	2.1.6b	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	2.1.6	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.2 64bit	2.1.11	6.0.0	6.4.4	15
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.3 64bit	2.2.1	6.0.0	6.4.4	15
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 5.6 64bit	2.0.8-j15/2.1.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200	Broadcom	NetXtreme II 5709 Dual and Quad Port	Oracle Linux 5.7 64bit	2.1.6/2.6.2.3	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2		Gigabit Ethernet PCIe Adapter					
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 5.8 64bit	2.1.11/2.7.0.3	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.0 64bit	2.0.8-j15/2.1.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet	Oracle Linux 6.1 64bit	2.1.6/2.6.2.3	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C260 M2, C460 M1 & M2		PCIe Adapter					
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.2 64bit	2.1.11/2.7.0.3	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.3 64bit	2.1.11/2.7.0.3	6.0.0	6.4.4	15
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	2.0.8e	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	2.0.18-suse	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet	SUSE Linux Enterprise Server 11.1 64bit	2.1.6b	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		PCIe Adapter					
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	2.1.11/2.7.0.3	6.0.0	6.4.4	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	6.4.2	6.0.0	6.4.4	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	6.0.3	6.0.0	6.4.4	
C200/ C210 M2, C200 M2(SFF),	Broadcom	NetXtreme II 5709 Dual and Quad Port	Solaris 11	6.0.3	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2, C260 M2, C460 M1 & M2		Gigabit Ethernet PCIe Adapter					
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0	2.1.5d.v40.1	6.0.0	6.4.4	
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet	vSphere 4.0 U2	2.1.5d.v40.1	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C460 M1		PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U4	2.1.5d.v40.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U4	2.1.5d.v40.1	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1	2.2.11.v41.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i	2.2.11.v41.1	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	2.2.11.v41.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	2.2.11.v41.1	6.0.0	6.4.4	
C200/ C210 M1 & M2,C200 M2(SFF), C250 M1 & M2, C260 M2,	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	2.2.11.v41.1	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	2.2.11.v41.1	6.0.0	6.4.4	13, 16
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i	2.2.11.v50.1	6.0.0	6.4.4	Note 23, Note 14
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i U1	2.2.11.v50.1	6.0.0	6.4.4	Note 23

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.0.0	6.4.4	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.0.0	6.4.4	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2,	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2012	7.0.5.43(NIC)/ 7.0.13.51(iSCSI)	6.0.0	6.4.4	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.0.8e	6.0.0	6.4.4	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	2.0.24b	6.0.0	6.4.4	6
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0.2 Boston	2.1.12b	6.0.0	6.4.4	6
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 5709 Dual and Quad Port Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	2.1.6	6.0.0	6.4.4	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	1.45.23-1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	1.52.17	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	1.64.32	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	1.64.32	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	1.62.00-6	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2,							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.8 64bit	1.70.00-0	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	1.64.32	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	1.62.00-6	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.2 64bit	1.70.00-0	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.3 64bit	1.72.00-0	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.6 64bit	1.52.1-7	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.7 64bit	1.62.00-6	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2,	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.8 64bit	1.70.00-0	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.0 64bit	1.52.1-7	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.1 64bit	1.62.00-6	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.2 64bit	1.70.00-0	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.3 64bit	1.72.00-0	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	1.52.17	6.2.15	v6.4.22	
C200/ C210 M1	Broadcom	NetXtreme II 57711	SUSE Linux	1.62.00-3	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C200 M2(SFF), C250 M1 & M2, C460 M1		Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Server 10 SP4 64bit				
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	1.64.32	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	1.70.35-0	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	6.4.35	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	6.4.35	6.2.15	v6.4.22	
C200/ C210 M2, C200	Broadcom	NetXtreme II 57711 Dual Port	Solaris 11	6.4.37.1	6.2.15	v6.4.22	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M2, C260 M2, C460 M1 & M2		10 Gigabit Ethernet PCIe Adapter					
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0	1.64.32.v40.1	6.2.15	v6.4.22	
C200/C210 M1, C250 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	1.64.32.v40.1	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U4	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U4	1.64.32.v40.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2,	Broadcom	NetXtreme II 57711 Dual Port	vSphere 4.1	1.64.32.v41.1	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		10 Gigabit Ethernet PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i	1.64.32.v41.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	1.64.32.v41.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	1.64.32.v41.1	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	1.72.54.v41.1	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	1.72.54.v41.1	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C46 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i	1.72.54.v50.2	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C46 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i U1	1.72.54.v50.2	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.2.15	v6.4.22	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2012	7.0.5.43(NIC)/ 7.0.13.51(iSCSI)	6.2.15	v6.4.22	28
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	1.52.15	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	1.62.17	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0.2 Boston	1.70.35	6.2.15	v6.4.22	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Broadcom	NetXtreme II 57711 Dual Port 10 Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	1.62.00-6	6.2.15	v6.4.22	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet	Enterprise Linux 6.0 64bit	0.9.5/1.64.32	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C260 M2, C460 M1 & M2		PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	0.9.5/1.64.32(NIC)	6.4.22	6.4.23	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	1.0.9/1.70.35-0(NIC)	6.4.22	6.4.23	5
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.20.0(FC)/ 6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper-V SP2	6.4.20.0(FC)/ 6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.4.22	6.4.23	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	1.52.15	6.4.22	6.4.23	5
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	1.62.17	6.4.22	6.4.23	5
C200/ C210 M2,	Broadcom	NetXtreme II 57712	Citrix XenServer	1.62.17	6.4.22	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	6.0.2 Boston				
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	NetXtreme II 57712 SFP+ Dual Port 10 Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	1.0.2/1.62.00-6(NIC)	6.4.22	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	1.64.32/ (bnx2i - 2.6.4.1g/ cnic- 2.4.5b)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	1.64.32/ (bnx2i - 2.6.4.1g/ cnic- 2.4.5b)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port	Enterprise Linux 5.7 64bit	1.62.00- 6/ (bnx2i- 2.6.2.3/ cnic- 2.2.13)	6.2.15	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		10 Gigabit Ethernet PCIe Adapter					
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.8 64bit	1.70.00-0	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	1.64.32/ 2.6.4.1g- (bnx2i - 2.6.4.1g/ cnic- 2.4.5b)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	1.62.00- 6/ (bnx2i - 2.6.2.3/ cnic- 2.2.14)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.2 64bit	1.70.00- 0/ (bnx2i - 2.7.0.3/ cnic - 2.5.7)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet	Enterprise Linux 6.3 64bit	1.72.00-0/2.7.2.2	6.2.15	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		PCIe Adapter					
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.6 64bit	1.52.1-7	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.7 64bit	1.62.00-6	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.8 64bit	1.70.00-0	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.0 64bit	1.52.1-7	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.1 64bit	1.62.00-6	6.2.15	6.4.23	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.2 64bit	1.70.00-0	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.3 64bit	1.72.00-0/2.7.0.3	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	1.64.32/ (bnx2i-2.6.4.1g/ cnic-2.4.5b)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	1.70.35-0	6.2.15	6.4.23	
C260 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1	1.72.54.v41.1(bnx2i - 2.72.10.v41.2/ cnic- 1.10.3p.v41.1)	6.2.15	6.4.23	
C260 M2	Broadcom	Broadcom 57712 10G BaseT	vSphere 4.1i	1.72.54.v41.1	6.2.15	6.4.23	6

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Dual Port 10 Gigabit Ethernet PCIe Adapter					
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	1.72.54.v41.1(bnx2i - 2.72.10.v41.2/cnic- 1.10.3p.v41.1)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	1.72.54.v41.1	6.2.15	6.4.23	6
C260 M2 & C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	1.72.54.v41.1(bnx2i - 2.72.10.v41.2/cnic- 1.10.3p.v41.1)	6.2.15	6.4.23	
C260 M2 & C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	1.72.54.v41.1	6.2.15	6.4.23	17
C260 M2 & C460 M2, C220/ C240 M3(SFF/ LFF),	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet	vSphere 5.0i	1.61.15.v50.1	6.2.15	6.4.23	17

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)		PCIe Adapter					
C260 M2 & C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i U1	1.61.15.v50.1	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	6.4.13.0(NIC)/ 6.4.10.0(iSCSI)	6.2.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2012	7.0.5.43(NIC)/ 7.0.13.51(iSCSI)	6.2.15	6.4.23	6, 28
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	1.52.15(cnic-1.9.13b)	6.4.15	6.4.23	5

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	1.62.17(bnx2i - 2.6.2.4c/ cnic- 2.2.14b)	6.4.15	6.4.23	5
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0.2 Boston	1.62.17(bnx2i - 2.6.2.4c/ cnic- 2.2.14b)	6.4.15	6.4.23	
C260 M2 & C460 M2	Broadcom	Broadcom 57712 10G BaseT Dual Port 10 Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	1.62.00-6	6.4.15	6.4.23	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.5 64bit	3.2.10	1.5-9	v1.3.82	6
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.6 64bit	3.2.10	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.7 64bit	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 5.8 64bit	3.0.6-k2-2	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.0 64bit	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.1 64bit	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Enterprise Linux 6.2 64bit	3.0.6-k	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 5.6 64bit	2.1.0-k2	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 5.7 64bit	3.0.6-k2	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 5.8 64bit	3.0.6-k	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.0 64bit	2.1.0-k2	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.1 64bit	3.0.6-k2	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Oracle Linux 6.2 64bit	3.0.6-k	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	SUSE Linux Enterprise Server 11.1 64bit	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	SUSE Linux Enterprise Server 11.2 64bit	3.0.6-k2	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Solaris 10 Update 10	v1.1.18	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 4.1 U1	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/	Intel	Intel Ethernet Server	vSphere 4.1i U1	3.2.10	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		Adapter I350- T4					
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 4.1 U2	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 4.1i U2	3.2.10	1.5-9	v1.3.82	13, 16
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 5.0i	3.2.10	1.5-9	v1.3.82	14
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	vSphere 5.0i U1	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF),	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2008 R2 x64 w/ Hyper- V SP1	11.14.48.0	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/ C24 M3(SFF)							
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2008 x64 w/ Hyper-V SP2	11.14.48.0	1.5-9	v1.3.82	
C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Windows Server 2012	12.1.76.0	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Citrix XenServer 6.0 Boston	2.4.13	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	Citrix XenServer 6.0.2 Boston	3.2.10	1.5-9	v1.3.82	
C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	Intel Ethernet Server Adapter I350- T4	OVM 3.0 UEK	3.0.6-k2	1.5-9	v1.3.82	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	3.4.7	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.8 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.2 64bit	3.4.7	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.3 64bit	3.2.10-k	1.7-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 5.6 64bit	2.1.0-k2	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 5.7 64bit	3.0.6-k2	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 5.8 64bit	3.0.6-k	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.0 64bit	2.1.0-k2	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.1 64bit	3.0.6-k2	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.2 64bit	3.0.6-k	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Oracle Linux 6.3 64bit	3.2.10-k	1.7-3	1.3.35	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2,	Intel	82576 based Quad Port Gigabit Ethernet	SUSE Linux Enterprise Server 10 SP4 64bit	3.4.7	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	3.4.7	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 9	1.1.14	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	1.1.18	1.7-3	1.3.50	
C200/ C210 M2,	Intel	82576 based	Solaris 11	2.3.5	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2		Quad Port Gigabit Ethernet PCIe Adapter					
C200/C210 M1, C250 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0	3.2.10	1.7-3	1.3.50	1
C200/C210 M1, C250 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i	3.2.10	1.7-3	1.3.50	1
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	3.2.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C460 M1							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0 U4	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.0i U4	3.2.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	3.2.10	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2,	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	3.2.10	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	3.2.10	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i	2.1.11.1	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	vSphere 5.0i U1	2.1.11.1	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	11.14.48.0	1.7-3	1.3.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	11.14.48.0	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2							
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Windows Server 2012	12.1.77.0	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.3.4	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	2.4.13	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0.2 Boston	3.2.10	1.7-3	1.3.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	82576 based Quad Port Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	3.0.6-k2	1.7-3	1.3.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 4.9 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.4 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.5 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.6 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.7 64bit	3.9.15-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
& M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 5.8 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.0 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.1 64bit	3.9.15-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.2 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Enterprise Linux 6.3 64bit	3.6.7-k	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.6 64bit	3.7.17-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200	Intel	X520 Dual Port 10 Gigabit Ethernet	Oracle Linux 5.7 64bit	3.2.10-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)		PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 5.8 64bit	3.4.24-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.0 64bit	2.0.62-K2	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.1 64bit	3.2.10-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)							
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.2 64bit	3.4.24-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Oracle Linux 6.3 64bit	3.6.7-k	0.9-3	2.1.50	
C200/ C210 M1 & M2,	Intel	X520 Dual Port 10 Gigabit	SUSE Linux Enterprise	3.9.15-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		Ethernet PCIe Adapter	Server 10 SP3 64bit				
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.1 64bit	3.9.15-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	SUSE Linux Enterprise Server 11.2 64bit	3.9.15-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Solaris 10 Update 10	1.0.18	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0	3.9.13-NAPI	0.9-3	2.1.50	
C200/C210 M1, C250 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i	3.7.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U1	3.7.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U1	3.9.13-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U2	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U2	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U3	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0i U3	3.7.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.0 U4	3.7.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2,	Intel	X520 Dual Port 10 Gigabit	vSphere 4.0i U4	3.9.13-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C250 M1 & M2, C460 M1		Ethernet PCIe Adapter					
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C460 M1	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i	3.7.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U1	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U1	3.9.13-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2,C1341 C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1 U2	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 4.1i U2	3.9.13-NAPI	0.9-3	2.1.50	13, 16
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i	3.9.13-NAPI	0.9-3	2.1.50	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	vSphere 5.0i U1	3.9.13-NAPI	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	2.9.71.0	0.9-3	2.1.50	
C200/ C210 M1 & M2, C200 M2(SFF), C250 M1 & M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	2.9.71.0	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M1 & M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Windows Server 2012	3.1.65.0	0.9-3	2.1.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 5.6 FP1 SP2	2.1.4-NAPI	0.9-3	2.1.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0 Boston	3.2.9-NAPI	0.9-3	2.1.50	
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	Citrix XenServer 6.0.2 Boston	3.6.7-NAPI	0.9-3	2.1.50	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C260 M2, C460 M2, C220/ C240 M3(SFF/ LFF), C22/ C24 M3(SFF)	Intel	X520 Dual Port 10 Gigabit Ethernet PCIe Adapter	OVM 3.0 UEK	3.2.10-NAPI	0.9-3	2.1.50	

RAID Controller on Motherboard or PCIe Adapter Interoperability Matrix

Table 6 lists the RAID controller on motherboard or PCIe adapters that the Unified Computing System C Series Servers support.

Table 6: RAID Controller on Motherboard or PCIe Adapters

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	I/ O Controller Hub 10 RAID (ICH10R)	Enterprise Linux 5.4 64bit	13.17.0421.2010			2
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	I/ O Controller Hub 10 RAID (ICH10R)	Enterprise Linux 5.5 64bit	13.17.0421.2010			2
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	I/ O Controller Hub 10 RAID (ICH10R)	SUSE Linux Enterprise Server 10 SP3 64bit	13.17.0421.2010			2
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	I/ O Controller Hub 10 RAID (ICH10R)	Windows Server 2008 R2 x64 w/ Hyper- V SP1	13.21.614.2010			2

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M1 & M2, C200 M2(SFF)	Intel	I/ O Controller Hub 10 RAID (ICH10R)	Windows Server 2008 x64 w/ Hyper- V SP2	13.21.614.2010			2
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 4.9 64bit	00.00.05.25-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.4 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.5 64bit	00.00.04.37	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.6 64bit	00.00.04.31-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 5.7 64bit	00.00.05.38-rh1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 6.0 64bit	00.00.04.28-RH1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 6.1 64bit	00.00.05.34-rc1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i	00.00.03.21.11vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U1	00.00.04.12.15vmw	1.40.272-1225	2.07.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U1	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U2	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U2	00.00.04.12.15vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U3	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U3	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0 U4	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.0i U4	00.00.04.12.16vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1 U1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i U1	00.00.04.14.18-1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.40.272-1225	2.07.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M1	LSI	MegaRAID SAS 8708EM2	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.40.272-1225	2.07.00	
C200 M2	LSI	MegaRAID SAS 8708EM2	vSphere 5.0i	00.00.04.32.1vmw	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Windows Server 2008 R2 x64 w/ Hyper- V SP1	4.32.0.64	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Windows Server 2008 x64 w/ Hyper- V SP2	4.32.0.64	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	1.40.272-1225	2.07.00	
C200 M1	LSI	MegaRAID SAS 8708EM2	Citrix XenServer 6.0 Boston	00.00.05.41	1.40.272-1225	2.07.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.06.12	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120233-1471	3.24.00	11
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.06.12	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Solaris 11	2.9	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0 U4	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.0i U4	00.00.04.32	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 5.0i	00.00.05.34	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	vSphere 5.0i U1	00.00.05.34-1vmw	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Windows Server 2012	5.2.122.0	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120233-1471	3.24.00	
C200 M2	LSI	MegaRAID 9260- 4i PCIe RAID Controller	OVM 3.0 UEK	00.00.05.34-rc1	2.120233-1471	3.24.00	
C200 M2(SFF)	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.06.12	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.06.12	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.06.12	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.06.12	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120.233.1471	3.24.00	11
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 6.1 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.06.12	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1& M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1& M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Solaris 10 Update 10	03.03.00	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1& M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Solaris 11	2.9	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0 U4	00.00.04.32	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.0i U4	00.00.04.32	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 5.0i	00.00.05.34	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	vSphere 5.0i U1	00.00.05.34	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120.233.1471	3.24.00	
C200 M2(SFF), C460 M1 & M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Windows Server 2012	5.2.122.0	2.120.233.1471	3.24.00	
C200 M2(SFF), C260 M2, C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF), C260 M2, C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120233.1471	3.24.00	
C200 M2(SFF), C260 M2, C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120233.1471	3.24.00	
C200 M2(SFF), C260 M2, C460 M2	LSI	MegaRAID 9260- 8i PCIe RAID Controller	OVM 3.0 UEK	00.00.05.34-rc1	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.06.12	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120.233.1471	3.24.00	11
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.06.12	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120.233.1471	3.24.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120.233.1471	3.24.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Solaris 11	2.9	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0 U4	00.00.04.32	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.0i U4	00.00.04.32	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.233.1471	3.24.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 5.0i	00.00.05.34	2.120.233.1471	3.24.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	vSphere 5.0i U1	00.00.05.34	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120.233.1471	3.24.00	
C210 M1 & M2, C250 M1 & M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120.233.1471	3.24.00	
C210 M2, C250 M2, C260 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Windows Server 2012	5.2.122.0	2.120.233.1471	3.24.00	
C210 M2, C250 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120.233.1471	3.24.00	
C210 M2, C250 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.233.1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M2, C250 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120233.1471	3.24.00	
C210 M2, C250 M2	LSI	MegaRAID 9261- 8i PCIe RAID Controller	OVM 3.0 UEK	00.00.05.34-rc1	2.120233.1471	3.24.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 5.8 64bit	3.04.20rh	1.32.04.00	6.34.00.00	11
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Enterprise Linux 6.3 64bit	3.04.20	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 5.6 64bit	3.04.17	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 5.7 64bit	3.04.18	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 5.8 64bit	3.04.19	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 6.0 64bit	3.04.17	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Oracle Linux 6.3 64bit	3.04.19	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe	SUSE Linux Enterprise	4.26.00.00	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		RAID Controller	Server 10 SP3 64bit				
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17-suse	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	4.28.00.00suse	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Solaris 10 Update 9	1.100	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Solaris 10 Update 10	1.109	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Solaris 11	MPT	1.32.04.00	6.34.00.00	
C250 M1	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C250 M1	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0 U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.0i U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i	4.21.00.01.1-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	vSphere 5.0i U1	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	1.34.2.0	1.32.04.00	6.34.00.00	
C250 M1 & M2	LSI	SAS3081E-R PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	1.34.2.0	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Windows Server 2012	1.34.2.6	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C250 M2	LSI	SAS3081E-R PCIe RAID Controller	OVM 3.0 UEK	3.04.18	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 4.9 64bit	3.12.29.00rh	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 5.8 64bit	3.04.20rh	1.32.04.00	6.34.00.00	11
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Enterprise Linux 6.3 64bit	3.04.20	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 5.6 64bit	3.04.17	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 5.7 64bit	3.04.18	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 5.8 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 6.0 64bit	3.04.17	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Oracle Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17_suse	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.2 64bit	4.28.00.00suse	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Solaris 10 Update 9	1.100	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Solaris 10 Update 10	1.109	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Solaris 11	MPT	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2,	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200/C210 M1	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0 U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.0i U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	vSphere 5.0i U1	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	1.34.2.0	1.32.04.00	6.34.00.00	
C200/C210 M1 & M2	LSI	1064E Controller Based Mezzanine Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	1.34.2.0	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Windows Server 2012	1.34.2.6	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	Citrix XenServer 6.0.2 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C200/C210 M2	LSI	1064E Controller Based Mezzanine Adapter	OVM 3.0 UEK	3.04.18	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 4.9 64bit	3.12.29.00rh	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.4 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.5 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.6 64bit	3.04.15rh	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.7 64bit	3.04.18rh	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 5.8 64bit	3.04.20rh	1.32.04.00	6.34.00.00	11
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.0 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Enterprise Linux 6.3 64bit	3.04.20	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 5.6 64bit	3.04.17	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 5.7 64bit	3.04.18	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 5.8 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 6.0 64bit	3.04.17	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 6.1 64bit	3.04.18	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Oracle Linux 6.2 64bit	3.04.19	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP3 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 10 SP4 64bit	3.04.17-suse	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.1 64bit	4.26.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	SUSE Linux Enterprise Server 11.2 64bit	4.28.00.00suse	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Solaris 10 Update 9	1.100	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Solaris 10 Update 10	1.109	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Solaris 11	MPT	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U1	4.00.37.00.27vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U2	4.00.37.00.29vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U3	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0 U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.0i U4	4.00.37.00.30vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i	4.00.37.00.23vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1 U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i U1	4.21.00.01.1-6vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1 U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 4.1i U2	4.21.00.01.1-8vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 5.0i	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	vSphere 5.0i U1	4.23.01.00-5vmw	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Windows Server 2008 R2 x64 w/ Hyper- V SP1	1.34.2.0	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Windows Server 2008 x64 w/ Hyper- V SP2	1.34.2.0	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Windows Server 2012	1.34.2.6	1.32.04.00	6.34.00.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Citrix XenServer 5.6 FP1 SP2	4.22.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Citrix XenServer 6.0 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	Citrix XenServer 6.0.2 Boston	4.22.00.00	1.32.04.00	6.34.00.00	
C200 M2(SFF)	LSI	1068E Controller Based Mezzanine Adapter	OVM 3.0 UEK	3.04.18	1.32.04.00	6.34.00.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 4.9 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.06.12	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120233-1471	3.24.00	11
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP3 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	SUSE Linux Enterprise Server 10 SP4 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Solaris 10 Update 9	2.4	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Solaris 10 Update 10	2.9	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Solaris 11	2.9	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0 U4	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.0i U4	00.00.04.32	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1i U1	00.00.05.33	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 5.0i	00.00.05.34	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	vSphere 5.0i U1	00.00.05.34-1vmw	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120233-1471	3.24.00	
C200/ C210 M2 , C200 M2(SFF), C260 M2	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Windows Server 2012	5.2.122.0	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120233-1471	3.24.00	
C200/ C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120233-1471	3.24.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C200/ C210 M2, C200 M2(SFF)	LSI	MegaRAID 9280- 4i/ 4e PCIe RAID Controller	OVM 3.0 UEK	00.00.05.34-rc1	2.120.233-1471	3.24.00	
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 5.4 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 5.5 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 5.6 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 5.7 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120.274-1543	4.30.00	11, 25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 6.0 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 6.1 64bit	00.00.06.12	2.120.274-1543	4.30.00	25

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	2.120274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	2.120274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	25

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120.274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Solaris 10 Update 9	3.03	2.120.274-1543	4.30.00	9
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Solaris 10 Update 10	03.03.00	2.120.274-1543	4.30.00	25
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Solaris 11	3.03	2.120.274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0 U1	00.00.04.32	2.120.274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0i U1	00.00.04.32	2.120.274-1543	4.30.00	25

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0 U2	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0i U2	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0 U3	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0i U3	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0 U4	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.0i U4	00.00.04.32	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.1	00.00.05.33	2.120274-1543	4.30.00	25
C460 M1	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.1i	00.00.05.33	2.120274-1543	4.30.00	25

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M1 & M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.1 U1	00.00.05.33	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.1 U2	00.00.05.33	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 4.1i U2	00.00.05.33	2.120.274-1543	4.30.00	25, 13, 16
C460 M2, C22/C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 5.0i	00.00.05.34	2.120.274-1543	4.30.00	25, 14
C460 M2, C22/C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	vSphere 5.0i U1	00.00.05.34-1vmw	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120.274-1543	4.30.00	25
C460 M1 & M2, C22/ C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Windows Server 2012	5.2.122.0	2.120.274-1543	4.30.00	25

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C460 M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Citrix XenServer 5.6 FP1 SP2	00.00.04.27-SL1	2.120274-1543	4.30.00	25
C460 M2	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Citrix XenServer 6.0 Boston	00.00.05.41	2.120274-1543	4.30.00	25
C460 M2, C22/C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120274-1543	4.30.00	25
C460 M2, C22/C24 M3(SFF)	LSI	MegaRAID 9240- 8i PCIe RAID Controller	OVM 3.0 UEK	00.00.05.34-rc1	2.120274-1543	4.30.00	25
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Enterprise Linux 5.7 64bit	00.00.06.12	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	3.151.05-1458	5.30.00	11, 22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Enterprise Linux 6.1 64bit	00.00.06.12	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	3.151.05-1458	5.30.00	22

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Oracle Linux 5.7 64bit	00.00.05.34-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Oracle Linux 5.8 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Oracle Linux 6.1 64bit	00.00.05.34-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Oracle Linux 6.2 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Oracle Linux 6.3 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Solaris 10 Update 10	v2.9	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	vSphere 4.1 U2	00.00.05.33	3.151.05-1458	5.30.00	22

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	vSphere 4.1i U2	00.00.05.33	3.151.05-1458	5.30.00	22, 13, 16
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	vSphere 5.0i	00.00.05.34	3.151.05-1458	5.30.00	14, 22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	vSphere 5.0i U1	00.00.05.34-1vmw	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Windows Server 2012	5.2.122.0	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Citrix XenServer 6.0 Boston	00.00.05.41	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	Citrix XenServer 6.0.2 Boston	00.00.05.41	3.151.05-1458	5.30.00	22
C220/C240 M3(SFF/LFF)	LSI	LSI 9266-8i MegaRaid SAS HBA	OVM 3.0 UEK	00.00.05.34-rc1	3.151.05-1458	5.30.00	22

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Enterprise Linux 5.7 64bit	00.00.06.12	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120.274-1543	4.30.00	11
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Enterprise Linux 6.1 64bit	00.00.06.12	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120.274-1543	4.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Solaris 10 Update 10	03.03.00	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	vSphere 4.1 U2	00.00.05.33	2120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	vSphere 4.1i U2	00.00.05.33	2120.274-1543	4.30.00	13, 16
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	vSphere 5.0i	00.00.05.34	2120.274-1543	4.30.00	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	vSphere 5.0i U1	00.00.05.34-lvmw	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Windows Server 2012	5.2.122.0	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Citrix XenServer 6.0 Boston	00.00.05.41	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120.274-1543	4.30.00	
C220/C240 M3(SFF/LFF)	LSI	Cisco UCSC RAID SAS 2008M- 8i	OVM 3.0 UEK	00.00.05.34-rc1	2.120.274-1543	4.30.00	
C220 M3(SFF/LFF)/ C240 M3	Intel	Intel Patsburg ROMB	Enterprise Linux 5.7 64bit	15.00.0120.2012			2, 21,24, 26

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
SFF, C22 M3(SFF)							
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	Enterprise Linux 6.1 64bit	15.00.0120.2012			2, 21,24, 26
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	Enterprise Linux 6.2 64bit	15.00.0120.2012			2, 21,24, 26
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	SUSE Linux Enterprise Server 11.1 64bit	15.00.0120.2012			2, 21,24, 26
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	SUSE Linux Enterprise Server 11.2 64bit	15.00.0120.2012			2, 20, 21,24, 26
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	Windows Server 2008 R2 x64 w/ Hyper- V SP1	15.0.208.2012			2, 21,24, 26
C220 M3(SFF/ LFF)/ C240 M3 SFF, C22 M3(SFF)	Intel	Intel Patsburg ROMB	Windows Server 2008 x64 w/ Hyper- V SP2	15.0.208.2012			2, 21,24, 26

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Enterprise Linux 5.7 64bit	00.00.06.12	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	3.151.05-1458	5.30.00	11
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Enterprise Linux 6.1 64bit	00.00.06.12	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Oracle Linux 5.7 64bit	00.00.05.34-rc1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Oracle Linux 5.8 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Oracle Linux 6.1 64bit	00.00.05.34-rc1	3.151.05-1458	5.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Oracle Linux 6.2 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Oracle Linux 6.3 64bit	00.00.05.40-rc1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Solaris 10 Update 10	v2.9	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	vSphere 4.1 U2	00.00.05.33	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	vSphere 4.1i U2	00.00.05.33	3.151.05-1458	5.30.00	13, 16
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	vSphere 5.0i	00.00.05.34	3.151.05-1458	5.30.00	14

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	vSphere 5.0i U1	00.00.05.34-lvmw	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Windows Server 2012	5.2.122.0	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	Citrix XenServer 6.0.2 Boston	00.00.05.41	3.151.05-1458	5.30.00	
C22/C24 M3(SFF)	LSI	LSI 9265CV-8i MegaRaid SAS HBA	OVM 3.0 UEK	00.00.05.34-rc1	3.151.05-1458	5.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Enterprise Linux 5.7 64bit	00.00.06.12	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120274-1543	4.30.00	11

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Enterprise Linux 6.1 64bit	00.00.06.12	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120274-1543	4.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Solaris 10 Update 10	3.03	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	vSphere 4.1 U2	00.00.05.33	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	vSphere 4.1i U2	00.00.05.33	2.120.274-1543	4.30.00	13, 16
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	vSphere 5.0i	00.00.05.34	2.120.274-1543	4.30.00	14
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	vSphere 5.0i U1	00.00.05.34-1vmw	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Windows Server 2012	5.2.122.0	2.120.274-1543	4.30.00	
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120.274-1543	4.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22 M3(SFF)	LSI	LSI 9220-4i MegaRaid SAS HBA	OVM 3.0 UEK	00.00.05.34-rc1	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Enterprise Linux 5.7 64bit	00.00.06.12	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	2.120274-1543	4.30.00	11
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Enterprise Linux 6.1 64bit	00.00.06.12	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Enterprise Linux 6.2 64bit	00.00.05.40-rh2	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Oracle Linux 5.7 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Oracle Linux 5.8 64bit	00.00.05.40-rc1	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Oracle Linux 6.1 64bit	00.00.05.34-rc1	2.120274-1543	4.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Oracle Linux 6.2 64bit	00.00.05.40-rc1	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Oracle Linux 6.3 64bit	00.00.05.40-rc1	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.1 64bit	00.00.06.12	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Solaris 10 Update 10	3.03	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	vSphere 4.1 U2	00.00.05.33	2.120.274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	vSphere 4.1i U2	00.00.05.33	2.120.274-1543	4.30.00	13, 16
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	vSphere 5.0i	00.00.05.34	2.120.274-1543	4.30.00	14
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	vSphere 5.0i U1	00.00.05.34-1vmw	2.120.274-1543	4.30.00	

UCS Server	Vendor	Adapter Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Windows Server 2008 R2 x64 w/ Hyper- V SP1	5.2.103.0	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Windows Server 2008 x64 w/ Hyper- V SP2	5.2.103.0	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Windows Server 2012	5.2.122.0	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	Citrix XenServer 6.0.2 Boston	00.00.05.41	2.120274-1543	4.30.00	
C22/C24 M3(SFF)	LSI	LSI 9220-8i MegaRaid SAS HBA	OVM 3.0 UEK	00.00.05.34-rc1	2.120274-1543	4.30.00	

Storage Controller Interoperability Matrix

Table 7 lists the storage controllers that the Unified Computing System C Series Servers support.

Table 7: Storage Controllers

UCS Server	Vendor	Storage Controller Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 5.6 64bit	11.00.01.00	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 5.8 64bit	00.00.05.40-rh2	7.00.00.00-IT	7.11.00.00	11

UCS Server	Vendor	Storage Controller Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 6.1 64bit	11.00.01.00	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Enterprise Linux 6.3 64bit	00.00.06.14-rh1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 5.6 64bit	00.00.04.31-ieee	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 5.7 64bit	00.00.05.34-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 5.8 64bit	00.00.05.40-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 6.0 64bit	00.00.04.31-ieee	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 6.1 64bit	00.00.05.34-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 6.2 64bit	00.00.05.40-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Oracle Linux 6.3 64bit	00.00.05.40-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass	SUSE Linux	11.00.01.00	7.00.00.00-IT	7.11.00.00	

UCS Server	Vendor	Storage Controller Model	Operating System	Adapter Driver	Adapter Firmware	Adapter Boot Code / BIOS	Notes
		Storage Controller	Enterprise Server 11.1 64bit				
C210 M2	LSI	LSI 9201 Mass Storage Controller	SUSE Linux Enterprise Server 11.2 64bit	00.00.05.38-rc1	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	2.0.49.0	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Windows Server 2008 x64 w/ Hyper- V SP2	2.0.49.0	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Windows Server 2012	2.0.55.84	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	Citrix XenServer 6.0.2 Boston	00.00.05.41	7.00.00.00-IT	7.11.00.00	
C210 M2	LSI	LSI 9201 Mass Storage Controller	OVM 3.0 UEK	00.00.05.34-rc1	7.00.00.00-IT	7.11.00.00	

PCIe Flash Storage Interoperability Matrix

Table 8 lists the PCIe flash storage devices that the Unified Computing System C Series Servers support.

Table 8: PCIe Flash Storage Devices

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware	Notes
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	Enterprise Linux 5.5 64bit	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	Enterprise Linux 5.6 64bit	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	SUSE Linux Enterprise Server 11.1 64bit	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	Windows Server 2008 R2 x64 w/ Hyper- V SP1	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	Windows Server 2008 x64 w/ Hyper- V SP2	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	vSphere 4.1i	2.3.1	v5.0.7	
C460 M2	Fusion IO	Fusion- io MLC ioDrive - 1.2TB	vSphere 4.1i U1	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	Enterprise Linux 5.5 64bit	2.3.1	v5.0.7	

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware	Notes
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	Enterprise Linux 5.6 64bit	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	SUSE Linux Enterprise Server 11.1 64bit	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	Windows Server 2008 R2 x64 w/ Hyper- V SP1	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	Windows Server 2008 x64 w/ Hyper- V SP2	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	vSphere 4.1i	2.3.1	v5.0.7	
C200/ C210 M2, C200 M2(SFF), C250 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive - 640GB/ 320GB	vSphere 4.1i U1	2.3.1	v5.0.7	
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/ 785GB/ 1.2TB	Enterprise Linux 5.7 64bit	3.1.1	V6.0.0	
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/	Enterprise Linux 6.1 64bit	3.1.1	V6.0.0	

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware	Notes
		785GB/ 1.2TB				
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/ 785GB/ 1.2TB	Enterprise Linux 6.2 64bit	3.1.1	V6.0.0	
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/ 785GB/ 1.2TB	SUSE Linux Enterprise Server 11.1 64bit	3.1.1	V6.0.0	
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/ 785GB/ 1.2TB	vSphere 5.0i	3.1.1	V6.0.0	14
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 365GB/ 785GB/ 1.2TB	vSphere 5.0i U1	3.1.1	V6.0.0	
C220/ C240 M3(SFF/ LFF), C260 M2, C460 M2	Fusion IO	Fusion- io MLC ioDrive2 785GB/ 1.2TB	Windows Server 2008 R2 x64 w/ Hyper- V SP1	3.1.1	V6.0.0	
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	Enterprise Linux 5.7 64bit	3.1.1	V6.0.0	
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	Enterprise Linux 6.1 64bit	3.1.1	V6.0.0	

UCS Server	Vendor	Flash Device Model	Operating System	Adapter Driver	Adapter Firmware	Notes
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	Enterprise Linux 6.2 64bit	3.1.1	V6.0.0	
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	SUSE Linux Enterprise Server 11.1 64bit	3.1.1	V6.0.0	
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	vSphere 5.0i	3.1.1	V6.0.0	14
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	vSphere 5.0i U1	3.1.1	V6.0.0	
C240 M3(SFF/LFF)	Fusion IO	Fusion- io MLC ioDrive2 2.4TB	Windows Server 2008 R2 x64 w/ Hyper- V SP1	3.1.1	V6.0.0	

Graphics Processing Unit Interoperability Matrix

Table 9 lists the graphics processing units that the Unified Computing System C Series Servers support.

Table 9: Graphics Processing Units

UCS Server	Vendor	GPU Model	Operating System	Adapter Driver	Adapter Firmware
C460 M2	NVIDIA	NVIDIA Display controller	Windows Server 2008 R2 x64 w/ Hyper- V SP1	270.90	70.00.2b.00.02
C460 M2	NVIDIA	NVIDIA Display controller	Enterprise Linux 5.5 64bit	270.41.19	70.00.2b.00.02
C460 M2	NVIDIA	NVIDIA Display controller	Enterprise Linux 6.0 64bit	270.41.19	70.00.2b.00.02

UCS Server	Vendor	GPU Model	Operating System	Adapter Driver	Adapter Firmware
C460 M2	NVIDIA	NVIDIA Display controller	SUSE Linux Enterprise Server 11.1 64bit	270.41.19	70.00.2b.00.02

Third-Party Qualified Adapters

For adapters qualified by EMC (PCIEHHS-3XXL and PCIEHHS-3XXM), please see:

<https://elabnavigator.emc.com/>

Notes

- 1 Netqueue not supported.
- 2 Driver version is for Software RAID.
- 3 55xx processor family supported, this OS version does not support the 56xx processor family.
- 4 The 2.6.18-164.9.1 errata kernel (or newer) is required to run Red Hat Enterprise Linux 5.4 on a Cisco UCS C460 M1.
- 5 Boot from SAN is not supported.
- 6 Boot from iSCSI is not supported.
- 7 FCoE is not supported.
- 8 Boot from SAN requires Cisco Customized ISO image available for download at www.vmware.com.
- 9 Inbox Driver versions may not be supported, download from device vendor site and install driver to enable device access.
- 10 C460 M1 supports only SLES10.3 errata kernel, not the GA release.
- 11 Supports inbox drivers only.
- 12 Windows Full installation option is supported. Server Core option is not supported.
- 13 Support for ESXi 4.1 U2 on C220/C240 M3 and C22/C24 M3 requires Cisco Customized ISO image available for download at www.vmware.com.
- 14 Support for ESXi 5.0 on C220/C240 M3 and C22/C24 M3 requires Cisco Customized ISO image available for download at www.vmware.com.
- 15 RHEL 6.2 is not supported by Broadcom for adapters with firmware T6.4 & lower.
- 16 Requires VMware Patch on C220/C240 M3 and C22/C24 M3. Refer VMware KB article at <http://kb.vmware.com/kb/2014170>.
- 17 Boot from iSCSI requires Cisco Customized ISO image available for download at www.vmware.com.
- 18 For installing Windows Server 2008 x64 w/Hyper-V SP2 with 1TB or higher memory, install Microsoft hotfix available at <http://support.microsoft.com/kb/2430673>
- 19 Faceplate does not strictly conform to the PCI mechanical spec and could have interference when used in slots 4 & 5. Use card only in slots 1-3 in C250

20 ROMB Not Supported

21 ROMB is supported on both C220 SFF and C220 LFF-24 HDDs. ROMB is supported only in C240 SFF-16 HDD and not in typical C240 SFF and C240 LFF-24 HDDs.

22 C240 M3 SFF with no SAS Expander can support upto 2 9266cv-8i.

23 saying that ISCSI boot is carried out with inbox drivers and the async needs to be installed from the OS

24 When Software Raid is enabled the Option ROM of all other cards should be disabled, otherwise the system never boots up.

25 LSi 9240-8i in Alpine C460 M1 and C460 M2 does not have RAID 5 support and it will support only 8 HDD's.

26 ROMB is not supported on C24 M3 SFF.

27 Qlogic FCoE (QLE8242): Will not support SAN Boot in ESXi 5.0 U1. Recommendation: Install 5.0 to do SAN Boot from this adapter, then upgrade to 5.0 U1.

28 ISCSI Windows 2012 has known issues on 57711, 57712 10 G Base T, 57712 SFP+

Related Documentation

Links to the latest versions of related Cisco documentation are available in the *Cisco UCS Rack-Mount Servers Documentation Roadmap*, located at:

<http://www.cisco.com/go/unifiedcomputing/c-series-doc>

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.