



FASTTRACK through FUJITSU-DEV



Americas Headquarters:
Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

FASTTRACK

| | |
|-----------------------------|--|
| Name/CLI Keyword | fasttrack |
| Full Name | FastTrack |
| Description | FastTrack is a file sharing client software that is based on peer-to-peer connection. FastTrack is used by multiple file sharing applications such as Kazaa, Grokster, iMesh, and Morpheus. Initialization: Initial the connection with FastTrack server over HTTP. Search: Searching for files in FastTrack server. Download: Download request from FastTracker server. |
| Reference | http://developer.berlios.de/projects/gift-fasttrack/ |
| Global ID | L7:57 |
| ID | 57 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | fasttrack-group |
| Category | file-sharing |
| Sub Category | p2p-networking |
| P2P Technology | Yes |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FASTTRACK-STATIC

| | |
|-----------------------------|--|
| Name/CLI Keyword | fasttrack-static |
| Full Name | fasttrack-static |
| Description | FastTrack Traffic - KaZaA Morpheus Grokster... |
| Reference | - |
| Global ID | L7:1322 |
| ID | 1322 |
| Known Mappings | |
| UDP Port | 1214 |
| TCP Port | 1214 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | fasttrack-group |
| Category | file-sharing |
| Sub Category | p2p-networking |
| P2P Technology | Yes |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FATSERV

| | |
|-----------------------------|---------------|
| Name/CLI Keyword | fatserve |
| Full Name | Fatmen Server |
| Description | Fatmen Server |
| Reference | - |
| Global ID | L4:305 |
| ID | 305 |
| Known Mappings | |
| UDP Port | 347 |
| TCP Port | 347 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | file-sharing |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FC

| | |
|-----------------------------|---------------|
| Name/CLI Keyword | fc |
| Full Name | fc |
| Description | Fibre Channel |
| Reference | - |
| Global ID | L3:1231 |
| ID | 1231 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | 133 |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | other |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FCP

| | |
|-----------------------------|---------------------|
| Name/CLI Keyword | fcp |
| Full Name | fcp |
| Description | FirstClass Protocol |
| Reference | - |
| Global ID | L4:424 |
| ID | 424 |
| Known Mappings | |
| UDP Port | 510 |
| TCP Port | 510 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | net-admin |
| Sub Category | storage |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FILEMAKER-ANNOUNCEMENT

| | |
|-----------------------------|---|
| Name/CLI Keyword | filemaker-announcement |
| Full Name | filemaker-announcement |
| Description | Filemaker relational database application |
| Reference | - |
| Global ID | L4:1381 |
| ID | 1381 |
| Known Mappings | |
| UDP Port | 2399,5003,5013,5015,16000,16001,16016 |
| TCP Port | 2399,5003,5013,5015,16000,16001,16016 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | other |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FILETOPIA

| | |
|-----------------------------|--|
| Name/CLI Keyword | filetopia |
| Full Name | Filetopia |
| Description | Filetopia is a secured peer to peer file sharing software which the user can chat, message and share files with other users online. The main difference between this file sharing software to others is the fact this protects the users IP address. The software works on Windows platform. |
| Reference | http://www.filetopia.org/ |
| Global ID | L7:433 |
| ID | 432 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | file-sharing |
| Sub Category | p2p-file-transfer |
| P2P Technology | Yes |
| Encrypted | Yes |
| Tunnel | No |
| Underlying Protocols | - |

FINGER

| | |
|-----------------------------|--------------------|
| Name/CLI Keyword | finger |
| Full Name | finger |
| Description | Finger |
| Reference | - |
| Global ID | L4:14 |
| ID | 14 |
| Known Mappings | |
| UDP Port | 79 |
| TCP Port | 79 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | net-admin |
| Sub Category | network-management |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FIRE

| | |
|-----------------------------|----------------|
| Name/CLI Keyword | fire |
| Full Name | fire |
| Description | FIRE |
| Reference | - |
| Global ID | L3:879 |
| ID | 879 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | 125 |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | layer3-over-ip |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FIX

| | |
|-----------------------------|---|
| Name/CLI Keyword | fix |
| Full Name | Financial Information eXchange |
| Description | Financial Information eXchange is a standard way to communicate trading information electronically between brokers, institutions and markets. The underlying protocol is SSL. |
| Reference | http://www.fixprotocol.org/what-is-fix.shtml |
| Global ID | L7:74 |
| ID | 74 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | business-and-productivity-tools |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | No |

FLASHMYSpace

| | |
|-----------------------------|---|
| Name/CLI Keyword | flashmyspace |
| Full Name | Flash Myspace |
| Description | Flash video is a format used to stream videos on the web; the user only needs a flash player in order to view a flash video. The format uses HTTP as its underlying protocol. Flash mySpace is the same as Flash video protocol, but specifically from the MySpace website. |
| Reference | http://download.macromedia.com/f4v/video_file_format_spec_v10_1.pdf |
| Global ID | L7:300 |
| ID | 119 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | flash-group |
| Category | browsing |
| Sub Category | rich-media-http-content |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | No |

FLASH-VIDEO

| | |
|-----------------------------|---|
| Name/CLI Keyword | flash-video |
| Full Name | Flash Video |
| Description | Flash video is a format used to stream videos on the web; the user only needs a flash player in order to view a flash video. The format uses HTTP as its underlying protocol. |
| Reference | http://download.macromedia.com/f4v/video_file_format_spec_v10_1.pdf |
| Global ID | L7:299 |
| ID | 117 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | flash-group |
| Category | browsing |
| Sub Category | rich-media-http-content |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | No |

FLASHYAHOO

| | |
|-----------------------------|---|
| Name/CLI Keyword | flashyahoo |
| Full Name | Flash Yahoo |
| Description | Flash video is a format used to stream videos on the web; the user only needs a flash player in order to view a flash video. The format uses HTTP as its underlying protocol. Flash-Yahoo is the same as Flash video protocol, but specifically from the Yahoo website. |
| Reference | http://developer.yahoo.com/flash/ |
| Global ID | L7:301 |
| ID | 118 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | flash-group |
| Category | browsing |
| Sub Category | rich-media-http-content |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | No |

FLEXLM

| | |
|-----------------------------|---------------------------------|
| Name/CLI Keyword | flexlm |
| Full Name | flexlm |
| Description | Flexible License Manager |
| Reference | - |
| Global ID | L4:620 |
| ID | 620 |
| Known Mappings | |
| UDP Port | 744 |
| TCP Port | 744 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | business-and-productivity-tools |
| Sub Category | license-manager |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FLN-SPX

| | |
|-----------------------------|--------------------------------|
| Name/CLI Keyword | fln-spx |
| Full Name | fln-spx |
| Description | Berkeley rlogind with SPX auth |
| Reference | - |
| Global ID | L4:1118 |
| ID | 1118 |
| Known Mappings | |
| UDP Port | 221 |
| TCP Port | 221 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | net-admin |
| Sub Category | remote-access-terminal |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FONT-SERVICE

| | |
|-----------------------------|------------------------|
| Name/CLI Keyword | font-service |
| Full Name | font-service |
| Description | X font service |
| Reference | - |
| Global ID | L4:1370 |
| ID | 1370 |
| Known Mappings | |
| UDP Port | 7100 |
| TCP Port | 7100 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | other |
| Sub Category | remote-access-terminal |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FRING

| | |
|-----------------------------|--|
| Name/CLI Keyword | fring |
| Full Name | Fring |
| Description | Fring is a peer-to-peer mobile service enabling live chat, audio and video calls from mobile phones. Fring technology is a Mobile VoIP based internet telephony service. Fring runs on various mobile devices including iPhone, Android and Nokia. Fring refers to session initiation, IM and Ads. |
| Reference | http://www.fring.com/what-is-fring |
| Global ID | L7:54 |
| ID | 1052 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | fring-group |
| Category | instant-messaging |
| Sub Category | voice-video-chat-collaboration |
| P2P Technology | Yes |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FRING-VIDEO

| | |
|-----------------------------|---|
| Name/CLI Keyword | fring-video |
| Full Name | Fring Video |
| Description | Fring is a peer-to-peer mobile service enabling live chat, audio and video calls from mobile phones. Fring technology is a Mobile VoIP based internet telephony service. Fring runs on various mobile devices including iPhone, Android and Nokia. Fring video refers to Fring video calls, a feature of Fring application. |
| Reference | http://www.fring.com/what-is-fring |
| Global ID | L7:60 |
| ID | 1040 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | fring-group |
| Category | voice-and-video |
| Sub Category | voice-video-chat-collaboration |
| P2P Technology | Yes |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | No |

FRING-VOIP

| | |
|-----------------------------|---|
| Name/CLI Keyword | fring-voip |
| Full Name | Fring VoIP |
| Description | Fring is a peer-to-peer mobile service enabling live chat, audio and video calls from mobile phones. Fring technology is a Mobile VoIP based internet telephony service. Fring runs on various mobile devices including iPhone, Android and Nokia. Fring VoIP refers to Fring audio calls, a feature of Fring application. Not only a user can call another Fring user, but for a fee he can also do a regular call to a land line or mobile. |
| Reference | http://www.fring.com/what-is-fring |
| Global ID | L7:444 |
| ID | 1053 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | - |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | fring-group |
| Category | voice-and-video |
| Sub Category | voice-video-chat-collaboration |
| P2P Technology | Yes |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FTP

| | |
|-----------------------------|--|
| Name/CLI Keyword | ftp |
| Full Name | File Transfer Protocol |
| Description | File Transfer Protocol (FTP) is used to transfer files between hosts over TCP networks and is based on client-server architecture. An FTP server usually listens on port 21. |
| Reference | http://www.ietf.org/rfc/rfc959.txt |
| Global ID | L4:21 |
| ID | 2 |
| Known Mappings | |
| UDP Port | - |
| TCP Port | 21,21000 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | ftp-group |
| Category | file-sharing |
| Sub Category | client-server |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FTP-AGENT

| | |
|-----------------------------|---------------------------|
| Name/CLI Keyword | ftp-agent |
| Full Name | ftp-agent |
| Description | FTP Software Agent System |
| Reference | - |
| Global ID | L4:488 |
| ID | 488 |
| Known Mappings | |
| UDP Port | 574 |
| TCP Port | 574 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | ftp-group |
| Category | file-sharing |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FTP-DATA

| | |
|-----------------------------|---------------|
| Name/CLI Keyword | ftp-data |
| Full Name | ftp-data |
| Description | File Transfer |
| Reference | - |
| Global ID | L4:909 |
| ID | 909 |
| Known Mappings | |
| UDP Port | 20 |
| TCP Port | 20 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | ftp-group |
| Category | file-sharing |
| Sub Category | client-server |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

FTPS-DATA

| | |
|-----------------------------|--------------------------------|
| Name/CLI Keyword | ftps-data |
| Full Name | ftps-data |
| Description | ftp protocol data over TLS/SSL |
| Reference | - |
| Global ID | L4:668 |
| ID | 668 |
| Known Mappings | |
| UDP Port | 989 |
| TCP Port | 989 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | ftp-group |
| Category | file-sharing |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | Yes |
| Tunnel | No |
| Underlying Protocols | - |

FUJITSU-DEV

| | |
|-----------------------------|------------------------|
| Name/CLI Keyword | fujitsu-dev |
| Full Name | fujitsu-dev |
| Description | Fujitsu Device Control |
| Reference | - |
| Global ID | L4:621 |
| ID | 621 |
| Known Mappings | |
| UDP Port | 747 |
| TCP Port | 747 |
| IP Protocol | - |
| IP Version | |
| IPv4 Support | Yes |
| IPv6 Support | Yes |
| Application Group | other |
| Category | other |
| Sub Category | other |
| P2P Technology | No |
| Encrypted | No |
| Tunnel | No |
| Underlying Protocols | - |

© 2012 Cisco Systems, Inc. All rights reserved.