




BC	Cisco IOS Bridging and IBM Networking Configuration Guide
DC	Cisco IOS Dial Technologies Configuration Guide
FC	Cisco IOS Configuration Fundamentals Configuration Guide
IC	Cisco IOS Interface Configuration Guide
IPC	Cisco IOS IP Routing Configuration Guide
MWC	Cisco IOS Mobile Wireless Configuration Guide
P2C	Cisco IOS AppleTalk and Novell IPX Configuration Guide
P3C	Cisco IOS Apollo Domain, Banyan VINES, DECnet, ISO CLNS, and XNS Configuration Guide
QC	Cisco IOS Quality of Service Solutions Configuration Guide
SC	Cisco IOS Security Configuration Guide
TC	Cisco IOS Terminal Services Configuration Guide
VC	Cisco IOS Voice, Video, and Fax Configuration Guide
WC	Cisco IOS Wide-Area Networking Configuration Guide
XC	Cisco IOS Switching Services Configuration Guide

Symbols

<cr> **xxxvii**
 ? command **xxxvi**

A

access-list (extended) command **QC-57**
 access-list (standard) command **QC-50**
 access-list rate-limit command **QC-57**
 access lists

GTS, configuring **QC-224**
 Policy Propagation via BGP feature **QC-47**
 admission control **QC-246**
 ATM
 LFI
 configuration (example) **QC-334**
 configuring **QC-328 to QC-330**
 fragment size for **QC-328, QC-329**
 monitoring **QC-332**
 overview **QC-315**
 verifying **QC-332**
 RSVP considerations **QC-265**
 RSVP over ATM network
 See RSVP-ATM QoS Interworking
 RSVP reservations, handling **QC-249**
 static maps, displaying **QC-362**
 VCs
 circuit bumping **QC-353**
 IP to ATM CoS, configuring **QC-357, QC-362**
 per-VC CBWFQ, configuring **QC-362**
 See also ATM VC bundles
 ATM VC bundles
 attributes, configuring **QC-358**
 bundle management
 benefits **QC-351**
 differentiated service **QC-349**
 IP Precedence, matching **QC-349**
 multiple VCs **QC-350**
 VC bundle members **QC-348, QC-359**
 class assignment **QC-359**
 creating **QC-357**
 members
 adding **QC-359**
 attributes, configuring **QC-360**

- configuring **QC-360**
- VC class, applying to **QC-360**
- monitoring **QC-362**
- parameters, configuring **QC-358**
- VC class
 - attaching **QC-359**
 - attributes **QC-358**
 - configuring **QC-358**
- average rate shaping, configuring **QC-230**

B

- backbone routers, QoS functions **QC-2**
- bandwidth (policy-map class) command **QC-89, QC-136**
- bandwidth command
 - service policies **QC-125**
 - traffic classes **QC-188, QC-192, QC-404**
- bandwidths
 - allocation
 - CBWFQ **QC-90**
 - IP RTP Priority **QC-94**
 - LLQ **QC-98**
 - changing **QC-238**
 - management **QC-112**
 - maximum reserved **QC-95, QC-112**
 - priority command, guaranteeing with **QC-102**
 - RSVP considerations **QC-263**
- BECN (backward explicit congestion notification)
 - FRTS **QC-218**
 - GTS **QC-214**
- best-effort service, defined **QC-4**
- BGP (Border Gateway Protocol), policy propagation
 - See* Policy Propagation via BGP
- bgp-policy command **QC-48**
- broadcast command **QC-358**
- bump command **QC-360**
- bundle command **QC-357**
- bundles, VCs
 - See* ATM VC bundles

- burst factor, configuring **QC-276**
- burst size, configuring **QC-140**

C

- CAR (committed access rate)
 - classification **QC-26**
 - policy examples **QC-7**
 - summary **QC-7**
 - configuration (example) **QC-59**
 - configuring **QC-55**
 - conform and exceed actions **QC-57**
 - IP Precedence, setting **QC-244**
 - monitoring **QC-59**
 - multiple rate policies **QC-208**
 - overview **QC-26**
 - packet classification, methods **QC-26**
 - policies, configuring **QC-57**
 - policy requirements **QC-58**
 - rate-limit command action keywords **QC-57**
 - rate limits
 - average rate, defined **QC-206**
 - excess burst size, defined **QC-206**
 - extended burst size, defined **QC-206**
 - normal burst size, defined **QC-206**
 - overview **QC-204**
 - recommended burst sizes **QC-207**
 - summary **QC-13**
 - restrictions **QC-209**
 - traffic rate limitation **QC-55**
 - See also* DCAR
- carriage return (<cr>) **xxxvii**
- cautions, usage in text **xxxii**
- CBWFQ (class-based WFQ)
 - average rate shaping, configuring **QC-230**
 - bandwidth allocation **QC-90, QC-91**
 - class queue packet limit, configuring **QC-119, QC-364**
 - configuration (example) **QC-143**
 - configuring **QC-117**

- enabling **QC-122, QC-139, QC-363**
- GTS, configuration (example) **QC-230, QC-231**
- IP RTP Priority, configuration (example) **QC-149**
- overview **QC-89**
- peak rate shaping, configuring **QC-230**
- per-VC **QC-350, QC-362**
- policy maps **QC-230**
- prerequisites **QC-180**
- restrictions **QC-91**
- service policies, attaching **QC-363**
- strict priority queueing **QC-94**
- VCs, CoS supported **QC-363**
- See also* class policies
- CELP (code excited linear prediction compression) **QC-338**
- Cisco IOS configuration changes, saving **xl**
- class (policy-map) command **QC-121, QC-138, QC-364**
- class-based packet marking
 - configuration (example) **QC-67**
 - configuring **QC-63**
 - prerequisites **QC-29**
 - restrictions **QC-29**
 - verifying **QC-66**
- class-based shaping
 - buffers, configuring **QC-230**
 - configuring **QC-229**
 - feature description **QC-215**
- class-based WFQ
 - See* CBWFQ; DCBWFQ
- class-bundle command **QC-359**
- class command
 - bandwidth, modifying for a service policy **QC-125**
 - IP Precedence value, configuring **QC-64**
 - queue limit, modifying for service policy **QC-126**
 - traffic classes, configuring **QC-75**
 - traffic policies, configuring **QC-188, QC-189**
- classification
 - BGP **QC-7**
 - CAR **QC-6, QC-26**
 - defined **QC-21**
 - IP Precedence **QC-22**
 - methods **QC-21**
 - PBR **QC-24**
- class-map command
 - bandwidth, PQ, configuring **QC-133**
 - class-based shaping **QC-229**
 - class maps, defining **QC-118**
 - class policies, configuring **QC-136**
 - GTS **QC-230**
 - NBAR **QC-73, QC-74**
 - WRED **QC-191**
- class maps
 - configuration (example) **QC-144**
 - configuring **QC-118**
 - match criteria, configuring **QC-118, QC-136**
- class policies
 - bandwidth, configuring **QC-125**
 - CBWFQ, configuring **QC-90**
 - default class, configuring **QC-121, QC-138, QC-364**
 - information, displaying **QC-124, QC-139, QC-230**
 - LLQ priority queue, configuring **QC-137**
 - queue packet limit, configuring **QC-123, QC-126**
 - tail drop, configuring **QC-119**
 - WRED packet drop, configuring **QC-120, QC-188**
- class-vc command **QC-361**
- command modes, understanding **xxxv to xxxvi**
- commands
 - context-sensitive help for abbreviating **xxxvi**
 - default form, using **xxxix**
 - no form, using **xxxix**
- command syntax
 - conventions **xxxi**
 - displaying (example) **xxxvii**
- configurations, saving **xl**
- congestion avoidance
 - defined **QC-171**
 - flow-based WRED **QC-181**
 - global synchronization **QC-172**

- IP to ATM CoS **QC-352**
 - RED **QC-172**
 - summary **QC-11**
 - tail drop **QC-171**
 - WRED **QC-175**
 - congestion management
 - defined **QC-79**
 - IP to ATM CoS **QC-352**
 - queueing
 - CQ **QC-80**
 - FIFO **QC-79**
 - PQ **QC-80**
 - WFQ **QC-79**
 - summary **QC-8**
 - uses **QC-80**
 - Controlled Load Service
 - peak rate limit **QC-296**
 - RSVP-ATM QoS Interworking **QC-249**
 - COPS (Common Open Policy Service), used with RSVP
 - feature description **QC-252**
 - verifying **QC-305**
 - CoS (class of service), defining classes **QC-22**
 - CQ (custom queueing)
 - bandwidth allocation **QC-109**
 - behavior **QC-106**
 - byte count **QC-108**
 - configuration (example) **QC-162**
 - configuring **QC-159**
 - considerations **QC-110**
 - default priority, assigning **QC-161**
 - how it works (figure) **QC-107**
 - output queues **QC-106**
 - overview **QC-106**
 - window size **QC-109**
 - CRTTP (Compressed Real-Time Protocol)
 - configuring **QC-337**
 - overview **QC-316**
 - summary **QC-16**
 - crypto map command **QC-70**
 - custom-queue-list command **QC-160**
- ## D
- DCAR (Distributed CAR)
 - class-based policy, configuring **QC-58**
 - configuration (example) **QC-59**
 - monitoring **QC-59**
 - platform support **QC-26**
 - restrictions **QC-209**
 - See also* CAR
 - DCBWFQ (distributed class-based WFQ)
 - benefits **QC-92**
 - configuration (example) **QC-147**
 - configuring **QC-125**
 - description **QC-91**
 - prerequisites **QC-93**
 - restrictions **QC-93**
 - RSVP interaction **QC-92**
 - DE (discard eligible) lists, traffic shaping **QC-212**
 - debug atm bundle errors command **QC-362**
 - debug atm bundle events command **QC-362**
 - debug priority command **QC-133**
 - differential services, supporting **QC-347**
 - differentiated service model
 - classification **QC-22**
 - defined **QC-4**
 - features
 - CAR **QC-4**
 - WFQ **QC-4**
 - WRED **QC-4**
 - DiffServ (Differentiated Services)
 - components **QC-379**
 - DSCP setting **QC-375**
 - DS field definition **QC-376**
 - feature sets **QC-379**
 - implementation (sample) **QC-380**
 - overview **QC-375**

- PHB
 - assured forwarding **QC-377**
 - class-selector **QC-377**
 - default **QC-376**
 - expedited forwarding **QC-378**
 - troubleshooting log (sample) **QC-388**
 - Distributed CRTP
 - benefits **QC-319**
 - configuration (example) **QC-342**
 - configuring **QC-341**
 - description **QC-16**
 - prerequisites **QC-320**
 - restrictions **QC-320**
 - documentation
 - conventions **xxxi**
 - feedback, providing **xxxiii**
 - modules **xxvii to xxix**
 - online, accessing **xxxii**
 - ordering **xxxiii**
 - Documentation CD-ROM **xxxii**
 - documents and resources, supporting **xxx**
 - DSBM (designated SBM)
 - candidate, configuring **QC-308**
 - definition **QC-258**
 - DSCP (differentiated services code point) value
 - defined **QC-182**
 - use with WRED, configuring **QC-190**
 - dscp command **QC-191**
 - DTS (Distributed Traffic Shaping)
 - See* traffic shaping, Distributed
 - DWFQ (distributed WFQ)
 - configuration (example) **QC-142**
 - configuring **QC-114**
 - drop policy **QC-88**
 - monitoring **QC-115**
 - platform support **QC-87**
 - requirements **QC-87**
 - restrictions **QC-88**
 - DWRED (distributed WRED)
 - configuration (example) **QC-192**
 - exponential weight factor, configuring **QC-188, QC-189**
 - group definitions, attaching **QC-250**
 - packet drop in traffic policies **QC-188**
 - per-VC DWRED
 - configuring **QC-296**
 - drop policy, supporting **QC-250**
 - packet drop **QC-250**
 - platform support **QC-177**
 - restrictions **QC-180, QC-185**
 - uses **QC-179**
 - See also* WRED
- ## E
- edge routers, QoS functions **QC-2**
 - encapsulation command **QC-358**
 - exponential-weighting-constant command **QC-356**
 - Express RTP and TCP Header Compression **QC-318**
- ## F
- fair-queue (class-default) command **QC-89, QC-136, QC-364**
 - fair-queue (DWFQ) command **QC-116**
 - fair-queue (WFQ) command **QC-114**
 - fair-queue aggregate-limit command **QC-116, QC-117**
 - fair-queue command **QC-188**
 - fair-queue individual-limit command **QC-116, QC-117**
 - fair queueing
 - See* DWFQ; WFQ
 - fair-queue limit command **QC-116, QC-117**
 - fair-queue qos-group command **QC-116**
 - fair-queue tos command **QC-117**
 - fair-queue weight command **QC-116, QC-117**
 - Feature Navigator
 - See* platforms, supported
 - FECN (forward explicit congestion notification),
 - FRTS **QC-218**
 - FIFO (First In First Out) queueing **QC-83**

filtering output, show and more commands **xl**

flow-based WRED

benefits **QC-181**

configuration (example) **QC-196**

configuring **QC-190**

enabling **QC-190**

flow count value, setting **QC-190**

flow threshold scaling factor, configuring **QC-190**

overview **QC-181**

See also WRED

flow classification, configuring **QC-276**

Frame Relay

FRF.12 fragmentation **QC-316**

GTS, configuring **QC-224**

LFI

configuration (example) **QC-333**

configuring **QC-328 to QC-330**

monitoring **QC-332**

overview **QC-315**

verifying **QC-332**

LLQ

enabling **QC-139**

prerequisites **QC-105**

verifying **QC-139**

VoFR, effect on **QC-105**

PIPQ (PVC Interface Priority Queueing)

configuration (example) **QC-152**

description **QC-96**

enabling **QC-130**

FIFO queueing, effect on **QC-96**

Frame Relay traffic shaping, effect on **QC-96**

FRF.12 fragmentation, effect on **QC-96**

monitoring **QC-131**

prerequisites **QC-97**

PVC priority, configuring **QC-130**

queue size, configuring **QC-130**

restrictions **QC-97**

verifying **QC-131**

PVC Interface Priority Queueing

See Frame Relay, PIPQ

RSVP

configuration (example) **QC-287**

configuration tasks **QC-281**

considerations **QC-264**

described **QC-247**

monitoring **QC-287**

verifying **QC-285**

frame-relay interface-queue priority command **QC-130**

frame-relay ip rtp header-compression command **QC-338**

Frame Relay IP RTP Priority

configuring **QC-128**

feature description **QC-11, QC-96**

monitoring **QC-129**

verifying **QC-129**

frame-relay ip rtp priority command **QC-128**

frame-relay map ip compress command **QC-338**

frame-relay map ip rtp header-compression
command **QC-338**

FRF.12 Fragmentation **QC-316**

FRTS (Frame Relay Traffic Shaping) **QC-217**

G

global configuration mode, summary of **xxxvi**

GTS (Generic Traffic Shaping)

configuration (example) **QC-225**

configuring **QC-223**

how it works (figure) **QC-215**

monitoring **QC-225**

overview **QC-214**

guaranteed bandwidth, reserved flows

See RSVP

H

hardware platforms

See platforms, supported

- hashed queues, reserving **QC-188**
- help command **xxxvi**
- hold queue on ATM adapter
 - configuration (example) **QC-158**
 - configuring **QC-141**
 - verifying **QC-141**
- ICA traffic, classification by NBAR **QC-33**
- inarp command **QC-358**
- indexes, master **xxx**
- integrated service models, defined **QC-4**
- intelligent queueing mechanisms
 - Controlled Load Service **QC-4**
 - guaranteed rate service **QC-4**
- interface command **QC-70**
- interface configuration mode, summary of **xxxvi**
- interfaces
 - priority groups, assigning **QC-167**
 - queueing priority, assigning **QC-161**
- ip as-path access-list command **QC-49**
- ip bgp-community new-format command **QC-48**
- ip community-list command **QC-48**
- IP DSCP (differentiated services code point) value
 - configuration (example) **QC-67**
 - configuring **QC-64**
- ip local policy route-map command **QC-45**
- IP multicast routing, RTP header compression **QC-317**
- ip nbar port-map command **QC-76**
- ip nbar protocol-discovery command **QC-76**
- ip policy route-map command **QC-44**
- IP precedence
 - bit values, displaying **QC-297**
 - CAR **QC-205**
 - configuration (example) **QC-67**
 - configuring **QC-64**
 - overview **QC-22**
 - packet classification **QC-22**
 - queueing mechanisms used **QC-244**
 - RSVP-ATM QoS Interworking feature **QC-250**
 - setting **QC-244**
 - signaling **QC-243**
 - ToS field **QC-22**
 - values (table) **QC-23**
 - VC bundle members **QC-349**
 - where used **QC-22**
 - WRED **QC-186**
- ip route-cache policy command **QC-45**
- ip rsvp atm-peak-rate-limit command **QC-296**
- ip rsvp bandwidth command **QC-265, QC-294**
- ip rsvp burst policing command **QC-276**
- ip rsvp dsbm candidate command **QC-308**
- ip rsvp dsbm non-resv-send-limit command **QC-308**
- ip rsvp flow-assist command **QC-267**
- ip rsvp neighbor command **QC-267**
- ip rsvp policy cops command **QC-304**
- ip rsvp policy cops minimal command **QC-304**
- ip rsvp policy cops report-all command **QC-305**
- ip rsvp policy cops servers command **QC-304**
- ip rsvp policy cops timeout command **QC-305**
- ip rsvp policy default-reject command **QC-304**
- ip rsvp pq-profile command **QC-276**
- ip rsvp precedence command **QC-268**
- ip rsvp reservation command **QC-266**
- ip rsvp reservation-host command **QC-266**
- ip rsvp sender command **QC-266**
- ip rsvp sender-host command **QC-266**
- ip rsvp svc-required command **QC-294**
- ip rsvp tos command **QC-268**
- ip rsvp udp-multicasts command **QC-267**
- ip rtp compression-connections command **QC-339, QC-342**
- ip rtp header-compression command **QC-338**
- IP RTP Priority
 - bandwidth allocation **QC-94**
 - configuration (example) **QC-148**
 - configuring **QC-127**

- overview **QC-93**
- restrictions **QC-95**
- ip rtp priority command **QC-93, QC-127**
- ip rtp reserve command **QC-323**
- ip tcp compression-connections command **QC-342**
- IP to ATM class of service (CoS)
 - bandwidth, maximum available **QC-363**
 - benefits **QC-351**
 - circuit bumping **QC-353**
 - configuration (example) **QC-365**
 - features **QC-352**
 - overview **QC-347**
 - per-VC CBWFQ
 - configuring **QC-362**
 - support **QC-350**
 - prerequisites **QC-362**
 - restrictions **QC-354**
 - VC bundles
 - configuring **QC-357**
 - support **QC-348**
- See also* ATM VC bundles

L

- LFI (Link Fragmentation and Interleaving)
 - configuration (example) **QC-324, QC-333**
 - configuring **QC-328 to QC-330**
 - defined **QC-321**
 - interleaving statistics, displaying **QC-323**
 - monitoring **QC-332**
 - overview **QC-313, QC-315**
 - summary **QC-15**
 - verifying **QC-332**
- See also* Frame Relay, LFI; ATM, LFI
- link efficiency mechanisms
 - C RTP **QC-316**
 - LFI **QC-313**
- LLQ (low latency queueing)
 - bandwidth allocation **QC-98**

- burst size, configuring **QC-140**
- configuring **QC-131**
- Distributed
 - benefits **QC-102**
 - configuration (examples) **QC-155**
 - configuring **QC-133**
 - description **QC-101**
 - prerequisites **QC-104**
 - restrictions **QC-103**
 - verifying **QC-135**
- Frame Relay
 - enabling **QC-139**
 - prerequisites **QC-105**
 - verifying **QC-139**
- VoFR, effect on **QC-105**
- overview **QC-97**
- restrictions **QC-101**
- verifying **QC-132**

M

- match access-group command **QC-118, QC-136**
- match any command **QC-402**
- match as-path command **QC-49**
- match class-map command **QC-402**
- match community-list command **QC-48**
- match cos command **QC-402**
- match destination-address mac command **QC-402**
- match input-interface command **QC-118, QC-136**
- match ip address command **QC-44, QC-50**
- match ip dscp command **QC-403**
- match ip precedence command **QC-403**
- match ip rtp command **QC-403**
- match length command **QC-44**
- match mpls experimental command **QC-118**
- match not command **QC-403**
- match protocol command **QC-74, QC-118, QC-136**
- match qos-group command **QC-403**
- match source-address mac command **QC-403**

maximum reserved bandwidth **QC-95, QC-112**
 max-reserved-bandwidth command **QC-95, QC-127, QC-132**
 MBONE (multicast backbone), RTP header
 compression **QC-318**
 memory management, NBAR **QC-35**
 MIB, descriptions online **xxx**
 MLP (Multilink Point-to-Point Protocol)
 configuration (example) **QC-324**
 defined **QC-321**
 interleaving
 configuring **QC-322**
 packets **QC-321**
 monitoring **QC-323**
 WFQ **QC-321**
 modes
 See command modes
 Modular QoS Command-Line Interface
 configuration (example) **QC-406**
 configuration, verifying **QC-406**
 configuring **QC-401**
 description **QC-397**
 MIB supported **QC-399**
 multilink virtual-template command **QC-323**

N

NBAR (Network-Based Application Recognition)
 benefits **QC-31**
 configuration (examples) **QC-76**
 configuring **QC-73**
 description **QC-8, QC-30**
 memory management **QC-35**
 PDLMS **QC-35**
 restrictions **QC-40**
 supported protocols **QC-36**
 traffic classification **QC-33**
 used with Protocol Discovery feature **QC-34**
 verifying **QC-76**
 NetFlow services, RSVP attachment to **QC-267**

network congestion, defined **QC-9**
 NonResvSendLimit object, configuring **QC-308**
 notes, usage in text **xxxii**

O

oam-bundle command **QC-358**
 oam retry command **QC-358**

P

packet classifications
 See classification
 packet loss prevention, traffic shaping **QC-211**
 paths, configuring **QC-276**
 PBR (policy-based routing)
 classification **QC-6**
 configuration (example) **QC-46**
 configuring **QC-43**
 enabling **QC-43**
 features **QC-24**
 IP precedence, setting **QC-244**
 overview **QC-24**
 route maps **QC-24**
 when to use **QC-25**
 PDLM (Packet Description Language Module),
 described **QC-35**
 peak rates
 DSBM candidate, configuring **QC-308**
 limiting **QC-296, QC-297**
 shape, configuring **QC-230**
 PHB (Per-Hop Behavior)
 assured forwarding **QC-377**
 class-selector **QC-377**
 default **QC-377**
 definition **QC-376**
 expedited forwarding **QC-378**
 See also DiffServ

platforms, supported

Feature Navigator, identify using **xli**release notes, identify using **xli**

policing

CAR **QC-204**defined **QC-203**token bucket **QC-204**used with shaping, summary **QC-13**

policy-map command

bandwidth, configuring for service policies **QC-125, QC-133, QC-361**class-based shaping, configuring **QC-229**classes, deleting **QC-124**DSCP value, configuring **QC-64**DTS **QC-238**DWRED **QC-188, QC-189**flow-based WFQ **QC-364**GTS **QC-230**NBAR **QC-73**queue limit, setting **QC-126**traffic policies, configuring **QC-75**WRED **QC-120, QC-191**

policy maps

class, attaching **QC-230**class-based shaping, configuring **QC-229**configuration (example) **QC-144, QC-145**

configuring

bandwidth **QC-125**queue limit **QC-126**default class **QC-119, QC-137**deleting **QC-124**flow-based WFQ **QC-364**GTS **QC-230**information, displaying **QC-124, QC-139**LLQ priority queue, configuring **QC-137**service policies, configuring **QC-119**VCs, attaching **QC-363, QC-364**verifying **QC-230**

Policy Propagation via BGP

access lists, using **QC-50**autonomous system paths, using **QC-49**community lists, using **QC-48**configuration (examples) **QC-51**configuring **QC-47**monitoring **QC-50**overview **QC-25**packet classification, methods **QC-25**ppp multilink fragment-delay command **QC-323**ppp multilink interleave command **QC-323**

PQ (priority queueing)

behavior **QC-110**configuration (example) **QC-167**configuring **QC-165**default, assigning **QC-166**filters **QC-110**group **QC-167**how it works (figure) **QC-110**lower-priority traffic, effect on **QC-111**maximum number of packets **QC-160, QC-166**monitoring **QC-161, QC-167**overhead **QC-111**overview **QC-110**packet classification **QC-111**restrictions **QC-111**

strict

See IP RTP Priority; LLQtraffic prioritization **QC-110**uses **QC-111**precedence (VC bundle) command **QC-360**precedence (WRED group) command **QC-356**

priority command

bandwidth, configuring **QC-133, QC-140**LLQ **QC-97, QC-132**priority-group command **QC-167**priority-list default command **QC-166**priority-list interface command **QC-166**priority-list protocol command **QC-166**

- priority-list queue-limit command **QC-166**
- priority lists, description **QC-111**
- priority queue **QC-246**
- privileged EXEC mode, summary of **xxxvi**
- prompts, system **xxxvi**
- protect command **QC-360**
- protocol (ATM) command **QC-358**
- Protocol Discovery, NBAR **QC-34**
- protocols
 - queueing priority, assigning **QC-161**
 - supported by NBAR **QC-36**
- pvc-bundle command **QC-359**

Q

QoS (quality of service)

- characteristics **QC-1, QC-3**
- defined **QC-1**
- end-to-end **QC-1**
- features
 - classification **QC-5, QC-21**
 - congestion avoidance **QC-11**
 - congestion management **QC-8, QC-79**
 - link efficiency mechanisms **QC-15**
 - policing and shaping **QC-13**
 - signalling **QC-14**
- for VPNs
 - benefits **QC-29**
 - configuration (examples) **QC-71**
 - configuring **QC-69**
 - description **QC-8**
 - restrictions **QC-30**
 - verifying **QC-70**
- group value
 - configuration (examples) **QC-68**
 - configuring **QC-65**
- SDM (Security Device Manager) **QC-415**
- service models **QC-3**
- qos pre-classify command **QC-70**

- question mark (?) command **xxxvi**

queueing

- comparison **QC-81**
- comparison (table) **QC-82**
- methods, default **QC-86**
- per-VC **QC-352**
- strict priority **QC-10, QC-93, QC-97**
- See also* CQ; FIFO; PQ; WFQ

queue-limit command

- class policies, configuring **QC-136**
- DWRED **QC-188**
- flow-based WFQ **QC-364**
- queue limit, modifying **QC-126**
- traffic classes **QC-404**
- queue-list default command **QC-161**
- queue-list interface command **QC-161**
- queue-list protocol command **QC-161**
- queue-list queue byte-count command **QC-160**
- queue-list queue limit command **QC-160**
- queues, strict priority, reserving **QC-132**
- queue sizes, exponential weight factor **QC-188, QC-189**

R

- random-detect (interface) command **QC-136, QC-191, QC-364**
- random-detect (per VC) command **QC-296**
- random-detect command **QC-404**
- random-detect dscp command **QC-191**
- random-detect exponential-weighting-constant command
 - class policies **QC-122**
 - DWRED **QC-188, QC-189**
 - WRED **QC-120, QC-187**
- random-detect flow command **QC-190**
- random-detect flow count command **QC-190**
- random-detect-group command **QC-191, QC-356**
- random-detect precedence command
 - class-based DCAR policies, configuring **QC-59**
 - DWRED **QC-189**

- WRED **QC-120, QC-187**
- rate-limit command **QC-56, QC-57, QC-58**
- rate limits, CAR **QC-204, QC-206**
- real-time traffic **QC-245**
- Real-Time Transport Protocol
 - See RTP header compression
- RED (Random Early Detection)
 - background **QC-172**
 - how it works **QC-172**
 - packet drop probability **QC-173**
 - TCP
 - congestion control mechanism **QC-172**
 - traffic loss strategy **QC-174**
- release notes
 - See platforms, supported
- reservation
 - See also RSVP
- reservation, configuring **QC-277**
- RFC
 - full text, obtaining **xxx**
- RFC 724, NAME/FINGER Protocol **QC-31**
- RFC 759, Internet Message Protocol **QC-31**
- RFC 792, Internet Control Message Protocol **QC-31**
- RFC 793, Transmission Control Protocol **QC-31**
- RFC 821, Simple Mail Transfer Protocol **QC-31**
- RFC 827, Exterior Gateway Protocol **QC-31**
- RFC 854, Telnet Protocol Specification **QC-31**
- RFC 888, STUB Exterior Gateway Protocol **QC-31**
- RFC 904, Exterior Gateway Protocol formal specification **QC-31**
- RFC 951, Bootstrap Protocol **QC-31**
- RFC 959, File Transfer Protocol **QC-31**
- RFC 977, Network News Transfer Protocol **QC-31**
- RFC 1001, Protocol Standard for a NetBIOS Service on a TCP/UDP Transport (Concepts and Methods) **QC-31**
- RFC 1002, Protocol Standard for a NetBIOS Service on a TCP/UPD Transport (Detailed Specification) **QC-31**
- RFC 1057, Remote Procedure Call **QC-31**
- RFC 1094, Network File System Protocol Specification **QC-31**
- RFC 1112, Host Extension for IP multicasting **QC-31**
- RFC 1144, Compressing TCP/IP Headers for Low-Speed Serial Links **QC-319**
- RFC 1144, TCP header compressions **QC-318**
- RFC 1157, Simple Network Management Protocol **QC-31**
- RFC 1282, BSD Rlogin **QC-31**
- RFC 1288, The Finger User Information Protocol **QC-31**
- RFC 1305, Network Time Protocol **QC-31**
- RFC 1350, The TFTP Protocol (Revision 2) **QC-31**
- RFC 1436, The Internet Gopher Protocol **QC-31**
- RFC 1459, Internet Relay Chat Protocol **QC-31**
- RFC 1510, The Kerberos Network Authentication Service **QC-31**
- RFC 1542, Clarifications and Extensions for the Bootstrap Protocol **QC-32**
- RFC 1579, Firewall-Friendly FTP **QC-32**
- RFC 1583, OSPF Version 2 **QC-32**
- RFC 1657, Definitions of Managed Objects for the Fourth Version of the Border Gateway Protocol **QC-32**
- RFC 1701, Generic Routing Encapsulation **QC-32**
- RFC 1730, Internet Message Access Protocol - Version 4 **QC-32**
- RFC 1771, A Border Gateway Protocol 4 (BGP-4) **QC-32**
- RFC 1777, Lightweight Directory Access Protocol **QC-32**
- RFC 1831, Remote Procedure Call Protocol Specification Version 2 **QC-32**
- RFC 1889, RTP **QC-316**
- RFC 1928, SOCKS Protocol Version 5 **QC-32**
- RFC 1939, Post Office Protocol - Version 3 **QC-32**
- RFC 1945, Hypertext Transfer Protocol -- HTTP/1.0 **QC-32**
- RFC 1964, The Kerberos Version 5 GSS-API Mechanism **QC-32**
- RFC 1990, The PPP Multilink Protocol (MP) **QC-316**
- RFC 2060, Internet Message Access Protocol - Version 4rev1 **QC-32**
- RFC 2068, Hyptertext Transfer Protocol -- HTTP/1.1 **QC-32**
- RFC 2131, Dynamic Host Configuration Protocol **QC-32**

- RFC 2205, Resource Reservation Protocol **QC-32, QC-249, QC-253**
- RFC 2206, RSVP Management Information Base using SMIPv2 **QC-249**
- RFC 2210, RSVP with IETF Integrated Services **QC-246, QC-249**
- RFC 2211, Controlled-Load Network Element Service **QC-249**
- RFC 2212, Specification of Guaranteed Quality of Service **QC-249**
- RFC 2215, General Characterization Parameters for Integrated Service Network Elements **QC-249**
- RFC 2236, Internet Group Management Protocol, Version 2 **QC-32**
- RFC 2251, Lightweight Directory Access Protocol (v3) **QC-32**
- RFC 2252, Lightweight Directory Access Protocol (v3) - Attribute Syntax Definitions **QC-32**
- RFC 2253, Lightweight Directory Access Protocol (v3) - UTF-8 String Representation of Distinguished Names **QC-32**
- RFC 2326, Real Time Steaming Protocol (RTSP) **QC-32**
- RFC 2401, Security Architecture for the Internet Protocol **QC-32**
- RFC 2406, IP Encapsulating Security Payload **QC-32**
- RFC 2453, RIP Version 2 **QC-32**
- RFC 2474, Definition of the Differentiated Services Field (DS Field) in the IPv4 and IPv6 Headers **QC-26, QC-182, QC-376**
- RFC 2475, An Architecture for Differentiated Services Framework **QC-26, QC-182, QC-376**
- RFC 2507, IP Header Compression **QC-319**
- RFC 2508, Compressing IP/UDP/RTP Headers for Low-Speed Serial Links **QC-319**
- RFC 2597, Assured Forwarding PHB **QC-26, QC-182, QC-376**
- RFC 2598, An Expedited Forwarding PHB **QC-26, QC-182, QC-376**
- RFC 2616, Hypertext Transfer Protocol -- HTTP/1.1 **QC-32**
- RFC 2697, A Single Rate Three Color Marker **QC-209, QC-376**
- RFC 2748, The COPS Protocol **QC-253**
- RFC 2749, COPS Usage for RSVP **QC-253**
- ROM monitor mode, summary of **xxxvi**
- route-map (IP) command **QC-44, QC-48**
- route maps
 - defining **QC-44**
 - PBR **QC-24**
- router bgp command **QC-48**
- RSVP (Resource Reservation Protocol)
 - ATM considerations **QC-265**
 - bandwidth
 - considerations **QC-263**
 - restricting **QC-294**
 - configuring **QC-265**
 - COPS
 - configuring **QC-303**
 - feature description **QC-252, QC-303**
 - functionality **QC-253**
 - verifying **QC-305**
 - enabling **QC-265, QC-276, QC-294**
 - filters and bandwidth, displaying **QC-269**
 - Frame Relay support
 - configuration (example) **QC-287**
 - configuring **QC-281**
 - considerations **QC-264**
 - described **QC-247**
 - monitoring **QC-287**
 - verifying **QC-285**
 - how it works **QC-245**
 - implementation considerations **QC-264**
 - interface information, displaying **QC-268, QC-269, QC-297**
 - LAN resource support **QC-258**
 - multicast
 - destinations, specifying **QC-267**
 - session, configuration (example) **QC-269**
 - neighbor reservations, limiting **QC-267**
 - neighbors, displaying **QC-269**
 - overview **QC-244**
 - planning **QC-263**
 - real-time traffic problems **QC-262**
 - receiver information, displaying **QC-269**
 - RED, relationship with **QC-262**

- request information, displaying **QC-269**
- SBM, configuring **QC-308**
- scalability **QC-244**
- sender information, displaying **QC-269**
- Shared Explicit reservation **QC-263**
- traps, enabling **QC-268**
- uses **QC-87**
- WFQ, relationship with **QC-87, QC-262**
- Wild Card Filter **QC-263**
- WRED **QC-175**
- RSVP-ATM QoS Interworking feature
 - configuration (example) **QC-297**
 - connection over ATM cloud (figure) **QC-251**
 - data path **QC-251**
 - example scenario **QC-251**
 - IP Precedence value
 - configuring **QC-268**
 - setting **QC-250**
 - monitoring **QC-297**
 - NetFlow attachment **QC-267**
 - overview **QC-249, QC-293**
 - peak rate limit, setting **QC-296**
 - per-VC DWRED, configuring **QC-296**
 - prerequisites **QC-293**
 - restrictions **QC-293**
 - RSVP
 - bandwidth, restricting **QC-294**
 - enabling **QC-294**
 - ToS bits, setting **QC-250**
 - ToS value, configuring **QC-268**
- RTP header compression
 - configuration (example) **QC-339**
 - connections supported **QC-339, QC-342**
 - enabling **QC-338**
 - express **QC-318**
 - Frame Relay
 - encapsulation, using **QC-338**
 - statistics, displaying **QC-339**
 - how it works (figure) **QC-317**

- passive **QC-338**
- PPP encapsulation (example) **QC-342, QC-343**
- prerequisites **QC-338**
- RTP header **QC-317**
- statistics, displaying **QC-339**
- See also* CRTP

S

- SBM (Subnetwork Bandwidth Manager)
 - configuration (example) **QC-310**
 - configuring **QC-275, QC-303, QC-307**
 - interface information, displaying **QC-309**
 - overview **QC-258**
 - prerequisites **QC-308**
 - restrictions **QC-258**
 - SBM state configuration, verifying **QC-309**
 - See also* DSBM
- SDM (Security Device Manager) **QC-415**
- service models, end-to-end
 - best-effort service **QC-4**
 - differentiated service **QC-4**
 - integrated service **QC-4**
- service policies
 - attaching **QC-363, QC-364**
 - CBWFQ, enabling **QC-122, QC-363**
 - classes, deleting **QC-124**
 - configuration (example) **QC-144**
 - information, displaying **QC-124, QC-139, QC-230**
 - LLQ, enabling for Frame Relay **QC-139**
- service-policy command
 - CBWFQ **QC-122, QC-363**
 - GTS **QC-230**
 - LLQ for Frame Relay **QC-139**
 - NBAR **QC-73**
 - policy maps, attaching **QC-192**
 - traffic policies
 - DTS **QC-238**
 - interfaces, attaching **QC-405**

- WFQ **QC-364, QC-365**
- service-policy input command **QC-75, QC-405**
- service-policy output command **QC-75, QC-405**
- set atm-clp command **QC-66**
- set cos command **QC-65**
- set default interface command **QC-44**
- set interface command **QC-44**
- set ip default next-hop command **QC-44**
- set ip dscp command **QC-64, QC-405**
- set ip next-hop command **QC-44**
- set ip precedence command
 - DSCP value, configuring **QC-64**
 - IP Precedence value, configuring **QC-64**
 - PBR **QC-44**
 - policy propagation **QC-48**
- set qos-group command **QC-65, QC-66, QC-405**
- shape command **QC-230, QC-238**
- shape max-buffers command **QC-230**
- shaping, token bucket **QC-204**
- Shared Explicit reservation, RSVP **QC-263**
- show access-lists command **QC-59**
- show access-lists rate-limit command **QC-59**
- show atm bundle command **QC-362**
- show atm bundle statistics command **QC-362**
- show atm map command **QC-362**
- show class-map command **QC-75, QC-406**
- show cops servers command **QC-305**
- show frame-relay ip rtp header-compression command **QC-339**
- show frame relay pvc command **QC-129**
- show interface command **QC-239**
- show interfaces command **QC-117, QC-161**
- show interfaces fair-queue command **QC-115, QC-117**
- show interfaces rate-limit command **QC-59**
- show ip bgp command **QC-50**
- show ip bgp community-list command **QC-50**
- show ip cache policy command **QC-45**
- show ip cef command **QC-50**
- show ip interface command **QC-50**
- show ip local policy command **QC-45**
- show ip nbar port-map command **QC-76**
- show ip nbar protocol-discovery command **QC-76**
- show ip route command **QC-50**
- show ip rsvp atm-peak-rate-limit command **QC-297**
- show ip rsvp command **QC-297**
- show ip rsvp installed command **QC-269, QC-278**
- show ip rsvp interface command **QC-269, QC-297**
- show ip rsvp neighbor command **QC-269**
- show ip rsvp policy command **QC-305**
- show ip rsvp policy cops command **QC-305**
- show ip rsvp request command **QC-269**
- show ip rsvp reservation command **QC-269**
- show ip rsvp sbm command **QC-309**
- show ip rsvp sender command **QC-269**
- show ip rtp header-compression command **QC-339**
- show policy class command **QC-230**
- show policy command **QC-230, QC-239**
- show policy interface command **QC-135, QC-230**
- show policy-map class command **QC-124**
- show policy-map command
 - class-based packet marking **QC-66**
 - DCBWFQ **QC-126**
 - DWRED **QC-189**
 - LLQ burst size **QC-140**
 - NBAR **QC-75**
 - policy maps **QC-124**
 - traffic
 - classes **QC-406**
 - policing **QC-221**
- show policy-map interface command
 - class-based packet marking **QC-66**
 - DCBWFQ **QC-126**
 - DSCP value, configuration, verifying **QC-192**
 - DWRED **QC-189**
 - LLQ
 - burst size, verifying **QC-140**
 - monitoring **QC-133**
 - NBAR **QC-75**

- policy maps **QC-124**
- traffic
 - classes **QC-406**
 - policing **QC-220, QC-221**
- show ppp multilink **QC-323**
- show queue command
 - CQ lists, monitoring **QC-161**
 - fair queueing, monitoring **QC-115**
 - Frame Relay IP RTP Priority, verifying **QC-129**
 - LLQ, monitoring **QC-133**
 - policy maps and classes, verifying configuration **QC-124**
 - PQ lists, monitoring **QC-167**
 - WRED and DWRED, monitoring **QC-187**
- show queueing command
 - CQ lists, monitoring **QC-161**
 - fair queueing, monitoring **QC-115**
 - PQ lists, monitoring **QC-167**
 - WRED and DWRED, monitoring **QC-187**
 - WRED parameters, displaying **QC-356**
- show queueing interface command
 - DSCP value configuration, verifying **QC-192**
 - per-VC hold queue, verifying configuration **QC-141**
 - per-VC WFQ and CBWFQ, monitoring **QC-365**
 - queueing statistics, displaying **QC-356**
 - WRED and DWRED, monitoring **QC-187**
- show traffic-shape command **QC-225**
- show traffic-shape queue command **QC-129**
- show traffic-shape statistics command **QC-225**
- signaling
 - defined **QC-243**
 - differentiated QoS **QC-243**
 - guaranteed QoS **QC-243**
 - in-band **QC-243**
 - out-of-band **QC-243**
 - RSVP **QC-244**
 - RSVP-ATM QoS Interworking feature **QC-249**
 - SBM **QC-258**
 - summary **QC-14**

- snmp-server enable traps command **QC-268**
- static maps, ATM, displaying **QC-362**
- strict priority queueing **QC-10, QC-93, QC-97**
- SVCs (switched virtual circuits)
 - creating for RSVP reservations **QC-294**
 - peak rate limit, setting **QC-296**
 - RSVP-ATM reservations **QC-249**

T

- Tab key, command completion **xxxvi**
- table-map command **QC-48, QC-50**
- tail drops, defined **QC-171**
- TCP (Transmission Control Protocol) header compression
 - connections supported **QC-342**
 - described **QC-318**
- token buckets
 - burst size **QC-204**
 - CAR **QC-205**
 - compounded debt **QC-206**
 - conform and exceed actions **QC-208**
 - defined **QC-204**
 - extended burst size **QC-206**
 - mean rate **QC-204**
 - RSVP-ATM QoS Interworking feature **QC-251**
 - time interval **QC-204**
- ToS (type of service)
 - bit values, displaying **QC-297**
 - CAR, rate limiting **QC-205**
- ToS (type of service) field
 - defined (figure) **QC-244**
 - RSVP-ATM QoS Interworking feature **QC-250**
 - signalling **QC-243**
- traffic classes
 - configuration (example) **QC-147**
 - creating **QC-237**
 - defining **QC-401**
 - NBAR, configuring with **QC-76**
- traffic classification, with NBAR **QC-33**

- traffic policer, defined **QC-21**
- traffic policies
 - attaching (examples) **QC-148**
 - bandwidth, configuring **QC-188**
 - configuring **QC-75**
 - creating **QC-148, QC-403**
 - DTS **QC-238**
 - DTS, attaching and enabling **QC-238**
 - DWRED **QC-188, QC-189**
 - hashed queues, configuring **QC-188**
 - interfaces, attaching **QC-75, QC-405**
 - IP Precedence, specifying **QC-189**
 - See also* service policies
- traffic policing
 - benefits **QC-210**
 - configuration, verifying **QC-220, QC-221**
 - configuring **QC-219**
 - prerequisites **QC-210**
 - restrictions **QC-210**
- traffic priority management, WFQ **QC-113**
- traffic regulation mechanisms
 - policing, CAR rate limiting **QC-203**
 - traffic shaping
 - FRTS **QC-203**
 - GTS **QC-203**
- traffic-shape adaptive command **QC-224**
- traffic-shape fecn-adapt command **QC-224**
- traffic-shape group command **QC-224**
- traffic-shape rate command **QC-224**
- traffic shaping
 - defined **QC-203, QC-211**
 - Distributed
 - benefits **QC-216**
 - configuring **QC-237**
 - prerequisites **QC-217**
 - restrictions **QC-217**
 - excess burst size **QC-212**
 - feature summary **QC-14**
 - FRTS **QC-217**
 - GTS **QC-214**
 - queueing **QC-214**
 - rate of transfer **QC-212**
 - uses **QC-211**
 - See also* GTS
 - tx-ring-limit command **QC-101**
- U
 - ubr+ command **QC-360**
 - ubr command **QC-360**
 - user EXEC mode, summary of **xxxvi**
- V
 - vbr-nrt command **QC-360**
 - VC classes, assignment
 - VC bundle **QC-358**
 - VC bundle member **QC-360**
 - vc-hold-queue command **QC-141**
 - VCs (virtual circuits)
 - ATM, circuit bumping **QC-353**
 - bundles
 - See* ATM VC bundles
 - VIP-distributed CAR
 - See* DCAR
 - VIP-distributed WRED
 - See* DWRED
 - virtual template interfaces
 - IP RTP Priority, configuration (examples) **QC-149**
 - LLQ, configuration (examples) **QC-153**
 - Voice over Frame Relay, Frame Relay fragmentation
 - methods **QC-316**
 - Voice over IP, strict priority queueing **QC-10, QC-93, QC-97**
 - voice traffic, requirements **QC-245**

W

WFQ (weighted fair queueing)

- class-based

- See* CBWFQ

- comparison (table) **QC-83**

- configuring **QC-114**

- considerations **QC-86**

- default queueing method **QC-86**

- effect of custom queueing on **QC-115**

- effect of priority queueing on **QC-115**

- enabling **QC-276, QC-364, QC-365**

- flow-based

- configuration (example) **QC-141**

- overview **QC-84**

- flows

- high-bandwidth traffic **QC-85**

- low-bandwidth traffic **QC-85**

- Frame Relay **QC-87**

- how it works (figure) **QC-85**

- IP Precedence **QC-86**

- monitoring **QC-115**

- overview **QC-83**

- per-VC

- classes of service supported **QC-363**

- configuring **QC-364**

- policy maps, attaching to VCs **QC-365**

- restrictions **QC-86**

- RSVP **QC-87**

- service policies, attaching **QC-365**

- strict priority queueing **QC-94**

- traffic priority management **QC-113**

- types **QC-79**

- uses **QC-86**

- See also* CBWFQ; DCBWFQ

- Wild Card Filter, RSVP **QC-263**

WRED (Weighted Random Early Detection)

- average queue size **QC-176**

- behavior **QC-175**

- configuration (example) **QC-192**

- congestion avoidance mechanism **QC-186**

- DiffServ compliance

- configuring **QC-183, QC-190**

- usage scenarios **QC-183**

- verifying **QC-192**

- DSCP value

- configuration (example) **QC-198**

- configuring **QC-190**

- verifying **QC-192**

- effect on packet flows **QC-181**

- exponential weight factor, configuring **QC-120, QC-122, QC-356**

- IP Precedence **QC-175**

- overview **QC-172, QC-175**

- packet drop **QC-175**

- parameters

- defining **QC-356**

- displaying **QC-356**

- platform support **QC-177**

- restrictions **QC-185**

- RSVP **QC-175**

- TCP **QC-176**

- uses **QC-175**

- VC bundles **QC-349**