



Cisco IOS XR Commands Master List, Release 4.2.x

This page contains an alphabetical list of all the commands documented for the Cisco ASR 9000 Series Aggregation Services Router running Cisco IOS XR Release 4.2.x software. Use the **Alphabet Key** or your web browser's Find function to search for a command. To access the documentation for a particular command, click on the command name.

A

[aaa accounting](#)
[aaa accounting subscriber \(BNG\)](#)
[aaa accounting system default](#)
[aaa accounting system default \(BNG\)](#)
[aaa accounting update](#)
[aaa attribute format \(BNG\)](#)
[aaa authentication](#)
[aaa authentication subscriber \(BNG\)](#)
[aaa authorization](#)
[aaa authorization subscriber \(BNG\)](#)
[aaa default-taskgroup](#)
[aaa group server radius](#)
[aaa group server radius \(BNG\)](#)
[aaa group server tacacs+](#)
[aaa radius attribute \(BNG\)](#)
[aaa server radius dynamic-author \(BNG\)](#)
[abort](#)
[abort \(RPL\)](#)
[absolute-timeout](#)
[accept-lifetime](#)
[accept-mode](#)
[accept-register](#)
[accept-tolerance](#)
[access-class](#)
[access-group \(IGMP snooping profile\)](#)
[access-group \(IGMP\)](#)
[access-group \(NTP\)](#)
[accounting \(IKE\)](#)
[accounting \(line\)](#)
[accounting aaa list \(BNG\)](#)
[accounting per-prefix](#)
[accounting per-prefix forward-only](#)
[acl](#)
[action \(VPLS\)](#)
[action capabilities-conflict](#)
[action critical-event](#)
[action discovery-timeout](#)
[action dying-gasp](#)
[action high-threshold](#)
[action remote-loopback](#)
[action session-down](#)
[action session-up](#)
[action uni-directional link-fault](#)
[action wiring-conflict](#)
[activate](#)
[active](#)
[add](#)
[add \(bulkstat object\)](#)
[additional-paths install backup](#)
[additional-paths receive](#)
[additional-paths selection](#)
[additional-paths send](#)
[address](#)
[address \(DS-LITE Netflow9 Logging\)](#)
[address \(NAT44 static-forward\)](#)

address (NAT44 NetflowV9 logging)
address (VRRP)
address (hsrp)
address global
address ipv4 (MPP)
address ipv6 (MPP)
address linklocal
address secondary
address secondary (hsrp)
address-family
address-family (BGP)
address-family (EIGRP)
address-family (IS-IS)
address-family (OSPF)
address-family (OSPFv3)
address-family (multicast)
address-family (static)
address-family IPv6 (DS-LITE)
address-family ipv4 (
address-family ipv4 mvpn (bgp)
address-family ipv4 unicast (BFD)
address-family ipv6 (CGN)
address-family multicast topology (IS-IS)
address-family next-hop dampening disable
address-range
adjacency stagger
adjacency-check disable
adjustment-threshold (MPLS-TE)
admin
admin-state
admin-weight
advertise passive-only
advertisement-interval
af-group
affinity
affinity-map
aftr-tunnel-endpoint-address (DS-LITE)
aggregate
aggregate-address
aging (VPLS)
aigp
aigp send-cost-community
ais transmission
ais transmission up
ais-shut (SONET path)
ais-shut (SONET)
alarm (MPLS)
alert-group disable
alg ActiveFTP
alg rtsp (NAT44)
alias
allocate-label
allow
allowas-in
anccp
anccp an-port circuit-id
anccp neighbor
anccp rate-adjustment
anccp server sender-name
announce
application (MPLS-TE)
apply
apply-template
aps group
aps group (global)
aps-channel
area (OSPF)
area (OSPFv3)
arp
arp dagr
arp purge-delay
arp timeout
as-format
as-override
as-path in
as-path is-local
as-path length
as-path neighbor-is

- as-path originates-from
- as-path passes-through
- as-path unique-length
- as-path-set
- attribute-flags
- attribute-names
- attribute-set
- au
- authenticate (BNG)
- authenticate (NTP)
- authenticate (PGP)
- authentication (IKE policy)
- authentication (OSPF)
- authentication (OSPFv3)
- authentication (RSVP)
- authentication (hsrp)
- authentication keychain
- authentication keychain mode (RIP)
- authentication-key (NTP)
- authentication-key (OSPF)
- authorization
- authorize (BNG)
- auto-bw (MPLS-TE)
- auto-bw collect frequency (MPLS-TE)
- auto-cost (OSPF)
- auto-cost (OSPFv3)
- auto-rp candidate-rp
- auto-summary (EIGRP)
- auto-summary (RIP)
- auto-tunnel backup (MPLS-TE)
- autocommand
- autodiscovery bgp
- autonomous-system
- autoroute announce
- autoroute metric

B

- b3-ber-prdi
- backbone interface
- backbone-source-mac
- backoff
- backup (L2VPN)
- backup disable (L2VPN)
- backup-bw
- backup-path tunnel-te
- bandwidth
- bandwidth (MPLS)
- bandwidth (QoS)
- bandwidth (RSVP)
- bandwidth (global)
- bandwidth mam (RSVP)
- bandwidth rdm (RSVP)
- bandwidth remaining
- bandwidth-percent (EIGRP)
- banner exec
- banner incoming
- banner login
- banner motd
- banner prompt-timeout
- bert e1
- bert e3
- bert error
- bert interval
- bert pattern
- bert t1
- bert t3
- bfd
- bfd (BGP)
- bfd (MPLS)
- bfd address-family ipv4 destination
- bfd address-family ipv4 fast-detect
- bfd address-family ipv4 minimum-interval
- bfd address-family ipv4 multiplier
- bfd address-family ipv4 timers
- bfd fast-detect
- bfd fast-detect (hsrp)
- bfd minimum-interval

bfd minimum-interval (VRRP)
 bfd multipath include location
 bfd multiplier
 bfd multiplier (VRRP)
 bgp as-path-loopcheck
 bgp attribute-download
 bgp auto-discovery mldp inter-as
 bgp auto-policy-soft-reset disable
 bgp bestpath as-path ignore
 bgp bestpath compare-routerid
 bgp bestpath cost-community ignore
 bgp bestpath med always
 bgp bestpath med confed
 bgp bestpath med missing-as-worst
 bgp client-to-client reflection disable
 bgp cluster-id
 bgp confederation identifier
 bgp confederation peers
 bgp dampening
 bgp default local-preference
 bgp enforce-first-as disable
 bgp fast-external-fallover disable
 bgp graceful-restart
 bgp graceful-restart graceful-reset
 bgp graceful-restart purge-time
 bgp graceful-restart restart-time
 bgp graceful-restart stalepath-time
 bgp import-delay
 bgp label-delay
 bgp log neighbor changes disable
 bgp maximum neighbor
 bgp redistribute-internal
 bgp router-id
 bgp scan-time
 bgp update-delay
 bgp write-limit
 boundary
 bridge group (VPLS)
 bridge-domain (VPLS)

bridge-id
 bringup delay
 broadcast
 broadcast client
 broadcast-flag policy check
 broadcast-for-v2
 broadcastdelay
 bsr candidate-bsr
 bsr candidate-rp
 bsr-border
 buckets archive
 buckets size
 buffer-size
 bulk-port-alloc (DS-LITE)
 bulk-port-alloc (NAT44)
 bundle
 bundle id
 bundle load-balancing hash
 bundle load-balancing hash (EFP)
 bundle maximum-active links
 bundle minimum-active bandwidth
 bundle minimum-active links
 bundle port-priority
 bundle wait-while
 bundle-hash
 bw-limit (MPLS-TE)

C

cablelength
 cache entries
 cache permanent
 cache timeout
 cache-sa holdtime
 cache-sa-state
 call-home
 call-home request
 call-home send
 call-home send alert-group inventory

call-home test
capability additional-paths receive
capability additional-paths send
capability opaque disable
capability orf prefix
capability suppress 4-byte-as
capability vrf-lite (OSPFv3)
carrier-delay
cd
cdp
cdp advertise v1
cdp holdtime
cdp log adjacency changes
cdp timer
cfs check
channel local
channel remote
channel-group
child-conform-aware
cinetd rate-limit
circuit-type
class (BNG)
class (policy-map)
class-map
class-map type control subscriber (BNG)
clear
clear access-list ipv4
clear access-list ipv6
clear adjacency statistics
clear ancp an-port
clear ancp neighbor
clear ancp summary statistics
clear arp-cache
clear bfd counters
clear bgp
clear bgp current-mode
clear bgp dampening
clear bgp external
clear bgp flap-statistics
clear bgp nexthop performance-statistics
clear bgp nexthop registration
clear bgp peer-drops
clear bgp performance-statistics
clear bgp self-originated
clear bgp shutdown
clear bgp soft
clear canbus
clear cdp counters
clear cdp table
clear cef ipv4 drops
clear cef ipv4 exceptions
clear cef ipv4 interface bgp-policy-statistics
clear cef ipv4 interface rpf-statistics
clear cef ipv6 drops
clear cef ipv6 exceptions
clear cef ipv6 interface bgp-policy-statistics
clear cgn ds-lite
clear cgn ds-lite ipaddress
clear cgn ds-lite port
clear cgn ds-lite protocol
clear cgn ds-lite statistics (DS-LITE)
clear cgn nat44
clear cgn nat44 inside-vrf
clear cgn nat44 port
clear cgn nat44 protocol
clear comment
clear configuration commits
clear configuration inconsistency
clear configuration inconsistency replica
clear configuration sessions
clear context
clear controller backplane ethernet location statistics
clear controller fabric
clear controller lnm
clear controller t1
clear controller t3
clear controller wanphy
clear counters sonet

clear counters wanphy
clear crypto ca certificates
clear crypto ca crt
clear crypto isakmp
clear crypto isakmp call admission statistics
clear crypto isakmp errors
clear crypto session
clear dhcp ipv4 snoop binding
clear dhcp ipv6 proxy binding
clear eigrp neighbors
clear eigrp topology
clear ethernet cfm ccm-learning-database location
clear ethernet cfm interface statistics
clear ethernet cfm local meps
clear ethernet cfm peer meps
clear ethernet cfm traceroute-cache
clear ethernet lmi interfaces
clear ethernet mvrp statistics
clear ethernet oam statistics
clear ethernet sla statistics all
clear ethernet sla statistics on-demand
clear ethernet sla statistics profile
clear ethernet udd statistics
clear flow exporter
clear flow monitor
clear flow platform producer statistics location
clear frame-relay lmi interface
clear frame-relay multilink interface
clear frequency synchronization esmc statistics
clear frequency synchronization wait-to-restore
clear host
clear hsrp statistics
clear igmp counters
clear igmp group
clear igmp reset
clear igmp snooping bridge-domain
clear igmp snooping group
clear igmp snooping port
clear igmp snooping summary
clear install boot-options
clear install label
clear install log-history oldest
clear install rollback oldest
clear interface
clear iphc ipv4
clear ipv6 neighbors
clear isis process
clear isis route
clear isis statistics
clear l2vpn bridge-domain (VPLS)
clear l2vpn collaborators
clear l2vpn counters bridge mac-withdrawal
clear l2vpn forwarding bridge-domain mroute
clear l2vpn forwarding counters
clear l2vpn forwarding mac-address-table
clear l2vpn forwarding message counters
clear l2vpn forwarding table
clear lacp counters
clear license
clear license log
clear line
clear line vty
clear lldp
clear lpts ifib statistics
clear lpts pifib hardware statistics
clear lpts pifib statistics
clear mac-accounting (Ethernet)
clear mfib counter
clear mfib database
clear mfib hardware adjacency-counters
clear mfib hardware resource-counters
clear mfib hardware route statistics
clear monitor-session counters
clear mpls forwarding counters
clear mpls ldp forwarding
clear mpls ldp msg-counters neighbor
clear mpls ldp neighbor
clear mpls oam counters

clear mpls traffic-eng auto-bw (MPLS-TE EXEC)
clear mpls traffic-eng auto-tunnel backup unused
clear mpls traffic-eng auto-tunnel mesh
clear mpls traffic-eng counters auto-tunnel backup
clear mpls traffic-eng counters auto-tunnel mesh
clear mpls traffic-eng counters global
clear mpls traffic-eng counters signaling
clear mpls traffic-eng counters soft-preemption
clear mpls traffic-eng fast-reroute log
clear mpls traffic-eng link-management statistics
clear mpls traffic-eng pce
clear msdp peer
clear msdp sa-cache
clear msdp stats
clear nsr ncd client
clear nsr ncd queue
clear ospf process
clear ospf redistribution
clear ospf routes
clear ospf statistics
clear ospfv3 process
clear ospfv3 redistribution
clear ospfv3 routes
clear ospfv3 statistics
clear performance traffic
clear performance traffic clone profile
clear pim counters
clear pim topology
clear plugin slot counts
clear ppp sso state
clear ppp statistics
clear prefix-list ipv4
clear prefix-list ipv6
clear qos counters (shared-policy-instance)
clear qos counters interface
clear raw statistics pcb
clear rip
clear rip database
clear rip interface
clear rip out-of-memory
clear rip statistics
clear route
clear rsvp authentication
clear rsvp counters all
clear rsvp counters authentication
clear rsvp counters chkpt
clear rsvp counters events
clear rsvp counters messages
clear rsvp counters oor
clear rsvp counters prefix-filtering
clear snmp counters
clear ssh
clear tcp nsr client
clear tcp nsr pcb
clear tcp nsr session-set
clear tcp nsr statistics client
clear tcp nsr statistics pcb
clear tcp nsr statistics session-set
clear tcp nsr statistics summary
clear tcp pcb
clear tcp statistics
clear udp statistics
clear vrrp statistics
cli interactive syntax check
cli whitespace completion
clock operation
clock read-calendar
clock set
clock source (SONET)
clock source (T1/E1)
clock source (T3/E3)
clock summer-time
clock timezone
clock update-calendar
clock-adv
clock-class
clock-interface
clock-interface sync

clock-selection telecom-profile
collect-bw-only (MPLS-TE)
collect-diagnostics (RCMD)
commit
community is-empty
community matches-any
community matches-every
community-set
compress header ip
config-register
configuration commit auto-save
configure
conform-action
conform-color
connect-source
connection timeout
contact-email-addr
continuity-check archive hold-time
continuity-check interval
continuity-check loss auto-traceroute
contract-id
control-plane
control-word
controller (SONET)
controller MgmtMultilink
controller dwdm
controller e1
controller e3
controller t1
controller t3
controller wanphy
copy
copy access-list ethernet-service
copy access-list ipv4
copy access-list ipv6
copy prefix-list ipv4
copy prefix-list ipv6
cos (CFM)
cos (PTP)

cost
cost (OSPF)
cost (OSPFv3)
cost-fallback (OSPF)
crc (POS)
crc (serial)
crl optional (trustpoint)
crypto ca authenticate
crypto ca cancel-enroll
crypto ca enroll
crypto ca import
crypto ca trustpoint
crypto isakmp
crypto isakmp call admission limit
crypto isakmp identity
crypto isakmp keepalive
crypto isakmp peer
crypto isakmp policy
crypto isakmp policy-set
crypto isakmp profile
crypto key generate dsa
crypto key generate rsa
crypto key import authentication rsa
crypto key zeroize dsa
crypto key zeroize rsa
crypto keyring
crypto logging
cryptographic-algorithm
csnp-interval
customer-id

D

dampening
dampening (BFD)
database-filter all out (OSPF)
database-filter all out (OSPFv3)
databits
deactivate (BNG)

dead-interval (OSPF)
 dead-interval (OSPFv3)
 deadtime (server-group configuration)
 debug ethernet cfm packets
 debug ethernet cfm protocol-state
 debug ethernet mvrp packets
 debug ethernet mvrp protocol
 debug spanning-tree mst packet
 debug spanning-tree mst protocol-state
 debug spanning-tree mstag packet
 debug spanning-tree packet raw
 debug spanning-tree pvrstag packet
 debug spanning-tree pvstag packet
 debug spanning-tree repag packet
 default-cost (OSPF)
 default-cost (OSPFv3)
 default-information
 default-information originate (BGP)
 default-information originate (IS-IS)
 default-information originate (OSPF)
 default-information originate (OSPFv3)
 default-information originate (RIP)
 default-metric (BGP)
 default-metric (EIGRP)
 default-metric (OSPF)
 default-metric (OSPFv3)
 default-metric (RIP)
 default-originate
 default-peer
 default-route
 delay (VRRP)
 delay clear
 delay clear (T1/E1)
 delay clear (T3/E3)
 delay trigger
 delay trigger (T1/E1)
 delay trigger (T3/E3)
 delay-request
 delay-response
 delete
 delete community
 delete extcommunity rt
 demand-circuit (OSPF)
 demand-circuit (OSPFv3)
 deny (ES ACL)
 deny (IPv4)
 deny (IPv6)
 deny (prefix-list)
 description
 description (AAA)
 description (BGP)
 description (G.8032)
 description (GRE)
 description (IKE policy)
 description (IPHC profile)
 description (ISAKMP peer)
 description (ISAKMP policy-set)
 description (T1/E1)
 description (T3/E3)
 description (interface)
 description (keyring)
 description (peer)
 description (trustpoint)
 destination
 destination (DHCP IPv6)
 destination (MPLS)
 destination (MPLS-TE)
 destination address
 destination in
 destination interface
 destination message-size-limit
 destination preferred-msg-format
 destination pseudowire
 destination transport-method
 df-override (CGN)
 dhcp ipv4
 dhcp ipv4 (BNG)
 dhcp ipv4 none

dhcp ipv4 snoop profile (VPLS)
 dhcp ipv6
 diagnostic monitor
 diagnostic monitor interval
 diagnostic monitor syslog
 diagnostic monitor threshold
 diagnostic ondemand action-on-failure
 diagnostic ondemand iterations
 diagnostic schedule
 diagnostic start
 diagnostic stop
 dir
 disable (IS-IS)
 disable (P2MP TE)
 disable (explicit-path)
 disable (multicast)
 disable-dn-bit-check
 disconnect
 disconnect-character
 discovery hello
 discovery instance-tlv disable
 discovery targeted-hello
 discovery transport-address
 distance (EIGRP)
 distance (IS-IS)
 distance (OSPF)
 distance (RIP)
 distance bgp
 distance ospf
 distance ospfv3
 distribute-list
 distribute-list prefix-list in
 distribute-list prefix-list out
 dmz-link-bandwidth
 do
 domain
 domain (PTP)
 domain ipv4 host
 domain ipv6 host
 domain list
 domain lookup disable
 domain name (global)
 domain name-server
 domain-id (OSPF)
 domain-id (OSPFv3)
 domain-tag
 done
 dot1q tunneling ethertype
 dot1q vlan
 down-when-looped
 down-when-looped (T1/E1)
 down-when-looped (T3/E3)
 downstream-on-demand
 dr-priority
 drop
 ds-lite
 ds-te bc-model
 ds-te mode
 ds-te te-classes
 dscp
 dscp (BGP)
 dscp (PTP)
 dsu bandwidth
 dsu mode
 dsu remote
 dumpcore
 duplex (Management Ethernet)
 dynamic port range start
 dynamic-arp-inspection
 dynamic-template
 dynamic-template type ipsubscriber
 dynamic-template type ppp
 dynamic-template type service

E
 ebgp-multihop
 echo disable

echo disable-vendor-extension
echo ipv4 source
echo latency detect
echo revision
echo startup validate
edge-mode
edit
efd
enable (bulkstat)
enable (multicast)
encap (PVC)
encap-sequence
encapsulation (POS)
encapsulation (serial)
encapsulation default
encapsulation dot1ad dot1q
encapsulation dot1q
encapsulation dot1q second-dot1q
encapsulation frame-relay
encapsulation ppp
encapsulation untagged
encryption
encryption (IKE policy)
end
end-class-map
end-global
end-policy
end-policy-map
end-set
end-template
enrollment retry count
enrollment retry period
enrollment terminal
enrollment url
erase nvram-raw:
erase nvram:
escape-character
ethernet-services access-list
ethernet cfm (global)
ethernet cfm (interface)
ethernet egress-filter
ethernet filtering
ethernet lmi
ethernet oam
ethernet oam loopback
ethernet ring g8032
ethernet ring g8032 profile
ethernet sla
ethernet sla on-demand operation type
cfm-delay-measurement probe
ethernet sla on-demand operation type cfm-loopback probe
ethernet source bypass egress-filter
ethernet udd reset interface
ethernet uni id
ethernet-service access-group
event (BNG)
event-buffer-size (RCMD)
exceed-action
exceed-color
exception filepath
exception pakmem
exception sparse
exception sprsize
exclude (BNG)
exclude srlg (auto-tunnel backup)
exclusion list
exec-timeout
exit
explicit-null
explicit-path
explicit-tracking
export route-policy
export route-target
exporter
extcommunity rt is-empty
extcommunity rt matches-any
extcommunity rt matches-every
extcommunity soo is-empty

[extcommunity soo matches-any](#)
[extcommunity soo matches-every](#)
[extcommunity-set cost](#)
[extcommunity-set rt](#)
[extcommunity-set soo](#)
[extension remote-uni disable](#)
[external-cost \(MSTAG/REPAG\)](#)
[external-cost \(MSTP\)](#)
[external-logging netflow \(NAT44\)](#)
[external-logging netflow9 \(DS-LITE\)](#)
[external-logging syslog \(DS-LITE\)](#)
[external-logging syslog \(NAT44\)](#)

F

[fast-reroute](#)
[fast-reroute \(OSPFv2\)](#)
[fast-reroute per-link \(IS-IS\)](#)
[fast-reroute per-link exclude interface](#)
[fast-reroute per-link priority-limit \(IS-IS\)](#)
[fast-reroute per-link use-candidate-only \(IS-IS\)](#)
[fast-reroute per-prefix \(IS-IS\)](#)
[fast-reroute per-prefix exclude interface \(OSP](#)
[fast-reroute per-prefix lfa-candidate](#)
[fast-reroute per-prefix load-sharing disable \(IS-IS\)](#)
[fast-reroute per-prefix tiebreaker \(IS-IS\)](#)
[fast-reroute per-prefix use-candidate-only \(IS-IS\)](#)
[fast-reroute per-prefix use-candidate-only \(OSPFv2\)](#)
[fast-reroute protect](#)
[fast-reroute timers promotion](#)
[fault-oam-refresh](#)
[fdl](#)
[feedback disable](#)
[flood mode](#)
[flood-reduction \(OSPF\)](#)
[flood-reduction \(OSPFv3\)](#)
[flooding disable](#)
[flooding thresholds](#)
[flooding unknown-unicast disable \(VPLS\)](#)
[flow](#)
[flow \(LPTS\)](#)
[flow exporter-map](#)
[flow monitor-map](#)
[flow-control](#)
[flowcontrol hardware](#)
[flush containment disable](#)
[follow](#)
[format](#)
[format \(bulkstat\)](#)
[forward LSP](#)
[forward-delay](#)
[forward-protocol udp](#)
[forwarding-adjacency](#)
[forwarding-latency](#)
[fpd auto-upgrade](#)
[fragment end-to-end](#)
[frame threshold](#)
[frame window](#)
[frame-period threshold](#)
[frame-period window](#)
[frame-relay intf-type](#)
[frame-relay lmi disable](#)
[frame-relay lmi-n391dte](#)
[frame-relay lmi-n392dce](#)
[frame-relay lmi-n392dte](#)
[frame-relay lmi-n393dce](#)
[frame-relay lmi-n393dte](#)
[frame-relay lmi-t391dte](#)
[frame-relay lmi-t392dce](#)
[frame-relay lmi-type](#)
[frame-relay multilink ack](#)
[frame-relay multilink bandwidth-class](#)
[frame-relay multilink bid](#)
[frame-relay multilink hello](#)
[frame-relay multilink lid](#)
[frame-relay multilink retry](#)
[frame-seconds threshold](#)
[frame-seconds windo](#)

[framing \(E1\)](#)
[framing \(E3\)](#)
[framing \(SONET\)](#)
[framing \(T1\)](#)
[framing \(T3\)](#)
[frequency synchronization](#)
[fsck](#)
[ftp client anonymous-password](#)
[ftp client passive](#)
[ftp client password](#)
[ftp client source-interface](#)
[ftp client username](#)

G

[g709 bdi-to-client-gais](#)
[g709 fec](#)
[g709 odu overhead tti](#)
[g709 odu report disable](#)
[g709 otu overhead tti](#)
[g709 otu report disable](#)
[g709 otu threshold](#)
[g709 tim-to-client-gais](#)
[g709 tti-processing](#)
[giaddr policy](#)
[global maximum](#)
[global-id](#)
[graceful-restart \(MPLS LDP\)](#)
[graceful-restart \(OSPFv3\)](#)
[group](#)
[group \(AAA\)](#)
[group \(IKE policy\)](#)
[group limit](#)
[group policy](#)
[guard root](#)
[guard topology-change](#)

H

[hash \(IKE policy\)](#)
[hello-interval](#)
[hello-interval \(EIGRP\)](#)
[hello-interval \(IS-IS\)](#)
[hello-interval \(OSPF\)](#)
[hello-interval \(OSPFv3\)](#)
[hello-interval \(PIM\)](#)
[hello-multiplier](#)
[hello-padding](#)
[hello-password](#)
[hello-password accept](#)
[hello-password keychain](#)
[hello-time \(Access Gateway\)](#)
[hello-time \(MSTP\)](#)
[helper-address](#)
[helper-address \(BNG\)](#)
[helper-address \(ipv6\)](#)
[hold-time \(EIGRP\)](#)
[holdtime \(MPLS LDP\)](#)
[hostname](#)
[hostname dynamic disable](#)
[hsrp authentication](#)
[hsrp bfd fast-detect](#)
[hsrp bfd minimum-interval](#)
[hsrp bfd multiplier](#)
[hsrp delay](#)
[hsrp ipv4](#)
[hsrp mac-address](#)
[hsrp preempt](#)
[hsrp priority](#)
[hsrp redirects](#)
[hsrp timers](#)
[hsrp track](#)
[hsrp use-bia](#)
[http server](#)
[hw-module load-balance bundle l2-service l3-params](#)
[hw-module location reload](#)

[hw-module power disable](#)
[hw-module power location](#)
[hw-module profile feature](#)
[hw-module profile scale](#)
[hw-module reset auto](#)
[hw-module service cgn location](#)
[hw-module subslot reload](#)
[hw-module subslot shutdown](#)

I

[icmp ipv4 rate-limit unreachable](#)
[identity](#)
[if](#)
[igmp accounting](#)
[igmp explicit-tracking](#)
[igmp query-interval](#)
[igmp query-max-response-time](#)
[igmp snooping profile](#)
[ignore lsa mospf](#)
[ignore-connected-check](#)
[ignore-lsp-errors](#)
[igp auto-config disable](#)
[igp sync delay](#)
[immediate-leave](#)
[implicit-null-override](#)
[import route-policy](#)
[import route-target](#)
[inband](#)
[inclusion-list](#)
[index exclude-address](#)
[index exclude-srlg](#)
[index next-address](#)
[index persistence](#)
[inherit taskgroup](#)
[inherit usergroup](#)
[inside-vrf](#)
[install abort](#)
[install activate](#)
[install add](#)
[install attach](#)
[install auto-abort-timer stop](#)
[install boot-options](#)
[install commit](#)
[install deactivate](#)
[install label](#)
[install remove](#)
[install rollback to](#)
[install verify healthcheck](#)
[instance \(G.8032\)](#)
[instance \(MSTAG/REPAG\)](#)
[instance \(MSTP\)](#)
[instance \(OSPFv3\)](#)
[instance \(bulkstat schema\)](#)
[instance cost](#)
[instance port-priority](#)
[instance range](#)
[instance repetition](#)
[interface \(BFD\)](#)
[interface \(DHCP\)](#)
[interface \(DHCP-BNG\)](#)
[interface \(EIGRP\)](#)
[interface \(Ethernet\)](#)
[interface \(HSRP\)](#)
[interface \(IS-IS\)](#)
[interface \(MPLS LDP\)](#)
[interface \(MPLS-TE\)](#)
[interface \(MPP\)](#)
[interface \(MSTAG/REPAG\)](#)
[interface \(MSTP\)](#)
[interface \(NTP\)](#)
[interface \(OSPF\)](#)
[interface \(OSPFv3\)](#)
[interface \(PIM\)](#)
[interface \(PVSTAG/PVRSTAG\)](#)
[interface \(RIP\)](#)
[interface \(SRLG\)](#)
[interface \(VLAN\)](#)

[interface \(VPLS\)](#)
[interface \(VRRP\)](#)
[interface \(bundle\)](#)
[interface \(global\)](#)
[interface \(multicast\)](#)
[interface \(p2p\)](#)
[interface MgmtEth](#)
[interface ServiceApp](#)
[interface ServiceInfra](#)
[interface all enable](#)
[interface bvi](#)
[interface ipspecifier none](#)
[interface ipspecifier proxy](#)
[interface ipspecifier proxy information](#)
[interface ipspecifier proxy profile](#)
[interface multilink](#)
[interface pos](#)
[interface serial](#)
[interface tunnel-mte](#)
[interface tunnel-te](#)
[interface-inheritance disable](#)
[internal-querier](#)
[internal-querier max-response-time](#)
[internal-querier query-interval](#)
[internal-querier robustness-variable](#)
[internal-querier tcn query count](#)
[internal-querier tcn query interval](#)
[internal-querier timer expiry](#)
[internal-querier version](#)
[invert](#)
[ip-address \(trustpoint\)](#)
[ip-source-guard](#)
[iphc profile](#)
[ipsubscriber ipv4 l2-connected](#)
[ipv4 access-group](#)
[ipv4 access-group \(BNG\)](#)
[ipv4 access-list](#)
[ipv4 access-list log-update rate](#)
[ipv4 access-list log-update threshold](#)
[ipv4 address](#)
[ipv4 address \(network\)](#)
[ipv4 assembler max-packets](#)
[ipv4 assembler timeout](#)
[ipv4 bgp policy accounting](#)
[ipv4 bgp policy propagation](#)
[ipv4 conflict-policy](#)
[ipv4 directed-broadcast](#)
[ipv4 disable](#)
[ipv4 helper-address](#)
[ipv4 iphc profile](#)
[ipv4 mask-reply](#)
[ipv4 mtu](#)
[ipv4 mtu](#)
[ipv4 mtu \(BNG\)](#)
[ipv4 prefix-list](#)
[ipv4 redirects](#)
[ipv4 source-route](#)
[ipv4 unnumbered \(BNG\)](#)
[ipv4 unnumbered \(MPLS\)](#)
[ipv4 unnumbered \(point-to-point\)](#)
[ipv4 unreachable disable](#)
[ipv4 verify \(BNG\)](#)
[ipv4 verify unicast source reachable-via](#)
[ipv4 virtual address](#)
[ipv6 access-group](#)
[ipv6 access-list](#)
[ipv6 access-list log-update rate](#)
[ipv6 access-list log-update threshold](#)
[ipv6 access-list maximum ace threshold](#)
[ipv6 access-list maximum acl threshold](#)
[ipv6 address](#)
[ipv6 address](#)
[ipv6 address link-local](#)
[ipv6 assembler](#)
[ipv6 checksum](#)
[ipv6 conflict-policy](#)
[ipv6 enable](#)
[ipv6 enable \(XML\)](#)

ipv6 hop-limit
 ipv6 icmp error-interval
 ipv6 mtu
 ipv6 mtu
 ipv6 nd dad attempts
 ipv6 nd managed-config-flag
 ipv6 nd ns-interval
 ipv6 nd other-config-flag
 ipv6 nd prefix
 ipv6 nd ra-interval
 ipv6 nd ra-lifetime
 ipv6 nd reachable-time
 ipv6 nd redirects
 ipv6 nd scavenge-timeout
 ipv6 nd suppress-ra
 ipv6 neighbor
 ipv6 prefix-list
 ipv6 source-route
 ipv6 unreachable disable
 ipv6 verify unicast source reachable-via
 is-type
 isolation recovery-delay
 ispf
 iteration

J

join-group
 join-prune-interval
 join-time

K

keepalive
 keepalive (ISAKMP profile)
 keepalive (POS)
 keepalive (serial)
 key (RADIUS)

key (TACACS+)
 key (key chain)
 key chain (key chain)
 key-source key-chain (RSVP)
 key-string (IKE)
 key-string (keychain)
 keychain
 keychain inheritance-disable
 keychain-disable
 keyring

L

l2protocol (Ethernet)
 l2tp-class
 l2transport
 l2transport (Ethernet)
 l2transport l2protocol
 l2transport propagate
 l2transport service-policy
 l2vpn
 l2vpn resynchronize forwarding mac-address-table
 location
 label accept
 label advertise
 label allocate
 label-allocation-mode
 lacp cisco enable
 lacp fast-switchover
 lacp packet-capture
 lacp period short
 lacp system
 lacp system priority
 last-member-query count
 last-member-query interval
 lawful-intercept disable
 lcc
 learning disable (VPLS)
 lease proxy client-lease-time (DHCP-BNG)

leave-time
leaveall-time
length
level
license
license add
license backup
license move
license move slot
license remove
license restore
license save credential
life-time (RSVP)
lifetime (IKE policy)
limit (VPLS)
limit lease per-circuit-id (DHCP-BNG)
limit lease per-interface (DHCP-BNG)
limit lease per-remote-id (DHCP-BNG)
line
line delay clear
line delay trigger
linecode
link-id
link-management timers bandwidth-hold
link-management timers periodic-flooding
link-management timers preemption-delay
link-monitor
link-type
lldp
lldp (interface)
lldp holdtime
lldp reinit
lldp timer
lldp tlv-select disable
lnm major-warning
lnm minor-warning
lnm remove
lnm syslog
load
load commit changes
load configuration failed
load configuration removed
load rollback changes
load-balancing flow
load-balancing flow-label
load-balancing pw-label
load-share
load-share unequal
local pool
local-address (keyring)
local-as
local-preference
local-traffic default encapsulation
locale country
locale language
lockout
lockout (MPLS LSP)
log adjacency changes (IS-IS)
log adjacency changes (OSPF)
log adjacency changes (OSPFv3)
log ais
log best-master-clock changes
log continuity-check errors
log continuity-check mep changes
log crosscheck errors
log disable
log efd
log graceful-restart
log neighbor
log nsr
log pdu drops
log selection
log session-protection
log signal
log-neighbor-changes
log-neighbor-warnings
log-traps
logging (l2vpn)

[logging source-interface vrf](#)
[login authentication](#)
[loopback \(DWDM\)](#)
[loopback \(Ethernet\)](#)
[loopback \(SONET\)](#)
[loopback \(T1/E1\)](#)
[loopback \(T3/E3\)](#)
[loopback stub-network](#)
[lpts pifib hardware police](#)
[lsp fast-flood threshold](#)
[lsp-gen-interval](#)
[lsp-interval](#)
[lsp-mtu](#)
[lsp-password](#)
[lsp-password accept](#)
[lsp-refresh-interval](#)

M

[mac \(VPLS\)](#)
[mac secure](#)
[mac-accounting](#)
[mac-address \(Ethernet\)](#)
[mac-address \(Management Ethernet\)](#)
[mac-address \(hsrp\)](#)
[mail-server](#)
[man](#)
[management-plane](#)
[map](#)
[map \(DS-LITE\)](#)
[master](#)
[master \(PTP\)](#)
[match \(class-map\)](#)
[match access-group](#)
[match cos](#)
[match dei](#)
[match destination-address](#)
[match discard-class](#)
[match dscp](#)
[match ethertype](#)
[match fr-de](#)
[match frame-relay dlci](#)
[match identity \(ISAKMP policy-set\)](#)
[match identity \(ISAKMP profile\)](#)
[match mpls experimental topmost](#)
[match option](#)
[match precedence](#)
[match protocol](#)
[match qos-group](#)
[match source-address](#)
[match vlan](#)
[match vrf](#)
[max age](#)
[max-associations](#)
[max-events-stored \(RCMD\)](#)
[max-header](#)
[max-lsa](#)
[max-lsp-lifetime](#)
[max-metric](#)
[maxabs \(MPLS-TE\)](#)
[maximum \(VPLS\)](#)
[maximum age](#)
[maximum disable](#)
[maximum external-sa](#)
[maximum groups](#)
[maximum groups-per-interface](#)
[maximum hops \(MSTP\)](#)
[maximum interfaces \(MPLS LDP\)](#)
[maximum interfaces \(OSPF\)](#)
[maximum interfaces \(OSPFv3\)](#)
[maximum path \(static\)](#)
[maximum paths \(OSPF\)](#)
[maximum paths \(OSPFv3\)](#)
[maximum peer-external-sa](#)
[maximum prefix \(RIB\)](#)
[maximum redistributed-prefixes \(OSPF\)](#)
[maximum redistributed-prefixes \(OSPFv3\)](#)
[maximum register-states](#)

maximum route-interfaces
maximum routes
maximum-meps
maximum-paths (BGP)
maximum-paths (EIGRP)
maximum-paths (IS-IS)
maximum-paths (RIP)
maximum-prefix (BGP)
maximum-prefix (EIGRP)
maximum-redistributed-prefixes (IS-IS)
mdl
mdt data
mdt default
mdt mtu
mdt source
med
member neighbor
mep crosscheck
mep domain
mep-id
mesh-group (IS-IS)
mesh-group (peer)
message state disable
message-digest-key
metric (EIGRP)
metric (IS-IS)
metric maximum-hops
metric weights
metric-style narrow
metric-style transition
metric-style wide
metric-zero-accept
mhost default-interface
mib-retrieval
mid
min-lsp-arrivaltime
minimum-version
mip auto-create
mirror
mirror first
mirror pause
mirror resume
mirror verify
mkdir
mlacp connect
mlacp iccp-group
mlacp node
mlacp port-priority
mlacp reset priority
mlacp switchback
mlacp switchover maximize
mlacp switchover type
mlacp system mac
mlacp system priority
mode
mode (Ethernet OAM)
mode (SONET)
mofrr
monitor interface (port0)
monitor interface (port1)
monitor processes
monitor threads
monitor-convergence (IS-IS)
monitor-convergence (OSPF)
monitor-session
monitor-session (interface)
monitor-session (l2vpn)
monitoring
monitoring-interval (RCMD)
more
mpls activate (BGP)
mpls ip-ttl-propagate
mpls label range
mpls ldp
mpls ldp auto-config
mpls ldp auto-config (OSPF)
mpls ldp sync (IS-IS)
mpls ldp sync (OSPF)

- mpls oam
- mpls static label (L2VPN)
- mpls static label (VPLS)
- mpls traffic-eng
- mpls traffic-eng (IS-IS)
- mpls traffic-eng (OSPF)
- mpls traffic-eng auto-bw apply (MPLS-TE)
- mpls traffic-eng fast-reroute promote
- mpls traffic-eng igp-
- mpls traffic-eng level
- mpls traffic-eng link-management flood
- mpls traffic-eng multicast-intact (IS-IS)
- mpls traffic-eng multicast-intact (OSPF)
- mpls traffic-eng path-protection switchover tunnel-te
- mpls traffic-eng path-selection ignore overload
- mpls traffic-eng pce activate-pcep
- mpls traffic-eng pce reoptimize
- mpls traffic-eng reoptimize (EXEC)
- mpls traffic-eng repotimize mesh group
- mpls traffic-eng router-id (IS-IS)
- mpls traffic-eng router-id (MPLS-TE router)
- mpls traffic-eng router-id (OSPF)
- mrinfo
- mrrouter
- mss (DS-LITE)
- mss (NAT44)
- mtrace
- mtu
- mtu (GRE)
- mtu (VPLS)
- mtu-ignore (OSPF)
- mtu-ignore (OSPFv3)
- multilink fragment
- multi-area-interface
- multi-router aps
- multicast (PTP)
- multicast client
- multicast destination
- multicast qos-correlation | passive

- multicast-routing
- multihop ttl-drop-threshold
- multilink
- multilink group
- multipath
- mvpn
- mvrp static

N

- name (MSTAG/REPAG)
- name (MSTP)
- national bits (E1)
- national bits (E3)
- negotiation auto
- neighbor (BGP)
- neighbor (EIGRP)
- neighbor (L2VPN)
- neighbor (OSPF)
- neighbor (OSPFv3)
- neighbor (RIP)
- neighbor (VPLS)
- neighbor database-filter all out
- neighbor maximum-prefix
- neighbor password
- neighbor password disable
- neighbor targeted
- neighbor-check-on-recv enable
- neighbor-check-on-send enable
- neighbor-filter
- neighbor-group
- net
- network (BGP)
- network (OSPF)
- network (OSPFv3)
- network backdoor
- network connection id
- network port id
- next-hop in

next-hop-self
 next-hop-self
 next-hop-self disable
 next-hop-unchanged
 nexthop resolution prefix-length minimum
 nexthop route-policy
 nexthop trigger-delay
 nhop-only (auto-tunn
 node disable (RCMD)
 node-id
 non-tcp compression
 non-tcp context absolute
 notification (VPLS)
 notification linkupdown
 nsf (IS-IS)
 nsf (OSPF)
 nsf (RIP)
 nsf (multicast)
 nsf disable (EIGRP)
 nsf flush-delay-time (OSPF)
 nsf interface-expires
 nsf interface-timer
 nsf interval (OSPF)
 nsf lifetime (IS-IS)
 nsf lifetime (OSPF)
 nsf lifetime (PIM)
 nsr (BGP)
 nsr (MPLS-LDP)
 nsr (OSPF)
 nsr (OSPFv3)
 nsr process-failures switchover
 nssa (OSPF)
 nssa (OSPFv3)
 ntp
 ntp clear
 ntp reset drift

O

object-list
 old-register-checksum
 oom-handling
 open ring
 options
 orf
 orf prefix in
 origin is
 originator-id
 ospf name-lookup
 ospfv3 name-lookup
 out-of-band
 output-delay
 overflow threshold (MPLS-TE)
 overhead (SONET path)
 overhead (SONET)

P

p2p
 packet size
 packet-gap non-standard
 packet-size (OSPF)
 packet-size (OSPFv3)
 parity
 pass
 passive (IS-IS)
 passive (OSPF)
 passive (OSPFv3)
 passive-interface (EIGRP)
 passive-interface (RIP)
 password (AAA)
 password (BGP)
 password (peer)
 password (rpki-server)
 password-disable
 path (SONET)

path delay clear
 path delay trigger
 path-mtu
 path-mtu (DS-LITE Netflow9 Logging)
 path-mtu (DS-LITE)
 path-option (MPLS-TE)
 path-option (P2MP TE)
 path-protection (MPLS-TE)
 path-protection timers reopt-after-switchover
 path-selection ignore overload (MPLS-TE)
 path-selection loose-expansion affinity (MPLS-TE)
 path-selection loose-expansion metric (MPLS-TE)
 path-selection metric (MPLS-TE)
 path-selection metric (interface)
 path-type is
 pbb
 pce address (MPLS-TE)
 pce deadtimer (MPLS-TE)
 pce keepalive (MPLS-TE)
 pce peer (MPLS-TE)
 pce reoptimize (MPLS-TE)
 pce request-timeout (MPLS-TE)
 pce tolerance keepalive (MPLS-TE)
 peer (DAGR)
 peer (MSDP)
 peer (NTP)
 peer ipv4 address
 periodic transmit
 permit (ES ACL)
 permit (IPv4)
 permit (IPv6)
 permit (prefix-list)
 phone-number
 ping (network)
 ping bulk (network)
 ping ethernet cfm
 ping mpls ipv4
 ping mpls traffic-eng
 ping mpls traffic-eng tunnel-te (P2P)
 ping pseudowire (AToM)
 ping pseudowire multisegment
 pm fec report enable
 pm fec threshold
 pm optics report enable
 pm optics threshold
 pm otn report enable
 pm otn threshold
 point-to-point
 poison-reverse
 police rate
 policy (ISAKMP policy-set)
 policy-global
 policy-map
 policy-map type control subscriber
 poll-interval
 polling-verification-timer
 pool ipv4
 pool vrf
 port state slave-only
 port-down flush disable (VPLS)
 port-id
 port-limit (DS-LITE)
 port-priority
 port0 interface
 port1
 portfast
 portlimit
 pos
 power budget enforcement disable
 power budget reservation
 ppp authentication
 ppp authentication (BNG)
 ppp chap (BNG)
 ppp chap password
 ppp chap refuse
 ppp ipcp
 ppp ipcp dns
 ppp ipcp neighbor-route disable

ppp ipcp peer-address default
ppp lcp
ppp max-bad-auth
ppp max-configure
ppp max-failure
ppp max-terminate
ppp ms-chap hostname
ppp ms-chap password
ppp ms-chap refuse
ppp multilink multiclass
ppp multilink multiclass local
ppp multilink multiclass remote apply
ppp pap refuse
ppp pap sent-username password
ppp timeout authentication
ppp timeout retry
pppoe bba-group
pppoe enable bba-group
pre-shared-key
precedence
preempt (hsrp)
preempt delay
preference (rpki-server)
preferred-path
prefix-set
prepend as-path
priority (Access Gateway)
priority (IS-IS)
priority (MPLS-TE)
priority (MSTP)
priority (OSPF)
priority (OSPFv3)
priority (QoS)
priority (RCMD)
priority (SLA)
priority (frequency synchronization)
priority (hsrp)
priority-timeout
priority1
priority2
proactive
proactive revert threshold
proactive revert window
proactive trigger threshold
proactive trigger window
probe
process
process core
process mandatory
profile
profile (BNG)
profile (EOAM)
profile (PTP)
profile (SLA)
profile (VRRP)
profile (call home)
profile (interface)
propagate level
protect LSP
protocol
protocol (NAT44)
protocol (RCMD)
protocol icmp reset-mtu (CGN)
protocol shutdown
provider-bridge (MSTAG/REPAG)
provider-bridge (MSTP)
proxy-arp
ptp
purge-time (rpki-server)
pvc (frame relay)
pw-class
pw-class (L2VPN)
pw-class encapsulation mpls
pw-oam
pwd
pwd (config)

Q

[qos account](#)
[qos output minimum-bandwidth](#)
[quality itu-t](#)
[quality receive](#)
[quality transmit](#)
[querier query-interval](#)
[querier robustness-variable](#)
[query url](#)
[query-interval](#)
[query-max-response-time](#)
[query-timeout](#)
[queue dispatch flush-lsa](#)
[queue dispatch incoming](#)
[queue dispatch rate-limited-lsa](#)
[queue dispatch spf-lsa-limit](#)
[queue limit](#)
[queue-limit](#)

R

[radius source-interface](#)
[radius source-interface](#)
[radius-server attribute](#)
[radius-server dead-criteria](#)
[radius-server dead-criteria time](#)
[radius-server dead-criteria tries](#)
[radius-server deadtime](#)
[radius-server deadtime](#)
[radius-server disallow null-username](#)
[radius-server host](#)
[radius-server host](#)
[radius-server ipv4 dscp](#)
[radius-server key](#)
[radius-server key](#)
[radius-server load-balance](#)
[radius-server retransmit](#)
[radius-server retransmit](#)

[radius-server source-port](#)
[radius-server throttle](#)
[radius-server timeout](#)
[radius-server timeout](#)
[radius-server vsa attribute ignore unknown](#)
[random 1 out-of](#)
[random-detect](#)
[random-detect cos](#)
[random-detect discard-class](#)
[random-detect dscp](#)
[random-detect exp](#)
[random-detect precedence](#)
[range \(OSPF\)](#)
[range \(OSPFv3\)](#)
[rate-limit](#)
[rate-per-route](#)
[rcc](#)
[rcp client source-interface](#)
[rcp client username](#)
[rd](#)
[rd in](#)
[rd-set](#)
[receive version](#)
[receive-buffer-size](#)
[record ipv4](#)
[record ipv6](#)
[record mpls](#)
[record-route](#)
[recursion-depth-max](#)
[recursive-fec](#)
[redistribute \(BGP\)](#)
[redistribute \(EIGRP\)](#)
[redistribute \(IS-IS\)](#)
[redistribute \(MPLS LDP\)](#)
[redistribute \(OSPF\)](#)
[redistribute \(OSPFv3\)](#)
[redistribute \(RIP\)](#)
[redistribute maximum-prefix](#)
[redundancy](#)

redundancy iccp group
redundancy iccp-group report-standby-state disable
redundancy one-way
redundancy switchover
refresh max-period
refresh max-time
refresh rate (DS-LITE Netflow9 Logging)
refresh rtp
refresh-direction
refresh-rate (NAT44 Netflow Version 9 Logging)
refresh-time (rpki-server)
relay information check
relay information check (BNG)
relay information option
relay information option (BNG)
relay information option allow-untrusted
relay information option allow-untrusted (BNG)
relay information policy
relay information policy (BNG)
reload
reload (administration EXEC)
remark (IPv4)
remark (IPv6)
remark (prefix-list)
remote-as (BGP)
remote-as (multicast)
remote-loopback
remove-private-as
reoptimize timers delay (MPLS-TE)
replace as-path
report (SONET path)
report (SONET)
report-suppression disable
require-remote
resequence access-list ethernet-service
resequence access-list ipv4
resequence access-list ipv6
resequence prefix-list ipv4
resequence prefix-list ipv6
response-time (rpki-server)
resume
retain
retain local-label
retain route-target
retain route-target all
retransmit (RADIUS)
retransmit-interval (IS-IS)
retransmit-interval (OSPF)
retransmit-interval (OSPFv3)
retransmit-throttle-interval
retry
reverse LSP
revert
revision (MSTAG/REPAG)
revision (MSTP)
rewrite ingress tag
rewrite ingress tag push
rib-has-route
rmdir
robustness-count
rollback configuration
root
root-cost
root-id
root-priority
route (static)
route distance
route metric
route-has-label
route-policy
route-policy (BGP)
route-policy (EIGRP)
route-policy (OSPF)
route-policy (RIP)
route-policy (RPL)
route-reflector-client
route-target
route-type is

[routed](#)
[routed interface bvi](#)
[router](#)
[router bgp](#)
[router eigrp](#)
[router hsrp](#)
[router igmp](#)
[router igmp vrf](#)
[router igmp vrf \(BNG\)](#)
[router isis](#)
[router ospf](#)
[router ospfv3](#)
[router pim](#)
[router rib](#)
[router rip](#)
[router static](#)
[router vrrp](#)
[router-alert-check disable](#)
[router-convergence](#)
[router-guard](#)
[router-id \(EIGRP\)](#)
[router-id \(MPLS LDP\)](#)
[router-id \(OSPF\)](#)
[router-id \(OSPFv3\)](#)
[router-id secondary \(MPLS-TE\)](#)
[rp mgmtethernet forwarding](#)
[rp-address](#)
[rp-static-deny](#)
[rpf topology route-policy](#)
[rpf-vector](#)
[rpki server](#)
[rpl](#)
[rpl editor](#)
[rpl maximum](#)
[rsa-pubkey](#)
[rsa-keypair](#)
[rsvp interface](#)
[rsvp neighbor](#)
[rtp](#)

[rump always-replicate](#)

S

[sa-filter](#)
[sam add certificate](#)
[sam delete certificate](#)
[sam prompt-interval](#)
[sam verify](#)
[sampler-map](#)
[sap cache-timeout](#)
[sap listen](#)
[save configuration](#)
[save configuration changes](#)
[save configuration commit changes](#)
[save configuration failed](#)
[save configuration merge](#)
[save configuration removed](#)
[save rollback changes](#)
[schedule \(SLA\)](#)
[schema](#)
[scramble](#)
[scrambling disable \(SONET path\)](#)
[secret](#)
[security ttl](#)
[security ttl \(OSPF\)](#)
[selection input](#)
[selective-vrf-download disable](#)
[self-identity](#)
[send](#)
[send \(SLA\)](#)
[send version](#)
[send-buffer-size](#)
[send-community-ebgp](#)
[send-extended-community-ebgp](#)
[send-lifetime](#)
[sender](#)
[sequencing \(L2VPN\)](#)
[serial](#)

serial-number (trustpoint)
server
server (NTP)
server (RADIUS)
server (TACACS+)
server-private (RADIUS)
server-private (TACACS+)
service
service active
service cgn
service tcp-small-servers
service udp-small-servers
service-location (CGN)
service-location (interface)
service-policy (BNG)
service-policy (QoS-BNG)
service-policy (interface)
service-policy (policy map class)
service-policy type control subscriber
service-type ds-lite
service-type nat44
service-type nat64 (CGN)
session
session (DS-LITE)
session name
session protection
session timeout
session-group
session-limit
session-limit (BNG)
session-open-mode
session-timeout
set aigp-metric
set community
set core-tree
set cos
set dampening
set default-afi
set default-safi
set default-vrf
set dei
set discard-class
set dscp
set eigrp-metric
set extcommunity cost
set extcommunity rt
set fr-de
set interface tunnel-ipsec
set ip-precedence
set ipsec-profile
set isis-metric
set label
set level
set local-preference
set med
set metric-type (IS-IS)
set metric-type (OSPF)
set mpls experimental
set next-hop
set origin
set ospf-metric
set path-selection
set precedence
set qos-group (RPL)
set rib-metric
set rip-metric
set rip-tag
set rpf-topology
set spf-priority
set tag
set traffic-index
set vpn-distinguisher
set weight
set-attached-bit
set-overload-bit
sftp
sftp (Interactive Mode)
sftp-password (trustpoint)

sftp-username (trustpoint)
sham-link
shape average
show
show aaa
show aaa trace (BNG)
show access-list ethernet-service usage pfilter
show access-lists afi-all
show access-lists ethernet-services
show access-lists ethernet-services trace
show access-lists ipv4
show access-lists ipv6
show adjacency
show aliases
show ancp an-port
show ancp an-port circuit-id
show ancp an-port interface
show ancp an-port neighbor
show ancp an-port state
show ancp neighbor
show ancp neighbor summary
show ancp redundancy iccp
show ancp redundancy iccp group
show ancp summary
show aps
show aps agents
show aps group
show arm conflicts
show arm database
show arm registrations producers
show arm router-ids
show arm summary
show arm vrf-summary
show arp
show arp dagr
show arp traffic
show auto-rp candidate-rp
show bcdl
show bcdl consumers
show bcdl queues
show bcdl statistics
show bcdl tables
show bcdl trace
show bfd
show bfd client
show bfd counters
show bfd mib session
show bfd multipath
show bfd session
show bfd summary
show bgp
show bgp advertised
show bgp af-group
show bgp attribute-key
show bgp cidr-only
show bgp community
show bgp convergence
show bgp dampened-paths
show bgp flap-statistics
show bgp inconsistent-as
show bgp l2vpn rd
show bgp l2vpn vpls
show bgp labels
show bgp neighbor-group
show bgp neighbors
show bgp neighbors nsr
show bgp nexthops
show bgp nsr
show bgp paths
show bgp policy
show bgp process
show bgp regexp
show bgp route-policy
show bgp session-group
show bgp sessions
show bgp summary
show bgp summary nsr
show bgp truncated-communities

show bgp update-group
show bgp vrf imported-routes
show bundle
show bundle brief
show bundle load-balancing
show bundle replication bundle-ether
show calendar
show call-home
show call-home alert-group
show call-home mail-server status
show call-home profile
show call-home statistics
show call-home trace
show canbus
show cdp
show cdp entry
show cdp interface
show cdp neighbors
show cdp traffic
show cef
show cef bgp-attribute
show cef external
show cef ipv4
show cef ipv4 adjacency
show cef ipv4 adjacency hardware
show cef ipv4 drops
show cef ipv4 exact-route
show cef ipv4 exceptions
show cef ipv4 hardware
show cef ipv4 interface
show cef ipv4 interface bgp-policy-statistics
show cef ipv4 non-recursive
show cef ipv4 resource
show cef ipv4 summary
show cef ipv4 unresolved
show cef ipv6
show cef ipv6 adjacency
show cef ipv6 adjacency hardware
show cef ipv6 drops
show cef ipv6 exact-route
show cef ipv6 exceptions
show cef ipv6 hardware
show cef ipv6 interface
show cef ipv6 non-recursive
show cef ipv6 resource
show cef ipv6 summary
show cef ipv6 unresolved
show cef mpls adjacency
show cef mpls adjacency hardware
show cef mpls interface
show cef mpls unresolved
show cef recursive-nexthop
show cef summary
show cef vrf
show cgn ds-lite inside-translation
show cgn ds-lite outside-translation
show cgn ds-lite pool utilization
show cgn ds-lite statistics
show cgn nat44 inside-translation
show cgn nat44 outside-translation
show cgn nat44 pool-utilization
show cgn nat44 statistics
show cinetd services
show class-map
show clns statistics
show clock
show configuration (config)
show configuration changes
show configuration comm
show configuration commit changes
show configuration failed (config)
show configuration failed incompatible
show configuration failed remove
show configuration failed rollback
show configuration failed startup
show configuration history
show configuration inconsistency replica
show configuration persistent

show configuration removed
show configuration rollback changes
show configuration running
show configuration running-config
show configuration sessions
show context
show controller dwdm
show controller dwdm pm
show controller fabric
show controllers (Ethernet)
show controllers backplane ethernet local brief
show controllers backplane ethernet local clients
show controllers backplane ethernet local detail
show controllers backplane ethernet local multicast groups
show controllers backplane ethernet location brief
show controllers backplane ethernet location clients
show controllers backplane ethernet location detail
show controllers backplane ethernet location multicast groups
show controllers e1
show controllers e3
show controllers egressq queue
show controllers lnm
show controllers mgmtmultilink
show controllers plim asic SPAQFPBridgeCtrl
show controllers pos
show controllers pse qfp feature fnf datapath
show controllers pse qfp statistics
show controllers pse qfp system state
show controllers sonet
show controllers switch ports
show controllers switch stats
show controllers t1
show controllers t3
show controllers wanphy
show critmon context
show critmon deadline
show critmon statistics
show critmon trace all
show critmon trace error
show critmon trace info
show critmon trace lib-error
show critmon trace lib-info
show crypto ca certificates
show crypto ca crls
show crypto isakmp call admission statistics
show crypto isakmp errors
show crypto isakmp key
show crypto isakmp peers
show crypto isakmp policy
show crypto isakmp profile
show crypto isakmp sa
show crypto isakmp stats
show crypto key mypubkey dsa
show crypto key mypubkey rsa
show crypto key pubkey-chain rsa
show crypto session
show default-afi-safi-vrf
show dhcp ipv4 proxy binding (BNG)
show dhcp ipv4 proxy profile (BNG)
show dhcp ipv4 proxy statistics (BNG)
show dhcp ipv4 relay profile
show dhcp ipv4 relay profile name
show dhcp ipv4 relay statistics
show dhcp ipv4 snoop binding
show dhcp ipv4 snoop statistics
show dhcp ipv6 interface
show dhcp ipv6 proxy binding
show diag
show diagnostic bootup level
show diagnostic content
show diagnostic ondemand settings
show diagnostic result
show diagnostic schedule
show diagnostic status
show dll
show dsc
show efd interface

[show eigrp accounting](#)
[show eigrp interfaces](#)
[show eigrp neighbors](#)
[show eigrp topology](#)
[show eigrp traffic](#)
[show environment](#)
[show epm trace boot](#)
[show ethernet cfm ccm-learning-database](#)
[show ethernet cfm configuration-errors](#)
[show ethernet cfm interfaces ais](#)
[show ethernet cfm interfaces statistics](#)
[show ethernet cfm local maintenance-points](#)
[show ethernet cfm local meps](#)
[show ethernet cfm peer meps](#)
[show ethernet cfm traceroute-cache](#)
[show ethernet lmi interfaces](#)
[show ethernet mvrp mad](#)
[show ethernet mvrp statistics](#)
[show ethernet mvrp status](#)
[show ethernet oam configuration](#)
[show ethernet oam discovery](#)
[show ethernet oam interfaces](#)
[show ethernet oam statistics](#)
[show ethernet ring g8032](#)
[show ethernet sla configuration-errors](#)
[show ethernet sla operations](#)
[show ethernet sla statistics](#)
[show ethernet uddl interfaces](#)
[show ethernet uddl statistics](#)
[show exception](#)
[show explicit-paths](#)
[show filesystem](#)
[show flow exporter](#)
[show flow exporter-map](#)
[show flow monitor](#)
[show flow monitor-map](#)
[show flow platform nfea bundle](#)
[show flow platform nfea chkp](#)
[show flow platform nfea interface](#)
[show flow platform nfea policer np](#)
[show flow platform nfea sampler](#)
[show flow platform nfea sp location](#)
[show flow platform pal-cpp chkpt object](#)
[show flow platform pal-cpp object](#)
[show flow platform producer statistics location](#)
[show flow trace](#)
[show flow trace platform producer location](#)
[show fmgr interface](#)
[show fpd package](#)
[show frame-relay lmi](#)
[show frame-relay lmi-info](#)
[show frame-relay multilink](#)
[show frame-relay pvc](#)
[show frame-relay vcm-info interface](#)
[show frequency synchronization clock-interfaces](#)
[show frequency synchronization configuration-errors](#)
[show frequency synchronization interfaces](#)
[show frequency synchronization selection](#)
[show history](#)
[show hosts](#)
[show hsrp](#)
[show hsrp bfd](#)
[show hsrp mgo](#)
[show hsrp statistics](#)
[show hsrp summary](#)
[show hw-module fpd](#)
[show hw-module profile](#)
[show hw-module qos output shape granularity location](#)
[show hw-module subslot brief](#)
[show hw-module subslot config](#)
[show hw-module subslot counters](#)
[show hw-module subslot errors](#)
[show hw-module subslot plim-subblock](#)
[show hw-module subslot registers](#)
[show hw-module subslot status](#)
[show iccp group](#)
[show igmp groups](#)
[show igmp interface](#)

show igmp nsf
show igmp snooping bridge-domain
show igmp snooping group
show igmp snooping port
show igmp snooping profile
show igmp snooping redundancy
show igmp snooping summary
show igmp snooping trace
show igmp ssm map
show igmp summary
show igmp traffic
show igmp unicast-qos-adjust statistics
show igmp vrf (BNG)
show igmp vrf vrf_name groups
show im dampening
show im database
show imds interface brief
show install
show install active
show install audit
show install auto-abort-timer
show install boot-options
show install committed
show install inactive
show install log
show install package
show install pie-info
show install request
show install rollback
show install which
show interfaces
show interfaces (frame relay)
show interfaces bvi
show interfaces multilink
show interfaces pos
show inventory
show iphc idb
show iphc ipv4 rtp
show iphc ipv4 tcp
show iphc platform trace
show iphc profile
show iphc trace all
show ipsubscriber
show ipv4 (BNG)
show ipv4 interface
show ipv6 interface
show ipv6 neighbors
show ipv6 neighbors summary
show ipv4 traffic
show ipv6 traffic
show isis
show isis adjacency
show isis adjacency-log
show isis checkpoint adjacency
show isis checkpoint interface
show isis checkpoint lsp
show isis database
show isis database-log
show isis fast-reroute
show isis hostname
show isis interface
show isis lsp-log
show isis mesh-group
show isis mpls traffic-eng adjacency-log
show isis mpls traffic-eng advertisements
show isis mpls traffic-eng tunnel
show isis neighbors
show isis protocol
show isis route
show isis spf-log
show isis statistics
show isis topology
show key chain
show l2vpn bridge-domain (VPLS)
show l2vpn bridge-domain pbb
show l2vpn collaborators
show l2vpn discovery
show l2vpn ethernet ring g8032

[show l2vpn forwarding](#)
[show l2vpn forwarding bridge pbb](#)
[show l2vpn forwarding bridge-domain \(VPLS\)](#)
[show l2vpn forwarding bridge-domain mac-address \(VPLS\)](#)
[show l2vpn forwarding bridge-domain mroute](#)
[show l2vpn forwarding ethernet ring g8032](#)
[show l2vpn forwarding pbb backbone-source-mac](#)
[show l2vpn forwarding protection main-interface](#)
[show l2vpn mstp port](#)
[show l2vpn mstp vlan](#)
[show l2vpn pbb backbone-source-mac](#)
[show l2vpn protection main-interface](#)
[show l2vpn pw-class](#)
[show l2vpn resource](#)
[show l2vpn xconnect](#)
[show lacp bundle](#)
[show lacp counters](#)
[show lacp io](#)
[show lacp packet-capture](#)
[show lacp port](#)
[show lacp system-id](#)
[show lcc](#)
[show lcc statistics](#)
[show led](#)
[show license](#)
[show license active](#)
[show license allocated](#)
[show license available](#)
[show license backup](#)
[show license chassis](#)
[show license evaluation](#)
[show license expired](#)
[show license features](#)
[show license file](#)
[show license log](#)
[show license pools](#)
[show license status](#)
[show license udi](#)
[show line](#)
[show lldp](#)
[show lldp entry](#)
[show lldp errors](#)
[show lldp interface](#)
[show lldp neighbors](#)
[show lldp traffic](#)
[show local pool](#)
[show lpts bindings](#)
[show lpts clients](#)
[show lpts flows](#)
[show lpts ifib](#)
[show lpts ifib slices](#)
[show lpts ifib statistics](#)
[show lpts ifib times](#)
[show lpts mpa groups](#)
[show lpts pifib](#)
[show lpts pifib hardware context](#)
[show lpts pifib hardware entry](#)
[show lpts pifib hardware entry optimized](#)
[show lpts pifib hardware police](#)
[show lpts pifib hardware usage](#)
[show lpts pifib statistics](#)
[show lpts port-arbitrator statistics](#)
[show lpts vrf](#)
[show mac-accounting \(Ethernet\)](#)
[show media](#)
[show memory](#)
[show memory compare](#)
[show memory heap](#)
[show mfib connections](#)
[show mfib counter](#)
[show mfib encap-info](#)
[show mfib hardware interface](#)
[show mfib hardware ltrace](#)
[show mfib hardware resource-counters](#)
[show mfib hardware route accept-bitmap](#)
[show mfib hardware route internal](#)
[show mfib hardware route mofrr](#)

show mfib hardware route olist
show mfib hardware route statistics
show mfib hardware route summary
show mfib hardware table
show mfib interface
show mfib nsf
show mfib route
show mfib table-info
show mgmt-plane
show mhost default-interface
show mhost groups
show mirror
show mlacp
show mlacp counters
show mlacp inconsistencies
show monitor-session counters
show monitor-session status
show mpa client
show mpa groups
show mpa ipv4
show mpa ipv6
show mpls forwarding
show mpls forwarding exact-route
show mpls interfaces
show mpls label range
show mpls label table
show mpls ld
show mpls ldp backoff
show mpls ldp bindings
show mpls ldp discovery
show mpls ldp forwarding
show mpls ldp igp sync
show mpls ldp interface
show mpls ldp neighbor
show mpls ldp parameters
show mpls ldp statistics msg-counters
show mpls ldp summary
show mpls lsd applications
show mpls lsd clients
show mpls lsd forwarding
show mpls oam
show mpls oam database
show mpls traff
show mpls traffic-eng affinity-map
show mpls traffic-eng auto-tunnel backup
show mpls traffic-eng auto-tunnel mesh
show mpls traffic-eng autoroute
show mpls traffic-eng counters signaling
show mpls traffic-eng ds-te te-class
show mpls traffic-eng fast-reroute database
show mpls traffic-eng fast-reroute log
show mpls traffic-eng forwarding
show mpls traffic-eng forwarding-adjacency
show mpls traffic-eng igp-areas
show mpls traffic-eng link-management admission-control
show mpls traffic-eng link-management advertisements
show mpls traffic-eng link-management bandwidth-allocation
show mpls traffic-eng link-management bfd-neighbor
show mpls traffic-eng link-management igp-neighbors
show mpls traffic-eng link-management interfaces
show mpls traffic-eng link-management soft-preemption
show mpls traffic-eng link-management statistics
show mpls traffic-eng link-management summary
show mpls traffic-eng maximum tunnels
show mpls traffic-eng pce peer
show mpls traffic-eng pce tunnels
show mpls traffic-eng preemption log
show mpls traffic-eng topology
show mpls traffic-eng tunnels
show mpls traffic-eng tunnels auto-bw brief
show mrrib client
show mrrib mpls forwarding
show mrrib mpls route
show mrrib mpls traffic-eng fast-reroute
show mrrib nsf
show mrrib platform trace
show mrrib route

show mrib route outgoing-interface
show mrib route-collapse
show mrib table-info
show mrib tlc
show mrib vrf vrf_name route
show msdp globals
show msdp peer
show msdp rpf
show msdp sa-cache
show msdp statistics peer
show msdp summary
show nsr ncd client
show nsr ncd queue
show ntp associations
show ntp status
show nv satellite protocol control
show nv satellite protocol discovery
show operational
show ospf
show ospf border-routers
show ospf database
show ospf flood-list
show ospf interface
show ospf message-queue
show ospf mpls traffic-eng
show ospf neighbor
show ospf request-list
show ospf retransmission-list
show ospf routes
show ospf sham-links
show ospf summary-prefix
show ospf virtual-links
show ospfv3
show ospfv3 border-routers
show ospfv3 database
show ospfv3 flood-list
show ospfv3 interface
show ospfv3 message-queue
show ospfv3 neighbor
show ospfv3 request-list
show ospfv3 retransmission-list
show ospfv3 routes
show ospfv3 statistics rib-thread
show ospfv3 summary-prefix
show ospfv3 virtual-links
show packet-memory
show performance traffic alerts
show performance traffic clone profile
show pim context
show pim context table
show pim group-map
show pim interface
show pim join-prune statistic
show pim mstatic
show pim neighbor
show pim nsf
show pim range-list
show pim rpf
show pim rpf hash
show pim rpf route-policy statistics
show pim rpf route-policy test
show pim rpf summary
show pim summary
show pim topology
show pim topology detail
show pim topology entry-flag
show pim topology interface-flag
show pim topology summary
show pim traffic
show pim tunnel info
show pim vrf
show pim vrf vrf_name mdt cache
show pim vrf vrf_name rpf
show platform
show plugin slot counts
show policy-map
show policy-map interface
show policy-map shared-policy-instance

show policy-map targets
show policy-map type performance-traffic
show pool ipv4 name
show pool vrf
show ppp interfaces
show ppp interfaces (BNG)
show ppp sso alerts
show ppp sso state
show ppp sso summary
show ppp statistics
show ppp summary
show pppoe interfaces
show pppoe limits
show pppoe statistics
show pppoe summary
show pppoe throttles
show prefix-list
show prefix-list afi-all
show prefix-list ipv4
show prefix-list ipv4 standby
show prefix-list ipv6
show processes
show protocols (BGP)
show protocols (EIGRP)
show protocols (IS-IS)
show protocols (OSPF)
show protocols (OSPFv3)
show protocols (RIP)
show ptp advertised-clock
show ptp foreign-masters
show ptp interfaces
show ptp local-clock
show ptp packet-counters
show ptp unicast-p
show qos (BNG)
show qos inconsistency
show qos interface
show qos shared-policy-instance
show qos summary
show radius
show radius accounting
show radius authentication
show radius client
show radius dead-criteria
show radius server-groups
show radius server-groups detail
show raw brief
show raw detail pcb
show raw extended-filters
show raw statistics pcb
show rcc
show rcc statistics
show rcc vrf
show reboot
show reboot first
show reboot graceful
show reboot history
show reboot las
show reboot pcds
show redundancy
show rib
show rib afi-all
show rib attributes
show rib client-id
show rib clients
show rib extcomms
show rib firsthop
show rib history
show rib next-hop
show rib opaques
show rib protocols
show rib recursion-depth-max
show rib statistics
show rib tables
show rib trace
show rib vpn-attributes
show rib vrf
show rip

show rip database
show rip interface
show rip statistics
show route
show route backup
show route best-local
show route connected
show route local
show route longer-prefixes
show route next-hop
show route quarantined
show route resolving-next-hop
show route static
show route summary
show rpl
show rpl active
show rpl active as-path-set
show rpl active community-set
show rpl active extcommunity-set
show rpl active prefix-set
show rpl active route-policy
show rpl as-path-set
show rpl as-path-set attachpoints
show rpl as-path-set references
show rpl community-set
show rpl community-set attachpoints
show rpl community-set references
show rpl extcommunity-set
show rpl inactive as-path-set
show rpl inactive community-set
show rpl inactive extcommunity-set
show rpl inactive prefix-set
show rpl inactive rd-set
show rpl inactive route-policy
show rpl maximum
show rpl policy-global references
show rpl prefix-set
show rpl prefix-set attachpoints
show rpl prefix-set references
show rpl rd-set
show rpl rd-set attachpoints
show rpl rd-set references
show rpl route-policy
show rpl route-policy attachpoints
show rpl route-policy inline
show rpl route-policy references
show rpl route-policy uses
show rpl unused as-path-set
show rpl unused community-set
show rpl unused extcommunity-set
show rpl unused prefix-set
show rpl unused rd-set
show rpl unused route-policy
show rsvp authentication
show rsvp counters
show rsvp counters oor
show rsvp counters prefix-filtering
show rsvp fast-reroute
show rsvp graceful-restart
show rsvp hello instance
show rsvp hello instance interface-based
show rsvp interface
show rsvp neighbor
show rsvp request
show rsvp reservation
show rsvp sender
show rsvp session
show running-config
show sam certificate
show sam crl
show sam log
show sam package
show sam sysinfo
show sap
show sdr
show services redundancy
show sessions
show snmp

show snmp context
show snmp context-mapping
show snmp engineid
show snmp entity
show snmp group
show snmp host
show snmp interface
show snmp interface notification
show snmp interface regular-expression
show snmp mib
show snmp mib bulkstat transfer
show snmp request duplicates
show snmp users
show snmp view
show sonet-local trace frf
show spanning-tree mst
show spanning-tree mst bpdu interface
show spanning-tree mst configuration
show spanning-tree mst errors
show spanning-tree mst interface
show spanning-tree mst topology-change flushes
show spanning-tree mstag
show spanning-tree mstag bpdu interface
show spanning-tree mstag topology-change flushes
show spanning-tree pvrstag
show spanning-tree pvstag
show spanning-tree repag
show spanning-tree repag bpdu interface
show spanning-tree repag topology-change flushes
show srlg
show ssh
show ssh session details
show ssl
show subscriber database
show subscriber manager
show subscriber running-config
show subscriber session
show subscriber session filter
show svd role
show svd state
show sysdb connections
show sysdb tra
show sysdb trace verification location
show system verify
show tacacs
show tacacs server-groups
show tbm hardware
show tcp brief
show tcp detail
show tcp exte
show tcp nsr brief
show tcp nsr client brief
show tcp nsr detail client
show tcp nsr detail pcb
show tcp nsr detail session-set
show tcp nsr session-set brief
show tcp nsr statistics client
show tcp nsr statistics pcb
show tcp nsr statistics session-set
show tcp nsr statistics summary
show tcp statistics
show tech-support
show tech-support aps
show tech-support bcdl
show tech-support bundles
show tech-support cef
show tech-support cfgmgr
show tech-support chdlc
show tech-support control-ethernet
show tech-support ethernet
show tech-support fabric
show tech-support gsp
show tech-support igmp snooping
show tech-support install
show tech-support iphc
show tech-support l2vpn
show tech-support lrd
show tech-support mpls ldp

[show tech-support mpls rsvp](#)
[show tech-support mpls traffic-eng](#)
[show tech-support multicast](#)
[show tech-support netflow](#)
[show tech-support nrs](#)
[show tech-support password](#)
[show tech-support performance-traffic](#)
[show tech-support pfi](#)
[show tech-support platform](#)
[show tech-support ppp](#)
[show tech-support qos](#)
[show tech-support rdsfs](#)
[show tech-support rib](#)
[show tech-support routing bfd](#)
[show tech-support routing isis](#)
[show tech-support routing ospf](#)
[show tech-support routing ospfv3](#)
[show tech-support routing rpl](#)
[show tech-support sanitized](#)
[show tech-support serial](#)
[show tech-support services](#)
[show tech-support snmp](#)
[show tech-support spaipc](#)
[show tech-support sysdb](#)
[show terminal](#)
[show udp brief](#)
[show udp detail pcb](#)
[show udp extended-filters](#)
[show udp statistics](#)
[show uidb data](#)
[show uidb index](#)
[show uidb trace](#)
[show user](#)
[show users](#)
[show variables boot](#)
[show variables system](#)
[show version](#)
[show vpdn](#)
[show vrf](#)
[show vrrp](#)
[show watchdog](#)
[show xml schema](#)
[show xml sessions](#)
[shutdown \(BGP\)](#)
[shutdown \(Bridge Domain\)](#)
[shutdown \(GRE\)](#)
[shutdown \(IS-IS\)](#)
[shutdown \(MSDP\)](#)
[shutdown \(SONET\)](#)
[shutdown \(T1/E1\)](#)
[shutdown \(T3/E3\)](#)
[shutdown \(VFI\)](#)
[shutdown \(VRF\)](#)
[shutdown \(global\)](#)
[shutdown \(rpki-server\)](#)
[signaling-protocol](#)
[signalled-bandwidth](#)
[signalled-name](#)
[signalling](#)
[signalling advertise](#)
[signalling disable](#)
[signalling dscp \(LDP\)](#)
[signalling dscp \(RSVP\)](#)
[signalling graceful-restart](#)
[signalling hello graceful-restart interface-based](#)
[signalling hello graceful-restart refresh interval](#)
[signalling hello graceful-restart refresh misses](#)
[signalling prefix-filtering access-list](#)
[signalling prefix-filtering default-deny-action](#)
[signalling rate-limit](#)
[signalling refresh interval](#)
[signalling refresh missed](#)
[signalling refresh reduction bundle-max-size](#)
[signalling refresh reduction disable](#)
[signalling refresh reduction reliable](#)
[signalling refresh reduction summary](#)
[single-connection](#)
[single-topology](#)

site-id
site-of-origin (BGP)
site-of-origin (EIGRP)
site-of-origin (RIP)
sla operation
slave follow
slave primary virtual IPv4 address
slave secondary virtual IPv4 address
slave virtual mac address
snmp context (OSPF)
snmp context (OSPFv3)
snmp test trap all
snmp test trap entity
snmp test trap infra
snmp test trap interface
snmp test trap snmp
snmp trap (OSPF)
snmp trap (OSPFv3)
snmp trap rate-limit (OSPF)
snmp trap rate-limit (OSPFv3)
snmp traps mpls traffic-eng
snmp-server chassis-id
snmp-server community
snmp-server community-map
snmp-server contact
snmp-server context
snmp-server context mapping
snmp-server engineid local
snmp-server engineid remote
snmp-server entityindex persist
snmp-server group
snmp-server host
snmp-server ifindex persist
snmp-server ifmib ifalias long
snmp-server ifmib ipsubscriber
snmp-server ifmib stats cache
snmp-server inform
snmp-server interface
snmp-server interface subset
snmp-server ipv4 dscp
snmp-server ipv4 precedence
snmp-server location
snmp-server mib bulkstat max-procmem-size
snmp-server mib bulkstat object-list
snmp-server mib bulkstat schema
snmp-server mib bulkstat transfer-id
snmp-server mibs cbqosmib cache
snmp-server mibs cbqosmib persist
snmp-server mibs eventmib congestion-control
snmp-server mibs eventmib packet-loss
snmp-server notification-log-mib
snmp-server packet-size
snmp-server queue-length
snmp-server target list
snmp-server throttle-time
snmp-server timeouts subagent
snmp-server trap authentication vrf disable
snmp-server trap link ietf
snmp-server trap throttle-time
snmp-server trap-source
snmp-server trap-timeout
snmp-server traps
snmp-server traps bgp
snmp-server traps ethernet cfm
snmp-server traps ethernet oam events
snmp-server traps frame-relay pvc
snmp-server traps isis
snmp-server traps mpls l3vpn
snmp-server traps mpls ldp
snmp-server traps ospf errors
snmp-server traps ospf lsa
snmp-server traps ospf retransmit
snmp-server traps ospf state-change
snmp-server traps ospfv3 errors
snmp-server traps ospfv3 state-change
snmp-server traps pim interface-state-change
snmp-server traps pim invalid-message-received
snmp-server traps pim neighbor-change

snmp-server traps pim rp-mapping-change
snmp-server traps rsvp
snmp-server traps selective-vrf-download role-change
snmp-server traps snmp
snmp-server traps syslog
snmp-server traps vrrp events
snmp-server user
snmp-server view
snmp-server vrf
socket receive-buffer-size
socket send-buffer-size
soft-preemption
soft-reconfiguration inbound
source (NTP)
source (NetFlow)
source in
source ipv4 address
spanning-tree mst
spanning-tree mstag
spanning-tree pvrstag
spanning-tree pvstag
spanning-tree repag
speaker-id
speed (DS0)
speed (Fast Ethernet)
speed (Management Ethernet)
spf prefix-priority (IS-IS)
spf prefix-priority (OSPFv2)
spf prefix-priority (OSPFv3)
spf-interval
split-horizon disable (EIGRP)
split-horizon disable (RIP)
split-horizon group
spt-threshold infinity
srlg
ssh
ssh client knownhost
ssh client source-interface
ssh client vrf
ssh server
ssh server logging
ssh server rate-limit
ssh server session-limit
ssh server v2
ssh timeout
ssm
ssm disable
ssm map static
ssrp group
ssrp location
ssrp profile
startup query count
startup query iccp-group
startup query interval
startup query max-response-time
startup query port-up disable
startup query process start
startup query topology-change
static group
static-address (VPLS)
static-forward inside
static-group
static-mac-address
static-mac-address (
static-rpf
statistics measure
status-counter
stopbits
storage-location
storm-control
streaming
street-address
sts
stub (EIGRP)
stub (OSPF)
stub (OSPFv3)
stub-router
subject-name (trustpoint)

[subscribe-to-alert-group environment](#)
[subscribe-to-alert-group inventory](#)
[subscribe-to-alert-group syslog](#)
[summary-address \(EIGRP\)](#)
[summary-prefix \(IS-IS\)](#)
[summary-prefix \(OSPF\)](#)
[summary-prefix \(OSPFv3\)](#)
[suppress-route](#)
[suppressed](#)
[symbol-period threshold](#)
[symbol-period window](#)
[sync](#)
[system boot-sequence](#)
[system-ip-address](#)

T

[table-policy](#)
[tacacs source-interface](#)
[tacacs-server host](#)
[tacacs-server key](#)
[tacacs-server timeout](#)
[tag](#)
[tag \(IS-IS\)](#)
[tags](#)
[task](#)
[taskgroup](#)
[tcn flood disable](#)
[tcn flood query count](#)
[tcn query solicit](#)
[tcn-propagation](#)
[tcp compression](#)
[tcp context absolute](#)
[tcp mss](#)
[tcp mss \(CGN\)](#)
[tcp path-mtu-discovery](#)
[tcp selective-ack](#)
[tcp synwait-time](#)
[tcp timestamp](#)
[tcp window-size](#)
[telnet](#)
[telnet client source-interface](#)
[telnet dscp](#)
[telnet server](#)
[telnet transparent](#)
[template](#)
[template](#)
[template \(NetFlow\)](#)
[terminal exec](#)
[terminal length](#)
[terminal width](#)
[tftp client source-interface](#)
[tftp server](#)
[threshold \(SONET path\)](#)
[threshold \(SONET\)](#)
[threshold percentage](#)
[threshold weight](#)
[throttle](#)
[time \(VPLS\)](#)
[time-of-day](#)
[time-source](#)
[timeout \(DS-LITE Netflow9 Logging\)](#)
[timeout \(DS-LITE\)](#)
[timeout \(NAT44 Netflow Version 9 Logging\)](#)
[timeout \(NAT44\)](#)
[timeout \(RADIUS\)](#)
[timeout \(TACACS+\)](#)
[timeout \(soft-preemption\)](#)
[timeout login response](#)
[timers \(APS\)](#)
[timers \(BGP\)](#)
[timers \(DAGR\)](#)
[timers \(hsrp\)](#)
[timers active-time](#)
[timers basic](#)
[timers bgp](#)
[timers loose-path \(MPLS-TE\)](#)
[timers lsa arrival](#)

timers lsa group-pacing
 timers lsa min-arrival
 timers nsf route-hold (EIGRP)
 timers pacing flood
 timers pacing lsa-group
 timers pacing retransmission
 timers removal unused (auto-tunnel backup)
 timers throttle lsa all (OSPF)
 timers throttle lsa all (OSPFv3)
 timers throttle spf (OSPF)
 timers throttle spf (OSPFv3)
 timescale
 timeslots
 timestamp disable
 topology holddown sigerr (MPLS-TE)
 topology-id
 tos (CGN)
 trace (IS-IS)
 trace (OSPFv3)
 traceroute
 traceroute (CGN)
 traceroute cache
 traceroute ethernet cfm
 traceroute mpls ipv4
 traceroute mpls multipath
 traceroute mpls traffic-eng
 traceroute mpls traffic-eng tunnel-te (P2P)
 traceroute pseu
 track (hsrp)
 track (static)
 track(object)
 traffic-class (CGN)
 transfer-inter
 transmit hold-count
 transmit-delay
 transmit-delay (OSPF)
 transmit-delay (OSPFv3)
 transmit-delay (serial)
 transport (PTP)

transport (rpki-server)
 transport input
 transport mode (L2VPN)
 transport output
 transport preferred
 transport udp
 transport-mode
 trust relay-reply
 trusted
 trusted-key
 ttl-check disable
 ttl-security
 ttl-threshold (MSDP)
 ttl-threshold (multicast)
 tug3
 tunnel
 tunnel destination
 tunnel dfbit disable
 tunnel mode
 tunnel source
 tunnel tos
 tunnel ttl
 tunnel-id (auto-tunnel backup)
 type (VPLS)
 type list threshold percentage
 type list threshold weight

U

ubit-reserved (CGN)
 uneq-shut (SONET path)
 uni-directional link-fault detection
 unicast-grant invalid-request
 unicast-qos-adjust
 unidirectional
 unknown-unicast-bmac
 unmount
 unsolicited-report-interval
 unsuppress-route

[update limit](#)
[update-calendar](#)
[update-source](#)
[upgrade hw-module fpd](#)
[url](#)
[use](#)
[usergroup](#)
[username](#)
[username \(rpki-server\)](#)
[users group](#)
[utility bc](#)
[utility cut](#)
[utility date](#)
[utility date set](#)
[utility df](#)
[utility du](#)
[utility egrep](#)
[utility fgrep](#)
[utility find](#)
[utility head](#)
[utility less](#)
[utility mv](#)
[utility sort](#)
[utility tail](#)
[utility uniq](#)
[utility wc](#)
[utility which](#)
[utility xargs](#)

V

[validate-update-source disable](#)
[variance](#)
[version](#)
[version v9](#)
[vfi \(VPLS\)](#)
[violate-action](#)
[virtual-link \(OSPF\)](#)
[virtual-link \(OSPFv3\)](#)

[vlan](#)
[vlan-id \(MSTP\)](#)
[vlan-ids \(MSTAG/REPAG\)](#)
[vpdn](#)
[vpn](#)
[vpn-distinguisher is](#)
[vrf](#)
[vrf \(BGP\)](#)
[vrf \(EIGRP\)](#)
[vrf \(MPP\)](#)
[vrf \(OSPF\)](#)
[vrf \(OSPFv3\)](#)
[vrf \(RADIUS\)](#)
[vrf \(RIP\)](#)
[vrf \(TACACS+\)](#)
[vrf \(XML\)](#)
[vrf \(cgn\)](#)
[vrf \(description\)](#)
[vrf \(dynamic-template-BNG\)](#)
[vrf \(igmp\)](#)
[vrf \(mhost\)](#)
[vrf \(multicast\)](#)
[vrf \(relay profile\)](#)
[vrf \(static\)](#)
[vrf mode](#)
[vrf\(address-family\)](#)
[vrrp](#)
[vrrp assume-ownership disable](#)
[vrrp bfd fast-detect](#)
[vrrp bfd minimum-interval](#)
[vrrp bfd multiplier](#)
[vrrp delay](#)
[vrrp ipv4](#)
[vrrp preempt](#)
[vrrp priority](#)
[vrrp text-authentication](#)
[vrrp timer](#)
[vrrp track interface](#)
[vty-pool](#)

W

[wait-to-restore](#)
[watchdog threshold memory](#)
[weight](#)
[width](#)
[width \(display\)](#)
[window-size \(RSVP\)](#)
[withdraw \(VPLS\)](#)
[working LSP](#)

X

[xconnect group](#)
[xml agent](#)
[xml agent ssl](#)
[xml agent tty](#)

Y

[yellow](#)

