



Cisco IOS XR Commands Master List, Release 4.2.x

This page contains an alphabetical list of all the commands documented for the Cisco CRS Router running Cisco IOS XR Release 4.2.x software. Use the **Alphabet Key** or your web browser's Find function to search for a command. To access the documentation for a particular command, click on the command name.

A

[aaa accounting](#)

[aaa accounting system default](#)

[aaa accounting update](#)

[aaa authentication](#)

[aaa authorization](#)

[aaa default-taskgroup](#)

[aaa group server radius](#)

[aaa group server tacacs+](#)

[abort](#)

[abort \(RPL\)](#)

[absolute-timeout](#)

[accept-lifetime](#)

[accept-mode](#)

[accept-register](#)

[accept-tolerance](#)

[access-class](#)

[access-group \(IGMP\)](#)

[access-group \(NTP\)](#)

[access-list](#)

[accounting \(IKE\)](#)

[accounting \(line\)](#)

[accounting per-prefix](#)

[accounting per-prefix forward-only](#)

[acl](#)

[action \(IP SLA\)](#)

[action \(VPLS\)](#)

[action capabilities-conflict](#)

[action critical-event](#)

[action discovery-timeout](#)

[action dying-gasp](#)

[action high-threshold](#)

[action remote-loopback](#)

[action session-down](#)

[action session-up](#)

[action uni-directional link-fault](#)

[action wiring-conflict](#)

[active](#)

[add](#)

[add \(bulkstat object\)](#)

[additional-paths install backup](#)

[additional-paths receive](#)

[additional-paths selection](#)

[additional-paths send](#)

[address](#)

[address \(CGN static-forward\)](#)

[address \(CGN NetflowV9 logging\)](#)

[address \(DS-LITE Netflow9 Logging\)](#)

[address \(VRRP\)](#)

[address \(hsrp\)](#)

[address global](#)

[address ipv4 \(MPP\)](#)

[address linklocal](#)

[address secondary](#)

[address secondary \(hsrp\)](#)

[address-family](#)

address-family (BGP)
address-family (EIGRP)
address-family (IS-IS)
address-family (LISP)
address-family (OSPF)
address-family (OSPFv3)
address-family (multicast)
address-family (static)
address-family IPv6 (DS-LITE)
address-family ipv4 (
address-family ipv4 mvpn (bgp)
address-family ipv4 unicast (BFD)
address-family ipv6 (CGN)
address-family multicast topology (IS-IS)
address-family next-hop dampening disable
adjacency stagger
adjacency-check disable
adjustment-threshold (MPLS-TE)
admin
admin-state
admin-weight
advertise best-external
advertise passive-only
advertisement-interval
af-group
affinity
affinity location-set
affinity location-type
affinity program
affinity self
affinity-map
aftr-tunnel-endpoint-address (DS-LITE)
ageout
aggregate
aggregate-address
aging (VPLS)
aigp
aigp send-cost-community
ais transmission
ais transmission up
ais-shut (SONET path)
ais-shut (SONET)
alarm
alert-group disable
alg (DS-LITE)
alg ActiveFTP
alg rtsp
alias
all-alarms
all-of-router
allocate-label
allow
allow-hint
allowas-in
application (MPLS-TE)
apply
apply-template
aps group
aps group (global)
archive-length
archive-size
area (OSPF)
area (OSPFv3)
arp
arp purge-delay
as-format
as-override
as-path in
as-path is-local
as-path length
as-path neighbor-is
as-path originates-from
as-path passes-through
as-path unique-length
as-path-set
asic-scan egressq (block number)
asic-scan egressq disable
asic-scan egressq enable

asic-scan egressq help-block
 asic-scan egressq location
 asic-scan egressq quick-scan
 asic-scan pse egress (block number)
 asic-scan pse egress disable
 asic-scan pse egress enable
 asic-scan pse egress help-block
 asic-scan pse egress location
 asic-scan pse egress quick-scan
 asic-scan pse ingress (block number)
 asic-scan pse ingress disable
 asic-scan pse ingress enable
 asic-scan pse ingress help-block
 asic-scan pse ingress location
 asic-scan pse ingress quick-scan
 atm address-registration
 atm ilmi-config disable
 atm ilmi-keepalive
 atm ilmi-trap disable
 atm maxvpi-bits 12
 atm mcpt-timers
 atm oam flush
 attached-bit receive ignore
 attached-bit send
 attribute-filter group
 attribute-flags
 attribute-names
 attribute-set
 authenticate (NTP)
 authenticate (PGP)
 authentication (IKE policy)
 authentication (L2TP)
 authentication (OSPF)
 authentication (OSPFv3)
 authentication (RSVP)
 authentication (hsrp)
 authentication keychain
 authentication keychain mode (RIP)
 authentication-key (NTP)

authentication-key (OSPF)
 authorization
 auto-bw (MPLS-TE)
 auto-bw collect frequency (MPLS-TE)
 auto-cost (OSPF)
 auto-cost (OSPFv3)
 auto-rp candidate-rp
 auto-rp listen disable
 auto-rp mapping-agent
 auto-summary (EIGRP)
 auto-summary (RIP)
 auto-tunnel backup (MPLS-TE)
 autocommand
 autonomous-system
 autoroute announce
 autoroute metric

B

b3-ber-prdi
 backoff
 backup disable (L2VPN)
 backup-bw
 backup-path tunnel-te
 bandwidth (QoS)
 bandwidth (RSVP)
 bandwidth (global)
 bandwidth mam (RSVP)
 bandwidth rdm (RSVP)
 bandwidth remaining
 bandwidth-percent (EIGRP)
 banner exec
 banner incoming
 banner login
 banner motd
 banner prompt-timeout
 bert e3
 bert error
 bert interval

bert pattern
bert t3
bfd
bfd (BGP)
bfd address-family ipv4 destination
bfd address-family ipv4 fast-detect
bfd address-family ipv4 minimum-interval
bfd address-family ipv4 multiplier
bfd address-family ipv4 timers
bfd fast-detect
bfd fast-detect (hsrp)
bfd minimum-interval
bfd minimum-interval (VRRP)
bfd multipath include location
bfd multiplier
bfd multiplier (VRRP)
bgp as-path-loopcheck
bgp attribute-download
bgp auto-discovery mldp inter-as
bgp auto-policy-soft-reset disable
bgp bestpath as-path ignore
bgp bestpath compare-routerid
bgp bestpath cost-community ignore
bgp bestpath med always
bgp bestpath med confed
bgp bestpath med missing-as-worst
bgp client-to-client reflection disable
bgp cluster-id
bgp confederation identifier
bgp confederation peers
bgp dampening
bgp default local-preference
bgp enforce-first-as disable
bgp fast-external-fallover disable
bgp graceful-restart graceful-reset
bgp graceful-restart
bgp graceful-restart purge-time
bgp graceful-restart restart-time
bgp graceful-restart stalepath-time
bgp import-delay
bgp label-delay
bgp log neighbor changes disable
bgp maximum neighbor
bgp redistribute-internal
bgp router-id
bgp scan-time
bgp update-delay
bgp write-limit
boundary
br (6rd)
bridge group (VPLS)
bridge-domain (VPLS)
broadcast
broadcast client
broadcast-flag policy check
broadcast-for-v2
broadcastdelay
bsr candidate-bsr
bsr candidate-rp
bsr-border
buckets (history)
buckets (statistics hourly)
buckets (statistics interval)
buckets archive
buckets size
buffer-size
bulk-port-alloc (DS-LITE)
bundle coexistence bob-blb
bundle id
bundle maximum-active links
bundle minimum-active bandwidth
bundle minimum-active links
bundle port-priority
bundle-hash
bw-limit (MPLS-TE)

C

cablelength
 cache entries
 cache permanent
 cache timeout
 cache-sa holdtime
 cache-sa-state
 call-home
 call-home request
 call-home send
 call-home send alert-group inventory
 call-home test
 capability additional-paths receive
 capability additional-paths send
 capability opaque disable
 capability orf prefix
 capability suppress 4-byte-as
 capability vrf-lite (OSPFv3)
 carrier-delay
 cd
 cdp
 cdp advertise v1
 cdp holdtime
 cdp log adjacency changes
 cdp timer
 cef load-balancing fields
 cell-packing
 cfs check
 channel local
 channel remote
 cinetd rate-limit
 circuit-type
 class (policy-map)
 class-int
 class-map
 class-vc
 clear access-list ipv4
 clear access-list ipv6
 clear adjacency statistics
 clear arp-cache
 clear bfd counters
 clear bgp
 clear bgp current-mode
 clear bgp dampening
 clear bgp external
 clear bgp flap-statistics
 clear bgp nexthop performance-statistics
 clear bgp nexthop registration
 clear bgp peer-drops
 clear bgp performance-statistics
 clear bgp self-originated
 clear bgp shutdown
 clear bgp soft
 clear cdp counters
 clear cdp table
 clear cef ipv4 drops
 clear cef ipv4 exceptions
 clear cef ipv4 interface bgp-policy-statistics
 clear cef ipv4 interface rpf-
 clear cef ipv6 drops
 clear cef ipv6 exceptions
 clear cef ipv6 interface bgp-policy-statistics
 clear cef ipv6 interface rpf-statistics
 clear cgn ds-lite
 clear cgn ds-lite ipaddress
 clear cgn ds-lite port
 clear cgn ds-lite protocol
 clear cgn ds-lite statistics (DS-LITE)
 clear cgn nat44
 clear cgn nat44 inside-vrf
 clear cgn nat44 ipaddress
 clear cgn nat44 port
 clear cgn nat44 protocol
 clear comment
 clear configuration commits
 clear configuration inconsistency
 clear configuration inconsistency replica

clear configuration sessions
clear context
clear controller backplane ethernet clients
clear controller backplane ethernet statistics
clear controller egressq queue
clear controller egressq queue all
clear controller egressq statistics
clear controller fabric statistics
clear controller fabricq statistics
clear controller ingressq statistics
clear controller pse statistics
clear controller switch
clear controller switch errdisable
clear controller switch inter-rack
clear controller t3
clear controller wanphy
clear counters
clear counters sonet
clear counters wanphy
clear crypto ca certificates
clear crypto ca crt
clear crypto ipsec sa
clear crypto ipsec sa interface
clear crypto isakmp
clear crypto isakmp call admission statistics
clear crypto isakmp errors
clear crypto session
clear dhcp ipv6 binding
clear eigrp neighbors
clear eigrp topology
clear ethernet cfm ccm-learning-database location
clear ethernet cfm interface statistics
clear ethernet cfm loc
clear ethernet cfm peer meps
clear ethernet cfm traceroute-cache
clear ethernet oam statistics
clear ethernet sla statistics all
clear ethernet sla statistics on-demand
clear ethernet sla statistics profile
clear flow exporter
clear flow monitor
clear flow platform producer statistics location
clear host
clear hsrp st
clear igmp counters
clear igmp group
clear igmp reset
clear install boot-options
clear install label
clear install log-history oldest
clear install rollback oldest
clear interface
clear ipv6 duplicate address
clear ipv6 neighbors
clear isis process
clear isis route
clear isis statistics
clear l2tp counters control session
clear l2tp counters control tunnel
clear l2tp tunnel
clear l2vpn bridge-domain (VPLS)
clear l2vpn collaborators
clear l2vpn counters bridge mac-withdrawal
clear l2vpn counters l2tp
clear l2vpn forwarding counters
clear l2vpn forwarding mac-address-table
clear l2vpn forwarding message counters
clear l2vpn forwarding table
clear lacp counters
clear license
clear license log
clear line
clear line vty
clear lldp
clear logging
clear logging correlator delete
clear logging events delete
clear logging events reset

clear logging onboard
clear lpts ifib statistics
clear lpts pifib hardware statistics
clear lpts pifib statistics
clear mac-accounting (Ethernet)
clear mfib counter
clear mfib database
clear mfib hardware adjacency-counters
clear mfib hardware resource-counters
clear mfib hardware route statistics
clear mld counters
clear mld group
clear mld reset
clear mpls forwarding counters
clear mpls ldp forwarding
clear mpls ldp msg-counters neighbor
clear mpls ldp neighbor
clear mpls lmp
clear mpls oam counters
clear mpls traffic-eng auto-bw (MPLS-TE EXEC)
clear mpls traffic-eng auto-tunnel backup unused
clear mpls traffic-eng auto-tunnel mesh
clear mpls traffic-eng counters auto-tunnel backup
clear mpls traffic-eng counters auto-tunnel mesh
clear mpls traffic-eng counters global
clear mpls traffic-eng counters signaling
clear mpls traffic-eng counters soft-preemption
clear mpls traffic-eng fast-reroute log
clear mpls traffic-eng link-management statistics
clear mpls traffic-eng pce
clear msdp peer
clear msdp sa-cache
clear msdp stats
clear nsr ncd client
clear nsr ncd queue
clear ospf process
clear ospf redistribution
clear ospf routes
clear ospf statistics
clear ospf statistics interface
clear ospfv3 process
clear ospfv3 redistribution
clear ospfv3 routes
clear ospfv3 statistics
clear performance traffic statistics
clear pim autorp
clear pim bsr
clear pim counters
clear pim topology
clear ppp sso state
clear ppp statistics
clear prefix-list ipv4
clear prefix-list ipv6
clear qos counters interface
clear raw statistics pcb
clear rip
clear rip database
clear rip interface
clear rip out-of-memory
clear rip statistics
clear route
clear rsvp authentication
clear rsvp counters all
clear rsvp counters authentication
clear rsvp counters chkpt
clear rsvp counters events
clear rsvp counters messages
clear rsvp counters oor
clear rsvp counters prefix-filtering
clear snmp counters
clear srp counters
clear ssh
clear tcp nsr client
clear tcp nsr pcb
clear tcp nsr session-set
clear tcp nsr statistics client
clear tcp nsr statistics pcb
clear tcp nsr statistics session-set

clear tcp nsr statistics summary
clear tcp pcb
clear tcp statistics
clear udp statistics
clear vrrp statistics
cli interactive syntax check
cli whitespace completion
clock read-calendar
clock set
clock source (SONET)
clock source (T3/E3)
clock summer-time
clock timezone
clock update-calendar
cluster-id
collect-bw-only (MPLS-TE)
collect-diagnostics (RCMD)
commit
community is-empty
community matches-any
community matches-every
community-set
config-register
configuration commit auto-save
configure
conform-action
connect-source
connection timeout
contact-email-addr
context-correlation
continuity-check archive hold-time
continuity-check interval
continuity-check loss auto-traceroute
contract-id
control disable
control-plane
controller (SONET)
controller dwdm
controller e3
controller t3
controller wanphy
controllers fabric bundle port
controllers fabric plane oim
controllers fabric plane shutdown
controllers fabric rack
controllers fabric statistics collection
copy
copy access-list ipv4
copy access-list ipv6
copy prefix-list ipv4
copy prefix-list ipv6
cos (CFM)
cost (OSPF)
cost (OSPFv3)
cost-fallback (OSPF)
crc (POS)
crl optional (trustpoint)
crypto
crypto ca authenticate
crypto ca cancel-enroll
crypto ca import
crypto ca trustpoint
crypto ipsec profile
crypto ipsec security-association lifetime
crypto ipsec transform-set
crypto ipsec transport
crypto isakmp
crypto isakmp call admission limit
crypto isakmp client configuration group
crypto isakmp identity
crypto isakmp keepalive
crypto isakmp peer
crypto isakmp policy
crypto isakmp policy-set
crypto isakmp profile
crypto key generate dsa
crypto key generate rsa
crypto key import authentication rsa

crypto key zeroize dsa
 crypto key zeroize rsa
 crypto keyring
 crypto logging
 crypto mib ipsec flowmib history failure size
 csnp-interval
 customer-id

D

dampening
 dampening (BFD)
 database
 database-filter all out (OSPF)
 database-filter all out (OSPFv3)
 databits
 datasize request
 dead-interval (OSPF)
 dead-interval (OSPFv3)
 deadtime (server-group configuration)
 debug ethernet cfm packets
 debug ethernet cfm protocol-state
 default-cost (OSPF)
 default-cost (OSPFv3)
 default-information
 default-information originate (BGP)
 default-information originate (IS-IS)
 default-information originate (OSPF)
 default-information originate (OSPFv3)
 default-information originate (RIP)
 default-metric (BGP)
 default-metric (EIGRP)
 default-metric (OSPF)
 default-metric (OSPFv3)
 default-metric (RIP)
 default-originate
 default-peer
 default-route
 delay (VRRP)
 delay clear
 delay clear (T3/E3)
 delay trigger
 delay trigger (T3/E3)
 delete
 delete community
 delete extcommunity rt
 demand-circuit (OSPF)
 demand-circuit (OSPFv3)
 deny (IPv4)
 deny (IPv6)
 deny (prefix-list)
 description (AAA)
 description (BGP)
 description (IKE policy)
 description (IPSec profile)
 description (ISAKMP peer)
 description (ISAKMP policy-set)
 description (T3/E3)
 description (interface)
 description (keyring)
 description (peer)
 description (trustpoint)
 destination
 destination (DHCP IPv6)
 destination (MPLS-TE)
 destination address
 destination address (IP SLA)
 destination address ipv4
 destination in
 destination message-size-limit
 destination port
 destination preferred-msg-format
 destination transport-method
 device
 df-override (CGN)
 dhcp ipv4
 dhcp ipv6
 diagnostic load

diagnostic monitor
 diagnostic monitor interval
 diagnostic monitor syslog
 diagnostic monitor threshold
 diagnostic ondemand action-on-failure
 diagnostic ondemand iterations
 diagnostic schedule
 diagnostic start
 diagnostic stop
 diagnostic unload
 digest (L2TP)
 dir
 direction (GMPLS)
 dis
 disable (IS-IS)
 disable (P2MP TE)
 disable (explicit-path)
 disable (multicast)
 disable-dn-bit-check
 disconnect
 disconnect-character
 discovery hello
 discovery targeted-hello
 discovery transport-address
 distance
 distance (EIGRP)
 distance (IS-IS)
 distance (OSPF)
 distance (RIP)
 distance bgp
 distance ospf
 distance ospfv3
 distribute-list
 distribute-list prefix-list in
 distribute-list prefix-list out
 distribution count
 distribution interval
 dmz-link-bandwidth
 dns-server
 do
 domain
 domain ipv4 host
 domain ipv6 host
 domain list
 domain lookup disable
 domain name (global)
 domain name-server
 domain-id (OSPF)
 domain-id (OSPFv3)
 domain-name (DHCP IPv6 pool)
 domain-tag
 done
 dot1q native vlan
 dot1q vlan
 down-when-looped
 down-when-looped (T3/E3)
 downstream-on-demand
 dr-priority
 drop
 ds-lite
 ds-te bc-model
 ds-te mode
 ds-te te-classes
 dsc serial
 dscp
 dscp (BGP)
 dsu bandwidth
 dsu mode
 dsu remote
 duid
 dumpcore
 duplex (Management Ethernet)
 dynamic port range start

E
 ebgp-multihop
 echo disable

echo disable-vendor-extension
echo ipv4 source
echo latency detect
echo revision
echo startup validate
edit
efd
embedded-rp
enable (bulkstat)
enable (multicast)
encapsulation (ATM)
encapsulation (POS)
encapsulation ppp
encryption
encryption (IKE policy)
end
end-class-map
end-global
end-policy
end-policy-map
end-set
end-template
enforce-first-as
enforce-first-as-disable
enrollment retry count
enrollment retry period
enrollment terminal
enrollment url
env disable
env power-supply disable
erase nvram-raw:
erase nvram:
escape-character
ethernet cfm (global)
ethernet cfm (interface)
ethernet oam
ethernet oam loopback
ethernet oam profile
ethernet sla
ethernet sla on-deman
ethernet sla on-demand operation type
cfm-delay-measurement probe
event manager directory user
event manager environment
event manager policy
event manager refresh-time
event manager run
event manager scheduler suspend
event-buffer-size (RCMD)
exceed-action
exception filepath
exception pakmem
exception sparse
exception sprsize
exclude srlg (auto-tunnel backup)
exec-timeout
exit
exp
explicit-null
explicit-path
explicit-tracking
export route-policy
export route-target
exporter
extcommunity rt is-empty
extcommunity rt matches-any
extcommunity rt matches-every
extcommunity soo is-empty
extcommunity soo matches-any
extcommunity soo matches-every
extcommunity-set cost
extcommunity-set rt
extcommunity-set soo
external-logging netflow
external-logging syslog

F

[fast-reroute](#)
[fast-reroute \(OSPFv2\)](#)
[fast-reroute per-link \(IS-IS\)](#)
[fast-reroute per-link exclude interface](#)
[fast-reroute per-link priority-limit \(IS-IS\)](#)
[fast-reroute per-link use-candidate-only \(IS-IS\)](#)
[fast-reroute per-prefix \(IS-IS\)](#)
[fast-reroute per-prefix exclude interface \(OSPFv2\)](#)
[fast-reroute per-prefix lfa-candidate \(OSPFv2\)](#)
[fast-reroute per-prefix load-sharing disable \(IS-IS\)](#)
[fast-reroute per-prefix tiebreaker \(IS-IS\)](#)
[fast-reroute per-prefix use-candidate-only \(IS-IS\)](#)
[fast-reroute per-prefix use-candidate-only \(OSPFv2\)](#)
[fast-reroute protect](#)
[fast-reroute timers promotion](#)
[file-size](#)
[filter](#)
[flood-reduction \(OSPF\)](#)
[flood-reduction \(OSPFv3\)](#)
[flooding disable](#)
[flooding thresholds](#)
[flooding-igp \(GMPLS\)](#)
[flow](#)
[flow \(LPTS\)](#)
[flow exporter-map](#)
[flow monitor-map](#)
[flow-control](#)
[flowcontrol hardware](#)
[follow](#)
[force](#)
[force explicit-null](#)
[format](#)
[format \(bulkstat\)](#)
[forward-protocol udp](#)
[forwarding-adjacency](#)
[forwarding-latency](#)
[fpd auto-upgrade](#)

[frame threshold](#)
[frame window](#)
[frame-period threshold](#)
[frame-period window](#)
[frame-seconds threshold](#)
[frame-seconds window](#)
[framing \(E3\)](#)
[framing \(SONET\)](#)
[framing \(T3\)](#)
[frequency \(IP SLA\)](#)
[frequency \(logging\)](#)
[fsck](#)
[ftp client anonymous-password](#)
[ftp client passive](#)
[ftp client password](#)
[ftp client source-interface](#)
[ftp client username](#)

G

[g709 bdi-to-client-gais](#)
[g709 disable](#)
[g709 fec](#)
[g709 odu overhead tti](#)
[g709 odu report disable](#)
[g709 otu](#)
[g709 otu report disable](#)
[g709 otu threshold](#)
[g709 tim-to-client-gais](#)
[g709 tti-processing](#)
[giaddr policy](#)
[global maximum](#)
[graceful-restart \(MPLS LDP\)](#)
[graceful-restart \(OSPFv3\)](#)
[group](#)
[group \(AAA\)](#)
[group \(IKE policy\)](#)

H

[hash \(IKE policy\)](#)
[hello-interval \(EIGRP\)](#)
[hello-interval \(IS-IS\)](#)
[hello-interval \(L2TP\)](#)
[hello-interval \(OSPF\)](#)
[hello-interval \(OSPFv3\)](#)
[hello-interval \(PIM\)](#)
[hello-multiplier](#)
[hello-padding](#)
[hello-password](#)
[hello-password accept](#)
[hello-password keychain](#)
[helper-address](#)
[hidden \(L2TP\)](#)
[history](#)
[hold-time \(EIGRP\)](#)
[holdtime \(MPLS LDP\)](#)
[hostname](#)
[hostname \(L2TP\)](#)
[hostname dynamic disable](#)
[hsrp authentication](#)
[hsrp bfd fast-detect](#)
[hsrp bfd minimum-interval](#)
[hsrp bfd multiplier](#)
[hsrp delay](#)
[hsrp ipv4](#)
[hsrp mac-address](#)
[hsrp preempt](#)
[hsrp priority](#)
[hsrp redirects](#)
[hsrp timers](#)
[hsrp track](#)
[hsrp use-bia](#)
[http server](#)
[hw-module boot override](#)
[hw-module linecard throughput](#)
[hw-module location](#)

[hw-module logging onboard](#)
[hw-module port](#)
[hw-module power disable](#)
[hw-module qos input police granularity location](#)
[hw-module qos output police granularity location](#)
[hw-module qos output shape granularity location](#)
[hw-module reset auto](#)
[hw-module service cgn location](#)
[hw-module service maintenance-mode location](#)
[hw-module service offline location](#)
[hw-module subslot cardtype](#)
[hw-module subslot reload](#)
[hw-module subslot shutdown](#)

[ibgp policy out enforce-modifications](#)
[icmp ipv4 rate-limit unreachable](#)
[icmp source](#)
[if](#)
[ignore lsa mospf](#)
[ignore-connected-check](#)
[ignore-lsp-errors](#)
[igp auto-config disable](#)
[igp sync delay](#)
[igp sync delay on-proc-restart](#)
[import route-policy](#)
[import route-target](#)
[inband](#)
[index exclude-address](#)
[index exclude-srlg](#)
[index next-address](#)
[index persistence](#)
[inherit taskgroup](#)
[inherit usergroup](#)
[inside-vrf](#)
[install abort](#)
[install activate](#)
[install add](#)

install attach
install auto-abort-timer stop
install boot-options
install commit
install deactivate
install label
install remove
install rollback to
install verify healthcheck
instance (OSPFv3)
instance (bulkstat schema)
instance range
instance repetition
interface (BFD)
interface (DHCP)
interface (EIGRP)
interface (Ethernet)
interface (HSRP)
interface (IS-IS)
interface (MPLS LDP)
interface (MPLS-TE)
interface (MPP)
interface (NTP)
interface (OSPF)
interface (OSPFv3)
interface (PIM)
interface (RIP)
interface (SRLG)
interface (VLAN)
interface (VPLS)
interface (VRRP)
interface (bundle)
interface (global)
interface (multicast)
interface (p2p)
interface (relay profile)
interface MgmtEth
interface ServiceApp
interface ServiceInfra
interface all disable
interface all enable
interface atm
interface null 0
interface pos
interface srp
interface tunnel-gte
interface tunnel-ip
interface tunnel-ip (GRE)
interface tunnel-ipsec
interface tunnel-mte
interface tunnel-te
interface-inheritance disable
interval
ip-address (trustpoint)
ipcc interface (MPLS-TE)
ipcc routed
ipcc routed (MPLS-TE)
ipsla
ipv4 access-group
ipv4 access-list
ipv4 access-list log-update rate
ipv4 access-list log-update threshold
ipv4 address (network)
ipv4 assembler max-packets
ipv4 assembler timeout
ipv4 bgp policy accounting
ipv4 bgp policy propagation
ipv4 conflict-policy
ipv4 directed-broadcast
ipv4 disable
ipv4 helper-address
ipv4 mask-reply
ipv4 mtu
ipv4 prefix (6rd)
ipv4 prefix-list
ipv4 redirects
ipv4 source-route
ipv4 suffix (6rd)

- ipv4 unnumbered (MPLS)
- ipv4 unnumbered (point-to-point)
- ipv4 unreachable disable
- ipv4 verify unicast source reachable-via
- ipv4 virtual address
- ipv6 access-group
- ipv6 access-list
- ipv6 access-list log-u
- ipv6 access-list log-update threshold
- ipv6 access-list maximum ace threshold
- ipv6 access-list maximum acl threshold
- ipv6 address
- ipv6 address link-local
- ipv6 assembler
- ipv6 bgp policy accounting
- ipv6 checksum
- ipv6 conflict-policy
- ipv6 enable
- ipv6 enable (XML)
- ipv6 hop-limit
- ipv6 icmp error-interval
- ipv6 mtu
- ipv6 nd dad attempts
- ipv6 nd managed-config-flag
- ipv6 nd ns-interval
- ipv6 nd other-config-flag
- ipv6 nd prefix
- ipv6 nd ra-interval
- ipv6 nd ra-lifetime
- ipv6 nd reachable-time
- ipv6 nd redirects
- ipv6 nd scavenge-timeout
- ipv6 nd suppress-ra
- ipv6 neighbor
- ipv6 prefix-list
- ipv6 source-route
- ipv6 unreachable disable
- ipv6-prefix (6rd)
- is-type

- ispf
- iteration
- itr map-resolver

J

- join-group
- join-prune-interval

K

- keepalive
- keepalive (ISAKMP profile)
- keepalive (POS)
- key (IKE)
- key (RADIUS)
- key (TACACS+)
- key (key chain)
- key chain (key chain)
- key-chain
- key-source key-chain (RSVP)
- key-string (IKE)
- key-string (keychain)
- keychain
- keychain inheritance-disable
- keychain-disable
- keyring

L

- l2tp-class
- l2transport
- l2transport (ATM)
- l2transport l2protocol
- l2transport propagate
- l2transport service-policy
- l2vpn
- label accept

label advertise
label allocate
label-allocation-mode
lacp fast-switchover
lacp packet-capture
lacp period short
lacp system priority
lanmode on
lawful-intercept disable
lcc
learning disable (VPLS)
length
license
license add
license backup
license move
license move slot
license pool create
license pool remove
license remove
license restore
license save credential
life
life-time (RSVP)
lifetime (IKE policy)
limit (VPLS)
line
line delay clear
line delay trigger
link-management timers bandwidth-hold
link-management timers periodic-flooding
link-management timers preemption-delay
link-monitor
lives
lldp
lldp (interface)
lldp holdtime
lldp reinit
lldp timer
lldp tlv-select disable
lmp hello (GMPLS)
lmp neighbor (MPLS O-UNI)
lmp neighbor (MPLS-TE)
lmp router-id (MPLS-TE)
load
load commit changes
load configuration failed
load configuration removed
load rollback changes
load-balancing flow-label
load-interval
load-share
load-share unequal
loc-reach-algorithm rloc-probing
local pool
local-address (keyring)
local-as
local-preference
locale country
locale language
location (DRP)
location (SDR)
lockout
log adjacency changes (IS-IS)
log adjacency changes (OSPF)
log adjacency changes (OSPFv3)
log ais
log continuity-check errors
log continuity-check mep changes
log crosscheck errors
log efd
log graceful-restart
log neighbor
log nsr
log pdu drops
log session-protection
log signal
log-neighbor-changes

[log-neighbor-warnings](#)
[log-traps](#)
[logging](#)
[logging \(l2vpn\)](#)
[logging archive](#)
[logging buffered](#)
[logging console](#)
[logging correlator apply rule](#)
[logging correlator apply ruleset](#)
[logging correlator buffer-size](#)
[logging correlator rule](#)
[logging correlator ruleset](#)
[logging disable](#)
[logging events buffer-size](#)
[logging events display-location](#)
[logging events level](#)
[logging events link-status](#)
[logging events link-status \(MPLS-TE\)](#)
[logging events link-status \(interface\)](#)
[logging events lsp-status \(MPLS-TE\)](#)
[logging events sub-lsp-status state \(MPLS-TE\)](#)
[logging events threshold](#)
[logging facility](#)
[logging history](#)
[logging history size](#)
[logging hostnameprefix](#)
[logging localfilesize](#)
[logging monitor](#)
[logging source-interfac](#)
[logging source-interface vrf](#)
[logging suppress app](#)
[logging suppress deprecated](#)
[logging suppress duplicates](#)
[logging suppress rule](#)
[logging trap](#)
[login authentication](#)
[loopback \(DWDM\)](#)
[loopback \(Ethernet\)](#)
[loopback \(SONET\)](#)

[loopback \(T3/E3\)](#)
[loopback stub-network](#)
[low-memory](#)
[lpts pifib hardware police](#)
[lsp fast-flood threshold](#)
[lsp selector ipv4](#)
[lsp-gen-interval](#)
[lsp-interval](#)
[lsp-mtu](#)
[lsp-password](#)
[lsp-password accept](#)
[lsp-refresh-interval](#)
[lsr-path](#)

M

[mLDP OAM](#)
[mac \(VPLS\)](#)
[mac-accounting](#)
[mac-address \(Ethernet\)](#)
[mac-address \(Management Ethernet\)](#)
[mac-address \(hsrp\)](#)
[mail-server](#)
[maintenance disable](#)
[man](#)
[management-plane](#)
[manual](#)
[map](#)
[map \(DS-LITE\)](#)
[map-cache](#)
[map-cache-limit](#)
[master](#)
[match \(GMPLS\)](#)
[match access-group](#)
[match atm](#)
[match cos](#)
[match destination-address](#)
[match discard-class](#)
[match dscp](#)

match identity (ISAKMP policy-set)
match identity (ISAKMP profile)
match mpls experimental topmost
match precedence
match protocol
match qos-group
match source-address
match transform-set
match vlan
max-associations
max-events-stored (RCMD)
max-lsa
max-lsp-lifetime
max-metric
maxabs (MPLS-TE)
maximum (VPLS)
maximum autorp mapping-agent-cache
maximum disable
maximum external-sa
maximum group-mappings autorp
maximum groups
maximum groups-per-interface
maximum hops
maximum interfaces (MPLS LDP)
maximum interfaces (OSPF)
maximum interfaces (OSPFv3)
maximum path (static)
maximum paths (IP SLA)
maximum paths (OSPF)
maximum paths (OSPFv3)
maximum peer-external-sa
maximum prefix (RIB)
maximum redistributed-prefixes (OSPF)
maximum redistributed-prefixes (OSPFv3)
maximum register-states
maximum route-interfaces
maximum routes
maximum-meps
maximum-paths (BGP)
maximum-paths (EIGRP)
maximum-paths (IS-IS)
maximum-paths (RIP)
maximum-prefix (BGP)
maximum-prefix (EIGRP)
maximum-redistributed-prefixes (IS-IS)
mdl
mdt data
mdt default
mdt mtu
mdt source
med
mep crosscheck
mep domain
mep-id
mesh-group (IS-IS)
mesh-group (peer)
message state disable
message-digest-key
metric (EIGRP)
metric (IS-IS)
metric maximum-hops
metric weights
metric-style narrow
metric-style transition
metric-style wide
metric-zero-accept
mhost default-interface
mib-retrieval
min-lsp-arrivaltime
mip auto-create
mirror
mirror pause
mirror resume
mirror verify
mkdir
mode
mode (Ethernet OAM)
mofrr

monitor
 monitor controller fabric
 monitor controller sonet
 monitor interface
 monitor processes
 monitor threads
 monitor-convergence (IS-IS)
 monitor-convergence (OSPF)
 monitoring
 monitoring-interval (RCMD)
 more
 mpls activate (BGP)
 mpls discovery vpn
 mpls ip-ttl-propagate
 mpls label range
 mpls ldp
 mpls ldp auto-config
 mpls ldp auto-config (OSPF)
 mpls ldp sync (IS-IS)
 mpls ldp sync (OSPF)
 mpls ldp sync-igp-shortcuts
 mpls lsp-monitor
 mpls oam
 mpls static label (L2VPN)
 mpls static label (VPLS)
 mpls traffic-eng
 mpls traffic-eng (IS-IS)
 mpls traffic-eng (OSPF)
 mpls traffic-eng auto-bw apply (MPLS-TE)
 mpls traffic-eng fast-reroute promote
 mpls traffic-eng igp-intact (OSPF)
 mpls traffic-eng level
 mpls traffic-eng link-management flood
 mpls traffic-eng multicast-intact (IS-IS)
 mpls traffic-eng multicast-intact (OSPF)
 mpls traffic-eng path-protection switchover gmpls
 mpls traffic-eng path-selection ignore overload
 mpls traffic-eng pce activate-pcep
 mpls traffic-eng pce reoptimize
 mpls traffic-eng reoptimize (EXEC)
 mpls traffic-eng repotimize mesh group
 mpls traffic-eng router-id (IS-IS)
 mpls traffic-eng router-id (MPLS-TE router)
 mpls traffic-eng router-id (OSPF)
 mpls traffic-eng srlg (IS-IS)
 mrinfo
 mss
 mtrace
 mtu
 mtu (VPLS)
 mtu-ignore (OSPF)
 mtu-ignore (OSPFv3)
 multi-area-interface
 multi-router aps
 multicast client
 multicast destination
 multicast-routing
 multihop ttl-drop-threshold
 multipath
 mvpn

N

national bits (E3)
 negotiation auto
 neighbor (BGP)
 neighbor (EIGRP)
 neighbor (L2VPN)
 neighbor (O-UNI)
 neighbor (OSPF)
 neighbor (OSPFv3)
 neighbor (RIP)
 neighbor (VPLS)
 neighbor database-filter all out
 neighbor maximum-prefix
 neighbor password
 neighbor password disable
 neighbor targeted

[neighbor-check-on-recv enable](#)
[neighbor-check-on-send enable](#)
[neighbor-filter](#)
[neighbor-group](#)
[net](#)
[network \(BGP\)](#)
[network \(OSPF\)](#)
[network \(OSPFv3\)](#)
[network backdoor](#)
[network connection id](#)
[network port id](#)
[network srlg](#)
[next-hop in](#)
[next-hop-self](#)
[next-hop-self](#)
[next-hop-self disable](#)
[next-hop-unchanged](#)
[nexthop resolution prefix-length minimum](#)
[nexthop route-policy](#)
[nexthop trigger-delay](#)
[nhop-only \(auto-tunnel backup\)](#)
[node disable \(RCMD\)](#)
[nonrootcause](#)
[notification \(VPLS\)](#)
[notification linkupdown](#)
[nsf \(IS-IS\)](#)
[nsf \(OSPF\)](#)
[nsf \(RIP\)](#)
[nsf \(multicast\)](#)
[nsf disable \(EIGRP\)](#)
[nsf flush-delay-time \(OSPF\)](#)
[nsf interface-expires](#)
[nsf interface-timer](#)
[nsf interval \(OSPF\)](#)
[nsf lifetime \(IS-IS\)](#)
[nsf lifetime \(OSPF\)](#)
[nsf lifetime \(PIM\)](#)
[nsr \(BGP\)](#)
[nsr \(MPLS-LDP\)](#)

[nsr \(OSPF\)](#)
[nsr \(OSPFv3\)](#)
[nsr process-failures switchover](#)
[nssa \(OSPF\)](#)
[nssa \(OSPFv3\)](#)
[ntp](#)
[ntp clear](#)
[ntp reset drift](#)

O

[oam ais-rdi](#)
[oam retry](#)
[oam-pvc manage](#)
[object-list](#)
[old-register-checksum](#)
[oom-handling](#)
[operation](#)
[options](#)
[orf](#)
[orf prefix in](#)
[origin is](#)
[originator-id](#)
[ospf name-lookup](#)
[ospfv3 name-lookup](#)
[out-of-band](#)
[output interface](#)
[output nexthop](#)
[output-delay](#)
[overflow threshold \(MPLS-TE\)](#)
[overhead \(SONET path\)](#)
[overhead \(SONET\)](#)

P

[p2p](#)
[packet count](#)
[packet interval](#)

packet size
 packet-gap non-standard
 packet-size (OSPF)
 packet-size (OSPFv3)
 pair (SDR)
 pairing (DRP)
 parity
 pass
 passive (GMPLS)
 passive (IS-IS)
 passive (MPLS O-UNI)
 passive (OSPF)
 passive (OSPFv3)
 passive-interface (EIGRP)
 passive-interface (RIP)
 password (AAA)
 password (BGP)
 password (L2TP)
 password (peer)
 password (rpki-server)
 password-disable
 path (SONET)
 path delay clear
 path delay trigger
 path discover
 path discover echo
 path discover path
 path discover scan
 path discover session
 path-mtu
 path-mtu (6rd)
 path-mtu (DS-LITE Netflow9 Logging)
 path-mtu (DS-LITE)
 path-option (MPLS-TE)
 path-option (P2MP TE)
 path-selection ignore overload (MPLS-TE)
 path-selection loose-expansion affinity (MPLS-TE)
 path-selection loose-expansion metric (MPLS-TE)
 path-selection metric (MPLS-TE)
 path-selection metric (interface)
 path-type is
 pce address (MPLS-TE)
 pce deadtimer (MPLS-TE)
 pce keepalive (MPLS-TE)
 pce peer (MPLS-TE)
 pce reoptimize (MPLS-TE)
 pce request-timeout (MPLS-TE)
 pce tolerance keepalive (MPLS-TE)
 pd (prefix-delegation - DHCP IPv6 interface)
 pd (prefix-delegation - DHCP IPv6 pool)
 peer (MSDP)
 peer (NTP)
 peer ipv4 address
 performance-mgmt apply monitor
 performance-mgmt apply statistics
 performance-mgmt apply thresholds
 performance-mgmt regular-expression
 performance-mgmt resources dump local
 performance-mgmt resources memory
 performance-mgmt resources tftp-server
 performance-mgmt statistics
 performance-mgmt thresholds
 permit (IPv4)
 permit (IPv6)
 permit (prefix-list)
 phone-number
 ping (administration EXEC)
 ping (network)
 ping atm interface atm
 ping bulk (network)
 ping mpls ipv4
 ping mpls mldp (MP2MP)
 ping mpls mldp (P2MP)
 ping mpls traffic-eng
 ping mpls traffic-eng tunnel-mte (P2MP)
 ping mpls traffic-eng tunnel-te (P2P)
 ping pseudowire (AToM)
 placement memory

placement program
placement reoptimize
pm fec report enable
pm fec threshold
pm optics report enable
pm optics threshold
pm otn report enable
pm otn threshold
point-to-point
poison-reverse
police rate
policy (ISAKMP policy-set)
policy-class
policy-global
policy-map
poll-interval
pool (DHCP IPv6)
port-down flush disable (VPLS)
port-limit (DS-LITE)
portlimit
pos
ppp authentication
ppp chap password
ppp chap refuse
ppp ipcp dns
ppp ipcp neighbor-route disable
ppp ipcp peer-address default
ppp max-bad-auth
ppp max-configure
ppp max-failure
ppp max-terminate
ppp ms-chap hostname
ppp ms-chap password
ppp ms-chap refuse
ppp multilink multiclass
ppp multilink multiclass local
ppp multilink multiclass remote apply
ppp pap refuse
ppp pap sent-username password
ppp timeout authentication
ppp timeout retry
pre-shared-key
precedence
preempt (hsrp)
preference
preference (rpki-server)
prefix-set
prepend as-path
priority (IS-IS)
priority (MPLS-TE)
priority (OSPF)
priority (OSPFv3)
priority (QoS)
priority (RCMD)
priority (SLA)
priority (hsrp)
proactive
proactive revert threshold
proactive revert window
proactive trigger threshold
proactive trigger window
probe
process
process core
process mandatory
profile
profile (EOAM)
profile (SLA)
profile (call home)
profile relay
propagate level
protocol
protocol
protocol (RCMD)
protocol icmp reset-mtu (CGN)
protocol shutdown
proxy-arp
proxy-etr

[proxy-itr](#)
[purge-time \(rpki-server\)](#)
[pvc \(ATM\)](#)
[pvp \(ATM\)](#)
[pw-class](#)
[pw-class \(L2VPN\)](#)
[pw-class encapsulation l2tpv3](#)
[pw-class encapsulation mpls](#)
[pwd](#)
[pwd \(config\)](#)

Q

[query url](#)
[query-interval](#)
[query-max-response-time](#)
[query-timeout](#)
[queue dispatch flush-lsa](#)
[queue dispatch incoming](#)
[queue dispatch rate-limited-lsa](#)
[queue dispatch spf-lsa-limit](#)
[queue limit](#)
[queue-limit](#)

R

[radius source-interface](#)
[radius-server dead-criteria time](#)
[radius-server dead-criteria tries](#)
[radius-server deadtime](#)
[radius-server key](#)
[radius-server retransmit](#)
[radius-server timeout](#)
[random 1 out-of](#)
[random-detect](#)
[random-detect cos](#)
[random-detect discard-class](#)
[random-detect dscp](#)

[random-detect exp](#)
[random-detect precedence](#)
[range \(OSPF\)](#)
[range \(OSPFv3\)](#)
[rapid-commit](#)
[rate-limit](#)
[rate-per-route](#)
[rcc](#)
[rcp client source-interface](#)
[rcp client username](#)
[rd](#)
[rd in](#)
[rd-set](#)
[react](#)
[react lpd](#)
[reaction monitor](#)
[reaction operation](#)
[reaction trigger](#)
[reassembly-enable \(6rd\)](#)
[receive version](#)
[receive-buffer-size](#)
[receive-window \(L2TP\)](#)
[record ipv4](#)
[record ipv6](#)
[record mpls](#)
[record-route](#)
[recurring](#)
[recursion-depth-max](#)
[recursive-fec](#)
[redistribute \(BGP\)](#)
[redistribute \(EIGRP\)](#)
[redistribute \(IS-IS\)](#)
[redistribute \(MPLS LDP\)](#)
[redistribute \(OSPF\)](#)
[redistribute \(OSPFv3\)](#)
[redistribute \(RIP\)](#)
[redistribute maximum-prefix](#)
[redundancy](#)
[redundancy switchover](#)

refr
refresh-direction
refresh-rate
refresh-time (rpki-server)
reissue-nonbistate
relay information check
relay information option
relay information option allow-untrusted
relay information policy
reload
reload (administration EXEC)
remark (IPv4)
remark (IPv6)
remark (prefix-list)
remote (GMPLS)
remote interface-id
remote node-id
remote-as (BGP)
remote-as (multicast)
remove-private-as
reoptimize (MPLS-TE)
reoptimize timers delay (MPLS-TE)
reparent
replace as-path
reply dscp
reply mode
report (SONET path)
report (SONET)
report sd-ber
report sf-ber disable
require-remote
resequence access-list ipv4
resequence access-list ipv6
resequence prefix-list ipv4
resequence prefix-list ipv6
reset-df-bit (6rd)
responder
response-time (rpki-server)
resume
retain
retain local-label
retain route-target
retain route-target all
retransmit (L2TP)
retransmit (RADIUS)
retransmit-interval (IS-IS)
retransmit-interval (OSPF)
retransmit-interval (OSPFv3)
retransmit-throttle-interval
retry
revert
rib-has-route
rmdir
robustness-count
rollback configuration
rollover (L3VPN)
root
rootcause
route (static)
route-has-label
route-policy
route-policy (BGP)
route-policy (EIGRP)
route-policy (OSPF)
route-policy (RIP)
route-policy (RPL)
route-reflector-client
route-type is
router
router bgp
router eigrp
router hsrp
router igmp
router isis
router lisp
router mld
router ospf
router ospfv3

router pim
 router rib
 router rip
 router static
 router vrrp
 router-convergence
 router-id (EIGRP)
 router-id (MPLS LDP)
 router-id (MPLS O-UNI)
 router-id (OSPF)
 router-id (OSPFv3)
 router-id secondary (MPLS-TE)
 rp mgmtethernet forwarding
 rp-address
 rp-static-deny
 rpf topology route-policy
 rpf-vector
 rpki server
 rpl editor
 rpl maximum
 rsa-pubkey
 rsakeypair
 rsvp interface
 rsvp neighbor
 rump always-replicate
 rx-los-threshold

S

sa-filter
 sam add certificate
 sam delete certificate
 sam prompt-interval
 sam verify
 sampler-map
 samples
 sap cache-timeout
 sap listen
 save configuration
 save configuration changes
 save configuration commit changes
 save configuration failed
 save configuration merge
 save configuration removed
 save rollback changes
 scan delete-factor
 scan interval
 schedule (SLA)
 schedule monitor
 schedule operation
 schedule period
 schema
 scrambling disable (SONET path)
 sdr
 secret
 security ttl
 security ttl (OSPF)
 self-identity
 send
 send (SLA)
 send version
 send-buffer-size
 send-community-ebgp
 send-extended-community-ebgp
 send-lifetime
 sender
 serial-number (trustpoint)
 server
 server (NTP)
 server (RADIUS)
 server (TACACS+)
 server-private (RADIUS)
 server-private (TACACS+)
 service
 service active
 service cgn
 service redundancy failover service-type
 service redundancy revert service-type

service tcp-small-servers
service timestamps
service udp-small-servers
service-location (CGN)
service-location (interface)
service-policy (interface)
service-policy (policy map class)
service-type ds-lite
service-type nat44
service-type nat64 (CGN)
service-type tunnel (CGN)
session
session (DS-LITE)
session name
session protection
session timeout
session-group
session-limit
session-open-mode
session-timeout
set aigp-metric
set community
set core-tree
set cos
set dampening
set default-afi
set default-safi
set default-vrf
set discard-class
set dscp
set eigrp-metric
set extcommunity cost
set extcommunity rt
set interface tunnel-ipsec
set ip-precedence
set ipsec-profile
set isis-metric
set label
set level
set local-preference
set med
set metric-type (IS-IS)
set metric-type (OSPF)
set mpls experimental
set next-hop
set origin
set ospf-metric
set path-selection
set pfs
set precedence
set qos-group
set qos-group (RPL)
set rib-metric
set rip-metric
set rip-tag
set rpf-topology
set spf-priority
set srp-priority
set tag
set traffic-index
set transform-set
set type
set vpn-distinguisher
set weight
set-attached-bit
set-overload-bit
severity
sftp
sftp (Interactive Mode)
sftp-password (trustpoint)
sftp-username (trustpoint)
sham-link
shape
shape average
show
show aaa
show access-lists afi-all
show access-lists ipv4

show access-lists ipv4 standby
show access-lists ipv6
show access-lists ipv6 standby
show adjacency
show aliases
show aps
show aps agents
show aps group
show arm conflicts
show arm database
show arm registrations producers
show arm router-ids
show arm summary
show arm vrf-summary
show arp
show arp trace
show arp traffic
show atm cell-packing
show atm class-link
show atm ilmi-status
show atm interface atm
show atm pvc
show atm pvp
show atm vc-class
show auto-rp candidate-rp
show auto-rp mapping-agent
show bcdl
show bcdl consumers
show bcdl queues
show bcdl statistics
show bcdl tables
show bcdl trace
show bfd
show bfd client
show bfd counters
show bfd mib session
show bfd multipath
show bfd session
show bfd summary
show bgp
show bgp advert
show bgp af-group
show bgp attribute-key
show bgp cidr-only
show bgp community
show bgp convergence
show bgp dampened-paths
show bgp flap-statistics
show bgp inconsistent-as
show bgp labels
show bgp neighbor-group
show bgp neighbors
show bgp neighbors nsr
show bgp nexthops
show bgp nsr
show bgp paths
show bgp policy
show bgp process
show bgp regexp
show bgp route-policy
show bgp session-group
show bgp sessions
show bgp summary
show bgp summary nsr
show bgp table
show bgp truncated-communities
show bgp update-group
show bgp vrf imported-routes
show bundle
show bundle brief
show bundle replication bundle-ether
show calendar
show call-home
show call-home alert-group
show call-home mail-server status
show call-home profile
show call-home statistics
show call-home trace

show captured packets
show cdp
show cdp entry
show cdp interface
show cdp neighbors
show cdp traffic
show cef
show cef bgp-attribute
show cef external
show cef ipv4
show cef ipv4 adjacency
show cef ipv4 adjacency hardware
show cef ipv4 drops
show cef ipv4 exact-route
show cef ipv4 exceptions
show cef ipv4 hardware
show cef ipv4 interface
show cef ipv4 interface bgp-policy-statistics
show cef ipv4 non-recursive
show cef ipv4 resource
show cef ipv4 summary
show cef ipv4 unresolved
show cef ipv6
show cef ipv6 adjacency
show cef ipv6 adjacency hardware
show cef ipv6 drops
show cef ipv6 exact-route
show cef ipv6 exceptions
show cef ipv6 hardware
show cef ipv6 interface
show cef ipv6 interface bgp-policy-statistics
show cef ipv6 interface rpf-statistics
show cef ipv6 non-recursive
show cef ipv6 resource
show cef ipv6 summary
show cef ipv6 unresolved
show cef mpls adjacency
show cef mpls adjacency hardware
show cef mpls interface
show cef mpls unresolved
show cef recursive-nexthop
show cef summary
show cef vrf
show cfgmgr trace
show cgn ds-lite inside-translation
show cgn ds-lite outside-translation
show cgn ds-lite pool utilization
show cgn ds-lite statistics
show cgn nat44 inside-translation
show cgn nat44 outside-translation
show cgn nat44 pool-utilization
show cgn nat44 statistics
show cgn tunnel v6rd statistics
show cinetd services
show clns statistics
show clock
show configuration (config)
show configuration changes
show configuration commit changes
show configuration commit list
show configuration failed (config)
show configuration failed incompatible
show configuration failed remove
show configuration failed rollback
show configuration failed startup
show configuration history
show configuration inconsistency replica
show configuration persistent
show configuration removed
show configuration rollback changes
show configuration running
show configuration running-config
show configuration sessions
show context
show controller dwdm
show controller dwdm pm
show controllers (Ethernet)
show controllers atm

[show controllers backplane ethernet brief](#)
[show controllers backplane ethernet clients](#)
[show controllers backplane ethernet detail](#)
[show controllers backplane ethernet manageability bridge basic](#)
[show controllers backplane ethernet manageability bridge fdb-entry](#)
[show controllers backplane ethernet manageability bridge forwarding](#)
[show controllers backplane ethernet manageability bridge list](#)
[show controllers backplane ethernet manageability bridge port](#)
[show controllers backplane ethernet manageability bridge span-tree](#)
[show controllers backplane ethernet manageability bridge transparent](#)
[show controllers backplane ethernet manageability interface attributes](#)
[show controllers backplane ethernet manageability interface list](#)
[show controllers backplane ethernet manageability interface mau-autonet-info](#)
[show controllers backplane ethernet manageability interface mau-info](#)
[show controllers backplane ethernet manageability interface mau-jack-type](#)
[show controllers backplane ethernet manageability interface statistics](#)
[show controllers backplane ethernet multicast groups](#)
[show controllers cpuctrl cdma channel](#)
[show controllers cpuctrl clients](#)
[show controllers cpuctrl devices](#)
[show controllers cpuctrl error](#)
[show controllers cpuctrl internal](#)
[show controllers cpuctrl ports](#)
[show controllers cpuctrl ports cpuctrl pio](#)
[show controllers cpuctrl summary](#)
[show controllers cpuctrl trace](#)
[show controllers cpuctrl vcdma](#)
[show controllers e3](#)
[show controllers egressq eio links](#)
[show controllers egressq group](#)
[show controllers egressq interface](#)
[show controllers egressq port](#)
[show controllers egressq queue](#)
[show controllers egressq resources](#)
[show controllers egressq statistics](#)
[show controllers egressq trace](#)
[show controllers fabric bundle](#)
[show controllers fabric connectivity](#)
[show controllers fabric driver instance summary](#)
[show controllers fabric fgid resource](#)
[show controllers fabric fgid statistics](#)
[show controllers fabric fsdb-pla rack all](#)
[show controllers fabric link port](#)
[show controllers fabric plane](#)
[show controllers fabric rack all](#)
[show controllers fabric sfe](#)
[show controllers fabricq barriers](#)
[show controllers fabricq block](#)
[show controllers fabricq eio](#)
[show controllers fabricq fabric-backpressure](#)
[show controllers fabricq health](#)
[show controllers fabricq link-info](#)
[show controllers fabricq queue](#)
[show controllers fabricq statistics](#)
[show controllers fabricq summary](#)
[show controllers ingressq backpressure](#)
[show controllers ingressq block](#)
[show controllers ingressq capacity](#)
[show controllers ingressq clients](#)
[show controllers ingressq eio](#)
[show controllers ingressq fabric](#)
[show controllers ingressq interfaces](#)
[show controllers ingressq queues](#)
[show controllers ingressq statistics](#)
[show controllers ingressq vports](#)
[show controllers null interface](#)
[show controllers plim asic ether queues](#)
[show controllers plim asic pla](#)
[show controllers plim asic pla768](#)

show controllers plim asic plaspa
show controllers plim asic statistics
show controllers plim asic summary
show controllers pos
show controllers pse eio links
show controllers pse ipc
show controllers pse mp
show controllers pse statistics
show controllers pse summary
show controllers pse team
show controllers pse utilization
show controllers sonet
show controllers srp
show controllers switch
show controllers switch inter-rack ports
show controllers switch inter-rack statistics
show controllers switch inter-rack stp
show controllers switch inter-rack uddl
show controllers switch ports
show controllers switch statistics
show controllers switch stp location
show controllers switch stp ports
show controllers switch stp region
show controllers switch uddl location
show controllers switch uddl ports
show controllers t3
show controllers wanphy
show critmon context
show critmon deadline
show critmon statistics
show critmon trace all
show critmon trace error
show critmon trace info
show critmon trace lib-error
show critmon trace lib-info
show crypto ca certificates
show crypto ca crls
show crypto ipsec interface
show crypto ipsec profile
show crypto ipsec sa
show crypto ipsec summary
show crypto ipsec transform-set
show crypto isakmp call admission statistics
show crypto isakmp errors
show crypto isakmp key
show crypto isakmp peers
show crypto isakmp policy
show crypto isakmp profile
show crypto isakmp sa
show crypto isakmp stats
show crypto key mypubkey dsa
show crypto key mypubkey rsa
show crypto key pubkey-chain rsa
show crypto session
show default-afi-safi-vrf
show dhcp ipv4 relay profile
show dhcp ipv4 relay profile name
show dhcp ipv4 relay statistics
show dhcp ipv6
show dhcp ipv6 binding
show dhcp ipv6 database
show dhcp ipv6 interface
show dhcp ipv6 pool
show diag
show diagnostic bootup level
show diagnostic content
show diagnostic ondemand settings
show diagnostic result
show diagnostic schedule
show diagnostic status
show dll
show dsc
show efd interface
show eigrp accounting
show eigrp interfaces
show eigrp neighbors
show eigrp topology
show eigrp traffic

show environment
show epm trace boot
show ethernet cfm ccm-learning-database
show ethernet cfm configuration-errors
show ethernet cfm interfaces ais
show ethernet cfm interfaces statistics
show ethernet cfm local maintenance-points
show ethernet cfm local meps
show ethernet cfm peer meps
show ethernet cfm traceroute-cache
show ethernet oam configuration
show ethernet oam discovery
show ethernet oam interfaces
show ethernet oam statistics
show ethernet sla configuration-errors
show ethernet sla operations
show ethernet sla statistics
show event manager directory user
show event manager environment
show event manager metric hardware
show event manager metric process
show event manager policy available
show event manager policy registere
show event manager refresh-time
show event manager statistics-table
show exception
show explicit-paths
show filesystem
show flow exporter
show flow exporter-map
show flow monitor
show flow monitor-map
show flow platform producer statistics location
show fmgr fabqos
show fmgr interface
show fpd package
show history
show hosts
show hsrp
show hsrp bfd
show hsrp mgo
show hsrp statistics
show hsrp summary
show hw-module fpd
show hw-module linecard throughput
show hw-module qos input police granularity location
show hw-module qos output police granularity location
show hw-module qos output shape granularity location
show hw-module subslot brief
show hw-module subslot config
show hw-module subslot counters
show hw-module subslot errors
show hw-module subslot plim-subblock
show hw-module subslot registers
show hw-module subslot status
show igmp groups
show igmp interface
show igmp nsf
show igmp ssm map
show igmp summary
show igmp traffic
show im dampening
show im database
show imds interface brief
show install
show install active
show install audit
show install auto-abort-timer
show install boot-options
show install committed
show install inactive
show install log
show install package
show install pie-info
show install request
show install rollback
show install which
show interfaces

show interfaces null0
show interfaces pos
show inventory
show ipsla application
show ipsla history
show ipsla mpls discovery vpn
show ipsla mpls lsp-monitor lpd
show ipsla mpls lsp-monitor scan-queue
show ipsla mpls lsp-monitor summary
show ipsla responder statistics ports
show ipsla statistics
show ipsla statistics aggregated
show ipsla statistics enhanced aggregated
show ipv4 interface
show ipv4 traffic
show ipv6 interface
show ipv6 neighbors
show ipv6 neighbors summary
show ipv6 traffic
show isis
show isis adjacency
show isis adjacency-log
show isis checkpoint adjacency
show isis checkpoint interface
show isis checkpoint lsp
show isis database
show isis database-log
show isis fast-reroute
show isis hostname
show isis interface
show isis lsp-log
show isis mesh-group
show isis mpls traffic-eng adjacency-log
show isis mpls traffic-eng advertisements
show isis mpls traffic-eng tunnel
show isis neighbors
show isis protocol
show isis route
show isis spf-log
show isis statistics
show isis topology
show key chain
show l2tp class
show l2tp counters forwarding session
show l2tp session
show l2tp tunnel
show l2vpn bridge-domain (VPLS)
show l2vpn collaborators
show l2vpn forward
show l2vpn forwarding bridge-domain (VPLS)
show l2vpn forwarding bridge-domain mac-address (VPLS)
show l2vpn forwarding l2tp
show l2vpn pw-class
show l2vpn resource
show l2vpn xconnect
show lacp bundle
show lacp counters
show lacp io
show lacp packet-capture
show lacp port
show lacp system-id
show lcc
show lcc statistics
show led
show license
show license active
show license allocated
show license available
show license backup
show license chassis
show license evaluation
show license expired
show license features
show license file
show license log
show license pools
show license status

show license udi
show line
show lldp
show lldp entry
show lldp errors
show lldp interface
show lldp neighbors
show lldp traffic
show local pool
show logging
show logging correlator buffer
show logging correlator info
show logging correlator rule
show logging correlator ruleset
show logging events buffer
show logging events info
show logging history
show logging onboard
show logging suppress rule
show lpts bindings
show lpts clients
show lpts flows
show lpts ifib
show lpts ifib slices
show lpts ifib statistics
show lpts ifib times
show lpts mpa groups
show lpts pifib
show lpts pifib hardware context
show lpts pifib hardware entry
show lpts pifib hardware police
show lpts pifib hardware usage
show lpts pifib statistics
show lpts port-arbitrator statistics
show lpts vrf
show mac-accounting (Ethernet)
show media
show memory
show memory compare
show memory heap
show mfib connections
show mfib counter
show mfib encap-info
show mfib hardware interface
show mfib hardware resource-counters
show mfib hardware route accept-bitmap
show mfib hardware route olist
show mfib hardware route statistics
show mfib hardware route summary
show mfib interface
show mfib mdt statistics
show mfib nsf
show mfib route
show mfib table-info
show mgmt-plane
show mhost default-interface
show mhost groups
show mirror
show mld groups
show mld interface
show mld nsf
show mld ssm map
show mld summary
show mld traffic
show mpa client
show mpa groups
show mpa ipv4
show mpa ipv6
show mpls forwarding
show mpls forwarding exact-route
show mpls interfaces
show mpls label range
show mpls label table
show mpls ldp backoff
show mpls ldp bindings
show mpls ldp discovery
show mpls ldp forwarding
show mpls ldp graceful-restart

show mpls ldp igp sync
show mpls ldp interface
show mpls ldp neighbor
show mpls ldp parameters
show mpls ldp statistics msg-counters
show mpls ldp summary
show mpls lmp clients
show mpls lmp interface-id
show mpls lsd applications
show mpls lsd clients
show mpls lsd forwarding
show mpls oam
show mpls oam database
show mpls optical-uni
show mpls optical-uni checkpoint
show mpls optical-uni diagnostics
show mpls optical-uni interface
show mpls optical-uni lmp
show mpls optical-uni timers all
show mpls optical-uni timers global
show mpls optical-uni timers interfaces
show mpls optical-uni timers nodes
show mpls traffic-eng affinity-map
show mpls traffic-eng auto-tunnel backup
show mpls traffic-eng auto-tunnel mesh
show mpls traffic-eng autoroute
show mpls traffic-eng collaborator-timers
show mpls traffic-eng counters signaling
show mpls traffic-eng ds-te te-class
show mpls traffic-eng fast-reroute database
show mpls traffic-eng fast-reroute log
show mpls traffic-eng forwarding
show mpls traffic-eng forwarding-adjacency
show mpls traffic-eng igp-areas
show mpls traffic-eng link-management admission-control
show mpls traffic-eng link-management advertisements
show mpls traffic-eng link-management bandwidth-allocation
show mpls traffic-eng link-management bfd-neighbors
show mpls traffic-eng link-management igp-neighbors
show mpls traffic-eng link-management interfaces
show mpls traffic-eng link-management soft-preemption
show mpls traffic-eng link-management statistics
show mpls traffic-eng link-management summary
show mpls traffic-eng lmp
show mpls traffic-eng maximum tunnels
show mpls traffic-eng pce peer
show mpls traffic-eng pce tunnels
show mpls traffic-eng preemption log
show mpls traffic-eng topology
show mpls traffic-eng tunnels
show mpls traffic-eng tunnels auto-bw brief
show mrrib client
show mrrib fgid
show mrrib label-table-info
show mrrib mdt-interface
show mrrib nsf
show mrrib route
show mrrib route outgoing-interface
show mrrib route-collapse
show mrrib table-info
show mrrib tlc
show msdp globals
show msdp peer
show msdp rpf
show msdp sa-cache
show msdp statistics peer
show msdp summary
show netio chains
show netio clients
show netio db
show netio idb
show netio media-registrations
show netio subblock
show netio trace
show nsr ncd client
show nsr ncd queue
show ntp associations

show ntp status
show operational
show ospf
show ospf border-routers
show ospf database
show ospf flood-list
show ospf interface
show ospf message-queue
show ospf mpls traffic-eng
show ospf neighbor
show ospf request-list
show ospf retransmission-list
show ospf routes
show ospf sham-links
show ospf statistics interface
show ospf summary-prefix
show ospf virtual-links
show ospfv3
show ospfv3 border-routers
show ospfv3 database
show ospfv3 flood-list
show ospfv3 interface
show ospfv3 message-queue
show ospfv3 neighbor
show ospfv3 request-list
show ospfv3 retransmission-list
show ospfv3 routes
show ospfv3 statistics rib-thread
show ospfv3 summary-prefix
show ospfv3 virtual-links
show packet-memory
show performance traffic alerts
show performance-mgmt bgp
show performance-mgmt interface
show performance-mgmt mpls
show performance-mgmt node
show performance-mgmt ospf
show pim bgp-safi
show pim bsr candidate-rp
show pim bsr election
show pim bsr rp-cache
show pim context
show pim context detail
show pim context table
show pim df election-state
show pim df winner
show pim group-map
show pim interface
show pim join-prune statistic
show pim mdt
show pim mstatic
show pim neighbor
show pim nsf
show pim range-list
show pim rpf
show pim rpf hash
show pim rpf route-policy statistics
show pim rpf route-policy test
show pim rpf summary
show pim summary
show pim table-context
show pim topology
show pim topology detail
show pim topology entry-flag
show pim topology interface-flag
show pim topology summary
show pim traffic
show pim tunnel info
show placement location
show placement policy
show placement program
show placement reoptimize
show platform
show policy-map interface
show policy-map targets
show policy-map type performance-traffic
show ppp interfaces
show ppp sso alerts

show ppp sso state
show ppp sso summary
show prefix-list
show prefix-list afi-all
show prefix-list ipv4
show prefix-list ipv4 standby
show prefix-list ipv6
show processes
show protocols (BGP)
show protocols (EIGRP)
show protocols (IS-IS)
show protocols (OSPF)
show protocols (OSPFv3)
show protocols (RIP)
show qos ea trace
show qos interface
show qos redq
show qos wred-curve
show radius
show radius accounting
show radius authentication
show radius client
show radius dead-criteria
show radius server-groups
show raw brief
show raw detail pcb
show raw extended-filters
show raw statistics pcb
show rcc
show rcc statistics
show rcc vrf
show reboot
show reboot first
show reboot graceful
show reboot history
show reboot last
show reboot pcds
show redundancy
show rib
show rib afi-all
show rib attributes
show rib client-id
show rib clients
show rib extcomms
show rib firsthop
show rib history
show rib next-hop
show rib opaques
show rib protocols
show rib recursion-depth-max
show rib statistics
show rib tables
show rib trace
show rib vpn-attributes
show rib vrf
show rip
show rip database
show rip interface
show rip statistics
show route
show route backup
show route best-local
show route connected
show route local
show route longer-prefixes
show route next-hop
show route quarantined
show route resolving-next-hop
show route static
show route summary
show rpl
show rpl active as-path-set
show rpl active community-set
show rpl active extcommunity-set
show rpl active prefix-set
show rpl active rd-set
show rpl active route-policy
show rpl as-path-set

show rpl as-path-set attachpoints
show rpl as-path-set references
show rpl community-set
show rpl community-set attachpoints
show rpl community-set references
show rpl extcommunity-set
show rpl inactive as-path-set
show rpl inactive community-set
show rpl inactive extcommunity-set
show rpl inactive prefix-set
show rpl inactive rd-set
show rpl inactive route-policy
show rpl maximum
show rpl policy-global references
show rpl prefix-set
show rpl prefix-set attachpoints
show rpl prefix-set references
show rpl rd-set
show rpl rd-set attachpoints
show rpl rd-set references
show rpl route-policy
show rpl route-policy attachpoints
show rpl route-policy inline
show rpl route-policy references
show rpl route-policy uses
show rpl unused as-path-set
show rpl unused community-set
show rpl unused extcommunity-set
show rpl unused prefix-set
show rpl unused rd-set
show rpl unused route-policy
show rsvp authentication
show rsvp counters
show rsvp counters oor
show rsvp counters prefix-filtering
show rsvp fast-reroute
show rsvp graceful-restart
show rsvp hello instance
show rsvp hello instance interface-based
show rsvp interface
show rsvp neighbor
show rsvp request
show rsvp reservation
show rsvp sender
show rsvp session
show run diagnostic monitor
show running performance-mgmt
show running-config
show sam certificate
show sam crl
show sam log
show sam package
show sam sysinfo
show sampler-map
show sap
show screddrv
show sctp association brief
show sctp association detail
show sctp pcb brief
show sctp pcb detail
show sctp statistics
show sctp summary
show sdr
show services redundancy
show services role
show sessions
show snmp
show snmp context
show snmp context-mapping
show snmp correlator buffer
show snmp correlator info
show snmp correlator rule
show snmp correlator ruleset
show snmp engineid
show snmp entity
show snmp group
show snmp host
show snmp interface

show snmp interface notification
show snmp interface regular-expression
show snmp mib
show snmp mib bulkstat transfer
show snmp request duplicates
show snmp users
show snmp view
show spantree
show srlg
show srp
show ssh
show ssh session details
show ssl
show sysdb connections
show sysdb trace verification location
show sysdb trace verification shared-plane
show system backup
show system verify
show tacacs
show tacacs server-groups
show tdm hardware
show tcp brief
show tcp detail
show tcp extended-filters
show tcp nsr brief
show tcp nsr client brief
show tcp nsr detail client
show tcp nsr detail pcb
show tcp nsr detail session-set
show tcp nsr session-set brief
show tcp nsr statistics client
show tcp nsr statistics pcb
show tcp nsr statistics session-set
show tcp nsr statistics summa
show tcp statistics
show tech-support
show tech-support aps
show tech-support asic
show tech-support bcdl
show tech-support bundles
show tech-support cef
show tech-support cfgmgr
show tech-support chdlc
show tech-support control-ethernet
show tech-support dsc
show tech-support ethernet
show tech-support fabric
show tech-support gsp
show tech-support igmp snooping
show tech-support install
show tech-support l2tp
show tech-support l2vpn
show tech-support lrd
show tech-support mpls ldp
show tech-support mpls optical-uni
show tech-support mpls rsvp
show tech-support mpls traffic-eng
show tech-support multicast
show tech-support netflow
show tech-support nrs
show tech-support password
show tech-support pfi
show tech-support placement
show tech-support platform
show tech-support pos
show tech-support ppp
show tech-support qos
show tech-support rdsfs
show tech-support rib
show tech-support routing bfd
show tech-support routing isis
show tech-support routing ospf
show tech-support routing ospfv3
show tech-support routing rpl
show tech-support sanitized
show tech-support serial
show tech-support services
show tech-support snmp

show tech-support spaipc
 show tech-support sysdb
 show tech-support terminal
 show terminal
 show udp brief
 show udp detail pcb
 show udp extended-filters
 show udp statistics
 show uidb data
 show uidb index
 show uidb trace
 show user
 show users
 show variables boot
 show variables system
 show version
 show vlan interface
 show vlan tags
 show vlan trunks
 show vrf
 show vrrp
 show watchdog
 show xml schema
 show xml sessions
 shutdown (ATM)
 shutdown (BGP)
 shutdown (Bridge Domain)
 shutdown (IS-IS)
 shutdown (MSDP)
 shutdown (SONET)
 shutdown (T3/E3)
 shutdown (VFI)
 shutdown (VRF)
 shutdown (global)
 shutdown (rpki-server)
 signalling refresh reduction reliable
 signalled-bandwidth
 signalled-name
 signalling
 signalling advertise explicit-null (MPLS-TE)
 signalling dscp (LDP)
 signalling dscp (RSVP)
 signalling graceful-restart
 signalling hello graceful-restart interface-based
 signalling hello graceful-restart refresh interval
 signalling hello graceful-restart refresh misses
 signalling prefix-filtering access-list
 signalling prefix-filtering default-deny-action
 signalling rate-limit
 signalling refresh interval
 signalling refresh missed
 signalling refresh reduction bundle-max-size
 signalling refresh reduction disable
 signalling refresh reduction summary
 single-connection
 single-topology
 sip address
 sip domain-name
 site-id
 site-of-origin (BGP)
 site-of-origin (EIGRP)
 site-of-origin (RIP)
 sla operation
 slave follow
 slave primary virtual IPv4 address
 slave secondary virtual IPv4 address
 slave virtual mac address
 slow-migration-interval
 snmp context (OSPF)
 snmp context (OSPFv3)
 snmp test trap all
 snmp test trap entity
 snmp test trap infra
 snmp test trap interface
 snmp test trap snmp
 snmp trap (OSPF)
 snmp trap (OSPFv3)
 snmp trap rate-limit (OSPF)

snmp trap rate-limit (OSPFv3)
snmp traps mpls traffic-eng
snmp-server chassis-id
snmp-server community
snmp-server community-map
snmp-server contact
snmp-server context
snmp-server context mapping
snmp-server engineid local
snmp-server engineid remote
snmp-server entityindex persist
snmp-server group
snmp-server host
snmp-server ifindex persist
snmp-server ifmib ifalias long
snmp-server ifmib stats cache
snmp-server inform
snmp-server interface
snmp-server interface subset
snmp-server ipv4 dscp
snmp-server ipv4 precedence
snmp-server location
snmp-server mib bulkstat max-procmem-size
snmp-server mib bulkstat object-list
snmp-server mib bulkstat schema
snmp-server mib bulkstat transfer-id
snmp-server mibs cbqosmib cache
snmp-server mibs cbqosmib persist
snmp-server mibs eventmib congestion-control
snmp-server mibs eventmib packet-loss
snmp-server notification-log-mib
snmp-server packetsize
snmp-server queue-length
snmp-server target list
snmp-server throttle-time
snmp-server timeouts subagent
snmp-server trap authentication vrf disable
snmp-server trap link ietf
snmp-server trap throttle-time
snmp-server trap-source
snmp-server trap-timeout
snmp-server traps
snmp-server traps bgp
snmp-server traps ethernet cfm
snmp-server traps ethernet oam events
snmp-server traps isis
snmp-server traps mpls l3vpn
snmp-server traps mpls ldp
snmp-server traps ospf errors
snmp-server traps ospf lsa
snmp-server traps ospf retransmit
snmp-server traps ospf state-change
snmp-server traps ospfv3 errors
snmp-server traps ospfv3 state-change
snmp-server traps pim interface-state-change
snmp-server traps pim invalid-message-received
snmp-server traps pim neighbor-change
snmp-server traps pim rp-mapping-change
snmp-server traps rsvp
snmp-server traps snmp
snmp-server traps syslog
snmp-server traps vrrp events
snmp-server user
snmp-server view
snmp-server vrf
socket receive-buffer-size
socket send-buffer-size
soft-preemption
soft-reconfiguration inbound
source
source (NTP)
source (NetFlow)
source address
source in
source port
source-address (6rd)
speaker-id
speed (Management Ethernet)

spf prefix-priority (IS-IS)
 spf prefix-priority (OSPFv2)
 spf prefix-priority (OSPFv3)
 spf-interval
 split-horizon disable (EIGRP)
 split-horizon disable (RIP)
 spt-threshold infinity
 srlg
 srp ips delay trigger-keepalive
 srp ips request forced-switch
 srp ips timer
 srp ips wtr-timer
 srp mac-count
 srp mac-reject
 srp manual-switch
 srp priority-threshold
 srp rate-limit
 srp shutdown
 srp topology-timer
 ssh
 ssh client knownhost
 ssh client source-interface
 ssh client vrf
 ssh server
 ssh server logging
 ssh server rate-limit
 ssh server session-limit
 ssh server v2
 ssh timeout
 ssm
 ssm map static
 ssrp group
 ssrp location
 ssrp profile
 start-time
 static-address (VPLS)
 static-forward inside
 static-group
 static-mac-address (VPLS)
 static-rpf
 statistics
 statistics measure
 stopbits
 storage-location
 streaming
 street-address
 stub (EIGRP)
 stub (OSPF)
 stub (OSPFv3)
 stub-router
 subject-name (trustpoint)
 subscribe-to-alert-group inventory
 subscribe-to-alert-group syslog
 summary-address (EIGRP)
 summary-prefix (IS-IS)
 summary-prefix (OSPF)
 summary-prefix (OSPFv3)
 suppress-route
 suppressed
 switch-fabric service-policy
 switching (GMPLS)
 switching endpoint (GMPLS)
 switching transit (GMPLS)
 symbol-period threshold
 symbol-period window
 system backup
 system boot-sequence

T
 table-policy
 tacacs source-interface
 tacacs-server host
 tacacs-server key
 tacacs-server timeout
 tag
 tag (IP SLA)
 tag (IS-IS)

tag-rewrite
target ipv4
target pseudowire
target traffic-eng
task
taskgroup
tcp mss
tcp mss (CGN)
tcp path-mtu-discovery
tcp selective-ack
tcp synwait-time
tcp timestamp
tcp window-size
telnet
telnet client source-interface
telnet dscp
telnet server
telnet transparent
template
template (NetFlow)
terminal exec
terminal length
terminal monitor
terminal width
tftp client source-interface
tftp server
threshold
threshold (SONET path)
threshold (SONET)
threshold percentage
threshold sd-ber
threshold sf-ber
threshold type average
threshold type consecutive
threshold type immediate
threshold type xofy
threshold weight
throttle
time (VPLS)
timeout
timeout
timeout (DS-LITE Netflow9 Logging)
timeout (IP SLA)
timeout (RADIUS)
timeout (TACACS+)
timeout (soft-preemption)
timeout login response
timeout setup (L2TP)
timeout-rootcause
timers (APS)
timers (BGP)
timers (hsrp)
timers active-time
timers basic
timers bgp
timers loose-path (MPLS-TE)
timers lsa arrival
timers lsa group-pacing
timers lsa min-arrival
timers lsa refresh
timers nsf route-hold (EIGRP)
timers pacing flood
timers pacing lsa-group
timers pacing retransmission
timers removal unused (auto-tunnel backup)
timers throttle lsa all (OSPF)
timers throttle lsa all (OSPFv3)
timers throttle spf (OSPF)
timers throttle spf (OSPFv3)
timestamp disable
tna ipv4
topology holddown sigerr (MPLS-TE)
topology-id
tos
tos (CGN)
trace (IS-IS)
trace (OSPFv3)
traceroute

traceroute (CGN)
 traceroute cache
 traceroute ethernet cfm
 traceroute mpls ipv4
 traceroute mpls mldp (MP2MP)
 traceroute mpls mldp (P2MP)
 traceroute mpls multipath
 traceroute mpls traffic-eng
 traceroute mpls traffic-eng tunnel-mte (P2MP)
 traceroute mpls traffic-eng tunnel-te (P2P)
 track (hsrp)
 track (static)
 track(object)
 traffic-class (CGN)
 transfer-interval
 transmit-delay
 transmit-delay (OSPF)
 transmit-delay (OSPFv3)
 transmit-power
 transport (rpki-server)
 transport input
 transport mode (L2VPN)
 transport output
 transport preferred
 transport udp
 trusted-key
 ttl
 ttl (6rd)
 ttl-security
 ttl-threshold (MSDP)
 ttl-threshold (multicast)
 tunnel destination
 tunnel destination (IPIPsec)
 tunnel dfbit disable
 tunnel dfbit disable (IP)
 tunnel mode
 tunnel mode (IP)
 tunnel source
 tunnel source (IPIPsec)

tunnel tos
 tunnel tos (IP)
 tunnel ttl
 tunnel ttl (IP)
 tunnel-id (auto-tunnel backup)
 tunnel-template
 type (VPLS)
 type icmp echo
 type icmp path-echo
 type icmp path-jitter
 type list threshold percentage
 type list threshold weight
 type mpls lsp ping
 type mpls lsp trace
 type udp echo
 type udp ipv4 address
 type udp jitter

U

ubit-reserved (CGN)
 uneq-shut (SONET path)
 unicast address (6rd)
 unidirectional
 unmount
 unsuppress-route
 update limit
 update-calendar
 update-source
 upgrade cpuctrlbits
 upgrade hw-module fpd
 url
 use
 usergroup
 username
 username (rpki-server)
 users group
 utility bc
 utility cut

utility date
 utility date set
 utility df
 utility du
 utility egrep
 utility fgrep
 utility find
 utility head
 utility less
 utility mv
 utility sort
 utility tail
 utility uniq
 utility wc
 utility which
 utility xargs

V

validate-update-source disable
 variance
 vc-class atm
 verify-data
 version
 version v9
 vfi (VPLS)
 violate-action
 virtual-link (OSPF)
 virtual-link (OSPFv3)
 vpn-distinguisher is
 vrf
 vrf (BGP)
 vrf (EIGRP)
 vrf (IP SLA MPLS LSP monitor)
 vrf (IP SLA)
 vrf (MPP)
 vrf (OSPF)
 vrf (OSPFv3)
 vrf (RADIUS)

vrf (RIP)
 vrf (TACACS+)
 vrf (XML)
 vrf (cgn)
 vrf (description)
 vrf (igmp)
 vrf (mhost)
 vrf (multicast)
 vrf (relay profile)
 vrf (static)
 vrf(address-family)
 vrrp
 vrrp assume-ownership disable
 vrrp bfd fast-detect
 vrrp bfd minimum-interval
 vrrp bfd multiplier
 vrrp delay
 vrrp ipv4
 vrrp preempt
 vrrp priority
 vrrp text-authentication
 vrrp timer
 vrrp track interface
 vty-pool

W

wanmode on
 watchdog threshold memory
 wavelength
 weight
 weight reset-on-import
 weight reset-on-import disable
 width (display)
 window-size (RSVP)
 withdraw (VPLS)

X

[xconnect group](#)

[xml agent](#)

[xml agent ssl](#)

[xml agent tty](#)

