



Cisco ASR 9000 Series Router Master Command List, Release 4.3

This page contains an alphabetical list of all the commands documented for the Cisco ASR 9000 Series Aggregation Services Router running Cisco IOS XR Release 4.3 software. Use the **Alphabet Key** or your web browser's Find function to search for a command. To access the documentation for a particular command, click on the command name.

A

- [aaa accounting](#)
- [aaa accounting subscriber \(BNG\)](#)
- [aaa accounting system default](#)
- [aaa accounting system rp-failover](#)
- [aaa accounting system rp-failover \(BNG\)](#)
- [aaa accounting update](#)
- [aaa attribute format \(BNG\)](#)
- [aaa authentication](#)
- [aaa authentication subscriber \(BNG\)](#)
- [aaa authorization](#)
- [aaa authorization subscriber \(BNG\)](#)
- [aaa default-taskgroup](#)
- [aaa group server radius](#)
- [aaa group server radius \(BNG\)](#)
- [aaa group server tacacs+](#)
- [aaa intercept](#)
- [aaa radius attribute \(BNG\)](#)
- [abort](#)
- [abort \(RPL\)](#)
- [absolute-timeout](#)
- [accept-lifetime](#)
- [accept-mode](#)
- [accept-mode \(slave\)](#)
- [accept-own](#)
- [accept-register](#)
- [accept-tolerance](#)
- [access-class](#)
- [access-group \(IGMP\)](#)
- [access-group \(NTP\)](#)
- [access-group \(snooping profile\)](#)
- [access-list](#)
- [accounting \(IKE\)](#)
- [accounting \(line\)](#)
- [accounting aaa list \(BNG\)](#)
- [accounting per-prefix](#)
- [accounting per-prefix forward-only](#)
- [acl](#)
- [action \(IP SLA\)](#)
- [action \(VPLS\)](#)
- [action capabilities-conflict](#)
- [action critical-event](#)
- [action discovery-timeout](#)
- [action dying-gasp](#)
- [action high-threshold](#)
- [action remote-loopback](#)
- [action session-down](#)
- [action session-up](#)
- [action uni-directional link-fault](#)
- [action wiring-conflict](#)
- [activate](#)
- [active](#)
- [add](#)
- [add \(bulkstat object\)](#)

additional-paths install backup
 additional-paths receive
 additional-paths selection
 additional-paths send
 address-family ipv4 unicast (BFD)
 address
 address (NAT44 NetflowV9 logging)
 address (DS-LITE Netflow9 Logging)
 address (Stateful NAT64 Netflow Version 9)
 address (VRRP)
 address (hsrp)
 address global
 address global slave(HSRP)
 address global(HSRP)
 address ipv4 (MPP)
 address ipv6 (MPP)
 address linklocal
 address linklocal(HSRP)
 address secondary
 address secondary (hsrp)
 address static-forward (NAT44)
 address-family
 address-family (BGP)
 address-family (EIGRP)
 address-family (IS-IS)
 address-family (MAP-T)
 address-family (OSPF)
 address-family (OSPFv3)
 address-family (Stateful NAT64)
 address-family (multicast)
 address-family (static)
 address-family IPv6 (DS-LITE)
 address-family ipv4 (Stateless NAT64)
 address-family multicast topology (IS-IS)
 address-family next-hop dampening disable
 address-pool
 address-range
 adjacency stagger
 adjacency-check disable
 adjustment-threshold (MPLS-TE)
 admin
 admin-state
 admin-weight
 advertise best-external
 advertisement-interval
 af-group
 affinity
 affinity-map
 aftr-name
 aftr-tunnel-endpoint-address (DS-LITE)
 ageout
 aggregate
 aggregate-address
 aging (VPLS)
 aigp
 aigp send-cost-community
 ais transmission
 ais transmission up
 ais-shut (SONET path)
 ais-shut (SONET)
 alarm
 alarm (MPLS)
 alert-group disable
 alg ActiveFTP (NAT44)
 alg ftp (DS-LITE)
 alg rtsp (DS-LITE)
 alg rtsp (NAT44)
 alias
 all-alarms
 all-of-router
 allocate-label
 allow
 allowas-in
 announce
 application (MPLS-TE)
 apply
 apply-template
 aps group

aps group (global)
 aps-channel
 archive-length
 archive-size
 area (OSPF)
 area (OSPFv3)
 arp
 arp dagr
 arp purge-delay
 arp timeout
 as-format
 as-override
 as-path in
 as-path is-local
 as-path length
 as-path neighbor-is
 as-path originates-from
 as-path passes-through
 as-path unique-length
 as-path-loopcheck out disable
 as-path-set
 attribute-filter group
 attribute-flags
 attribute-names
 attribute-set
 attribute-set xro
 au
 authenticate (BNG)
 authenticate (NTP)
 authenticate (PGP)
 authentication (IKE policy)
 authentication (OSPF)
 authentication (OSPFv3)
 authentication (RSVP)
 authentication (hsrp)
 authentication keychain
 authentication keychain mode (RIP)
 authentication-key (NTP)
 authentication-key (OSPF)

authorization
 authorize (BNG)
 auto-bw (MPLS-TE)
 auto-bw collect frequency (MPLS-TE)
 auto-cost (OSPF)
 auto-cost (OSPFv3)
 auto-rp candidate-rp
 auto-summary (EIGRP)
 auto-summary (RIP)
 auto-tunnel backup (MPLS-TE)
 autocommand
 autodiscovery bgp
 autonomous-system
 autoroute announce
 autoroute metric

B

b3-ber-prdi
 backbone interface
 backbone-source-mac
 backoff
 backup (L2VPN)
 backup disable (L2VPN)
 backup-bw
 backup-path tunnel-te
 bandwidth
 bandwidth (MPLS)
 bandwidth (RSVP)
 bandwidth (global)
 bandwidth mam (RSVP)
 bandwidth rdm (RSVP)
 bandwidth-percent (EIGRP)
 banner exec
 banner incoming
 banner login
 banner motd
 banner prompt-timeout
 bert e1

bert e3
bert error
bert interval
bert pattern
bert t1
bert t3
bfd
bfd (BGP)
bfd (MPLS)
bfd address-family ipv4 destination
bfd address-family ipv4 fast-detect
bfd address-family ipv4 minimum-interval
bfd address-family ipv4 multiplier
bfd address-family ipv4 timers
bfd fast-detect
bfd fast-detect (hsrp)
bfd minimum-interval
bfd minimum-interval (VRRP)
bfd multipath include location
bfd multiplier
bfd multiplier (VRRP)
bgp as-path-loopcheck
bgp attribute-download
bgp auto-policy-soft-reset disable
bgp bestpath as-path ignore
bgp bestpath compare-routerid
bgp bestpath cost-community ignore
bgp bestpath med always
bgp bestpath med confed
bgp bestpath med missing-as-worst
bgp client-to-client reflection disable
bgp cluster-id
bgp confederation identifier
bgp confederation peers
bgp dampening
bgp default local-preference
bgp enforce-first-as disable
bgp fast-external-fallover disable
bgp graceful-restart
bgp graceful-restart graceful-reset
bgp graceful-restart purge-time
bgp graceful-restart restart-time
bgp graceful-restart stalepath-time
bgp import-delay
bgp label-delay
bgp log neighbor changes disable
bgp maximum neighbor
bgp redistribute-internal
bgp router-id
bgp scan-time
bgp update-delay
bgp write-limit
boundary
bridge group (VPLS)
bridge-domain (VPLS)
bridge-id
bringup delay
broadcast
broadcast client
broadcast-flag policy check
broadcast-for-v2
broadcastdelay
bsr candidate-bsr
bsr candidate-rp
bsr-border
buckets (history)
buckets (statistics hourly)
buckets (statistics interval)
buckets archive
buckets size
buffer-size
bulk-port-alloc (DS-LITE)
bulk-port-alloc (NAT44)
bundle
bundle coexistence bob-blb
bundle id
bundle load-balancing hash
bundle load-balancing hash (EFP)

[bundle maximum-active links](#)
[bundle minimum-active bandwidth](#)
[bundle minimum-active links](#)
[bundle port-priority](#)
[bundle wait-while](#)
[bundle-hash](#)
[bw-limit \(MPLS-TE\)](#)

C

[cablelength](#)
[cache entries](#)
[cache permanent](#)
[cache timeout](#)
[cache-sa holdtime](#)
[cache-sa-state](#)
[call-home](#)
[call-home request](#)
[call-home send](#)
[call-home send alert-group inventory](#)
[call-home test](#)
[capability additional-paths receive](#)
[capability additional-paths send](#)
[capability opaque disable](#)
[capability orf prefix](#)
[capability suppress 4-byte-as](#)
[capability vrf-](#)
[capability vrf-lite \(OSPFv3\)](#)
[carrier-delay](#)
[cd](#)
[cdp](#)
[cdp advertise v1](#)
[cdp holdtime](#)
[cdp log adjacency changes](#)
[cdp timer](#)
[cfs check](#)
[channel local](#)
[channel remote](#)
[channel-group](#)
[cinetd rate-limit](#)
[circuit-type](#)
[class \(BNG\)](#)
[class-map type control subscriber \(BNG\)](#)
[clear access-list ipv4](#)
[clear access-list ipv6](#)
[clear adjacency statistics](#)
[clear arp-cache](#)
[clear bfd counters](#)
[clear bgp](#)
[clear bgp current-mode](#)
[clear bgp dampening](#)
[clear bgp external](#)
[clear bgp flap-statistics](#)
[clear bgp nexthop performance-statistics](#)
[clear bgp nexthop registration](#)
[clear bgp peer-drops](#)
[clear bgp performance-statistics](#)
[clear bgp self-originated](#)
[clear bgp shutdown](#)
[clear bgp soft](#)
[clear canbus](#)
[clear cdp counters](#)
[clear cdp table](#)
[clear cef ipv4 drops](#)
[clear cef ipv4 exceptions](#)
[clear cef ipv4 interface bgp-policy-statistics](#)
[clear cef ipv4 interface rpf-statistics](#)
[clear cef ipv6 drops](#)
[clear cef ipv6 exceptions](#)
[clear cef ipv6 interface bgp-policy-statistics](#)
[clear cgn ds-lite](#)
[clear cgn ds-lite ipaddress](#)
[clear cgn ds-lite port](#)
[clear cgn ds-lite protocol](#)
[clear cgn ds-lite statistics](#)
[clear cgn map-t statistics](#)
[clear cgn nat44](#)
[clear cgn nat44 inside-vrf](#)

clear cgn nat44 ipaddress
clear cgn nat44 port
clear cgn nat44 protocol
clear cgn nat64 stateful
clear cgn nat64 stateful counters
clear cgn nat64 stateful ipaddress
clear cgn nat64 stateful port
clear cgn nat64 stateful protocol
clear cgn nat64 stateful statistics
clear comment
clear configuration commits
clear configuration inconsistency
clear configuration inconsistency replica
clear configuration sessions
clear context
clear controller backplane ethernet location statistics
clear controller fabric
clear controller lnm
clear controller t1
clear controller t3
clear controller wanphy
clear counters
clear counters sonet
clear counters wanphy
clear crypto ca certificates
clear crypto ca crt
clear crypto ipsec sa
clear crypto isakmp
clear crypto isakmp call admission statistics
clear crypto isakmp errors
clear crypto session
clear dhcp ipv4 snoop binding
clear dhcp ipv6 proxy binding
clear eigrp neighbors
clear eigrp topology
clear ethernet cfm ccm-learning-database location
clear ethernet cfm interface statistics
clear ethernet cfm local meps
clear ethernet cfm peer meps
clear ethernet cfm traceroute-cache
clear ethernet lmi interfaces
clear ethernet mvrp statistics
clear ethernet oam statistics
clear ethernet sla statistics all
clear ethernet sla statistics on-demand
clear ethernet sla statistics profile
clear ethernet udd statistics
clear flow exporter
clear flow monitor
clear flow platform producer statistics location
clear frame-relay lmi interface
clear frame-relay multilink interface
clear frequency synchronization esmc statistics
clear frequency synchronization wait-to-restore
clear host
clear hsrp statistics
clear igmp counters
clear igmp group
clear igmp reset
clear igmp snooping bridge-domain
clear igmp snooping group
clear igmp snooping port
clear igmp snooping summary
clear install boot-options
clear install label
clear install log-history oldest
clear install rollback oldest
clear interface
clear iphc ipv4
clear ipv6 neighbors
clear isis process
clear isis route
clear isis statistics
clear l2vpn bridge-domain (VPLS)
clear l2vpn collaborators
clear l2vpn counters bridge mac-withdrawal
clear l2vpn forwarding bridge-domain mroute
clear l2vpn forwarding counters

clear l2vpn forwarding counters bridge-domain mirp-lite
clear l2vpn forwarding mac-address-table
clear l2vpn forwarding message counters
clear l2vpn forwarding table
clear lacp counters
clear license
clear license log
clear line
clear line vty
clear lldp
clear logging
clear logging correlator delete
clear logging events delete
clear logging events reset
clear logging onboard
clear lpts ifib statistics
clear lpts pifib hardware statistics
clear lpts pifib statistics
clear mac-accounting (Ethernet)
clear mfib counter
clear mfib database
clear mfib hardware adjacency-counters
clear mfib hardware resource-counters
clear mfib hardware route statistics
clear monitor-session counters
clear mpls forwarding counters
clear mpls ldp forwarding
clear mpls ldp msg-counters neighbor
clear mpls ldp neighbor
clear mpls oam counters
clear mpls traffic-eng auto-bw (MPLS-TE EXEC)
clear mpls traffic-eng auto-tunnel backup unused
clear mpls traffic-eng auto-tunnel mesh
clear mpls traffic-eng counters auto-tunnel backup
clear mpls traffic-eng counters auto-tunnel mesh
clear mpls traffic-eng counters global
clear mpls traffic-eng counters signaling
clear mpls traffic-eng counters soft-preemption
clear mpls traffic-eng fast-reroute log
clear mpls traffic-eng link-management statistics
clear mpls traffic-eng pce
clear msdp peer
clear msdp sa-cache
clear msdp stats
clear nsr ncd client
clear nsr ncd queue
clear ospf process
clear ospf redistrib
clear ospf routes
clear ospf statistics
clear ospfv3 process
clear ospfv3 redistribution
clear ospfv3 routes
clear ospfv3 statistics
clear performance traffic
clear performance traffic clone profile
clear pim counters
clear pim topology
clear plugin slot counts
clear ppp sso state
clear ppp statistics
clear prefix-list ipv4
clear prefix-list ipv6
clear raw statistics pcb
clear rip
clear rip database
clear rip interface
clear rip out-of-memory
clear rip statistics
clear route
clear rsvp authentication
clear rsvp coun
clear rsvp counters all
clear rsvp counters chkpt
clear rsvp counters events
clear rsvp counters messages
clear rsvp counters oor
clear rsvp counters prefix-filtering

clear snmp counters
clear ssh
clear tcp nsr client
clear tcp nsr pcb
clear tcp nsr session-set
clear tcp nsr statistics client
clear tcp nsr statistics pcb
clear tcp nsr statistics session-set
clear tcp nsr statistics summary
clear tcp pcb
clear tcp statistics
clear udp statistics
clear vrrp statistics
cli interactive syntax check
cli whitespace completion
clock (PTP)
clock operation
clock read-calendar
clock set
clock source (SONET)
clock source (T1/E1)
clock source (T3/E3)
clock summer-time
clock timezone
clock update-calendar
clock-advertisement telecom-profile
clock-class
clock-interface sync
clock-interface timing-mode
clock-selection telecom-profile
clone source
collect-bw-only (MPLS-TE)
collect-diagnostics (RCMD)
commit
community is-empty
community matches-any
community matches-every
community-set
config-register
configuration commit auto-save
configure
connect-source
connection timeout
contact-email-addr
context-correlation
contiguous-ports (MAP-T)
continuity-check archive hold-time
continuity-check interval
continuity-check loss auto-traceroute
contract-id
control disable
control-plane
control-word
controller (SONET)
controller MgmtMultilink
controller dwdm
controller dwdm (GMPLS)
controller e1
controller e3
controller t1
controller t3
controller wanphy
copy
copy access-list ethernet-service
copy access-list ipv4
copy access-list ipv6
copy prefix-list ipv4
copy prefix-list ipv6
cos (CFM)
cos (PTP)
cost
cost (OSPF)
cost (OSPFv3)
cost-fallback (OSPF)
cpe-domain (MAP-T)
crc (POS)
crc (serial)
crl optional (trustpoint)

[crypto ca authenticate](#)
[crypto ca cancel-enroll](#)
[crypto ca enroll](#)
[crypto ca import](#)
[crypto ca trustpoint](#)
[crypto isakmp](#)
[crypto isakmp call admission limit](#)
[crypto isakmp identity](#)
[crypto isakmp keepalive](#)
[crypto isakmp peer](#)
[crypto isakmp policy](#)
[crypto isakmp policy-set](#)
[crypto isakmp profile](#)
[crypto key generate dsa](#)
[crypto key generate rsa](#)
[crypto key import authentication rsa](#)
[crypto key zeroize dsa](#)
[crypto key zeroize rsa](#)
[crypto keyring](#)
[crypto logging](#)
[cryptographic-algorithm](#)
[csnp-interval](#)
[customer-id](#)

D

[dampening](#)
[dampening \(BFD\)](#)
[database-filter all out \(OSPF\)](#)
[database-filter all out \(OSPFv3\)](#)
[databits](#)
[datasize request](#)
[deactivate \(BNG\)](#)
[dead-interval \(OSPF\)](#)
[dead-interval \(OSPFv3\)](#)
[deadtime \(server-group configuration\)](#)
[debug ethernet cfm packets](#)
[debug ethernet cfm protocol-state](#)
[debug ethernet mvrp packets](#)
[debug ethernet mvrp protocol](#)
[debug spanning-tree mst packet](#)
[debug spanning-tree mst protocol-state](#)
[debug spanning-tree mstag packet](#)
[debug spanning-tree packet raw](#)
[debug spanning-tree pvrstag packet](#)
[debug spanning-tree pvstag packet](#)
[debug spanning-tree repag packet](#)
[default-cost \(OSPF\)](#)
[default-cost \(OSPFv3\)](#)
[default-information](#)
[default-information originate \(BGP\)](#)
[default-information originate \(IS-IS\)](#)
[default-information originate \(OSPF\)](#)
[default-information originate \(OSPFv3\)](#)
[default-information originate \(RIP\)](#)
[default-metric \(BGP\)](#)
[default-metric \(EIGRP\)](#)
[default-metric \(OSPF\)](#)
[default-metric \(OSPFv3\)](#)
[default-metric \(RIP\)](#)
[default-originate](#)
[default-peer](#)
[default-route](#)
[delay \(VRRP\)](#)
[delay clear](#)
[delay clear \(T1/E1\)](#)
[delay clear \(T3/E3\)](#)
[delay trigger](#)
[delay trigger \(T1/E1\)](#)
[delay trigger \(T3/E3\)](#)
[delay-request](#)
[delay-response](#)
[delete](#)
[delete community](#)
[delete extcommunity rt](#)
[demand-circuit \(OSPF\)](#)
[demand-circuit \(OSPFv3\)](#)
[deny \(ES ACL\)](#)

deny (IPv4)
deny (IPv6)
deny (prefix-list)
description
description (AAA)
description (BGP)
description (G.8032)
description (GRE)
description (IKE policy)
description (IPHC profile)
description (IPSec profile)
description (ISAKM)
description (ISAKMP policy-set)
description (T1/E1)
description (T3/E3)
description (interface)
description (keyring)
description (peer)
description (trustpoint)
destination
destination (DHCP IPv6)
destination (MPLS)
destination (MPLS-TE)
destination address
destination address (IP SLA)
destination address(ips
destination in
destination interface
destination ipv4 unicast
destination message-size-limit
destination port
destination preferred-msg-format
destination pseudowire
destination transport-method
device
dhcp ipv4
dhcp ipv4 none
dhcp ipv4 snoop profile (VPLS)
dhcp ipv6
dhcpv6 address-pool
dhcpv6 delegated-prefix-pool
diagnostic monitor
diagnostic monitor interval
diagnostic monitor syslog
diagnostic monitor threshold
diagnostic ondemand action-on-failure
diagnostic ondemand iterations
diagnostic schedule
diagnostic start
diagnostic stop
dir
disable (IS-IS)
disable (P2MP TE)
disable (explicit-path)
disable (multicast)
disable-dn-bit-check
disconnect
disconnect-character
discovery hello
discovery instance-tlv disable
discovery targeted-hello
discovery transport-address
distance (EIGRP)
distance (IS-IS)
distance (OSPF)
distance (RIP)
distance bgp
distance ospf
distance ospfv3
distribute-list
distribute-list prefix-list in
distribute-list prefix-list out
distribution count
distribution interval
dmz-link-bandwidth
dns-server
do
domain

domain (PTP)
 domain ipv4 host
 domain ipv6 host
 domain list
 domain lookup disable
 domain name (global)
 domain name-server
 domain-id (OSPF)
 domain-id (OSPFv3)
 domain-name (DHCP IPv6 pool)
 domain-tag
 done
 dot1q tunneling ethertype
 dot1q vlan
 down-when-looped
 down-when-looped (T1/E1)
 down-when-looped (T3/E3)
 downstream-on-demand
 dr-priority
 drop
 ds-lite
 ds-te bc-model
 ds-te mode
 ds-te te-classes
 dscp
 dscp (BGP)
 dscp (PTP)
 dsu bandwidth
 dsu mode
 dsu remote
 dumpcore
 duplex (Management Ethernet)
 dynamic port range start
 dynamic-arp-inspection
 dynamic-port-range (Stateful NAT64)
 dynamic-template
 dynamic-template type ipsubscriber
 dynamic-template type ppp
 dynamic-template type service

E

ebgp-multihop
 echo disable
 echo disable-vendor-extension
 echo ipv4 source
 echo latency detect
 echo revision
 echo startup validate
 edge-mode
 edit
 efd
 enable (bulkstat)
 enable (multicast)
 encap (PVC)
 encapsulation (POS)
 encapsulation (serial)
 encapsulation default
 encapsulation dot1ad dot1q
 encapsulation dot1q
 encapsulation dot1q second-dot1q
 encapsulation frame-relay
 encapsulation ppp
 encapsulation untagged
 encryption
 encryption (IKE policy)
 end
 end-global
 end-policy
 end-set
 end-template
 enrollment retry count
 enrollment retry period
 enrollment terminal
 enrollment url
 environment altitude
 erase nvram-raw:
 erase nvram:
 escape-character

ethernet cfm (global)
 ethernet cfm (interface)
 ethernet egress-filter
 ethernet filtering
 ethernet lmi
 ethernet oam
 ethernet oam loopback
 ethernet oam profile
 ethernet ring g8032
 ethernet ring g8032 profile
 ethernet sla
 ethernet sla on-demand operation type
 cfm-delay-measurement probe
 ethernet sla on-demand operation type cfm-loopback probe
 ethernet sla on-demand operation type
 cfm-synthetic-loss-measurement probe
 ethernet source bypass egress-filter
 ethernet udd reset interface
 ethernet uni id
 ethernet-service access-group
 ethernet-services access-list
 event (BNG)
 event manager directory user
 event manager environment
 event manager policy
 event manager refresh-time
 event manager run
 event manager scheduler suspend
 event-buffer-size (RCMD)
 exception filepath
 exception pakmem
 exception sparse
 exception sprsize
 exclude
 exclude (MPLS-TE)
 exclude srlg (auto-tunnel backup)
 exclusion list
 exec-timeout
 exit

exp
 explicit-null
 explicit-path
 explicit-tracking
 export route-policy
 export route-target
 exporter
 extcommunity rt is-empty
 extcommunity rt matches-any
 extcommunity rt matches-every
 extcommunity rt matches-within
 extcommunity soo is-empty
 extcommunity soo matches-any
 extcommunity soo matches-every
 extcommunity-set cost
 extcommunity-set rt
 extcommunity-set soo
 extension remote-uni disable
 external-cost (MSTAG/REPAG)
 external-cost (MSTP)
 external-domain (MAP-T)
 external-logging (DS-LITE Netflow9)
 external-logging (DS-LITE Syslog)
 external-logging (NAT44 Netflow)
 external-logging (NAT44 Syslog)
 external-logging (Stateful NAT64 Netflow)

F

fast-reroute
 fast-reroute (OSPFv2)
 fast-reroute per-link (IS-IS)
 fast-reroute per-link exclude interface
 fast-reroute per-link priority-limit (IS-IS)
 fast-reroute per-prefix (IS-IS)
 fast-reroute per-prefix exclude interface (OSPFv2)
 fast-reroute per-prefix lfa-candidate (OSPFv2)
 fast-reroute per-prefix load-sharing disable (IS-IS)
 fast-reroute per-prefix tiebreaker (IS-IS)

fast-reroute per-prefix use-candidate-only (OSPFv2)
 fast-reroute protect
 fast-reroute timers promotion
 fault-oam-refresh
 fdl
 feedback disable
 file-size
 filter
 filter-policy (Stateful NAT64)
 flood mode
 flood-reduction (OSPF)
 flood-reduction (OSPFv3)
 flooding disable
 flooding thresholds
 flooding unknown-unicast disable (VPLS)
 flow
 flow (LPTS)
 flow exporter-map
 flow monitor-map
 flow-control
 flowcontrol hardware
 flush containment disable
 follow
 force explicit-null
 format
 format (bulkstat)
 forward LSP
 forward-delay
 forward-protocol udp
 forwarding-adjacency
 forwarding-latency
 fpd auto-upgrade
 fragment end-to-end
 fragment-timeout (Stateful NAT64)
 frame threshold
 frame window
 frame-period threshold
 frame-period window
 frame-relay intf-type
 frame-relay lmi disable
 frame-relay lmi-n391dte
 frame-relay lmi-n392dce
 frame-relay lmi-n392dte
 frame-relay lmi-n393dce
 frame-relay lmi-n393dte
 frame-relay lmi-t391dte
 frame-relay lmi-t392dce
 frame-relay lmi-type
 frame-relay multilink ack
 frame-relay multilink bandwidth-class
 frame-relay multilink bid
 frame-relay multilink hello
 frame-relay multilink lid
 frame-relay multilink retry
 frame-seconds threshold
 frame-seconds window
 framed-prefix-pool
 framing (E1)
 framing (E3)
 framing (SONET)
 framing (T1)
 framing (T3)
 frequency (IP SLA)
 frequency (logging)
 frequency synchronization
 fsck
 ftp client anonymous-password
 ftp client passive
 ftp client password
 ftp client source-interface
 ftp client username

G
 g709 bdi-to-client-gais
 g709 fec
 g709 odu overhead tti
 g709 odu report disable

[g709 otu overhead tti](#)
[g709 otu report disable](#)
[g709 otu threshold](#)
[g709 tim-to-client-gais](#)
[g709 tti-processing](#)
[generic-interface-list](#)
[giaddr policy](#)
[global maximum](#)
[global-id](#)
[gmpls optical-uni](#)
[graceful-restart \(MPLS LDP\)](#)
[graceful-restart \(OSPFv3\)](#)
[group](#)
[group \(AAA\)](#)
[group \(IKE policy\)](#)
[group limit](#)
[group policy](#)
[guard root](#)
[guard topology-change](#)

H

[hash \(IKE policy\)](#)
[hello-interval](#)
[hello-interval \(EIGRP\)](#)
[hello-interval \(IS-IS\)](#)
[hello-interval \(OSPF\)](#)
[hello-interval \(OSPFv3\)](#)
[hello-interval \(PIM\)](#)
[hello-multiplier](#)
[hello-padding](#)
[hello-password](#)
[hello-password accept](#)
[hello-password keychain](#)
[hello-time \(Access Gateway\)](#)
[hello-time \(MSTP\)](#)
[helper-address](#)
[helper-address \(ipv6\)](#)
[history](#)

[hold-time \(EIGRP\)](#)
[holdtime \(MPLS LDP\)](#)
[hostname](#)
[hostname dynamic disable](#)
[hsrp authentication](#)
[hsrp bfd fast-detect](#)
[hsrp bfd minimum-interval](#)
[hsrp bfd multiplier](#)
[hsrp delay](#)
[hsrp ipv4](#)
[hsrp mac-address](#)
[hsrp preempt](#)
[hsrp priority](#)
[hsrp redirects](#)
[hsrp timers](#)
[hsrp track](#)
[hsrp use-bia](#)
[http server](#)
[hw-module load-balance bundle l2-service l3-params](#)
[hw-module location reload](#)
[hw-module logging onboard](#)
[hw-module power disable](#)
[hw-module power location](#)
[hw-module profile feature](#)
[hw-module profile scale](#)
[hw-module reset auto](#)
[hw-module satellite reload](#)
[hw-module service cgn location](#)
[hw-module subslot reload](#)
[hw-module subslot shutdown](#)

[icmp ipv4 rate-limit unreachable](#)
[identity](#)
[if](#)
[igmp accounting](#)
[igmp explicit-tracking](#)
[igmp query-interval](#)

igmp query-max-response-time
 igmp snooping profile
 ignore lsa mospf
 ignore-connected-check
 ignore-lsp-errors
 igp auto-config disable
 igp sync delay
 immediate-leave
 implicit-null-override
 import route-policy
 import route-target
 inband
 inclusion-list
 index exclude-address
 index exclude-srlg
 index next-address
 index persistence
 inherit taskgroup
 inherit usergroup
 initiator dhcp
 initiator unclassified-source
 inside-vrf (NAT44)
 install abort
 install activate
 install add
 install attach
 install auto-abort-timer stop
 install boot-options
 install commit
 install deactivate
 install label
 install nv satellite
 install remove
 install rollback to
 install verify healthcheck
 instance (G.8032)
 instance (MSTAG/REPAG)
 instance (MSTP)
 instance (OSPFv3)
 instance (bulkstat schema)
 instance cost
 instance port-priority
 instance range
 instance repetition
 interface (BFD)
 interface (DHCP)
 interface (EIGRP)
 interface (Ethernet)
 interface (HSRP)
 interface (IS-IS)
 interface (MPLS LDP)
 interface (MPLS-TE)
 interface (MPP)
 interface (MSTAG/REPAG)
 interface (MSTP)
 interface (NTP)
 interface (OSPF)
 interface (OSPFv3)
 interface (PIM)
 interface (PVSTAG/PVRSTAG)
 interface (RIP)
 interface (SRLG)
 interface (VLAN)
 interface (VPLS)
 interface (VRRP)
 interface (bundle)
 interface (global)
 interface (multicast)
 interface (p2p)
 interface MgmtEth
 interface ServiceApp
 interface ServiceInfra
 interface all enable
 interface bvi
 interface ipspecifier none
 interface ipspecifier proxy
 interface ipspecifier proxy information
 interface ipspecifier proxy profile

interface multilink
 interface pos
 interface serial
 interface subscriber-pppoe profile
 interface tunnel forwarding adjacency
 interface tunnel ipv6 enable
 interface tunnel-ip (GRE)
 interface tunnel-mte
 interface tunnel-te
 interface-inheritance disable
 internal-querier
 internal-querier (MLD)
 internal-querier max-response-time
 internal-querier query-interval
 internal-querier robustness-variable
 internal-querier tcn query count
 internal-querier tcn query interval
 internal-querier timer expiry
 internal-querier version
 interval
 interworking ipv4
 invert
 ip-address (trustpoint)
 ip-source-guard
 iphc profile
 ipsla
 ipsubscriber l2-connected
 ipsubscriber session-limit
 ipv4 (Stateful NAT64)
 ipv4 access-group
 ipv4 access-group
 ipv4 access-list
 ipv4 access-list
 ipv4 access-list log-update rate
 ipv4 access-list log-update threshold
 ipv4 address
 ipv4 address (network)
 ipv4 assembler max-packets
 ipv4 assembler timeout
 ipv4 bgp policy accounting
 ipv4 bgp policy propagation
 ipv4 conflict-policy
 ipv4 directed-broadcast
 ipv4 disable
 ipv4 helper-address
 ipv4 iphc profile
 ipv4 mask-reply
 ipv4 mtu
 ipv4 mtu (LxVPN)
 ipv4 prefix-list
 ipv4 redirects
 ipv4 source
 ipv4 source-route
 ipv4 unnumbered (MPLS)
 ipv4 unnumbered (point-to-point)
 ipv4 unreachable disable
 ipv4 verify unicast source reachable-via
 ipv4 verify unicast source reachable-via
 ipv4 virtual address
 ipv6 access-group
 ipv6 access-list
 ipv6 access-list log-update rate
 ipv6 access-list log-update threshold
 ipv6 access-list maximum ace threshold
 ipv6 access-list maximum acl threshold
 ipv6 address
 ipv6 address (LxVPN)
 ipv6 address link-local
 ipv6 assembler
 ipv6 checksum
 ipv6 conflict-policy
 ipv6 enable
 ipv6 enable (XML)
 ipv6 hop-limit
 ipv6 icmp error-interval
 ipv6 mtu
 ipv6 mtu (LxVPN)
 ipv6 nd dad attempts

[ipv6 nd framed-prefix-pool](#)
[ipv6 nd managed-config-flag](#)
[ipv6 nd ns-interval](#)
[ipv6 nd other-config-flag](#)
[ipv6 nd prefix](#)
[ipv6 nd ra-initial](#)
[ipv6 nd ra-interval](#)
[ipv6 nd ra-lifetime](#)
[ipv6 nd reachable-time](#)
[ipv6 nd redirects](#)
[ipv6 nd scavenge-timeout](#)
[ipv6 nd suppress-ra](#)
[ipv6 neighbor](#)
[ipv6 prefix-list](#)
[ipv6 source-route](#)
[ipv6 unreachable disable](#)
[ipv6 verify unicast source reachable-via](#)
[ipv6-prefix \(Stateful NAT64\)](#)
[is-type](#)
[isolation recovery-delay](#)
[ispf](#)
[iteration](#)

J

[join-group](#)
[join-prune-interval](#)
[join-time](#)

K

[keepalive](#)
[keepalive \(ISAKMP profile\)](#)
[keepalive \(POS\)](#)
[keepalive \(serial\)](#)
[key \(RADIUS\)](#)
[key \(TACACS+\)](#)
[key \(key chain\)](#)

[key chain \(key chain\)](#)
[key-chain](#)
[key-source key-chain \(RSVP\)](#)
[key-string \(IKE\)](#)
[key-string \(keychain\)](#)
[keychain](#)
[keychain inheritance-disable](#)
[keychain-disable](#)
[keyring](#)

L

[l2protocol \(Ethernet\)](#)
[l2tp-class](#)
[l2transport](#)
[l2transport \(Ethernet\)](#)
[l2transport l2protocol](#)
[l2transport propagate](#)
[l2transport service-policy](#)
[l2vpn](#)
[l2vpn resynchronize forwarding mac-address-table location](#)
[label accept](#)
[label advertise](#)
[label allocate](#)
[label-allocation-mode](#)
[lACP cisco enable](#)
[lACP fast-switchover](#)
[lACP packet-capture](#)
[lACP period short](#)
[lACP system](#)
[lACP system priority](#)
[last-member-query count](#)
[last-member-query count \(MLD\)](#)
[last-member-query interval](#)
[last-member-query interval \(MLD\)](#)
[lawful-intercept disable](#)
[lcc](#)
[learning disable \(VPLS\)](#)

lease
lease proxy client-lease-time (DHCP-BNG)
leave-time
leaveall-time
length
level
license
license add
license backup
license move
license move slot
license remove
license restore
license save credential
life
life-time (RSVP)
lifetime (IKE policy)
limit (VPLS)
limit lease per-circuit-id (DHCP-BNG)
limit lease per-interface (DHCP-BNG)
limit lease per-remote-id (DHCP-BNG)
line
line delay clear
line delay trigger
linecode
link-id
link-management timers bandwidth-hold
link-management timers periodic-flooding
link-management timers preemption-delay
link-monitor
link-type
lives
lldp
lldp (interface)
lldp holdtime
lldp reinit
lldp timer
lldp tlv-select disable
lnm major-warning
lnm minor-warning
lnm remove
lnm syslog
load
load commit changes
load configuration failed
load configuration removed
load rollback changes
load-balancing flow
load-balancing flow-label
load-balancing pw-label
load-interval
load-share
load-share unequal
local pool
local-address (keyring)
local-as
local-preference
local-traffic default encapsulation
locale country
locale language
lockout
lockout (MPLS LSP)
log adjacency changes (IS-IS)
log adjacency changes (OSPF)
log adjacency changes (OSPFv3)
log ais
log best-master-clock changes
log continuity-check errors
log continuity-check mep changes
log crosscheck errors
log disable
log efd
log graceful-restart
log neighbor
log nsr
log pdu drops
log selection
log session-protection

- log signal
- log-neighbor-changes
- log-neighbor-warnings
- log-traps
- logging
- logging (l2vpn)
- logging archive
- logging buffered
- logging console
- logging console disable
- logging correlator apply rule
- logging correlator apply ruleset
- logging correlator buffer-size
- logging correlator rule
- logging correlator ruleset
- logging eve
- logging events display-location
- logging events level
- logging events link-status
- logging events link-status (interface)
- logging events threshold
- logging facility
- logging history
- logging history size
- logging hostnameprefix
- logging localfilesize
- logging monitor
- logging nsr
- logging source-interface
- logging source-interface vrf
- logging suppress apply rule
- logging suppress deprecated
- logging suppress duplicates
- logging suppress rule
- logging trap
- login authentication
- loopback (DWDM)
- loopback (Ethernet)
- loopback (SONET)

- loopback (T1/E1)
- loopback (T3/E3)
- loopback stub-network
- low-memory
- lpts pifib hardware police
- lpts punt excessive-flow-trap
- lpts punt excessive-flow-trap non-subscriber-interfaces
- lpts punt excessive-flow-trap penalty-rate
- lpts punt excessive-flow-trap penalty-timeout
- lpts punt excessive-flow-trap subscriber-interfaces
- lsp fast-flood threshold
- lsp selector ipv4
- lsp-gen-interval
- lsp-interval
- lsp-mtu
- lsp-password
- lsp-password accept
- lsp-refresh-interval
- lsr-path

M

- mac (VPLS)
- mac secure
- mac-accounting
- mac-address (Ethernet)
- mac-address (Management Ethernet)
- mac-address (hsrp)
- mail-server
- man
- management-plane
- map
- map (DS-LITE)
- master
- master (PTP)
- master primary-reference-clock
- match (class-map)
- match identity (ISAKMP policy-set)
- match identity (ISAKMP profile)

match option
match vrf
max age
max-associations
max-events-stored (RCMD)
max-header
max-lsa
max-lsp-lifetime
max-metric
maxabs (MPLS-TE)
maximum (VPLS)
maximum age
maximum disable
maximum external-sa
maximum groups
maximum groups-per-interface
maximum hops
maximum hops (MSTP)
maximum interfaces (MPLS LDP)
maximum interfaces (OSPF)
maximum interfaces (OSPFv3)
maximum path (static)
maximum paths (IP SLA)
maximum paths (OSPF)
maximum paths (OSPFv3)
maximum peer-external-sa
maximum prefix (RIB)
maximum redistributed-prefixes (OSPF)
maximum redistributed-prefixes (OSPFv3)
maximum register-states
maximum route-interfaces
maximum routes
maximum-meps
maximum-paths (BGP)
maximum-paths (EIGRP)
maximum-paths (IS-IS)
maximum-paths (RIP)
maximum-prefix (BGP)
maximum-prefix (EIGRP)
maximum-redistributed-prefixes (IS-IS)
mdl
mdt data
mdt default
mdt mtu
mdt source
med
member neighbor
mep c
mep domain
mep-id
mesh-group (IS-IS)
mesh-group (peer)
message state disable
message-digest-key
metric (EIGRP)
metric (IS-IS)
metric maximum-hops
metric rib-scale
metric weights
metric-style narrow
metric-style transition
metric-style wide
metric-zero-accept
mhost default-interface
mib-retrieval
mid
min-lsp-arrivaltime
minimum version (MLD)
minimum-version
mip auto-create
mirror
mirror first
mirror pause
mirror resume
mirror verify
mkdir
mlacp connect
mlacp iccp-group

- mlacp node
- mlacp port-priority
- mlacp reset priority
- mlacp switchback
- mlacp switchover maximize
- mlacp switchover type
- mlacp system mac
- mlacp system priority
- mld snooping profile
- mode
- mode (Ethernet OAM)
- mode (SONET)
- mofrr
- monitor
- monitor controller fabric
- monitor controller sonet
- monitor interface
- monitor interface (port0)
- monitor interface (port1)
- monitor processes
- monitor threads
- monitor-convergence (IS-IS)
- monitor-convergence (OSPF)
- monitor-session
- monitor-session (interface)
- monitor-session (l2vpn)
- monitoring
- monitoring-interval (RCMD)
- more
- mpls activate (BGP)
- mpls discovery vpn
- mpls ip-ttl-propagate
- mpls label range
- mpls ldp
- mpls ldp auto-config
- mpls ldp auto-config (OSPF)
- mpls ldp sync (IS-IS)
- mpls ldp sync (OSPF)
- mpls oam
- mpls static label (L2VPN)
- mpls static label (VPLS)
- mpls traffic-eng
- mpls traffic-eng (IS-IS)
- mpls traffic-eng (OSPF)
- mpls traffic-eng auto-bw apply (MPLS-TE)
- mpls traffic-eng fast-reroute promote
- mpls traffic-eng igp-intact (OSPF)
- mpls traffic-eng level
- mpls traffic-eng link-management flood
- mpls traffic-eng multicast-intact (IS-IS)
- mpls traffic-eng multicast-intact (OSPF)
- mpls traffic-eng path-protection switchover tunnel-te
- mpls traffic-eng path-selection ignore overload
- mpls traffic-eng pce activate-pcep
- mpls traffic-eng pce reoptimize
- mpls traffic-eng reoptimize (EXEC)
- mpls traffic-eng repotimize mesh group
- mpls traffic-eng router-id (IS-IS)
- mpls traffic-eng router-id (MPLS-TE router)
- mpls traffic-eng router-id (OSPF)
- mrinfo
- mrrouter
- mss (DS-LITE)
- mss (NAT44)
- mtrace
- mtu
- mtu (GRE)
- mtu (VPLS)
- mtu-ignore (OSPF)
- mtu-ignore (OSPFv3)
- multi-area-interface
- multi-router aps
- multicast (BNG)
- multicast (PTP)
- multicast client
- multicast destination
- multicast-routing
- multihop ttl-drop-threshold

[multilink](#)
[multilink fragment](#)
[multilink group](#)
[multipath](#)
[mvpn](#)
[mvrp static](#)

N

[name \(MSTAG/REPAG\)](#)
[name \(MSTP\)](#)
[national bits \(E1\)](#)
[national bits \(E3\)](#)
[negotiation auto](#)
[neighbor \(BGP\)](#)
[neighbor \(EIGRP\)](#)
[neighbor \(L2VPN\)](#)
[neighbor \(OSPF\)](#)
[neighbor \(OSPFv3\)](#)
[neighbor \(RIP\)](#)
[neighbor \(VPLS\)](#)
[neighbor database-filter all out](#)
[neighbor maximum-prefix](#)
[neighbor password](#)
[neighbor password disable](#)
[neighbor targeted](#)
[neighbor-check-on-recv enable](#)
[neighbor-check-on-send enable](#)
[neighbor-filter](#)
[neighbor-group](#)
[net](#)
[network \(BGP\)](#)
[network \(BNG\)](#)
[network \(OSPF\)](#)
[network \(OSPFv3\)](#)
[network backdoor](#)
[network connection id](#)
[network port id](#)
[next-hop in](#)

[next-hop-self](#)
[next-hop-self disable](#)
[next-hop-unchanged](#)
[nexthop resolution prefix-length minimum](#)
[nexthop route-policy](#)
[nexthop trigger-delay](#)
[nhop-only \(auto-tunnel backup\)](#)
[node disable \(RCMD\)](#)
[node-id](#)
[non-tcp compression](#)
[non-tcp context absolute](#)
[nonrootcause](#)
[notification \(VPLS\)](#)
[notification linkupdown](#)
[nsf \(IS-IS\)](#)
[nsf \(OSPF\)](#)
[nsf \(RIP\)](#)
[nsf \(multicast\)](#)
[nsf disable \(EIGRP\)](#)
[nsf flush-delay-time \(OSPF\)](#)
[nsf interface-expires](#)
[nsf interface-timer](#)
[nsf interval \(OSPF\)](#)
[nsf lifetime \(IS-IS\)](#)
[nsf lifetime \(OSPF\)](#)
[nsf lifetime \(PIM\)](#)
[nsr \(BGP\)](#)
[nsr \(L2VPN\)](#)
[nsr \(MPLS-LDP\)](#)
[nsr \(OSPF\)](#)
[nsr \(OSPFv3\)](#)
[nsr process-failures switchover](#)
[nssa \(OSPF\)](#)
[nssa \(OSPFv3\)](#)
[ntp](#)
[ntp clear](#)
[ntp reset drift](#)
[nv](#)

O

[object-list](#)
[old-register-checksum](#)
[oom-handling](#)
[open ring](#)
[operation](#)
[options](#)
[orf](#)
[orf prefix in](#)
[origin is](#)
[originator-id](#)
[ospf name-lookup](#)
[ospfv3 name-lookup](#)
[out-of-band](#)
[output interface](#)
[output nexthop](#)
[output-delay](#)
[overflow threshold \(MPLS-TE\)](#)
[overhead \(SONET path\)](#)
[overhead \(SONET\)](#)

P

[p2p](#)
[packet count](#)
[packet interval](#)
[packet size](#)
[packet-gap non-standard](#)
[packet-size \(OSPF\)](#)
[packet-size \(OSPFv3\)](#)
[parity](#)
[pass](#)
[passive \(IS-IS\)](#)
[passive \(OSPF\)](#)
[passive \(OSPFv3\)](#)
[passive-interface \(EIGRP\)](#)
[passive-interface \(RIP\)](#)
[password \(AAA\)](#)

[password \(BGP\)](#)
[password \(peer\)](#)
[password \(rpki-server\)](#)
[password-disable](#)
[path \(SONET\)](#)
[path delay clear](#)
[path delay trigger](#)
[path discover](#)
[path discover echo](#)
[path discover path](#)
[path discover scan](#)
[path discover session](#)
[path-mtu \(DS-LITE Netflow9 Logging\)](#)
[path-mtu \(DS-LITE\)](#)
[path-mtu \(NAT44\)](#)
[path-mtu \(Stateful NAT64 Netflow Version 9\)](#)
[path-option \(GMPLS\)](#)
[path-option \(MPLS-TE\)](#)
[path-option \(P2MP TE\)](#)
[path-protection \(MPLS-TE\)](#)
[path-protection timers reopt-after-switchover](#)
[path-selection ignore overload \(MPLS-TE\)](#)
[path-selection loose-expansion affinity \(MPLS-TE\)](#)
[path-selection loose-expansion metric \(MPLS-TE\)](#)
[path-selection metric \(MPLS-TE\)](#)
[path-selection metric \(interface\)](#)
[path-type is](#)
[pbb](#)
[pce address \(MPLS-TE\)](#)
[pce deadtimer \(MPLS-TE\)](#)
[pce keepalive \(MPLS-TE\)](#)
[pce peer \(MPLS-TE\)](#)
[pce reoptimize \(MPLS-TE\)](#)
[pce request-timeout \(MPLS-TE\)](#)
[pce tolerance keepalive \(MPLS-TE\)](#)
[peer \(DAGR\)](#)
[peer \(MSDP\)](#)
[peer \(NTP\)](#)
[peer ipv4 address](#)

performance-mgmt apply monitor
performance-mgmt apply statistics
performance-mgmt apply thresholds
performance-mgmt regular-expression
performance-mgmt resources dump local
performance-mgmt resources memory
performance-mgmt resources tftp-server
performance-mgmt statistics
performance-mgmt thresholds
periodic transmit
permit (ES ACL)
permit (IPv4)
permit (IPv6)
permit (prefix-list)
phone-number
ping (network)
ping bulk (network)
ping ethernet cfm
ping mpls ipv4
ping mpls traffic-eng
ping mpls traffic-eng tunnel-te (P2P)
ping pseudowire (AToM)
ping pseudowire multisegment
pm fec report enable
pm fec threshold
pm optics report enable
pm optics threshold
pm otn report enable
pm otn threshold
point-to-point
poison-reverse
policy (ISAKMP policy-set)
policy-global
policy-map type control subscriber
policy-map type pbr
poll-interval
polling-verification-timer
pool ipv4
pool ipv6
pool vrf
port state slave-only
port-down flush disable (VPLS)
port-id
port-limit (DS-LITE)
port-parameters
port-priority
port0 interface
port1
portfast
portlimit
portlimit (Stateful NAT64)
pos
power budget enforcement disable
power budget reservation
ppp authentication
ppp authentication (BNG)
ppp chap (BNG)
ppp chap password
ppp chap refuse
ppp ipcp
ppp ipcp dns
ppp ipcp neighbor-route disable
ppp ipcp peer-address default
ppp lcp
ppp max-bad-auth
ppp max-configure
ppp max-failure
ppp max-terminate
ppp ms-chap (BNG)
ppp ms-chap hostname
ppp ms-chap password
ppp ms-chap refuse
ppp multilink multiclass
ppp multilink multiclass local
ppp multilink multiclass remote apply
ppp pap refuse
ppp pap sent-username password
ppp timeout (BNG)

ppp timeout authentication
ppp timeout retry
pppoe bba-group
pppoe enable bba-group
pre-shared-key
precedence
preempt (hsrp)
preempt delay
preference (rpki-server)
preferred-path
prefix-length
prefix-pool
prefix-range
prefix-set
prepend as-path
priority (Access Gateway)
priority (IS-IS)
priority (MPLS-TE)
priority (MSTP)
priority (OSPF)
priority (OSPFv3)
priority (RCMD)
priority (SLA)
priority (frequency synchronization)
priority (hsrp)
priority-timeout
priority1
priority2
proactive
proactive revert threshold
proactive revert window
proactive trigger threshold
proactive trigger window
probe
process
process core
process mandatory
profile
profile (BNG)

profile (DHCP)
profile (EOAM)
profile (PTP)
profile (SLA)
profile (call home)
profile (interface)
propagate level
protect LSP
protocol
protocol (CGN)
protocol (DS-LITE)
protocol (RCMD)
protocol (Stateful NAT64)
protocol shutdown
provider-bridge (MSTAG/REPAG)
provider-bridge (MSTP)
proxy-arp
ptp
purge-time (rpki-server)
pvc (frame relay)
pw-class
pw-class (L2VPN)
pw-class encapsulation mpls
pw-ether
pw-grouping
pw-oam
pwd
pwd (config)

Q

qos account
qos output minimum-bandwidth
quality itu-t option
quality receive
quality transmit
querier query-interval
querier robustness-variable
query url

[query-interval](#)
[query-max-response-time](#)
[query-timeout](#)
[queue dispatch flush-lsa](#)
[queue dispatch incoming](#)
[queue dispatch rate-limited-lsa](#)
[queue dispatch spf-lsa-limit](#)
[queue limit](#)

R

[radius source-interface](#)
[radius-server attribute](#)
[radius-server dead-criteria](#)
[radius-server dead-criteria time](#)
[radius-server dead-criteria tries](#)
[radius-server deadtime](#)
[radius-server disallow null-username](#)
[radius-server host](#)
[radius-server host \(BNG\)](#)
[radius-server ipv4 dscp](#)
[radius-server key](#)
[radius-server key \(BNG\)](#)
[radius-server load-balance](#)
[radius-server retransmit](#)
[radius-server retransmit \(BNG\)](#)
[radius-server source-port](#)
[radius-server throttle](#)
[radius-server timeout](#)
[radius-server vsa attribute ignore unknown](#)
[random 1 out-of](#)
[range \(OSPF\)](#)
[range \(OSPFv3\)](#)
[rate-limit](#)
[rate-per-route](#)
[rcc](#)
[rcp client source-interface](#)
[rcp client username](#)
[rd](#)
[rd in](#)
[rd-set](#)
[react](#)
[react lpd](#)
[reaction monitor](#)
[reaction operation](#)
[reaction trigger](#)
[receive version](#)
[receive-buffer-size](#)
[record ipv4](#)
[record ipv6](#)
[record mpls](#)
[record-route](#)
[record-route \(GMPLS\)](#)
[recurring](#)
[recursion-depth-max](#)
[redistribute \(BGP\)](#)
[redistribute \(EIGRP\)](#)
[redistribute \(IS-IS\)](#)
[redistribute \(OSPF\)](#)
[redistribute \(OSPFv3\)](#)
[redistribute \(RIP\)](#)
[redistribute maximum-prefix](#)
[redundancy](#)
[redundancy iccp group](#)
[redundancy iccp-group report-standby-state disable](#)
[redundancy one-way](#)
[redundancy switchover](#)
[refresh max-period](#)
[refresh max-time](#)
[refresh rate \(DS-LITE Netflow9 Logging\)](#)
[refresh rate \(Stateful NAT64 Netflow Version 9\)](#)
[refresh rtp](#)
[refresh-direction](#)
[refresh-direction \(Stateful NAT64\)](#)
[refresh-rate \(NAT44 Netflow Version 9 Logging\)](#)
[refresh-time \(rpki-server\)](#)
[reissue-nonbistate](#)
[relay information check](#)

relay information option
relay information option allow-untrusted
relay information policy
relay option remote-id
reload
reload (administration EXEC)
remark (IPv4)
remark (IPv6)
remark (prefix-list)
remote-as (BGP)
remote-as (multicast)
remote-loopback
remove-private-as
reoptimize timers delay (MPLS-TE)
reparent
replace as-path
reply dscp
reply mode
report (SONET path)
report (SONET)
report-suppression disable
report-suppression disable(MLD)
require-remote
resequence access-list ethernet-service
resequence access-list ipv4
resequence access-list ipv6
resequence prefix-list ipv4
resequence prefix-list ipv6
responder
response-time (rpki-server)
resume
retain
retain local-label
retain route-target
retransmit (RADIUS)
retransmit-interval (IS-IS)
retransmit-interval (OSPF)
retransmit-interval (OSPFv3)
retransmit-throttle-interval
retry
reverse LSP
revert
revision (MSTAG/REPAG)
revision (MSTP)
rewrite ingress tag
rewrite ingress tag push
rib-has-route
rmdir
robustness-count
rollback configuration
root
root-cost
root-id
root-priority
rootcause
route (static)
route distance
route metric
route-has-label
route-policy (BGP)
route-policy (EIGRP)
route-policy (OSPF)
route-policy (RIP)
route-policy (RPL)
route-priority
route-reflector-client
route-target
route-type is
routed
routed interface bvi
router
router bgp
router eigrp
router hsrp
router igmp
router igmp vrf
router isis
router ospf

[router ospfv3](#)
[router pim](#)
[router rib](#)
[router rip](#)
[router static](#)
[router vrrp](#)
[router-alert-check disable](#)
[router-convergence](#)
[router-guard](#)
[router-id \(EIGRP\)](#)
[router-id \(MPLS LDP\)](#)
[router-id \(OSPF\)](#)
[router-id \(OSPFv3\)](#)
[router-id secondary \(MPLS-TE\)](#)
[rp mgmtethernet forwarding](#)
[rp-address](#)
[rp-static-deny](#)
[rpf topology route-policy](#)
[rpf-vector](#)
[rpki server](#)
[rpl](#)
[rpl editor](#)
[rpl maximum](#)
[rsa-pubkey](#)
[rsa-keypair](#)
[rsvp interface](#)
[rsvp neighbor](#)
[rtp](#)
[rump always-replicate](#)

S

[sa-filter](#)
[sam add certificate](#)
[sam delete certificate](#)
[sam prompt-interval](#)
[sam verify](#)
[sampler-map](#)
[samples](#)

[sap cache-timeout](#)
[sap listen](#)
[satellite](#)
[satellite type](#)
[satellite-fabric-link satellite](#)
[save configuration](#)
[save configuration changes](#)
[save configuration commit changes](#)
[save configuration failed](#)
[save configuration merge](#)
[save configuration removed](#)
[save rollback changes](#)
[scan delete-factor](#)
[scan interval](#)
[schedule \(SLA\)](#)
[schedule monitor](#)
[schedule operation](#)
[schedule period](#)
[schema](#)
[scramble](#)
[scrambling disable \(SONET path\)](#)
[secret](#)
[security ttl](#)
[security ttl \(OSPF\)](#)
[selection input](#)
[selective-vrf-download disable](#)
[self-identity](#)
[send](#)
[send \(SLA\)](#)
[send version](#)
[send-buffer-size](#)
[send-community-ebgp](#)
[send-extended-community-ebgp](#)
[send-lifetime](#)
[sender](#)
[sequencing \(L2VPN\)](#)
[serial](#)
[serial-number](#)
[serial-number \(trustpoint\)](#)

server (NAT44)
 server (NTP)
 server (RADIUS)
 server (TACACS+)
 server-private (RADIUS)
 server-private (TACACS+)
 service
 service active
 service cgn
 service tcp-small-servers
 service timestamps
 service udp-small-servers
 service-location (CGN)
 service-location (interface)
 service-policy (BNG)
 service-policy (QoS-BNG)
 service-policy (interface)
 service-policy type control subscriber
 service-type ds-lite
 service-type map-t
 service-type nat44
 service-type nat64 (Stateful NAT64)
 session (DS-LITE)
 session (NAT44)
 session name
 session name(vrrp)
 session protection
 session timeout
 session-group
 session-limit
 session-limit (BNG)
 session-logging (Stateful NAT64 Netflow Version 9)
 session-open-mode
 session-timeout
 set aigp-metric
 set community
 set core-tree
 set dampening
 set default-afi
 set default-safi
 set default-vrf
 set eigrp-metric
 set extcommunity cost
 set extcommunity rt
 set interface tunnel-ipsec
 set ip-precedence
 set ipsec-profile
 set isis-metric
 set label
 set level
 set local-preference
 set med
 set metric-type (IS-IS)
 set metric-type (OSPF)
 set next-hop
 set origin
 set ospf-metric
 set path-selection
 set qos-group (RPL)
 set rib-metric
 set rip-metric
 set rip-tag
 set rpf-topology
 set spf-priority
 set tag
 set traffic-index
 set vpn-distinguisher
 set weight
 set-attached-bit
 set-overload-bit
 severity
 sftp
 sftp (Interactive Mode)
 sftp-password (trustpoint)
 sftp-username (trustpoint)
 sham-link
 sharing-ratio (MAP-T)
 show

show aaa
show aaa trace (BNG)
show access-list ethernet-service usage pfilter
show access-lists afi-all
show access-lists ethernet-services
show access-lists ethernet-services trace
show access-lists ipv4
show access-lists ipv6
show adjacency
show aliases
show aps
show aps agents
show aps group
show arm conflicts
show arm database
show arm registrations producers
show arm router-ids
show arm summary
show arm vrf-summary
show arp
show arp dagr
show arp traffic
show auto-rp can
show bcdl
show bcdl consumers
show bcdl queues
show bcdl tables
show bcdl trace
show bfd
show bfd client
show bfd counters
show bfd mib session
show bfd multipath
show bfd session
show bfd summary
show bgp
show bgp advertised
show bgp af-group
show bgp attribute-key
show bgp cidr-only
show bgp community
show bgp convergence
show bgp dampened-paths
show bgp flap-statistics
show bgp inconsistent-as
show bgp l2vpn rd
show bgp l2vpn vpls
show bgp labels
show bgp neighbor-group
show bgp neighbors
show bgp neighbors nsr
show bgp nexthops
show bgp nsr
show bgp paths
show bgp policy
show bgp process
show bgp regexp
show bgp route-policy
show bgp session-group
show bgp sessions
show bgp summary
show bgp summary nsr
show bgp truncated-communities
show bgp update-group
show bgp vrf imported-routes
show bundle
show bundle brief
show bundle load-balancing
show bundle replication bundle-ether
show calendar
show call-home
show call-home alert-group
show call-home mail-server status
show call-home profile
show call-home statistics
show call-home trace
show canbus
show cdp

[show cdp entry](#)
[show cdp interface](#)
[show cdp neighbors](#)
[show cdp traffic](#)
[show cef](#)
[show cef bgp-attribute](#)
[show cef external](#)
[show cef ipv4](#)
[show cef ipv4 adjacency](#)
[show cef ipv4 adjacency hardware](#)
[show cef ipv4 drops](#)
[show cef ipv4 exact-route](#)
[show cef ipv4 exceptions](#)
[show cef ipv4 hardware](#)
[show cef ipv4 interface](#)
[show cef ipv4 interface bgp-policy-statistics](#)
[show cef ipv4 non-recursive](#)
[show cef ipv4 resource](#)
[show cef ipv4 summary](#)
[show cef ipv4 unresolved](#)
[show cef ipv6](#)
[show cef ipv6 adjacency](#)
[show cef ipv6 adjacency hardware](#)
[show cef ipv6 drops](#)
[show cef ipv6 exact-route](#)
[show cef ipv6 exceptions](#)
[show cef ipv6 hardware](#)
[show cef ipv6 interface](#)
[show cef ipv6 non-recursive](#)
[show cef ipv6 resource](#)
[show cef ipv6 summary](#)
[show cef ipv6 unresolved](#)
[show cef mpls adjacency](#)
[show cef mpls adjacency hardware](#)
[show cef mpls interface](#)
[show cef mpls unresolved](#)
[show cef recursive-nexthop](#)
[show cef summary](#)
[show cef vrf](#)
[show cgn ds-lite inside-translation](#)
[show cgn ds-lite outside-translation](#)
[show cgn ds-lite pool utilization](#)
[show cgn ds-lite statistics](#)
[show cgn map-t statistics](#)
[show cgn nat44 inside-translation](#)
[show cgn nat44 outside-translation](#)
[show cgn nat44 pool-utilization](#)
[show cgn nat44 statistics](#)
[show cgn nat64 stateful counters](#)
[show cgn nat64 stateful inside-translation](#)
[show cgn nat64 stateful outside-translation](#)
[show cgn nat64 stateful pool-utilization](#)
[show cgn nat64 stateful session](#)
[show cgn nat64 stateful statistics](#)
[show cinetd services](#)
[show class-map](#)
[show clns statistics](#)
[show clock](#)
[show configuration \(config\)](#)
[show configuration changes](#)
[show configuration commit changes](#)
[show configuration commit list](#)
[show configuration failed \(config\)](#)
[show configuration failed incompatible](#)
[show configuration failed remove](#)
[show configuration failed rollback](#)
[show configuration failed startup](#)
[show configuration history](#)
[show configuration inconsistency replica](#)
[show configuration persistent](#)
[show configuration removed](#)
[show configuration rollback changes](#)
[show configuration running](#)
[show configuration running-config](#)
[show configuration sessions](#)
[show context](#)
[show controller dwdm](#)
[show controller dwdm pm](#)

show controller fabric
show controllers (Ethernet)
show controllers backplane ethernet local brief
show controllers backplane ethernet local clients
show controllers backplane ethernet local detail
show controllers backplane ethernet local multicast groups
show controllers backplane ethernet location brief
show controllers backplane ethernet location clients
show controllers backplane ethernet location detail
show controllers backplane ethernet location multicast groups
show controllers e1
show controllers e3
show controllers egressq queue
show controllers lnm
show controllers mgmtmultilink
show controllers plim asic SPAQFPBridgeCtrl
show controllers pos
show controllers pse qfp feature fnf datapath
show controllers pse qfp statistics
show controllers pse qfp system state
show controllers sonet
show controllers switch ports
show controllers switch stats
show controllers t1
show controllers t3
show controllers wanphy
show critmon context
show critmon deadline
show critmon statistics
show critmon trace all
show critmon trace error
show critmon trace info
show critmon trace lib-error
show critmon trace lib-info
show crypto ca certificates
show crypto ca crls
show crypto ipsec sa
show crypto ipsec summary
show crypto ipsec transform-set
show crypto isakmp call admission statistics
show crypto isakmp errors
show crypto isakmp key
show crypto isakmp peers
show crypto isakmp policy
show crypto isakmp profile
show crypto isakmp sa
show crypto isakmp stats
show crypto key mypub
show crypto key mypubkey dsa
show crypto key pubkey-chain rsa
show crypto session
show default-afi-safi-vrf
show dhcp ipv4 proxy binding (BNG)
show dhcp ipv4 proxy profile (BNG)
show dhcp ipv4 proxy statistics (BNG)
show dhcp ipv4 relay profile
show dhcp ipv4 relay profile name
show dhcp ipv4 relay statistics
show dhcp ipv4 snoop binding
show dhcp ipv4 snoop statistics
show dhcp ipv6 interface
show dhcp ipv6 proxy binding
show dhcp ipv6 proxy interface
show dhcp ipv6 proxy profile
show dhcp ipv6 proxy statistics
show dhcp ipv6 server binding
show dhcp ipv6 server interface
show dhcp ipv6 server profile
show dhcp ipv6 server statistics
show diag
show diagnostic bootup level
show diagnostic content
show diagnostic ondemand settings
show diagnostic result
show diagnostic schedule
show diagnostic status
show dll

[show dsc](#)
[show efd interface](#)
[show eigrp accounting](#)
[show eigrp interfaces](#)
[show eigrp neighbors](#)
[show eigrp topology](#)
[show eigrp traffic](#)
[show environment](#)
[show epm trace boot](#)
[show ethernet cfm ccm-learning-database](#)
[show ethernet cfm configuration-errors](#)
[show ethernet cfm interface](#)
[show ethernet cfm interfaces statistics](#)
[show ethernet cfm local maintenance-points](#)
[show ethernet cfm local meps](#)
[show ethernet cfm peer meps](#)
[show ethernet cfm traceroute-cac](#)
[show ethernet lmi interfaces](#)
[show ethernet mvrp mad](#)
[show ethernet mvrp statistics](#)
[show ethernet mvrp status](#)
[show ethernet oam configuration](#)
[show ethernet oam discovery](#)
[show ethernet oam interfaces](#)
[show ethernet oam statistics](#)
[show ethernet ring g8032](#)
[show ethernet sla configuration-errors](#)
[show ethernet sla operations](#)
[show ethernet sla statistics](#)
[show ethernet udld interfaces](#)
[show ethernet udld statistics](#)
[show event manager directory user](#)
[show event manager environment](#)
[show event manager metric hardware](#)
[show event manager metric process](#)
[show event manager policy available](#)
[show event manager policy registered](#)
[show event manager refresh-time](#)
[show event manager statistics-table](#)
[show exception](#)
[show explicit-paths](#)
[show filesystem](#)
[show flow exporter](#)
[show flow exporter-map](#)
[show flow monitor](#)
[show flow monitor-map](#)
[show flow platform nfea bundle](#)
[show flow platform nfea chkp](#)
[show flow platform nfea interface](#)
[show flow platform nfea policer np](#)
[show flow platform nfea sampler](#)
[show flow platform nfea sp location](#)
[show flow platform pal-cpp chkpt object](#)
[show flow platform pal-cpp object](#)
[show flow platform producer statistics location](#)
[show flow trace ea location](#)
[show flow trace platform producer location](#)
[show fpd package](#)
[show frame-relay lmi](#)
[show frame-relay lmi-info](#)
[show frame-relay multilink](#)
[show frame-relay pvc](#)
[show frame-relay vcm-info interface](#)
[show frequency synchronization clock-interfaces](#)
[show frequency synchronization configuration-errors](#)
[show frequency synchronization interfaces](#)
[show frequency synchronization selection](#)
[show frequency synchronization selection back-trace](#)
[show frequency synchronization selection forward-trace](#)
[show generic-interface-list](#)
[show history](#)
[show hosts](#)
[show hsrp](#)
[show hsrp bfd](#)
[show hsrp mgo](#)
[show hsrp statistics](#)
[show hsrp summary](#)
[show hw-module fpd](#)

show hw-module profile
show hw-module subslot brief
show hw-module subslot config
show hw-module subslot counters
show hw-module subslot errors
show hw-module subslot plim-subblock
show hw-module subslot registers
show hw-module subslot status
show iccp group
show igmp groups
show igmp interface
show igmp nsf
show igmp snooping bridge-domain
show igmp snooping group
show igmp snooping port
show igmp snooping profile
show igmp snooping redundancy
show igmp snooping summary
show igmp snooping trace
show igmp ssm map
show igmp summary
show igmp traffic
show igmp unicast-qos-adjust statistics
show igmp vrf (BNG)
show im dampening
show im database
show imds interface brief
show install
show install active
show install audit
show install auto-abort-timer
show install boot-options
show install committed
show install inactive
show install log
show install package
show install pie-info
show install request
show install rollback
show install which
show interfaces
show interfaces (frame relay)
show interfaces bvi
show interfaces multilink
show interfaces pos
show inventory
show iphc idb
show iphc ipv4 rtp
show iphc ipv4 tcp
show iphc platform trace
show iphc profile
show iphc trace all
show ipsla application
show ipsla history
show ipsla mpls discovery vpn
show ipsla mpls lsp-monitor lpd
show ipsla mpls lsp-monitor scan-queue
show ipsla mpls lsp-monitor summary
show ipsla responder statistics ports
show ipsla statistics
show ipsla statistics aggregated
show ipsla statistics enhanced aggregated
show ipsubscriber access-interface
show ipsubscriber interface
show ipsubscriber summary
show ipv4 interface
show ipv4 traffic
show ipv6 interface
show ipv6 neighbors
show ipv6 neighbors summary
show ipv6 traffic
show isis
show isis adjacency
show isis adjacency-log
show isis checkpoint adjacency
show isis checkpoint interface
show isis checkpoint lsp
show isis database

show isis database-log
show isis fast-reroute
show isis hostname
show isis interface
show isis lsp-log
show isis mesh-group
show isis mpls traffic-eng adjacency-log
show isis mpls traffic-eng advertisements
show isis mpls traffic-eng tunnel
show isis neighbors
show isis protocol
show isis route
show isis spf-log
show isis statistics
show isis topology
show key chain
show l2tpv2
show l2vpn
show l2vpn atom-db
show l2vpn bridge-domain (VPLS)
show l2vpn bridge-domain pbb
show l2vpn collaborators
show l2vpn database
show l2vpn discovery
show l2vpn ethernet ring g8032
show l2vpn forwarding
show l2vpn forwarding bridge pbb
show l2vpn forwarding bridge-domain (VPLS)
show l2vpn forwarding bridge-domain mac-address (VPLS)
show l2vpn forwarding bridge-domain mroute
show l2vpn forwarding ethernet ring g8032
show l2vpn forwarding message counters
show l2vpn forwarding pbb backbone-source-mac
show l2vpn forwarding protection main-interface
show l2vpn generic-interface-list
show l2vpn index
show l2vpn mstp port
show l2vpn mstp vlan
show l2vpn nsr
show l2vpn pbb backbone-source-mac
show l2vpn protection main-interface
show l2vpn provision queue
show l2vpn pw-class
show l2vpn pwhe
show l2vpn resource
show l2vpn trace
show l2vpn xconnect
show lacp bundle
show lacp counters
show lacp io
show lacp packet-capture
show lacp port
show lacp system-id
show lcc
show lcc statistics
show led
show license
show license active
show license allocated
show license available
show license backup
show license chassis
show license evaluation
show license expired
show license features
show license file
show license log
show license pools
show license status
show license udi
show line
show lldp
show lldp entry
show lldp errors
show lldp inter
show lldp neighbors
show lldp traffic

show local pool
show logging
show logging correlator buffer
show logging correlator info
show logging correlator rule
show logging correlator ruleset
show logging events buffer
show logging events info
show logging history
show logging onboard
show logging suppress rule
show lpts bindings
show lpts clients
show lpts flows
show lpts ifib
show lpts ifib slices
show lpts ifib statistics
show lpts ifib times
show lpts mpa groups
show lpts pifib
show lpts pifib hardware context
show lpts pifib hardware entry
show lpts pifib hardware entry optimized
show lpts pifib hardware police
show lpts pifib hardware usage
show lpts pifib statistics
show lpts port-arbitrator statistics
show lpts punt excessive-flow-trap
show lpts punt excessive-flow-trap information
show lpts punt excessive-flow-trap interface
show lpts punt excessive-flow-trap protocol
show lpts vrf
show mac-accounting (Ethernet)
show media
show memory
show memory compare
show memory heap
show mfib connections
show mfib counter
show mfib encap-info
show mfib hardware interface
show mfib hardware ltrace
show mfib hardware resource-counters
show mfib hardware route accept-bitmap
show mfib hardware route internal
show mfib hardware route mofrr
show mfib hardware route olist
show mfib hardware route statistics
show mfib hardware route summary
show mfib hardware table
show mfib interface
show mfib nsf
show mfib route
show mfib table-info
show mgmt-plane
show mhost default-interface
show mhost groups
show mirror
show mlacp
show mlacp counters
show mlacp inconsistencies
show monitor-session counters
show monitor-session status
show mpa client
show mpa groups
show mpa ipv4
show mpa ipv6
show mpls forwarding
show mpls forwarding exact-route
show mpls interfaces
show mpls label range
show mpls label table
show mpls ldp backoff
show mpls ldp bindings
show mpls ldp discovery
show mpls ldp forwarding
show mpls ldp graceful-restart
show mpls ldp igp sync

show mpls ldp interface
show mpls ldp neighbor
show mpls ldp parameters
show mpls ldp statistics msg-counters
show mpls ldp summary
show mpls lsd applications
show mpls lsd clients
show mpls oam
show mpls oam database
show mpls traffic-eng affinity-map
show mpls traffic-eng attribute-set
show mpls traffic-eng auto-tunnel backup
show mpls traffic-eng auto-tunnel mesh
show mpls traffic-eng autoroute
show mpls traffic-eng collaborator-timers
show mpls traffic-eng counters signaling
show mpls traffic-eng ds-te te-class
show mpls traffic-eng fast-reroute database
show mpls traffic-eng fast-reroute log
show mpls traffic-eng forwarding
show mpls traffic-eng forwarding-adjacency
show mpls traffic-eng igp-areas
show mpls traffic-eng link-management admission-control
show mpls traffic-eng link-management advertisements
show mpls traffic-eng link-management bandwidth-allocation
show mpls traffic-eng link-management bfd-neighbors
show mpls traffic-eng link-management igp-neighbors
show mpls traffic-eng link-management interfaces
show mpls traffic-eng link-management optical-uni
show mpls traffic-eng link-management soft-preemption
show mpls traffic-eng link-management statistics
show mpls traffic-eng link-management summary
show mpls traffic-eng maximum tunnels
show mpls traffic-eng pce peer
show mpls traffic-eng pce tunnels
show mpls traffic-eng preemption log
show mpls traffic-eng topology
show mpls traffic-eng tunnels
show mpls traffic-eng tunnels auto-bw brief
show mrrib client
show mrrib nsf
show mrrib platform trace
show mrrib route
show mrrib route outgoing-interface
show mrrib route-collapse
show mrrib table-info
show mrrib tlc
show msdp globals
show msdp peer
show msdp rpf
show msdp sa-cache
show msdp statistics peer
show msdp summary
show nsr ncd client
show nsr ncd queue
show ntp associations
show ntp status
show nv satellite protocol control
show nv satellite protocol discovery
show operational
show ospf
show ospf border-routers
show ospf database
show ospf flood-list
show ospf interface
show ospf message-queue
show ospf mpls traffic-eng
show ospf neighbor
show ospf request-list
show ospf retransmission-list
show ospf routes
show ospf sham-links
show ospf summary-prefix
show ospf virtual-links
show ospfv3
show ospfv3 border-routers
show ospfv3 database

show ospfv3 flood-list
show ospfv3 interface
show ospfv3 message-queue
show ospfv3 neighbor
show ospfv3 request-list
show ospfv3 retransmission-list
show ospfv3 routes
show ospfv3 statistics rib-thread
show ospfv3 summary-prefix
show ospfv3 virtual-links
show packet-memory
show performance traffic alerts
show performance traffic clone profile
show performance-mgmt bgp
show performance-mgmt interface
show performance-mgmt mpls
show performance-mgmt node
show performance-mgmt ospf
show pim context
show pim context table
show pim group-map
show pim interface
show pim join-prune statistic
show pim mstatic
show pim neighbor
show pim nsf
show pim range-list
show pim rpf
show pim rpf hash
show pim rpf route-policy statistics
show pim rpf route-policy test
show pim rpf summary
show pim summary
show pim topology
show pim topology detail
show pim topology entry-flag
show pim topology interface-flag
show pim topology summary
show pim traffic
show pim tunnel info
show platform
show plugin slot counts
show policy-map
show policy-map type performance-traffic
show pool ipv4 name
show pool ipv6 name
show pool vrf
show ppp interfaces
show ppp interfaces (BNG)
show ppp sso alerts
show ppp sso state
show ppp sso summary
show ppp statistics
show ppp summary
show pppoe interfaces
show pppoe limits
show pppoe statistics
show pppoe summary
show pppoe throttles
show prefix-list
show prefix-list afi-all
show prefix-list ipv4
show prefix-list ipv4 standby
show prefix-list ipv6
show processes
show protocols (BGP)
show protocols (EIGRP)
show protocols (IS-IS)
show protocols (OSPF)
show protocols (OSPFv3)
show protocols (RIP)
show ptp advertised-clock
show ptp foreign-masters
show ptp interfaces
show ptp local-clock
show ptp packet-counters
show ptp unicast-peers
show qos inconsistency

show qos interface
show qos shared-policy-instance
show qos summary
show radius
show radius (BNG)
show radius accounting
show radius authentication
show radius client
show radius dead-criteria
show radius server-groups
show radius server-groups detail
show raw brief
show raw detail pcb
show raw extended-filters
show raw statistics pcb
show rcc
show rcc statistics
show rcc vrf
show reboot
show reboot first
show reboot graceful
show reboot history
show reboot las
show reboot pcds
show redundancy
show rib
show rib afi-all
show rib attributes
show rib client-id
show rib clients
show rib extcomms
show rib firsthop
show rib history
show rib next-hop
show rib opaques
show rib protocols
show rib recursion-depth-max
show rib statistics
show rib tables
show rib trace
show rib vpn-attributes
show rib vrf
show rip
show rip database
show rip interface
show rip statistics
show route
show route backup
show route best-local
show route connected
show route local
show route longer-prefixes
show route next-hop
show route quarantined
show route resolving-next-hop
show route static
show route summary
show rpl
show rpl active as-path-set
show rpl active community-set
show rpl active extcommunity-set
show rpl active prefix-set
show rpl active rd-set
show rpl active route-policy
show rpl as-path-set
show rpl as-path-set attachpoints
show rpl as-path-set references
show rpl community-set
show rpl community-set attachpoints
show rpl community-set references
show rpl extcommunity-set
show rpl inactive as-path-set
show rpl inactive community-set
show rpl inactive extcommunity-set
show rpl inactive prefix-set
show rpl inactive rd-set
show rpl inactive route-policy
show rpl maximum

show rpl policy-global references
show rpl prefix-set
show rpl prefix-set attachpoints
show rpl prefix-set references
show rpl rd-set
show rpl rd-set attachpoints
show rpl rd-set references
show rpl route-policy
show rpl route-policy attachpoints
show rpl route-policy inline
show rpl route-policy references
show rpl route-policy uses
show rpl unused as-path-set
show rpl unused community-set
show rpl unused extcommunity-set
show rpl unused prefix-set
show rpl unused rd-set
show rpl unused route-policy
show rsvp authentication
show rsvp counters
show rsvp counters oor
show rsvp counters prefix-filtering
show rsvp fast-reroute
show rsvp graceful-restart
show rsvp hello instance
show rsvp hello instance interface-based
show rsvp interface
show rsvp neighbor
show rsvp request
show rsvp reservation
show rsvp sender
show rsvp session
show running performance-mgmt
show running-config
show sam certificate
show sam crl
show sam log
show sam package
show sam sysinfo
show sap
show sdr
show services redundancy
show sessions
show snmp
show snmp context
show snmp context-mapping
show snmp correlator buffer
show snmp correlator info
show snmp correlator rule
show snmp correlator ruleset
show snmp engineid
show snmp entity
show snmp group
show snmp host
show snmp interface
show snmp interface notification
show snmp interface regular-expression
show snmp mib
show snmp mib bulkstat transfer
show snmp request duplicates
show snmp users
show snmp view
show sonet-local trace frf
show spanning-tree mst
show spanning-tree mst bpdu interface
show spanning-tree mst configuration
show spanning-tree mst errors
show spanning-tree mst interface
show spanning-tree mst topology-change flushes
show spanning-tree mstag
show spanning-tree mstag bpdu interface
show spanning-tree mstag topology-change flushes
show spanning-tree pvrstag
show spanning-tree pvstag
show spanning-tree repag
show spanning-tree repag bpdu interface
show spanning-tree repag topology-change flushes
show srlg

show ssh
show ssh session details
show ssl
show subscriber database
show subscriber manager
show subscriber running-config
show subscriber session
show subscriber session filter
show svd role
show svd state
show sysdb connections
show sysdb tra
show sysdb trace verification location
show system verify
show tacacs
show tacacs server-groups
show tbm hardware
show tcp brief
show tcp detail
show tcp exte
show tcp nsr brief
show tcp nsr client brief
show tcp nsr detail client
show tcp nsr detail pcb
show tcp nsr detail session-set
show tcp nsr session-set brief
show tcp nsr statistics client
show tcp nsr statistics pcb
show tcp nsr statistics session-set
show tcp nsr statistics summary
show tcp statistics
show tech-support
show tech-support aps
show tech-support bcdl
show tech-support bundles
show tech-support cef
show tech-support cfgmgr
show tech-support chdlc
show tech-support control-ethernet
show tech-support ethernet
show tech-support fabric
show tech-support gsp
show tech-support igmp snooping
show tech-support install
show tech-support iphc
show tech-support l2vpn
show tech-support lrd
show tech-support mpls ldp
show tech-support mpls rsvp
show tech-support mpls traffic-eng
show tech-support multicast
show tech-support netflow
show tech-support nrs
show tech-support password
show tech-support performance-traffic
show tech-support pfi
show tech-support platform
show tech-support ppp
show tech-support qos
show tech-support rdsfs
show tech-support rib
show tech-support routing bfd
show tech-support routing isis
show tech-support routing ospf
show tech-support routing ospfv3
show tech-support routing rpl
show tech-support sanitized
show tech-support serial
show tech-support services
show tech-support snmp
show tech-support spaipc
show tech-support sysdb
show tech-support tty
show terminal
show tty details
show udp brief
show udp detail pcb
show udp extended-filters

show udp statistics
show uidb data
show uidb index
show uidb trace
show user
show users
show variables boot
show variables system
show version
show vpdn
show vrf
show vrrp
show watchdog
show xml schema
show xml sessions
shutdown (BGP)
shutdown (Bridge Domain)
shutdown (GRE)
shutdown (IS-IS)
shutdown (MSDP)
shutdown (SONET)
shutdown (T1/E1)
shutdown (T3/E3)
shutdown (VFI)
shutdown (VRF)
shutdown (global)
shutdown (rpki-server)
signaling-protocol
signalled-bandwidth
signalled-name
signalled-name (GMPLS)
signalling
signalling advertise explicit-null (MPLS-TE)
signalling disable
signalling dscp (LDP)
signalling dscp (RSVP)
signalling graceful-restart
signalling hello graceful-restart interface-based
signalling hello graceful-restart refresh interval
signalling hello graceful-restart refresh misses
signalling prefix-filtering access-list
signalling prefix-filtering default-deny-action
signalling rate-limit
signalling refresh interval
signalling refresh missed
signalling refresh reduction bundle-max-size
signalling refresh reduction disable
signalling refresh reduction reliable
signalling refresh reduction summary
single-connection
single-topology
site-id
site-of-origin (BGP)
site-of-origin (EIGRP)
site-of-origin (RIP)
sla operation
slave follow
slave follow(vrrp)
slave primary virtual IPv4 address
slave primary virtual IPv4 address(vrrp)
slave secondary virtual IPv4 address
slave secondary virtual IPv4 address(vrrp)
slave virtual mac address
snmp context (OSPF)
snmp context (OSPFv3)
snmp test trap all
snmp test trap entity
snmp test trap infra
snmp test trap interface
snmp test trap snmp
snmp trap (OSPF)
snmp trap (OSPFv3)
snmp trap rate-limit (OSPF)
snmp trap rate-limit (OSPFv3)
snmp traps mpls traffic-eng
snmp-server chassis-id
snmp-server community
snmp-server community-map

[snmp-server contact](#)
[snmp-server context](#)
[snmp-server context mapping](#)
[snmp-server engineid local](#)
[snmp-server engineid remote](#)
[snmp-server entityindex persist](#)
[snmp-server group](#)
[snmp-server host](#)
[snmp-server ifindex persist](#)
[snmp-server ifmib ifalias long](#)
[snmp-server ifmib ipsubscriber](#)
[snmp-server ifmib stats cache](#)
[snmp-server inform](#)
[snmp-server interface](#)
[snmp-server interface subset](#)
[snmp-server ipv4 dscp](#)
[snmp-server ipv4 precedence](#)
[snmp-server location](#)
[snmp-server mib bulkstat max-procmem-size](#)
[snmp-server mib bulkstat object-list](#)
[snmp-server mib bulkstat schema](#)
[snmp-server mib bulkstat transfer-id](#)
[snmp-server mibs cbqosmib cache](#)
[snmp-server mibs cbqosmib persist](#)
[snmp-server mibs eventmib congestion-control](#)
[snmp-server mibs eventmib packet-loss](#)
[snmp-server notification-log-mib](#)
[snmp-server packetsize](#)
[snmp-server queue-length](#)
[snmp-server target list](#)
[snmp-server throttle-time](#)
[snmp-server timeouts subagent](#)
[snmp-server trap authentication vrf disable](#)
[snmp-server trap link ietf](#)
[snmp-server trap throttle-time](#)
[snmp-server trap-source](#)
[snmp-server trap-timeout](#)
[snmp-server traps](#)
[snmp-server traps bgp](#)
[snmp-server traps ethernet cfm](#)
[snmp-server traps ethernet oam events](#)
[snmp-server traps frame-relay pvc](#)
[snmp-server traps isis](#)
[snmp-server traps mpls l3vpn](#)
[snmp-server traps mpls ldp](#)
[snmp-server traps ospf errors](#)
[snmp-server traps ospf lsa](#)
[snmp-server traps ospf retransmit](#)
[snmp-server traps ospf state-change](#)
[snmp-server traps ospfv3 errors](#)
[snmp-server traps ospfv3 state-change](#)
[snmp-server traps pim interface-state-change](#)
[snmp-server traps pim invalid-message-received](#)
[snmp-server traps pim neighbor-change](#)
[snmp-server traps pim rp-mapping-change](#)
[snmp-server traps rsvp](#)
[snmp-server traps selective-vrf-download role-change](#)
[snmp-server traps snmp](#)
[snmp-server traps syslog](#)
[snmp-server traps vrrp events](#)
[snmp-server user](#)
[snmp-server view](#)
[snmp-server vrf](#)
[socket receive-buffer-size](#)
[socket send-buffer-size](#)
[soft-preemption](#)
[soft-reconfiguration inbound](#)
[source](#)
[source \(NTP\)](#)
[source \(NetFlow\)](#)
[source address](#)
[source address\(ipsla\)](#)
[source in](#)
[source ipv4 address](#)
[source port](#)
[spanning-tree mst](#)
[spanning-tree mstag](#)
[spanning-tree pvrstag](#)

spanning-tree pvstag
spanning-tree repag
speaker-id
speed (DS0)
speed (Fast Ethernet)
speed (Management Ethernet)
spf prefix-priority (IS-IS)
spf prefix-priority (OSPFv2)
spf prefix-priority (OSPFv3)
spf-interval
split-horizon disable (EIGRP)
split-horizon disable (RIP)
split-horizon group
spt-threshold infinity
srlg
ssh
ssh client knownhost
ssh client source-interface
ssh client vrf
ssh server
ssh server logging
ssh server rate-limit
ssh server session-limit
ssh server v2
ssh timeout
ssm
ssm disable
ssm map static
ssrp group
ssrp location
ssrp profile
start-time
startup query count
startup query iccp-group
startup query interval
startup query max-response-time
startup query port-up disable
startup query process start
startup query topology-change
static group
static-address (VPLS)
static-forward inside
static-group
static-mac-address
static-mac-address (VPLS)
static-rpf
statistics
statistics measure
status-counter
stopbits
storage-location
storm-control
streaming
street-address
sts
stub (EIGRP)
stub (OSPF)
stub (OSPFv3)
stub-router
subject-name (trustpoint)
subscribe-to-alert-group environment
subscribe-to-alert-group inventory
subscribe-to-alert-group syslog
summary-address (EIGRP)
summary-prefix (IS-IS)
summary-prefix (OSPF)
summary-prefix (OSPFv3)
suppress-route
suppressed
symbol-period threshold
symbol-period window
sync
synthetic loss calculation packets
system boot-sequence
system-ip-address

T

table-policy
 tacacs source-interface
 tacacs-server host
 tacacs-server key
 tacacs-server timeout
 tag
 tag (IP SLA)
 tag (IS-IS)
 tag-impose
 tags
 target ipv4
 target pseudowire
 target traffic-eng
 task
 taskgroup
 tcn flood disable
 tcn flood query count
 tcn flood query count (MLD)
 tcn query solicit
 tcn query solicit (MLD)
 tcn-propagation
 tcp compression
 tcp context absolute
 tcp mss
 tcp path-mtu-discovery
 tcp selective-ack
 tcp synwait-time
 tcp timestamp
 tcp window-size
 tcp-policy (Stateful NAT64)
 telnet
 telnet client source-interface
 telnet dscp
 telnet server
 telnet transparent
 template
 template (BNG)
 template (NetFlow)
 terminal exec
 terminal length
 terminal monitor
 terminal width
 tftp client source-interface
 tftp server
 threshold
 threshold (SONET path)
 threshold (SONET)
 threshold percentage
 threshold type average
 threshold type consecutive
 threshold type immediate
 threshold type xofy
 threshold weight
 throttle
 time (VPLS)
 time-of-day
 time-of-day-priority
 time-source
 timeout
 timeout (DS-LITE Netflow9 Logging)
 timeout (DS-LITE)
 timeout (IP SLA)
 timeout (NAT44 Netflow Version 9 Logging)
 timeout (NAT44)
 timeout (RADIUS)
 timeout (Stateful NAT64 Netflow Version 9)
 timeout (TACACS+)
 timeout (soft-preemption)
 timeout login response
 timeout-rootcause
 timers (APS)
 timers (BGP)
 timers (DAGR)
 timers (hsrp)
 timers active-time
 timers basic

timers bgp
timers loose-path (MPLS-TE)
timers lsa arrival
timers lsa group-pacing
timers lsa min-arrival
timers nsf route-hold (EIGRP)
timers pacing flood
timers pacing lsa-group
timers pacing retransmission
timers removal unused (auto-tunnel backup)
timers throttle lsa all (OSPF)
timers throttle lsa all (OSPFv3)
timers throttle spf (OSPF)
timers throttle spf (OSPFv3)
timescale
timeslots
timestamp disable
topology holddown sigerr (MPLS-TE)
topology-id
tos
trace (IS-IS)
trace (OSPFv3)
traceroute
traceroute (MAP-T)
traceroute cache
traceroute ethernet cfm
traceroute mpls ipv4
traceroute mpls multipath
traceroute mpls traffic-eng
traceroute mpls traffic-eng tunnel-te (P2P)
traceroute pseudowire multisegment
track (hsrp)
track object(vrrp)
track(object)
transfer-interval
transmit hold-count
transmit-delay
transmit-delay (OSPF)
transmit-delay (OSPFv3)
transmit-delay (serial)
transport (PTP)
transport (rpki-server)
transport input
transport mode (L2VPN)
transport output
transport preferred
transport udp
transport-mode
trust relay-reply
trusted
trusted-key
ttl
ttl-check disable
ttl-security
ttl-threshold (MSDP)
ttl-threshold (multicast)
tug3
tunnel
tunnel destination
tunnel dfbit disable
tunnel mode
tunnel source
tunnel tos
tunnel ttl
tunnel-id (GMPLS)
tunnel-id (auto-tunnel backup)
tunnel-properties
type (VPLS)
type icmp echo
type icmp path-echo
type icmp path-jitter
type list threshold percentage
type list threshold weight
type mpls lsp ping
type mpls lsp trace
type rtr
type udp echo
type udp ipv4 address

type udp jitter

U

ubit-reserved (Stateful NAT64)
 uneq-shut (SONET path)
 uni-directional link-fault detection
 unicast-grant invalid-request
 unicast-qos-adjust
 unidirectional
 unknown-unicast-bmac
 unmount
 unsolicited-report-interval
 unsuppress-route
 update limit
 update wait-install
 update-calendar
 update-source
 upgrade hw-module fpd
 url
 use
 usergroup
 username
 username (rpki-server)
 users group
 utility bc
 utility cut
 utility date
 utility date set
 utility df
 utility du
 utility egrep
 utility fgrep
 utility find
 utility head
 utility less
 utility mv
 utility sort
 utility tail

utility uniq
 utility wc
 utility which
 utility xargs
 utilization-mark

V

validate-update-source disable
 variance
 verify-data
 version
 version v9
 vfi (VPLS)
 virtual-link (OSPF)
 virtual-link (OSPFv3)
 vlan
 vlan-id (MSTP)
 vlan-ids (MSTAG/REPAG)
 vpdn
 vpn
 vpn-distinguisher is
 vrf
 vrf (BGP)
 vrf (EIGRP)
 vrf (IP SLA MPLS LSP monitor)
 vrf (IP SLA)
 vrf (MPP)
 vrf (OSPF)
 vrf (OSPFv3)
 vrf (RADIUS)
 vrf (RIP)
 vrf (TACACS+)
 vrf (XML)
 vrf (description)
 vrf (dynamic-template-BNG)
 vrf (igmp)
 vrf (mhost)
 vrf (multicast)

vrf (relay profile)
 vrf (static)
 vrf mode
 vrf(address-family)
 vrrp
 vrrp assume-ownership disable
 vrrp bfd fast-detect
 vrrp bfd minimum-interval
 vrrp bfd multiplier
 vrrp delay
 vrrp ipv4
 vrrp preempt
 vrrp priority
 vrrp text-authentication
 vrrp timer
 vrrp track interface
 vty-pool

Y

yellow

W

wait-to-restore
 watchdog threshold memory
 weight
 width
 width (display)
 window-size (RSVP)
 withdraw (VPLS)
 working LSP

X

xconnect group
 xml agent
 xml agent ssl
 xml agent tty