



CHAPTER 6

Support Information for Cisco Security Appliances

This chapter contains support information for Virtual Network Elements (VNEs) that manage Cisco security appliances in Cisco ANA 3.6.5, and contains the following topics:

- [Cisco Adaptive Security Appliance 5550 Series, page 6-1](#)
- [Supported Technologies on Cisco Security Appliances, page 6-3](#)



Note

For more information about the objects and attributes described in this chapter, see the [Cisco Active Network Abstraction 3.6.5 Technology Support and Information Model Reference Manual](#).

Cisco Adaptive Security Appliance 5550 Series

This section includes the following information about Cisco ASA 5550 Series security appliances:

- [Cisco ASA 5550 Series—Supported Software Versions, page 6-2](#)
- [Cisco ASA 5550 Series—Supported Topologies, page 6-2](#)
- [Cisco ASA 5550 Series—Supported Modules, page 6-2](#)
- [Cisco ASA 5550 Series—Supported Technologies, page 6-2](#)
- [Cisco ASA 5550 Series—Supported Service Events, page 6-3](#)



Note

For information about which NE types are supported in Cisco ANA 3.6.5, see [Cisco Adaptive Security Appliance 5550 Series](#).

Cisco ASA 5550 Series—Supported Software Versions

Table 6-1 Supported Software Versions for Cisco ASA 5550 Series—Cisco ANA 3.6.5

Version Name	ANA Version	Certification Level
7.2(3)12	3.6.3	S

**Note**

Software versions marked with an asterisk (representing a wildcard) are supported by Cisco ANA 3.6.5. Specific software versions that have been tested and verified are listed individually and marked as V.

Cisco ASA 5550 Series—Supported Topologies

Table 6-2 Supported Topologies for Cisco ASA 5550 Series—Cisco ANA 3.6.5

Topology Type	Link Type	ANA Version
Ethernet	Ethernet	3.6.3

Cisco ASA 5550 Series—Supported Modules

Table 6-3 Supported Modules for Cisco ASA 5550 Series—Cisco ANA 3.6.5

Module Name	ANA Version	Module Description	Certification Level
SSM-4GE-INC	3.6.3	SSM-4GE Included with ASA 5550 System	S

Cisco ASA 5550 Series—Supported Technologies

The following technologies are supported by the Cisco ASA 5550 Series in Cisco ANA 3.6.5:

- [IP, page 6-4](#)
- [Ethernet \(IEEE 802.3\), page 6-6](#)
- [Physical Equipment, page 6-9](#)
- [Base Logical Components, page 6-10](#)
- [Common, page 6-11](#)

Cisco ASA 5550 Series—Supported Service Events

Table 6-4 *Supported Service Events for Cisco ASA 5550 Series—Cisco ANA 3.6.5*

Event Name	ANA Version	Expedited
Primary HSRP Interface Active/Inactive	3.6.0	Y
All IP Interfaces Down / Active IP Interfaces Found	3.6.3	Y
Interface Status Down/Up	3.6.3	Y
Card In/Out	3.6.3	Y
Link Down/Up	3.6.3	Y
Device Unreachable	3.6.3	Y
CPU Over Utilized	3.6.3	Y
Memory Over Utilized	3.6.3	Y
Device Unsupported	3.6.3	Y
Discard Packets	3.6.3	N
Dropped Packets	3.6.3	N
Module Unsupported	3.6.3	N
Port Down	3.6.3	Y
Card Up/Down	3.6.3	Y

Supported Technologies on Cisco Security Appliances

The following sections list the objects and attributes that are supported on Cisco security appliances in Cisco ANA 3.6.5 per technology:

- [IP, page 6-4](#)
- [Ethernet \(IEEE 802.3\), page 6-6](#)
- [Physical Equipment, page 6-9](#)
- [Base Logical Components, page 6-10](#)
- [Common, page 6-11](#)

IP

Table 6-5 IP Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5

Attribute	ASA5550
IMO Name—IIPInterface	
IP Address	Y
Subnetwork Mask	Y
IP Interface Addresses Array	Y
Interface Name	Y
Interface Description	Y
IP Interface State	Y
OSPF Interface Cost	
Broadcast Address	
MTU	
Lookup Method	
Address Resolution Type	
ARP Timeout	
Secured ARP	
ICMP Mask Reply	
IGMP Proxy	
HSRP Groups	
IP Multiplexing Table	
IANA Type	
Containing CTPs	
Contained CTPs	
IMO Name—IIPMuxEntry	
Termination Point	
Destination IP Subnet	
IMO Name—IRoutingEntity	
Routing Table	Y
ARP Entity	Y
Routing Table Changes	
Name	Y
Logical Sons	Y
IMO Name—IRoutingEntry	
Destination IP Subnet	Y

Table 6-5 *IP Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)*

Attribute	ASA5550
Next Hop IP Address	Y
Type	Y
Routing Protocol Type	Y
Outgoing Interface Name	Y
IMO Name—IARPEntity	
ARP Table	Y
IMO Name—IARPEntity	
IP Address	Y
MAC Address	Y
Port	Y
Entry Type	Y
IMO Name—IIPPool	
IP Address Pool Entries	
Name	
Index	
IMO Name—IIPRangeBasedIPPoolEntry	
Start IP Address	
End IP Address	
Unused Addresses	
Used Addresses	
Reserved Addresses	
IMO Name—IIPSubnetBasedIPPoolEntry	
IP Subnet	
Unused Addresses	
Used Addresses	
Reserved Addresses	
IMO Name—HSRPGroupEntry	
Group Number	
Port Description	
Priority	
Coupled Router	
State	
Tracking Interfaces	
Virtual IP Address	
Virtual MAC Address	

Table 6-5 *IP Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)*

Attribute	ASA5550
IMO Name—I TunnelIGRE	
Name	
Tunnel Destination and Source	
IP Address	
IP Interface State	
IANA Type	
Containing CTPs	
Contained CTPs	

Ethernet (IEEE 802.3)

Table 6-6 *Ethernet (IEEE 802.3) Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5*

Attribute	ASA5550
IMO Name—I LagPortEntry	
Actor and Partner Admin Keys	
Actor and Partner Oper Keys	
Selected and Attached Aggregation Identification	
Actor Port	
Actor Port Priority	
Partner Admin and Oper Port	
Partner Admin and Oper Port Priority	
Actor and Partner Admin States	
Actor and Partner Oper States	
IMO Name—I Ethernet	
MAC Address	Y
Duplex Mode	
Output Flow Control	
Input Flow Control	
IANA Type	Y
Containing CTPs	
Contained CTPs	

Table 6-6 Ethernet (IEEE 802.3) Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)

Attribute	ASA5550
IMO Name—IVlanInterface	
Mode	
Native VLAN Identification	
Virtual LAN Table	
IANA Type	
Containing CTPs	
Contained CTPs	
IMO Name—IVlanEncapMux	
IANA Type	
Containing CTPs	
Contained CTPs	
IMO Name—IIEEE802	
VLAN Identification	
Binding Information	
Binding Status	
IANA Type	
Containing CTPs	
Contained CTPs	
IMO Name—IStpService	
Protocol Type	
Current and Bridge Max Age	
Current and Bridge Hello Time	
Current and Bridge Forward Delay	
Instance Information Table	
Same as ISystemService	
IMO Name—IMstService	
Protocol Properties	
Same as IStpService	
IMO Name—IMstProperties	
Force Version	
Configuration Format, Region Name and Revision Level	
External Root Cost	
Maximum Instances	

Table 6-6 Ethernet (IEEE 802.3) Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)

Attribute	ASA5550
IMO Name—IStpInstanceInfo	
Object Identification	
Identification	
Priority	
Designated Parent and Root Bridges	
Root Cost	
Is Root	
Root Port Identification	
Port Information Table	
IMO Name—IMstInstanceInfo	
Instance Identification	
Same as IStpInstanceInfo	
IMO Name—IPvstpInstanceInfo	
Protocol Type	
Current and Bridg Maximum Age	
Current and Bridge Hello Time	
Current and Bridge Forward Delay	
Same as IStpInstanceInfo	
IMO Name—IRstpInstanceInfo	
Force Version	
Same as IStpInstanceInfo	
IMO Name—IStpPortInfo	
Object Identification	
Priority	
State	
Path Cost	
Is Edge	
Is Point to Point	
Role	
IMO Name—IMstPortInfo	
Hello Time	
Same as IStpPortInfo	
IMO Name—IEthernetChannel	
Group Number	

Table 6-6 Ethernet (IEEE 802.3) Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)

Attribute	ASA5550
Bandwidth	
Aggregation Protocol	
IANA Type	
Containing CTPs	
Contained CTPs	

Physical Equipment

Table 6-7 Physical Equipment Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5

Attribute	ASA5550
IMO Name—IChassis	
Description	
Equipment Holder Type	Y
Contained Equipment Holders	
Contained Equipments	
IMO Name—IShelf	
Description	
Status	
Equipment Holder Type	
Contained Equipment Holders	
Contained Equipments	
IMO Name—IModule	
Module Name	Y
Module Description	Y
Software Version	Y
Operational Status	Y
Hardware Type + Version	Y
Managed IP Address	
Redundant Equipment	
Configured Redundancy	
Redundancy Status	

Table 6-7 *Physical Equipment Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)*

Attribute	ASA5550
Operational Status Last Changed	
Supported Physical Termination Points	
Serial Number (soft property)	Y

Base Logical Components

Table 6-8 *Base Logical Components Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5*

Attribute	ASA5550
IMO Name—IManagedElement	
IP Address	Y
Communication State	Y
Investigation State	Y
Element Category	Y
Element Type and Key	Y
Device Name	Y
System Name	Y
System Description	Y
Up Time	Y
Software Version	Y
Vendor Identity	Y
Memory and CPU Usage	Y
IMO Name—IContext	
Name	
Bounded Connections	
IP Address Pools	
Forwarding Components List	
Traffic Descriptors List	
Tunnel Containers List	
Data Link Aggregation Containers List	
IMO Name—ISystemService	
Type	

Table 6-8 *Base Logical Components Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5 (Continued)*

Attribute	ASA5550
Status	
Up Time	Y

Common

Table 6-9 *Common Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5*

Attribute	ASA5550
IMO Name—IPhysicalLayer	
Media Type	Y
Clocking Source	
Maximum Speed	Y
Is Internal Port	Y
Discarded Bandwidth	
Dropped Bandwidth	
Input Bandwidth	
Output Bandwidth	
Discarded and Received Input Data Counters	
Dropped and Forward Output Data Counters	
Administrative Status	Y
Operational Status	Y
Last Changed	
IANA Type	Y
Containing CTPs	
Contained CTPs	
IMO Name—IBridge	
Bridge Table	
Type	
MAC Address	
IP Interface	
Name	
Logical Sons	

Table 6-9Common Attribute Support on Cisco Security Appliances—Cisco ANA 3.6.5

Attribute	ASA5550
IMO Name—IBridgeEntry	
Destination MAC	
Outgoing Interface	
IMO Name—IVcSwitchingEntity	
Cross Connect Table	
Logical Sons	