



CHAPTER 2

Overview—Supported Network Elements in Cisco ANA Version 3.7.2 and 3.7.3

This chapter provides an overview of network elements (NEs) that are supported by Cisco ANA Version 3.7.2 and 3.7.3:

This chapter contains the following topics:

- [Supported Alcatel-Lucent Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-1](#)
- [Supported Calix Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-3](#)
- [Supported DragonWave Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-3](#)
- [Supported Huawei Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-5](#)
- [Supported Juniper Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-6](#)
- [Supported RAD Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-8](#)
- [Supported Tellabs Devices in Cisco ANA Version 3.7.2 and 3.7.3, page 2-9](#)

Supported Alcatel-Lucent Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following Alcatel-Lucent devices:

- [Alcatel-Lucent ATM Subscriber Access Multiplexer](#)
- [Alcatel-Lucent 7450 Ethernet Service Switch](#)
- [Alcatel-Lucent 7705 Service Aggregation Router](#)
- [Alcatel-Lucent 7750/7710 Service Router](#)
- [Alcatel-Lucent Intelligent Services Access Manager](#)

Table 2-1 **Supported Alcatel-Lucent Devices in Cisco ANA Version 3.7.2 and 3.7.3**

NE Type	Product Name	SysOID	ANA Version	DP Version
Alcatel-Lucent ATM Subscriber Access Multiplexer				
asam 7301 HD	Alcatel ASAM 7301 HD DSLAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0

Table 2-1 Supported Alcatel-Lucent Devices in Cisco ANA Version 3.7.2 and 3.7.3 (Continued)

NE Type	Product Name	SysOID	ANA Version	DP Version
asam 7301 SD	Alcatel ASAM 7301 SD DSLAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0
asam 7301 UD	Alcatel ASAM 7301 UD DSLAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0
asam 7301 XD	Alcatel ASAM 7301 XD DSLAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0
Alcatel-Lucent 7450 Ethernet Service Switch				
ess-7450-1	Alcatel ESS-7450-1	1.3.6.1.4.1.6527.1.6.1	3.7.2	1.0
ess-7450-7	Alcatel ESS-7450-7	1.3.6.1.4.1.6527.1.6.3	3.7.2	1.0
ess-7450-12	Alcatel ESS-7450-12	1.3.6.1.4.1.6527.1.6.4	3.7.2	3.0
ess-7450-6	Alcatel ESS-7450-6	1.3.6.1.4.1.6527.1.3.5	3.7.2/3.7.3	4.0
Alcatel-Lucent 7705 Service Aggregation Router				
Alcatel 7705 SAR-F	Alcatel 7705 Service Aggregation Router (Fixed)	1.3.6.1.4.1.6527.6.1.1.2.2	3.7.2	3.0
Alcatel 7705 SAR-8	Alcatel 7705 Service Aggregation Router (8 slots)	1.3.6.1.4.1.6527.6.1.1.2.1	3.7.2	3.0
Alcatel-Lucent 7750/7710 Service Router				
Alcatel 7750 SR c-12	Alcatel 7750 superior multiservice edge router	1.3.6.1.4.1.6527.1.3.6	3.7.2	3.0
Alcatel 7750 SR 7	Alcatel 7750 superior multiservice edge router	1.3.6.1.4.1.6527.1.3.4	3.7.2	3.0
Alcatel 7750 SR 4	Alcatel 7750 superior multiservice edge router	1.3.6.1.4.1.6527.1.3.2	3.7.2/3.7.3	4.0
Alcatel 7710 SR c-12	Alcatel 7710 superior multiservice edge router	1.3.6.1.4.1.6527.1.9.1	3.7.2/3.7.3	4.0
Alcatel 7750 SR 12	Alcatel 7750 superior multiservice edge router	1.3.6.1.4.1.6527.1.3.3	3.7.2/3.7.3	5.0
Alcatel-Lucent Intelligent Services Access Manager				
ISAM 7302	Alcatel-Lucent 7302 ISAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0
ISAM 7330	Alcatel-Lucent 7330 ISAM	1.3.6.1.4.1.637.61.1	3.7.2/3.7.3	6.0

Supported Calix Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following Calix devices:

- [Calix Blade 6214 Series DSLAM](#)
- [Calix Blade 6216 Series DSLAM](#)
- [Calix Blade 6312 Series Switches](#)
- [Calix Blade 6316 Series Switches](#)
- [Calix Blade 6450 Series Switches](#)

Table 2-2 **Supported Calix Devices in Cisco ANA Version 3.7.2 and 3.7.3**

NE Type	Product Name	SysOID	ANA Version	DP Version
Calix Blade 6214 Series DSLAM				
B6214	Calix B6-214	1.3.6.1.4.1.6066.1.38	3.7.2/3.7.3	9.0
Calix Blade 6216 Series DSLAM				
BLC 6216	Calix B6-216	1.3.6.1.4.1.6066.1.51	3.7.2/3.7.3	9.0
Calix Blade 6312 Series Switches				
BLC 6312	Calix B6-312	1.3.6.1.4.1.6066.1.37	3.7.2/3.7.3	9.0
Calix Blade 6316 Series Switches				
BLC 6316	Calix B6-316	1.3.6.1.4.1.6066.1.50	3.7.2/3.7.3	9.0
Calix Blade 6450 Series Switches				
BLC 6450	Calix B6-450	1.3.6.1.4.1.6066.1.44	3.7.2/3.7.3	9.0

Supported DragonWave Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following DragonWave devices:

- [DragonWave Horizon Compact Device \(Packet Microwave System\)](#)
- [DragonWave Horizon Compact Plus Device \(Packet Microwave System\)](#)
- [DragonWave Horizon Quantum Device \(Packet Microwave System\)](#)

Table 2-3 *Supported DragonWave Devices in Cisco ANA Version 3.7.2 and 3.7.3*

NE Type	Product Name	SysOID	ANA Version	DP Version
DragonWave Horizon Compact Device (Packet Microwave System)				
Horizon Compact	Horizon Compact	1.3.6.1.4.1.7262.2.2	3.7.2/3.7.3	5.0
DragonWave Horizon Compact Plus Device (Packet Microwave System)				
Horizon Compact Plus	Horizon Compact Plus	1.3.6.1.4.1.7262.2.5	3.7.2/3.7.3	8.0
DragonWave Horizon Quantum Device (Packet Microwave System)				
Horizon Quantum	Horizon Quantum	1.3.6.1.4.1.7262.2.4	3.7.2/3.7.3	5.0

Supported Huawei Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following Huawei devices:

- [Huawei - Quidway@ S9300 Series Terabit Routing Switch](#)
- [Huawei - Quidway@ CX600-CarrierSwitch and ATN-Cellsite-Gateway](#)

Table 2-4 **Supported Huawei Devices in Cisco ANA Version 3.7.2 and 3.7.3**

NE Type	Product Name	SysOID	ANA Version	DP Version
Huawei - Quidway@ S9300 Series Terabit Routing Switch				
Huawei S9306	Huawei S9306 Terabit Routing Switch	1.3.6.1.4.1.2011.2.170.2	3.7.2	3.0
Huawei - Quidway@ CX600-CarrierSwitch and ATN-Cellsite-Gateway				
Huawei CX600 - X8	Huawei CX600-X8 Carrier Switch	1.3.6.1.4.1.2011.2.87.18	3.7.2/3.7.3	5.0
Huawei CX600 - X2	Huawei CX600-X2 Carrier Switch	1.3.6.1.4.1.2011.2.87.21	3.7.2/3.7.3	5.0
Huawei CX600 - X1	Huawei CX600-X1 Carrier Switch	1.3.6.1.4.1.2011.2.87.20	3.7.2/3.7.3	5.0
Huawei ATN 910	Huawei ATN 910	1.3.6.1.4.1.2011.2.220.3	3.7.2/3.7.3	5.0
Huawei ATN 950	Huawei ATN 950	1.3.6.1.4.1.2011.2.220.4	3.7.2/3.7.3	5.0

Supported Juniper Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following Juniper devices:

- [Juniper E-Series ERX Edge Routing Switches](#)
- [Juniper JCS Control System](#)
- [Juniper M-Series Multiservice Edge Routers](#)
- [Juniper MX-Series Ethernet Service Routers](#)
- [Juniper Netscreen Security Firewall/VPN Device](#)
- [Juniper T-Series Core Platforms](#)

Table 2-5 *Supported Juniper Devices in Cisco ANA Version 3.7.2 and 3.7.3*

NE Type	Product Name	SysOID	ANA Version	DP Version
Juniper E-Series ERX Edge Routing Switches				
Juniper-1400	ERX-1400	1.3.6.1.4.1.4874.1.1.1.1.1	3.7.2	3.0
Juniper-1440	ERX-1440	1.3.6.1.4.1.4874.1.1.1.1.3	3.7.2	3.0
Juniper JCS Control System				
Juniper JCS 1200	Juniper Networks JCS 1200 Control System	1.3.6.1.4.1.2636.1.1.1.2.38	3.7.2/3.7.3	6.0
Juniper M-Series Multiservice Edge Routers				
Juniper M10i	Juniper Networks M10i Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.11	3.7.2/3.7.3	1.0
Juniper M7i	Juniper Networks M7i Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.10	3.7.2/3.7.3	6.0
Juniper M320	Juniper Networks M320 Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.9	3.7.2/3.7.3	1.0
Juniper M20	Juniper Networks M20 Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.2	3.7.2/3.7.3	4.0
Juniper M120	Juniper Networks M120 Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.18	3.7.2/3.7.3	4.0
Juniper M40e	Juniper Networks M40e Multiservice Edge Router	1.3.6.1.4.1.2636.1.1.1.2.8	3.7.2/3.7.3	4.0
Juniper MX-Series Ethernet Service Routers				
Juniper MX960	Juniper Networks MX960 Ethernet Service Router	1.3.6.1.4.1.2636.1.1.1.2.21	3.7.2	2.0
Juniper MX480	Juniper Networks MX480 Ethernet Service Router	1.3.6.1.4.1.2636.1.1.1.2.25	3.7.2	3.0
Juniper MX240	Juniper Networks MX240 Ethernet Service Router	1.3.6.1.4.1.2636.1.1.1.2.29	3.7.2/3.7.3	4.0

Table 2-5 Supported Juniper Devices in Cisco ANA Version 3.7.2 and 3.7.3 (Continued)

NE Type	Product Name	SysOID	ANA Version	DP Version
Juniper Netscreen Security Firewall/VPN Device				
Juniper Netscreen 5400	Juniper Netscreen 5400 Security Firewall/VPN device	1.3.6.1.4.1.3224.1.13	3.7.2/3.7.3	6.0
Juniper T-Series Core Platforms				
Juniper T640	T640	1.3.6.1.4.1.2636.1.1.1.2.6	3.7.2	1.0
Juniper T320	T320	1.3.6.1.4.1.2636.1.1.1.2.7	3.7.2	3.0
Juniper T1600	T1600	1.3.6.1.4.1.2636.1.1.1.2.27	3.7.2/3.7.3	4.0

Supported RAD Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following RAD device:

- [RAD ACE-3000 Cell-Site Gateway](#)
- [RAD ETX-Series Carrier Ethernet Demarcation Device](#)
- [RAD IPmux-4L TDM Pseudowire Access Gateway](#)
- [RAD LA-210 EFM DSL Network Termination Unit](#)

Table 2-6 **Supported RAD Devices in Cisco ANA Version 3.7.2 and 3.7.3**

NE Type	Product Name	SysOID	ANA Version	DP Version
RAD ACE-3000 Cell-Site Gateway				
ACE-3105	Rad Ace 3105	1.3.6.1.4.1.164.6.1.12.3.18	3.7.2	2.0
ACE-3100	Rad Ace 3100	1.3.6.1.4.1.164.6.1.12.3.9	3.7.2/3.7.3	4.0
ACE-3200	Rad Ace 3200	1.3.6.1.4.1.164.6.1.12.3.8	3.7.2/3.7.3	4.0
ACE-3205	Rad Ace 3205	1.3.6.1.4.1.164.6.1.12.3.17	3.7.2	1.0
RAD ETX-Series Carrier Ethernet Demarcation Device				
ETX-204AW (Wide Box)	Rad ETX 204AW (Wide Box)	1.3.6.1.4.1.164.6.1.6.25	3.7.2	2.0
ETX-204 A (Short Box)	Rad ETX 204 A (Short Box)	1.3.6.1.4.1.164.6.1.6.24	3.7.2/3.7.3	4.0
RAD IPmux-4L TDM Pseudowire Access Gateway				
IPmux-4L	Rad Ipmux 4L	1.3.6.1.4.1.164.6.1.3.156	3.7.2	2.0
RAD LA-210 EFM DSL Network Termination Unit				
LA-210	Rad LA 210	1.3.6.1.4.1.164.6.1.13.5	3.7.2	2.0

Supported Tellabs Devices in Cisco ANA Version 3.7.2 and 3.7.3

This document includes support information for the following Tellabs device:

- [Tellabs 8840 Multiservice Router, page 2-9](#)

Table 2-7 **Supported Tellabs Devices in Cisco ANA Version 3.7.2**

NE Type	Product Name	SysOID	ANA Version	DP Version
Tellabs 8840 Multiservice Router				
TellabsMSE8840	TellabsMSE8840	1.3.6.1.4.1.4641.1.3	3.7.2/3.7.3	6.0

