# 



#### **Cisco Configuration Professional Troubleshooting Guide**

First Published Date: August 12, 2013

#### **Cisco Systems, Inc.**

www.cisco.com

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco website at www.cisco.com/go/offices.

Customer Order Number: Text Part Number: OL-30282-01 THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGESCisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

Cisco Configuration Professional Troubleshooting Guide © 2013 Cisco Systems, Inc. All rights reserved.



#### Preface v

Audience -v Conventions -v Obtaining Documentation and Submitting a Service Request -vi

#### **Display Issues** 1-1

GUI Display Problem in Internet Explorer 10 1-1 Cisco Configuration Professional Display Issue 1-2 Contents



# Preface

This preface describes the audience this document is aimed and the conventions used in the *Cisco Configuration Professional Troubleshooting Guide*. It also provides information on how to obtain documentation and technical assistance.

- Audience, page v
- Conventions, page v
- Obtaining Documentation and Submitting a Service Request, page vi

### **Audience**

This guide is intended primarily for network administrators and channel partners.

### **Conventions**

This guide uses the following conventions:

Item	Convention	
Commands and keywords.	boldface font	
Variables for which you supply values.	<i>italic</i> font	
Optional command keywords. You do not have to select any options.	[enclosed in brackets]	
Required command keyword to be selected from a set of options. You must choose one option.	{options enclosed in braces   separated by vertical bar}	
Displayed session and system information.	screen font	
Information you enter.	boldface screen font	
Variables you enter.	italic screen font	
Menu items and button names.	boldface font	
Choosing a menu item.	<b>Option &gt; Network Preferences</b>	

bodily injury.

Mear	as reader take note.	
Mear	as the following information will help you solve a problem.	
	as <i>reader be careful</i> . In this situation, you might perform an action that could result in e ge or loss of data.	quipm
	as the described action saves time. You can save time by performing the action describe	ed in

## **Obtaining Documentation and Submitting a Service Request**

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.



# **Display Issues**

This chapter contains troubleshooting information pertaining to Cisco Configuration Professional. It contains the following sections:

- GUI Display Problem in Internet Explorer 10, page 1-1
- Cisco Configuration Professional Display Issue, page 1-2



This is not an administration manual. For comprehensive information about administering Cisco Configuration Professional, see the *Cisco Configuration Professional User Guide*.

### **GUI Display Problem in Internet Explorer 10**

Problem Cisco Configuration Professional does not display the full screen.

**Possible Cause** This problem may occur when you use Internet Explorer 10. **Solution** To resolve this problem, perform these steps:

- **Step 1** Open the Internet Explorer browser and press the **ALT** key.
- Step 2 From the Tools drop-down menu, choose Compatibility View Settings.
- **Step 3** Click Add and enter the IP address **127.0.0.1** to add cisco configuration professional website, as shown in Figure 1.

Γ



Figure 1 Compatibility View Settings

Step 4 Click Close and relaunch Cisco Configuration Professional.

#### **Cisco Configuration Professional Display Issue**

Problem Some parts of the Cisco Configuration Professional screens are not visible.

**Possible Cause** This problem may occur when the Internet Explorer zoom level and the Windows display level are not set to 100%.

**Solution** To resolve this problem, perform these steps:

**Step 1** Set the Internet Explorer zoom level to 100% if it is not at 100%.

**Step 2** Set the Windows display level to 100%.