



INDEX

Symbols

! formatting symbol [13-33](#)
% operator [13-58](#)
& formatting symbol [13-32](#)
& operator [13-58](#)
* operator [13-57](#)
+ operator [13-57](#)
/ operator [13-57](#)
<= operator [13-58](#)
<> operator [13-58](#)
< formatting symbol [13-33](#)
< operator [13-58](#)
= operator [13-58](#)
>= operator [13-58](#)
> formatting symbol [13-33](#)
> operator [13-58](#)
@ formatting symbol [13-32](#)
– operator [13-57](#)

A

ABS function [13-51](#)
absolute values [13-51](#)
accessing
 data [13-63](#)
 Interactive Viewer [13-20](#)
 table of contents entries [13-23](#)
acs distributed deployment [17-1](#)
ADD_DAY function [13-51](#)
ADD_HOUR function [13-51](#)
ADD_MINUTE function [13-51](#)
ADD_MONTH function [13-51](#)

ADD_QUARTER function [13-51](#)
ADD_SECOND function [13-51](#)
ADD_WEEK function [13-51](#)
ADD_YEAR function [13-51](#)
Add Group command [13-48](#)
adding
 aggregate rows [13-61, 13-62](#)
 data filters [13-65, 13-67, 13-68, 13-69](#)
 data groups [13-47, 13-48](#)
 formatting rules [13-35, 13-36](#)
 page breaks [13-39](#)
addition operator [13-57](#)
administrator access setting [16-11](#)
administrator password policy [16-9](#)
administrator password reset [16-12](#)
administrator roles [16-2](#)
Advanced Filter dialog [13-69, 13-70](#)
Advanced Sort command [13-45](#)
aggregate functions [13-60, 13-61](#)
aggregate rows
 creating [13-61, 13-62](#)
 formatting data in [13-28 to 13-29](#)
aggregate values [13-40](#)
Aggregation dialog [13-61](#)
alarms [12-1](#)
 syslog targets [12-30](#)
 system alarms [12-29](#)
alarm schedules [12-5](#)
aligning data [13-28](#)
alignment options [13-28](#)
AND operator [13-58, 13-70](#)
Any Of condition [13-66](#)
arguments [13-50](#)

Arrange Columns dialog [13-40](#)
 ascending sort order [13-45](#)
 AVERAGE function [13-51](#)
 Average function [13-60](#)
 averages [13-51, 13-55, 13-57, 13-60, 13-61](#)

B

background colors [13-37](#)
 Between condition [13-66, 13-70](#)
 BETWEEN function [13-51](#)
 Between operator [13-37](#)
 blank characters [13-56](#)
 Boolean values [13-52, 13-57, 13-66](#)
 Bottom N condition [13-66](#)
 Bottom Percent condition [13-66](#)

C

calculated columns
 aggregating data and [13-60, 13-61, 13-62](#)
 creating [13-49, 13-57](#)
 placing values in [13-52](#)
 Calculation dialog [13-50, 13-58, 13-59](#)
 calculations [13-40](#)
 case conversions [13-33](#)
 case-insensitive searches [13-56](#)
 case-sensitive searches [13-52](#)
 category series [13-71](#)
 cautions
 description [ii-xxiv](#)
 CEILING function [13-51](#)
 changing
 aggregate values [13-28](#)
 chart subtypes [13-73](#)
 column headers [13-23, 13-26](#)
 conditional formats [13-36](#)
 data filters [13-69](#)
 default formats [13-27](#)
 labels [13-26](#)
 reports [13-20](#)
 character patterns [13-56, 13-67](#)
 character placeholder [13-32](#)
 charts
 overview [13-71](#)
 Chart Subtype command [13-73](#)
 Cisco CAT 6K [4-22](#)
 clearing data filters [13-69](#)
 closing Standard Viewer [13-20](#)
 collapsing data groups [13-48, 13-64, 13-65](#)
 colors [13-37](#)
 column headers [13-23](#)
 column names [13-68](#)
 Column Properties dialog [13-28](#)
 columns
 aligning data in [13-28](#)
 changing order of [13-40](#)
 counting rows in [13-60](#)
 deleting [13-42](#)
 determining first value in [13-52, 13-60](#)
 determining last value in [13-53, 13-60](#)
 determining type [13-30](#)
 displaying data in [13-29](#)
 formatting data in [13-35, 13-36](#)
 grouping date and time values in [13-48](#)
 resizing [13-24, 13-28](#)
 sorting data in [13-45, 13-71](#)
 Column Width command [13-28](#)
 comma-separated values files. See CSV files
 comparison filters [13-67](#)
 comparison operators [13-36, 13-67](#)
 comparisons [13-36, 13-52](#)
 concatenation operator [13-58](#)
 Conditional Formatting dialog [13-35, 13-36, 13-38](#)
 conditional formatting rules [13-35, 13-36](#)
 conditions
 filtering data and [13-65, 13-66, 13-69](#)

- formatting data and [13-35](#)
 - context menus [13-20](#)
 - conversions [13-33](#)
 - COUNT_DISTINCT function [13-52](#)
 - COUNT function [13-51](#)
 - Count function [13-60](#)
 - Count Value function [13-60](#)
 - creating
 - aggregate rows [13-61, 13-62](#)
 - calculated columns [13-49, 13-57](#)
 - data filters [13-65, 13-67, 13-68, 13-69](#)
 - data groups [13-47, 13-48](#)
 - formatting rules [13-35, 13-36](#)
 - crud operations [7-5](#)
 - CSV files [13-23, 13-25](#)
 - currency [13-31](#)
 - Currency format option [13-30](#)
 - currency formatting options [13-31](#)
 - currency symbols [13-31](#)
 - Custom format option [13-29, 13-30](#)
 - customizing
 - formats [13-31, 13-32](#)
-
- ## D
- data
 - accessing [13-63](#)
 - aligning [13-28](#)
 - displaying [13-29, 13-40, 13-63](#)
 - hiding [13-42](#)
 - plotting relationships for [13-71](#)
 - data filters [13-65, 13-67, 13-68, 13-69](#)
 - data points [13-71](#)
 - data rows [13-63, 13-64](#)
 - data sections [13-64, 13-65](#)
 - data sets [13-40, 13-60, 13-63, 13-71](#)
 - data sources [13-25, 13-30, 13-45, 13-63](#)
 - data types [13-30](#)
 - Date and Time Format dialog [13-34](#)
 - date calculations [13-59](#)
 - date data types [13-29](#)
 - date expressions [13-58, 13-59](#)
 - date formats [13-29, 13-34](#)
 - Date or Time Column Format dialog [13-34](#)
 - date values [13-34, 13-48, 13-52](#)
 - DAY function [13-52](#)
 - decimal values [13-31](#)
 - default formats [13-27, 13-28](#)
 - default network device [7-16](#)
 - deleting
 - columns [13-42](#)
 - conditional formats [13-38](#)
 - data filters [13-69](#)
 - filter conditions [13-70](#)
 - page breaks [13-39](#)
 - delimited text files [13-23, 13-25](#)
 - descending sort order [13-45](#)
 - designs
 - hiding data in [13-63](#)
 - organizing data in [13-40](#)
 - saving [13-25](#)
 - DIFF_DAY function [13-52](#)
 - DIFF_HOUR function [13-52](#)
 - DIFF_MINUTE function [13-52](#)
 - DIFF_MONTH function [13-52](#)
 - DIFF_QUARTER function [13-52](#)
 - DIFF_SECOND function [13-52](#)
 - DIFF_WEEK function [13-52](#)
 - DIFF_YEAR function [13-52](#)
 - displaying
 - data [13-29, 13-40, 13-63](#)
 - detail rows [13-64](#)
 - reports [13-20](#)
 - specific report pages [13-22, 13-23](#)
 - table of contents [13-22](#)
 - distinct values [13-52, 13-60](#)
 - division [13-54, 13-57](#)
 - division operator [13-57](#)

downloads [18-42](#)
duplicate values [13-63, 13-64](#)

E

EAP-FAST

enabling [B-25](#)
identity protection [B-19](#)
logging [B-19](#)
master keys

definition [B-20](#)

PAC

automatic provisioning [B-22](#)
definition [B-20](#)
manual provisioning [B-23](#)
refresh [B-25](#)

phases [B-18](#)

EAP-FAST settings

configuring [18-3](#)

EAP-TLS settings

configuring [18-2](#)

equality [13-58, 13-70](#)

equality operator [13-58](#)

Equal to condition [13-66](#)

Excel spreadsheets [13-23](#)

expanding sections or groups [13-64](#)

expanding table of contents entries [13-23](#)

Export Data dialog [13-24](#)

expressions

calculating data and [13-57, 13-58](#)
filtering data and [13-65, 13-66, 13-67, 13-69, 13-70](#)

external identity server

RSA SecurID [8-46](#)

external identity servers

RADIUS identity stores [8-52](#)

external identity stores [8-2](#)

LDAP [8-18](#)

Microsoft AD [8-38](#)

F

false function [13-52](#)

fields [13-26](#)

filter conditions [13-65, 13-66, 13-69, 13-70](#)

Filter dialog [13-68, 13-69](#)

Filter drop-down list [13-71](#)

filters [13-65, 13-67, 13-68, 13-69](#)

FIND function [13-52](#)

finding text values [13-52, 13-56](#)

FIRST function [13-52](#)

First function [13-60](#)

Fixed format option [13-30](#)

fixed numeric values [13-31](#)

Font dialog box [13-37](#)

fonts [13-37, 13-73](#)

footers [13-60](#)

Format Chart page [13-73](#)

Format command [13-73](#)

format patterns [13-31, 13-33](#)

formats

changing [13-27, 13-36](#)
customizing [13-31, 13-32](#)
data types and [13-29](#)
deleting conditional [13-38](#)
exporting data and [13-23](#)
previewing conditional [13-38](#)
selecting [13-31](#)

formatting

column headers [13-27](#)
labels [13-26, 13-27](#)
string data [13-32](#)

formatting options [13-31, 13-32, 13-34](#)

formatting rules [13-35, 13-36](#)

formatting symbols [13-31, 13-32](#)

functions [13-50, 13-60, 13-61](#)

G

General Date format option [13-29](#)
 General Number format option [13-30](#)
 Go to page pick list [13-22](#)
 Greater Than condition [13-66](#)
 greater than operator [13-58](#)
 Greater Than or Equal to condition [13-66](#)
 greater than or equal to operator [13-58](#)
 Group Detail dialog [13-48](#)
 grouping
 filter conditions [13-70](#)
 grouping intervals [13-48](#)
 groups
 adding [13-47, 13-48](#)
 aggregating data and [13-60](#)
 collapsing [13-48, 13-64, 13-65](#)
 counting rows for [13-51](#)
 displaying data and [13-40, 13-63](#)
 setting page breaks for [13-39](#)
 sorting data and [13-46](#)

H

headers [13-23, 13-60](#)
 hidden items [13-42](#)
 Hide Column command [13-43](#)
 Hide Detail command [13-65](#)
 Hide or Show Items dialog [13-42](#)
 hiding
 detail rows [13-64](#)
 duplicate values [13-63, 13-64](#)
 report items [13-42](#)
 HTML files [13-25](#)

I

identity store sequences [8-65](#)
 If...Then...Else statement [13-53](#)

IF function [13-53](#)
 import and export
 creating import files [5-20](#)
 supported objects [5-18](#)
 information objects [13-29](#)
 IN function [13-53](#)
 Interactive Viewer [13-20](#)
 internal identity stores [8-1](#)
 ISBOTTOMN function [13-53](#)
 ISBOTTOMNPERCENT function [13-53](#)
 Is False condition [13-66](#)
 Is False operator [13-36](#)
 Is Not Null condition [13-66](#)
 Is Not Null operator [13-36](#)
 Is Null condition [13-66](#)
 ISNULL function [13-53](#)
 Is Null operator [13-36](#)
 ISTOPN function [13-53](#)
 ISTOPNPERCENT function [13-53](#)
 Is True condition [13-66](#)
 Is True operator [13-36](#)

L

labels [13-26, 13-27](#)
 formatting [13-27](#)
 LAST function [13-53](#)
 Last function [13-60](#)
 leading characters [13-56](#)
 LEFT function [13-54](#)
 LEN function [13-54](#)
 Less Than condition [13-66](#)
 less than operator [13-58](#)
 Less Than or Equal to condition [13-66](#)
 less than or equal to operator [13-58](#)
 licensing [18-35](#)
 Like condition [13-66](#)
 LIKE function [13-54](#)
 literal values [13-70](#)

locales

- creating charts and [13-73](#)
- customizing formats for [13-29, 13-31, 13-34](#)

locating text values [13-52, 13-56](#)logical operators [13-57](#)Long Date format option [13-29](#)Long Time format option [13-29](#)lowercase characters [13-54](#)Lowercase format option [13-30](#)LOWER function [13-54](#)

M

master key

- definition [B-20](#)

matching character patterns [13-67](#)mathematical functions [13-50](#)mathematical operators [13-57](#)MAX function [13-54](#)Max function [13-60](#)MEDIAN function [13-54](#)Median function [13-60](#)median values [13-54, 13-60](#)Medium Date format option [13-29](#)Medium Time format option [13-29](#)membership filters [13-67](#)menus [13-20](#)

migration

- common scenarios [2-7](#)
- considerations [2-3](#)
- downloads [2-3](#)
- requirements [2-2](#)
- supported versions [2-2](#)

MIN function [13-54](#)Min function [13-60](#)Mode function [13-60](#)MOD function [13-54](#)

monitoring & report viewer

- configuring remote database [15-16](#)

data backup and purge [15-2](#)data upgrade status [15-11](#)restore [15-5](#)viewing process status [15-10](#)viewing scheduled jobs [15-10](#)

monitoring and report viewer

- dashboard [11-3](#)

MONTH function [13-54, 13-55](#)Move to Group Header command [13-41](#)Move to Group Header dialog [13-41](#)MOVINGAVERAGE function [13-55](#)moving columns [13-40](#)moving through reports [13-22](#)multipage reports [13-64](#)multiplication [13-58](#)multiplication operator [13-57](#)

N

naming

- calculated columns [13-58](#)

navigating through reports [13-22](#)navigational tools [13-22](#)negative numbers [13-31](#)non-null values [13-53, 13-55, 13-66](#)Not Between condition [13-66](#)Not Between operator [13-37](#)note, description of [ii-xxiv](#)Not Equal to condition [13-66](#)not equal to operator [13-58](#)Not Like condition [13-66](#)NOTNULL function [13-55](#)NOT operator [13-58, 13-70](#)NOW function [13-55](#)null value filters [13-67](#)null values [13-53, 13-55, 13-66, 13-67](#)Number Column Format dialog [13-30, 13-31](#)Number column format dialog [13-32](#)number formats [13-30, 13-31](#)

numeric data types [13-30](#)
 numeric expressions [13-58](#)
 numeric values [13-23](#), [13-31](#)

O

opening
 exported data files [13-25](#)
 Interactive Viewer [13-20](#)
 operators [13-36](#), [13-57](#)
 OR operator [13-58](#), [13-70](#)

P

PAC
 automatic provisioning [B-22](#)
 definition [B-20](#)
 manual provisioning [B-23](#)
 refresh [B-25](#)
 Page Break on Group dialog [13-39](#)
 page breaks [13-39](#)
 paging toolbar [13-22](#)
 pattern-matching filters [13-67](#)
 PDF files [13-25](#)
 PEAP
 identity protection [B-14](#)
 phases [B-14](#)
 PEAP settings
 configuring [18-3](#)
 percentage operator [13-58](#)
 percentages [13-31](#), [13-53](#), [13-55](#)
 Percent format option [13-30](#)
 PERCENTILE function [13-55](#)
 PERCENTRANK function [13-55](#)
 PERCENTSUM function [13-55](#)
 previewing conditional formats [13-38](#)
 primary sorting column [13-45](#)
 Print dialog [13-25](#)

printing [13-25](#)
 printing options [13-25](#)

Q

QUARTER function [13-55](#)
 QUARTILE function [13-55](#)
 Quartile function [13-60](#)

R

RADIUS proxy [4-27](#)
 configuring proxy service [4-29](#)
 supported protocols [4-28](#)
 supported RADIUS attributes [4-29](#)
 range filters [13-67](#)
 range of values [13-36](#), [13-37](#), [13-66](#), [13-67](#)
 RANK function [13-55](#), [13-56](#)
 relationships [13-71](#)
 Reorder Columns command [13-40](#)
 report designs
 hiding data in [13-63](#)
 organizing data in [13-40](#)
 saving [13-25](#)
 report items [13-42](#)
 reports [13-1](#)
 catalog [13-7](#)
 changing [13-20](#)
 displaying [13-20](#)
 dynamic change of authorization [13-2](#)
 favorites [13-3](#)
 navigating through [13-22](#)
 printing [13-25](#)
 setting page breaks for [13-39](#)
 shared [13-7](#)
 viewing specific pages in [13-22](#), [13-23](#)
 report sections [13-64](#), [13-65](#)
 report templates [13-27](#), [13-73](#)

report viewers [13-20](#)
 resizing columns [13-24, 13-28](#)
 RIGHT function [13-56](#)
 ROUNDDOWN function [13-56](#)
 ROUND function [13-56](#)
 rounding [13-51, 13-56](#)
 ROUNDUP function [13-56](#)
 row-by-row comparisons [13-52](#)
 rows [13-63, 13-64](#)
 RUNNINGSUM function [13-56](#)
 running totals [13-56](#)

S

Save As dialog [13-25](#)
 saving
 exported data [13-25](#)
 report designs [13-25](#)
 Scientific format option [13-30](#)
 scientific numbers [13-31](#)
 SEARCH function [13-56](#)
 searching [13-52, 13-56, 13-68](#)
 sections [13-64, 13-65](#)
 Select data item dialog [13-68](#)
 Short Date format option [13-29](#)
 Short Time format option [13-29](#)
 Show Columns command [13-43](#)
 Show Columns dialog [13-43](#)
 Show Detail command [13-65](#)
 software
 updates [17-21](#)
 sorting multiple columns [13-45](#)
 sort order [13-45](#)
 spreadsheet reports [13-23](#)
 SQRT function [13-56](#)
 square roots [13-56](#)
 standard deviation [13-56, 13-60](#)
 Standard Deviation function [13-60](#)
 Standard Viewer [13-20](#)

STDEV function [13-56](#)
 String Column Format dialog [13-33](#)
 String column format dialog [13-32](#)
 string conversions [13-33](#)
 string data types [13-30](#)
 string fields [13-67](#)
 string patterns [13-56](#)
 strings [13-32, 13-54, 13-66](#)
 substrings [13-54, 13-56, 13-66](#)
 subtraction operator [13-57](#)
 subtypes (charts) [13-73](#)
 SUM function [13-56](#)
 Sum function [13-60](#)
 summary values [13-56, 13-60](#)

T

tables
 aggregating data and [13-60, 13-61, 13-62](#)
 counting rows in [13-51, 13-60](#)
 TACACS+ settings
 configuring [18-1](#)
 templates [13-27, 13-73](#)
 testing
 character patterns [13-67](#)
 for non-null values [13-55](#)
 for null values [13-53, 13-67](#)
 range of values [13-67](#)
 sets of values [13-67](#)
 text
 aggregating values for [13-61](#)
 changing label [13-26](#)
 converting case [13-33](#)
 searching for [13-52, 13-56](#)
 text files [13-23, 13-25](#)
 text formats [13-30](#)
 text patterns [13-67](#)
 text styles [13-37](#)
 themes [13-73](#)

thousands separators [13-31](#)
 time data types [13-29](#)
 time formats [13-29, 13-34](#)
 timesaver, description of [ii-xxiv](#)
 time stamps [13-55, 13-56](#)
 time values [13-34, 13-48](#)
 TODAY function [13-56](#)
 Top N condition [13-66](#)
 Top Percent condition [13-66](#)
 totals [13-36, 13-56, 13-60](#)
 trailing characters [13-56](#)
 TRIM function [13-56](#)
 TRIMLEFT function [13-56](#)
 TRIMRIGHT function [13-57](#)
 troubleshooting

- connectivity [14-1](#)
- expert troubleshooter [14-2](#)
- support bundles [14-1](#)

 true function [13-57](#)
 TrustSec [4-22](#)

U

Unformatted format option [13-29, 13-30](#)
 uppercase characters [13-57](#)
 Uppercase format option [13-30](#)
 UPPER function [13-57](#)

V

values

- averaging [13-51, 13-55, 13-57, 13-60, 13-61](#)
- calculating [13-40](#)
- comparing [13-36, 13-67](#)
- counting number of distinct [13-52, 13-60](#)
- determining rank [13-55](#)
- displaying frequently occurring [13-60](#)
- hiding duplicate [13-63, 13-64](#)

returning highest [13-54, 13-60](#)
 returning last [13-53, 13-60](#)
 returning lowest [13-54, 13-60, 13-66](#)
 returning null [13-66](#)
 returning specified [13-66](#)
 rounding [13-51, 13-56](#)
 searching for [13-68](#)
 sorting highest or lowest [13-71](#)
 testing for non-null [13-55](#)
 testing for null [13-53, 13-67](#)
 testing for specified [13-53](#)
 testing range of [13-67](#)
 testing sets of [13-67](#)
 value series [13-71](#)
 VAR function [13-57](#)
 variance [13-57, 13-61](#)
 Variance function [13-61](#)
 viewers [13-20](#)
 viewing

- data [13-29, 13-40, 13-63](#)
- detail rows [13-64](#)
- reports [13-20](#)
- specific report pages [13-22, 13-23](#)
- table of contents [13-22](#)

 viewing environments [13-20](#)
 vpn remote access [4-19](#)

- configuring access service [4-21](#)
- supported clients [4-21](#)
- supported identity stores [4-20](#)
- supported network access servers [4-20](#)
- supported protocols [4-19](#)

W

WEEKDAY function [13-57](#)
 WEEK function [13-57](#)
 WEIGHTEDAVERAGE function [13-57](#)
 Weighted average function [13-61](#)
 wildcard characters [13-56](#)

X

x-axis values [13-71](#)

Y

y-axis values [13-71](#)

YEAR function [13-57](#)