



About This Guide

This guide describes how to administer and maintain the Cisco IP Solution Center Traffic Engineering Management (ISC TEM) software. This chapter describes how this guide is organized, who should read it, related information, and the document conventions used throughout the guide.

Objective and Audience

The purpose of this guide is to enable users to take advantage of the features provided by ISC TEM to enhance the traffic performance and predictability in an IP network.

This book is written as a resource for experienced users and administrators who must install, configure, deploy, and monitor the ISC TEM software.

It is assumed you have a basic understanding of network design, operation, and terminology, a general familiarity with the ISC software, and that you are familiar with your own network configurations.

A general understanding of MPLS TE concepts and traffic engineering is also required.

How This Guide Is Organized

This guide is organized as follows:

[Chapter 1, “Introduction to ISC TEM,”](#) gives an overview of the ISC TEM software.

[Chapter 2, “Getting Started,”](#) describes prerequisites and limitations and the preconfiguration process required to enable network data collection and deployment of TE configurations on the network.

[Chapter 3, “TE Network Discovery,”](#) describes the process of discovering the network for a particular TE provider.

[Chapter 4, “TE Resource Management,”](#) explains how to modify resource characteristics to optimize tunnel placement.

[Chapter 5, “Basic Tunnel Management,”](#) provides an overview of the stages required to create and deploy primary and backup tunnels with a base license.

[Chapter 6, “Advanced Primary Tunnel Management,”](#) describes the stages required to create and deploy primary tunnels using the planning functions.

[Chapter 7, “Protection Planning,”](#) explains how to compute protection tunnels for network elements and deploy these on the network.

[Chapter 8, “Traffic Admission,”](#) explains how to assign traffic to traffic-engineered tunnels.

Chapter 9, “Administration,” describes various administrative tools and features.

Chapter 10, “Task Monitoring,” explains how deployment and collection tasks are monitored and how task details are logged.

Chapter 11, “TE Topology,” explains how to use the TE Topology tool to display the layout of the network.

Appendix A, “Traffic Engineering Management GUI,” describes the ISC TEM GUI and the various fields and other GUI elements.

Appendix B, “Managing Service Requests,” covers the various operations used to manage service requests.

Appendix C, “Warnings and Violations,” lists warnings and violations that might be invoked when using the planning tools in ISC TEM.

Appendix D, “Document Type Definition (DTD) File,” contains a sample DTD file that specifies the structure and rules used for XML import.

Related Documentation

The entire documentation set for Cisco IP Solution Center, 4.1 can be accessed at:

http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1

The following documents comprise the ISC 4.1 documentation set.

General documentation (in suggested reading order):

- *Cisco IP Solution Center Getting Started and Documentation Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/docguide/index.htm
- *Release Notes for Cisco IP Solution Center, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/relnotes/index.htm
- *Cisco IP Solution Center Installation Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/install/index.htm
- *Cisco IP Solution Center Infrastructure Reference, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/infrastr/index.htm
- *Cisco IP Solution Center System Error Messages, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/mess/index.htm

Application and technology documentation (listed alphabetically):

- *Cisco IP Solution Center L2VPN User Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/l2vpn/index.htm
- *Cisco IP Solution Center MPLS VPN User Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/mppls/index.htm
- *Cisco IP Solution Center Quality of Service User Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/qos/index.htm
- *Cisco IP Solution Center Traffic Engineering Management User Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/tem/index.htm

- *Cisco MPLS Diagnostics Expert 1.0 User Guide on ISC 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/trble/index.htm

API Documentation:

- *Cisco IP Solution Center API Programmer Guide, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/api_set/api_gd/index.htm
- Index: *Cisco IP Solution Center API Programmer Reference, 4.1*
http://www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/isc/4_1/api_set/api_ref/index.htm

**Note**

All documentation *might* be upgraded over time. All upgraded documentation will be available at the same URLs specified in this document.

Obtaining Documentation

Cisco documentation and additional literature are available on Cisco.com. Cisco also provides several ways to obtain technical assistance and other technical resources. These sections explain how to obtain technical information from Cisco Systems.

Cisco.com

You can access the most current Cisco documentation at this URL:

<http://www.cisco.com/techsupport>

You can access the Cisco website at this URL:

<http://www.cisco.com>

You can access international Cisco websites at this URL:

http://www.cisco.com/public/countries_languages.shtml

Product Documentation DVD

Cisco documentation and additional literature are available in the Product Documentation DVD package, which may have shipped with your product. The Product Documentation DVD is updated regularly and may be more current than printed documentation.

The Product Documentation DVD is a comprehensive library of technical product documentation on portable media. The DVD enables you to access multiple versions of hardware and software installation, configuration, and command guides for Cisco products and to view technical documentation in HTML. With the DVD, you have access to the same documentation that is found on the Cisco website without being connected to the Internet. Certain products also have .pdf versions of the documentation available.

The Product Documentation DVD is available as a single unit or as a subscription. Registered Cisco.com users (Cisco direct customers) can order a Product Documentation DVD (product number DOC-DOCDVD=) from Cisco Marketplace at this URL:

<http://www.cisco.com/go/marketplace/>

Ordering Documentation

Beginning June 30, 2005, registered Cisco.com users may order Cisco documentation at the Product Documentation Store in the Cisco Marketplace at this URL:

<http://www.cisco.com/go/marketplace/>

Nonregistered Cisco.com users can order technical documentation from 8:00 a.m. to 5:00 p.m. (0800 to 1700) PDT by calling 1 866 463-3487 in the United States and Canada, or elsewhere by calling 011 408 519-5055. You can also order documentation by e-mail at tech-doc-store-mkpl@external.cisco.com or by fax at 1 408 519-5001 in the United States and Canada, or elsewhere at 011 408 519-5001.

Documentation Feedback

You can rate and provide feedback about Cisco technical documents by completing the online feedback form that appears with the technical documents on Cisco.com.

You can send comments about Cisco documentation to bug-doc@cisco.com.

You can submit comments by using the response card (if present) behind the front cover of your document or by writing to the following address:

Cisco Systems
Attn: Customer Document Ordering
170 West Tasman Drive
San Jose, CA 95134-9883

We appreciate your comments.

Cisco Product Security Overview

Cisco provides a free online Security Vulnerability Policy portal at this URL:

http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html

From this site, you can perform these tasks:

- Report security vulnerabilities in Cisco products.
- Obtain assistance with security incidents that involve Cisco products.
- Register to receive security information from Cisco.

A current list of security advisories and notices for Cisco products is available at this URL:

<http://www.cisco.com/go/psirt>

If you prefer to see advisories and notices as they are updated in real time, you can access a Product Security Incident Response Team Really Simple Syndication (PSIRT RSS) feed from this URL:

http://www.cisco.com/en/US/products/products_psirt_rss_feed.html

Reporting Security Problems in Cisco Products

Cisco is committed to delivering secure products. We test our products internally before we release them, and we strive to correct all vulnerabilities quickly. If you think that you might have identified a vulnerability in a Cisco product, contact PSIRT:

- Emergencies—security-alert@cisco.com

An emergency is either a condition in which a system is under active attack or a condition for which a severe and urgent security vulnerability should be reported. All other conditions are considered nonemergencies.

- Nonemergencies—psirt@cisco.com

In an emergency, you can also reach PSIRT by telephone:

- 1 877 228-7302
- 1 408 525-6532



Tip

We encourage you to use Pretty Good Privacy (PGP) or a compatible product to encrypt any sensitive information that you send to Cisco. PSIRT can work from encrypted information that is compatible with PGP versions 2.x through 8.x.

Never use a revoked or an expired encryption key. The correct public key to use in your correspondence with PSIRT is the one linked in the Contact Summary section of the Security Vulnerability Policy page at this URL:

http://www.cisco.com/en/US/products/products_security_vulnerability_policy.html

The link on this page has the current PGP key ID in use.

Obtaining Technical Assistance

Cisco Technical Support provides 24-hour-a-day award-winning technical assistance. The Cisco Technical Support & Documentation website on Cisco.com features extensive online support resources. In addition, if you have a valid Cisco service contract, Cisco Technical Assistance Center (TAC) engineers provide telephone support. If you do not have a valid Cisco service contract, contact your reseller.

Cisco Technical Support & Documentation Website

The Cisco Technical Support & Documentation website provides online documents and tools for troubleshooting and resolving technical issues with Cisco products and technologies. The website is available 24 hours a day, at this URL:

<http://www.cisco.com/techsupport>

Access to all tools on the Cisco Technical Support & Documentation website requires a Cisco.com user ID and password. If you have a valid service contract but do not have a user ID or password, you can register at this URL:

<http://tools.cisco.com/RPF/register/register.do>

**Note**

Use the Cisco Product Identification (CPI) tool to locate your product serial number before submitting a web or phone request for service. You can access the CPI tool from the Cisco Technical Support & Documentation website by clicking the **Tools & Resources** link under Documentation & Tools. Choose **Cisco Product Identification Tool** from the Alphabetical Index drop-down list, or click the **Cisco Product Identification Tool** link under Alerts & RMAs. The CPI tool offers three search options: by product ID or model name; by tree view; or for certain products, by copying and pasting **show** command output. Search results show an illustration of your product with the serial number label location highlighted. Locate the serial number label on your product and record the information before placing a service call.

Submitting a Service Request

Using the online TAC Service Request Tool is the fastest way to open S3 and S4 service requests. (S3 and S4 service requests are those in which your network is minimally impaired or for which you require product information.) After you describe your situation, the TAC Service Request Tool provides recommended solutions. If your issue is not resolved using the recommended resources, your service request is assigned to a Cisco engineer. The TAC Service Request Tool is located at this URL:

<http://www.cisco.com/techsupport/servicerequest>

For S1 or S2 service requests or if you do not have Internet access, contact the Cisco TAC by telephone. (S1 or S2 service requests are those in which your production network is down or severely degraded.) Cisco engineers are assigned immediately to S1 and S2 service requests to help keep your business operations running smoothly.

To open a service request by telephone, use one of the following numbers:

Asia-Pacific: +61 2 8446 7411 (Australia: 1 800 805 227)

EMEA: +32 2 704 55 55

USA: 1 800 553-2447

For a complete list of Cisco TAC contacts, go to this URL:

<http://www.cisco.com/techsupport/contacts>

Definitions of Service Request Severity

To ensure that all service requests are reported in a standard format, Cisco has established severity definitions.

Severity 1 (S1)—Your network is “down,” or there is a critical impact to your business operations. You and Cisco will commit all necessary resources around the clock to resolve the situation.

Severity 2 (S2)—Operation of an existing network is severely degraded, or significant aspects of your business operation are negatively affected by inadequate performance of Cisco products. You and Cisco will commit full-time resources during normal business hours to resolve the situation.

Severity 3 (S3)—Operational performance of your network is impaired, but most business operations remain functional. You and Cisco will commit resources during normal business hours to restore service to satisfactory levels.

Severity 4 (S4)—You require information or assistance with Cisco product capabilities, installation, or configuration. There is little or no effect on your business operations.

Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- Cisco Marketplace provides a variety of Cisco books, reference guides, documentation, and logo merchandise. Visit Cisco Marketplace, the company store, at this URL:
<http://www.cisco.com/go/marketplace/>
- *Cisco Press* publishes a wide range of general networking, training and certification titles. Both new and experienced users will benefit from these publications. For current Cisco Press titles and other information, go to Cisco Press at this URL:
<http://www.ciscopress.com>
- *Packet* magazine is the Cisco Systems technical user magazine for maximizing Internet and networking investments. Each quarter, Packet delivers coverage of the latest industry trends, technology breakthroughs, and Cisco products and solutions, as well as network deployment and troubleshooting tips, configuration examples, customer case studies, certification and training information, and links to scores of in-depth online resources. You can access Packet magazine at this URL:
<http://www.cisco.com/packet>
- *iQ Magazine* is the quarterly publication from Cisco Systems designed to help growing companies learn how they can use technology to increase revenue, streamline their business, and expand services. The publication identifies the challenges facing these companies and the technologies to help solve them, using real-world case studies and business strategies to help readers make sound technology investment decisions. You can access iQ Magazine at this URL:
<http://www.cisco.com/go/iqmagazine>
or view the digital edition at this URL:
<http://ciscoiq.texterity.com/ciscoiq/sample/>
- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in designing, developing, and operating public and private internets and intranets. You can access the Internet Protocol Journal at this URL:
<http://www.cisco.com/ipj>
- Networking products offered by Cisco Systems, as well as customer support services, can be obtained at this URL:
<http://www.cisco.com/en/US/products/index.html>
- Networking Professionals Connection is an interactive website for networking professionals to share questions, suggestions, and information about networking products and technologies with Cisco experts and other networking professionals. Join a discussion at this URL:
<http://www.cisco.com/discuss/networking>
- World-class networking training is available from Cisco. You can view current offerings at this URL:
<http://www.cisco.com/en/US/learning/index.html>

Conventions and Terminology

This section discusses conventions and terminology used throughout this manual.

- *pointer*—indicates where the mouse action is to occur
- *select*—to push and hold down the left mouse button
- *release*—to let up on a mouse button to initiate an action
- *click*—to select and release a mouse button without moving the pointer
- *double-click*—to click a mouse button twice quickly without moving the pointer
- *drag*—to move the pointer by sliding the mouse with one or more buttons selected.

This manual uses this terminology throughout (even though it is possible for individual users to customize their devices to use the buttons in an alternative manner). In situations that allow more than one item to be selected from a list simultaneously, the following actions are supported:

- To select a single item in a list, click on the entry. Clicking a second time on a previously selected entry deselects it.
- To select a contiguous block of items, click on the first entry; then, without releasing the mouse button, drag to the last desired entry and release. (A subsequent click anywhere on the screen deselects all previous selections.)
- To extend a currently selected block, hold the **Shift** key down and click on the entry at the end of the group to be added
- To add a non-contiguous entry to the selection group, press the **Ctrl** (Control) key and click on the entry to be added.

Names of on-screen elements that you click, or select (menu names and commands, and controls such as buttons, drop-down lists, and so on) are printed in **bold** font. **Bold** font is also used for keywords, names of commands, and names of keys on the keyboard. Text displayed as on-screen examples is printed in `courier` font.

When set off from the main text, words and characters you should enter by the keyboard are printed in **bold** font. When the word or character string is enclosed in angle brackets (< and >), you should substitute your own character string for the example presented in the text.

For example, when you see:

```
login: root
```

you should specify the string **root** at the **login** prompt. However, when you see:

```
password: <rootpassword>
```

you should specify your own password in place of the character string *<rootpassword>*. The *italic style* is used to emphasize words, to introduce new terms, and for titles of printed publications (however, not titles of CD-ROMs or floppy disks).