



INDEX

A

ADCi® [2-1](#)
administrative access [2-22](#)
AdventNet® [2-1](#)
Apache® Tomcat [2-1](#)
archive backup [C-2](#)
audience [i-ix](#)
autoextend option [A-5](#)
available disk space [E-5](#)

B

backup [2-1, C-1](#)
backup and restore, configuring [C-5](#)
backup script [C-18](#)
book, objective [i-vii](#)
book, organization [i-ix](#)
browse [2-5](#)

C

CD-ROM [1-1, 2-3](#)
Cisco CNS IE2100
 appliance [B-1, B-4](#)
 connectivity [B-7](#)
 overview [B-1](#)
 setup [B-1](#)
 software [B-1](#)
CLIs [D-2](#)
command-line interfaces [D-2](#)
command scripts not running [E-4](#)
config term [D-2](#)

configuration, initial [2-2](#)
configuring HTTPS [2-21](#)
connectivity, ISC and Cisco CNS IE2100 [B-7](#)
copy [D-2](#)
custom [2-5](#)
custom option [2-4](#)

D

database
 connection [A-5](#)
 Oracle, opening [A-4](#)
 restore [2-8](#)
 schema [A-5](#)
 testing [A-5](#)
 version [2-2](#)
dbshut [A-3](#)
dbstart [A-3, A-4](#)
directory
 location [2-5](#)
 removal [2-7](#)
disk space, lacking [E-3](#)
disk space availability [2-17](#)
documentation [i-vii](#)

E

embedded Sybase [2-12](#)
enable [D-2](#)
end [D-2](#)
environment file, source [2-18](#)
exit [D-2](#)
express [2-5](#)

express option [2-4](#)
 external Oracle [2-12, 2-13](#)

F

file descriptor limit, fixing problem with [1-3](#)
 finding hostname [E-1](#)
 full backup [C-2](#)

G

guide, objective [i-vii](#)

H

high watermarks [2-17](#)
 hostname, cannot find [E-1](#)
 hostname, finding [E-1](#)
 HTTP port [2-14](#)
 HTTPS configuring [2-21](#)
 HTTP server [2-14](#)
 HTTPS port [2-15](#)
 HTTPS server [2-15](#)

I

ILOG® CPLEX [2-1](#)
 incremental backup [C-2](#)
 initORACLE_SID.ora [A-2](#)
 install
 ISC [2-2](#)
 license keys [2-23](#)
 Oracle [A-2](#)
 type [2-5](#)
 install.sh failure [E-5](#)
 installation issues [E-3](#)
 installation script [2-3](#)
 installation utility GUI, not displayed [E-4](#)

Internet Explorer [1-3](#)

ISC

administrative access [2-22](#)
 and Oracle [A-6](#)
 client [1-3](#)
 command-line interfaces [D-2](#)
 configuration [D-1](#)
 connectivity [B-7](#)
 installation [2-2](#)
 instances [E-2](#)
 login [2-22](#)
 master machine [B-2](#)
 owner [2-1, 2-2](#)
 protocols [D-2](#)
 repository backup [C-1](#)
 repository restore [C-1](#)
 restart [C-27](#)
 runtime configuration [D-1](#)
 secondary system [C-23](#)
 server hardware [1-1](#)
 servers [E-2](#)
 server Solaris configuration [1-2](#)
 software installation [A-5, A-6](#)
 uninstalling [2-25](#)
 issues [E-3](#)

J

JCraft [2-1](#)
 JDK 1.4 [1-2](#)
 JDK patches [1-2](#)

L

license keys [2-23](#)
 license keys, installation [2-1](#)
 live backup [C-2, C-24](#)
 logging console [D-2](#)

logging in [2-1](#)
 logging in to ISC [2-22](#)
 login shell file [1-3](#)
 low watermarks [2-17](#)
 lsnrctl start [A-4](#)

M

Macrovision® [2-1](#)
 moving ISC servers [E-2](#)
 multiple ISC instances [E-2](#)

N

network devices and software versions [1-4](#)

O

objectives [i-vii](#)
 Oracle [A-5](#)
 and ISC [A-6](#)
 backup and restore [C-19](#)
 database [1-4, 2-2](#)
 database, opening [A-4](#)
 database backup [A-8](#)
 database connection, testing [A-5](#)
 external [2-12, 2-13](#)
 files, setting up [A-4](#)
 initORACLE_SID.ora [A-2](#)
 install [A-2](#)
 launching [A-4](#)
 opening database [A-4](#)
 oratab [A-3](#)
 prerequisites [A-1](#)
 processes, verifying [A-3](#)
 setup [A-1](#)
 tablespace [A-4](#)
 troubleshooting [A-8](#)

user account [A-5](#)
 verifying and launching [A-3](#)

oratab [A-3](#)
 organization [i-ix](#)

P

password
 default login [2-22](#)
 setting default [2-2](#)
 ping [D-2](#)
 plutosetup [B-2](#)

R

reboot, procedure following [A-3](#)
 recommendations [1-1](#)
 related documentation [i-vii](#)
 reload [D-2](#)
 renaming ISC servers [E-2](#)
 repository
 backup [2-1](#)
 migration [2-1](#)
 restore [2-1](#)
 restart ISC [C-27](#)
 restore [2-1, 2-8, C-1](#)
 RMAN [C-21](#)
 root [2-2, 2-5](#)
 router configurations [B-9](#)
 rvrdr [B-2, B-4](#)

S

server
 hardware [1-1](#)
 shell [2-18](#)
 showdiag [D-2](#)
 show etherchannel port [D-2](#)

show interfaces switchport [D-2](#)
 show modules [D-2](#)
 show port [D-2](#)
 show running [D-2](#)
 show startup [D-2](#)
 show ver [D-2](#)
 size, database [2-3, 2-6, 2-7](#)
 Solaris 10 patches [1-2](#)
 Solaris server [1-1](#)
 source [2-18](#)
 SourceForge® Ehcache [2-1](#)
 sqlplus [A-4](#)
 standby system [C-23](#)
 startup scripts [E-5](#)
 stopall command [2-3](#)
 Sun hardware [1-1](#)
 Sun Microsystems® Java JRE [2-1](#)
 Sun part numbers [1-1](#)
 SUNWbzip [1-2](#)
 SUNWfnsx5 [1-2](#)
 SUNWlldap [1-2](#)
 Sybase® [2-2](#)
 Sybase backup and restore [C-2](#)
 Sybase embedded [2-12](#)
 Sybase standby system [C-24, C-26](#)
 sysdba [A-5](#)
 system recommendations [1-1](#)

T

tablespace, Oracle [A-4](#)
 TCP ports [D-1](#)
 temporary files [E-4](#)
 term [D-2](#)
 TIBCO [B-2](#)
 TIBCO® Rendezvous [2-2](#)
 TIBCO port [2-16](#)
 troubleshooting [A-8](#)

- file descriptor limit, fixing problem with [1-3](#)

U

uninstalling [2-1](#)
 uninstalling ISC [2-25](#)
 upgrading [2-24](#)
 user account [A-5](#)
 useradd command [2-2](#)

W

watermarks [2-17](#)
 wdclient status [2-18](#)
 web browsers [1-3](#)
 workstation recommendations [1-1](#)
 write mem [D-2](#)