



INDEX

A

ADCi® [2-1](#)
administrative access [2-23](#)
AdventNet® [2-1](#)
Apache® Tomcat [2-1](#)
archive backup [C-2](#)
autoextend option [A-5](#)
available disk space [E-5](#)

B

backup [2-1, C-1](#)
backup, understanding process flow [C-7](#)
backup and restore, configuring [C-5](#)
backup and restore, ISC repository [C-1](#)
backup script [C-18](#)
browse [2-5](#)

C

CD-ROM [1-1, 2-3](#)
Cisco CNS IE2100
 appliance [B-1, B-4](#)
 connectivity [B-7](#)
 overview [B-1](#)
 setup [B-1](#)
 software [B-1](#)
CLIs [D-2](#)
command line installer [2-19](#)
command-line interfaces [D-2](#)
command scripts not running [E-4](#)
config term [D-2](#)

configuration, initial [2-2](#)
configuring HTTPS [2-22](#)
configuring Oracle RAC [A-7](#)
connectivity, ISC and Cisco CNS IE2100 [B-7](#)
copy [D-2](#)
custom [2-5](#)
custom option [2-4](#)

D

database
 connection [A-5](#)
 Oracle, opening [A-4](#)
 restore [2-8](#)
 schema [A-5](#)
 schema, load [A-5](#)
 Sybase backup and restore [C-15](#)
 testing [A-5](#)
 version [2-2](#)
daylight saving time [E-8](#)
dbshut [A-3](#)
DBSPAWN error -84 [E-9](#)
dbstart [A-3, A-4](#)
device setup, IOS XR [1-4](#)
directory
 location [2-5](#)
 removal [2-7](#)
disk space, lacking [E-3](#)
disk space availability [2-17](#)

E

echo mode [E-10](#)

embedded Sybase [2-12](#)

enable [D-2](#)

end [D-2](#)

environment file, source [2-18](#)

error

Cannot connect to the data store [E-10](#)

Could not connect to the name server, when starting
ISC [E-9](#)

DPSPAWN -84 [E-9](#)

No VPNSC host entry in the database, when starting
ISC [E-9](#)

This is not a database server [E-9](#)

exit [D-2](#)

express [2-5](#)

express option [2-4](#)

external Oracle [2-12, 2-13](#)

F

file descriptor limit, fixing problem with [1-3](#)

finding hostname [E-1](#)

full backup [C-2](#)

H

high watermarks [2-17](#)

hostname, cannot find [E-1](#)

hostname, finding [E-1](#)

HTTP port [2-14](#)

HTTPS configuring [2-22](#)

HTTP server [2-14](#)

HTTPS port [2-15](#)

HTTPS server [2-15](#)

I

ILOG® CPLEX [2-1](#)

incremental backup [C-2](#)

initORACLE_SID.ora [A-2](#)

install

ISC [2-2](#)

license keys [2-24](#)

Oracle [A-2](#)

type [2-5](#)

install.sh failure [E-5](#)

installation issues [E-3](#)

installation script [2-4](#)

installation utility GUI, not displayed [E-4](#)

Internet Explorer [1-3](#)

IOS XR device setup [1-4](#)

ISC

administrative access [2-23](#)

and Oracle [A-6](#)

client [1-3](#)

command-line interfaces [D-2](#)

configuration [D-1](#)

connectivity [B-7](#)

installation [2-2](#)

instances [E-2](#)

login [2-23](#)

master machine [B-2](#)

owner [2-1, 2-2](#)

protocols [D-2](#)

repository, backup and restore [C-1](#)

repository backup [C-1](#)

repository restore [C-1](#)

restart [C-27](#)

runtime configuration [D-1](#)

secondary system [C-23](#)

server hardware [1-1](#)

servers [E-2](#)

server Solaris configuration [1-2](#)

software installation [A-5, A-6](#)

uninstalling [2-26](#)

issues [E-3](#)

J

JCraft [2-1](#)
JDK patches [1-2](#)

L

launching topology tool [2-26](#)
license keys [2-24](#)
license keys, installation [2-1](#)
live backup [C-2, C-24](#)
logging console [D-2](#)
logging in [2-1](#)
logging in to ISC [2-23](#)
login shell file [1-3](#)
low watermarks [2-17](#)
lsnrctl start [A-4](#)

M

Macrovision® [2-1](#)
moving ISC servers [E-2](#)
multiple ISC instances [E-2](#)

N

network devices and software versions [1-4](#)

O

Oracle [A-5](#)
 and ISC [A-6](#)
 database [1-4, 2-2](#)
 database, opening [A-4](#)
 database backup [A-8](#)
 database backup and restore [C-19](#)
 database connection, testing [A-5](#)
 external [2-12, 2-13](#)

files, setting up [A-4](#)
initORACLE_SID.ora [A-2](#)
install [A-2](#)
launching [A-4](#)
launching and verifying [A-3](#)
opening database [A-4](#)
oratab [A-3](#)
prerequisites [A-1](#)
processes, verifying [A-3](#)
setup [A-1](#)
tablespace [A-4](#)
troubleshooting [A-8](#)
user account [A-5](#)
verifying and launching [A-3](#)

Oracle RAC

 configuring [A-7](#)

Oracle standby system [C-27](#)

oratab [A-3](#)

P

password
 default login [2-23](#)
 setting default [2-2](#)
ping [D-2](#)
plutosetup [B-2](#)

R

reboot, procedure following [A-3](#)
recommendations [1-1](#)
reload [D-2](#)
renaming ISC servers [E-2](#)
repository
 backup [2-1](#)
 backup and restore [C-1](#)
 migration [2-1](#)
 restore [2-1](#)

restart ISC [C-27](#)
 restore [2-1, 2-8, C-1](#)
 restore, understanding process flow [C-10](#)
 restoring Sybase repository [2-21](#)
 RMAN [C-21](#)
 root [2-2, 2-5](#)
 router configurations [B-9](#)
 rvrdr [B-2, B-4](#)

S

schema, load [A-5](#)
 server
 hardware [1-1](#)
 shell [2-18](#)
 showdiag [D-2](#)
 show etherchannel port [D-2](#)
 show interfaces switchport [D-2](#)
 show modules [D-2](#)
 show port [D-2](#)
 show running [D-2](#)
 show startup [D-2](#)
 show ver [D-2](#)
 size, database [2-3, 2-6, 2-7](#)
 Solaris 10 patches [1-2](#)
 Solaris server [1-1](#)
 source [2-18](#)
 SourcForge® Ehcache [2-1](#)
 sqlplus [A-4](#)
 standby system [C-23](#)
 startup scripts [E-5](#)
 stopall command [2-3](#)
 Sun hardware [1-1](#)
 Sun Microsystems® Java JRE [2-1](#)
 Sun part numbers [1-1](#)
 SUNWbzip [1-3](#)
 SUNWldap [1-3](#)
 Sybase, database backup and restore [C-15](#)
 Sybase® [2-2](#)

Sybase backup and restore [C-2](#)
 Sybase embedded [2-12](#)
 Sybase repository, restoring [2-21](#)
 Sybase standby system [C-24, C-26](#)
 sysdba [A-5](#)
 system recommendations [1-1](#)

T

tablespace, Oracle [A-4](#)
 TCP ports [D-1](#)
 temporary files [E-4](#)
 term [D-2](#)
 TIBCO [B-2](#)
 TIBCO® Rendezvous [2-2](#)
 TIBCO port [2-16](#)
 topology tool, launching [2-26](#)
 troubleshooting [A-8](#)
 file descriptor limit, fixing problem with [1-3](#)

U

uninstalling [2-1](#)
 uninstalling ISC [2-26](#)
 upgrading repositories [2-25](#)
 user account [A-5](#)
 useradd command [2-2](#)

W

watermarks [2-17](#)
 wdclient status [2-18](#)
 web browsers [1-3](#)
 workstation recommendations [1-1](#)
 write mem [D-2](#)