

## **Cisco Prime Network 3.10 Documentation Overview**

You can access the following Cisco Prime Network end-user documentation on Cisco.com at http://www.cisco.com/en/US/products/ps11879/tsd\_products\_support\_series\_home.html.

Note

We sometimes update the documentation after original publication. Therefore, you should review the documentation on Cisco.com for any updates.

| Documentation Title  | What Is Included   |
|--|--|
| Cisco Prime Network 3.10<br>Release Notes  | New features, enhancements, and device support.  |
|  | • Important notes to be aware of before using this release of the product.   |
|  | • Known open bugs in Prime Network 3.10, resolved bugs.  |
| Cisco Prime Network 3.10<br>Quick Start Guide                                    | • Planning and installing Prime Network 3.10, and post-installation tasks.   |
|  | • Applies to fresh installations with 100 devices or less, and without gateway high availability.  |
| Cisco Prime Network 3.10<br>Installation Guide                                   | • Installing and upgrading to Prime Network 3.10, including installation of gateways (with no gateway high availability), units, and clients.  |
|  | • Applies to all deployments of Prime Network that do not have gateway high availability.  |
| Cisco Prime Network 3.10<br>VNE Device Package<br>Installation Guide             | • Installing Cisco VNE Device Packages (DPs) using the <b>ivne</b> script and verifying the installation. (DPs can include device support for new software versions, topologies, modules, technologies, service events, traps, syslogs, Change and Configuration Management, and reduced polling.) |
|  | Uninstalling Cisco VNE DPs.  |
| Cisco Prime Network 3.10<br>Third-Party VNE Device<br>Package Installation Guide | <ul> <li>Installing third-party VNE DPs using the ivne script and verifying the installation.</li> <li>Uninstalling third-party VNE DPs.</li> </ul>  |
| Cisco Prime Network 3.10<br>Gateway High Availability<br>Guide                   | • Installing and managing Prime Network with gateway high availability provided by Red Hat Cluster Suite (RHCS) and Oracle Active Data Guard (ADG).  |
|  | • Applies to all deployments of Prime Network with an embedded database.   |

| Documentation Title                              | What Is Included   |
|--|--|
| Cisco Prime Network 3.10<br>User Guide           | Introduction to the Prime Network Vision and Events GUI clients.   |
|  | • Viewing network element physical and logical inventories, network topologies, and network and service maps.  |
|  | • Monitoring and viewing network technologies and configurations, with explanations of the data Prime Network provides.  |
|  | • Viewing, tracking, and resolving fault trends using the reporting, fault management, and path-tracing capabilities of Prime Network.   |
|  | • Using Prime Network Change and Configuration Management to manage software and device configuration changes made to network devices.   |
|  | • Using command scripts that are packaged with Prime Network.  |
| Cisco Prime Network 3.10<br>Administrator Guide  | Introduction to the Prime Network Administration GUI client.   |
|  | • Setting up and managing the server, units, AVMs; and adding devices by creating and managing VNEs. Includes setting up and managing unit and process redundancy.   |
|  | • Managing the database, including adjusting data purging settings.  |
|  | • Controlling user authentication and authorization with user accounts and device scopes.  |
|  | • Setting up and controlling event monitoring, including configuring trap and e-mail notifications.  |
|  | • Managing workflows, activations, and command scripts.  |
|  | • Advanced VNE tasks: Adjusting polling, changing settings that determine device reachability, controlling data collectors and command priorities, and creating cloud VNEs for unmanaged network segments.   |
|  | • Using and adjusting the backup and restore mechanism.  |
|  | • System security basics.  |
|  | • Reference material including device prerequisites, VNE properties, and system log files.   |
| Cisco Prime Network 3.10                         | • Extending the information model by:  |
| Customization Guide                              | <ul> <li>Creating soft properties to display additional network element property information in<br/>the GUI clients.</li> </ul>  |
|  | <ul> <li>Adding support for new event types, software versions, and models using the VNE<br/>Customization Builder (VCB).</li> </ul>   |
|  | • Extending device configuration capabilities by creating custom command scripts with Command Builder, using the Workflow Editor to create workflows that execute sequences of tasks, and adding activation scripts to the GUI client using the Activation Wizard Builder. |
|  | • Extending and configuring fault management by adding support for unsupported traps and custom syslogs, changing event settings (such as event severity), and using Soft Properties to create new threshold-crossing alarms.  |
|  | • Extending the GUI clients by adding launch points for external applications.   |
| Cisco Prime Network 3.10<br>Supported Cisco VNEs | Cisco devices supported by Prime Network 3.10.   |
|  | • Software versions, topologies, modules, technologies, and service events that Prime Network 3.10 supports for each device type.  |

| Documentation Title  | What Is Included   |
|--|--|
| Cisco Prime Network 3.10<br>Supported Cisco<br>VNEs—Addendum                     | • New VNE support provided in DPs that can be downloaded from Cisco.com and installed<br>on Prime Network 3.10. DPs can include device support for new software versions,<br>topologies, modules, technologies, service events, traps, syslogs, Change and Configuration<br>Management, and reduced polling. |
|  | • Documentation supplements to the Cisco Prime Network 3.10 Supported Cisco VNEs.  |
| Cisco Prime Network 3.10<br>Device Package Third<br>Party VNE Reference<br>Guide | Third-party devices supported by Prime Network 3.10.   |
|  | • Software versions, topologies, modules, technologies, service events, traps, and syslogs that Prime Network 3.10 supports for each third-party device type.  |
|  | • Extending the information model for third-party devices by adding support for new events and modules using VCB templates.  |
|  | • Includes new support can be added by downloading and installing third-party DPs.   |
| Cisco Prime Network 3.10<br>Supported Service Alarms                             | • Service Alarms supported by Prime Network, including background about the network or system state that caused the alarm.   |
|  | • Source object identifiers (OIDs) for alarms generated by Prime Network, including the source OID description and structure (with examples).  |
| Cisco Prime Network 3.10   | • Syslogs supported by Prime Network, with their raw format.   |
| Supported Syslogs  | • Registry settings for the syslogs, including event types and subtypes, when the syslog state is generated, and how Prime Network processes the syslogs (severity, whether they are ticketable, can be correlated, are auto-cleared, and so on).  |
| Cisco Prime Network 3.10<br>Supported Traps                                      | • Traps supported by Prime Network with their version, OID, varbinds, and other technical details.   |
|  | • Registry settings for the traps, including event types, event subtypes, when the trap is generated, and how Prime Network processes the traps (severity, whether they are ticketable, can be correlated, are autocleared, and so on).  |
| Cisco Prime Network 3.10<br>Supported System and<br>Security Events              | • System events supported by Prime Network, including their severity, cause, description, and source OID.  |
|  | • Security events supported by Prime Network, including their severity, cause, description, and source OID.  |
| Cisco Prime Network 3.10<br>Supported Technologies<br>and Topologies             | • Supported technologies, and the per-technology support Prime Network provides for element modeling, network modeling, and topology views.  |
|  | • Supported topologies and how they are discovered and displayed by Prime Network.   |
| Cisco Prime Network 3.10   | • Broadband Query Language (BQL) and Information Model Objects (IMOs) and functions.   |
| Integration Developer<br>Guide   | • Running BQL over web services (WSDL) connections and over HTTP interfaces.   |
|  | • Using the Event Notification Service to create trap and e-mail notifications.  |
|  | Changing the Root Cause Analysis mechanism using Drools.   |
|  | • Productivity tools.  |
|  | • The Prime Network shell interface (which is no longer supported but can still be used on certain upgrade deployments).   |

| Documentation Title                                  | What Is Included   |
|--|--|
| Open Source Used in<br>Cisco Prime Network 3.10      | Lists of licenses and notices for open source software.  |
| Prime OSS Integration<br>Guide for MTOSI and<br>3GPP | • Information about 3GPP and MTOSI OSS integration and describes the associated network management of its supported devices. |

## **Obtaining Documentation and Submitting a Service Request**

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS Version 2.0.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <a href="https://www.cisco.com/go/trademarks">www.cisco.com/go/trademarks</a>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2012-2013 Cisco Systems, Inc. All rights reserved.