



REVIEW DRAFT - CISCO CONFIDENTIAL

INDEX

A

aaa authorization [2-3](#)

Audience [1-vii](#)

C

clear setup command [2-3](#)

clock command [2-4](#)

Command Help [1-5](#)

Command Modes [1-2](#)

command subsections

- Command Default [1-7](#)

- Command History [1-8](#)

- Command Modes [1-7](#)

- Examples [1-8](#)

- Related Commands [1-8](#)

- Syntax Description [1-7](#)

- Usage Guidelines [1-7](#)

config command [2-5](#)

Conventions [1-viii](#)

copy command [2-6](#)

Correcting Commands [1-5](#)

D

db command [2-8](#)

debug command [2-10](#)

del install command [2-12](#)

do command [2-13](#)

documentation

- conventions [1-viii](#)

- organization [1-vii](#)

Document Objectives [1-vii](#)

E

Editing the CLI [1-6](#)

end command [2-14](#)

Entering and Exiting Modes [1-4](#)

Ethernet interface configuration mode

- do command [2-13](#)

- end command [2-14](#)

- exit command [2-15](#)

- shutdown command [2-61](#)

exit command [2-15](#)

Exiting the CLI [1-6](#)

G

gir command [2-16, 2-37](#)

global configuration mode

- clock command [2-4](#)

- do command [2-13](#)

- end command [2-14](#)

- exit command [2-15](#)

- gir command [2-16](#)

- interface command [2-19](#)

- ip command [2-20](#)

- license command [2-22](#)

- ntp command [2-24](#)

- redundancy command [2-28](#)

- user password command [2-67](#)

- vha connection command [2-69](#)

REVIEW DRAFT—CISCO CONFIDENTIAL

I

install command [2-18](#)
interface command [2-19](#)
ip command [2-20](#)

L

license command [2-22](#)

M

modes
 entering and exiting [1-4](#)
 Ethernet interface configuration mode [1-4](#)
 global configuration mode [1-3](#)
 user EXEC mode [1-2](#)

N

ntp command [2-24](#)

O

Organization [1-vii](#)

P

ping command [2-26](#)

R

reboot command [2-27](#)
redundancy command [2-28](#)

S

Setting Up the Director [1-1](#)

show cdp command [2-32](#)
show clock command [2-33](#)
show fault command [2-34](#)
show files command [2-36](#)
show hardware command [2-38](#)
show ids command [2-40](#)
show install command [2-42](#)
show interface command [2-43](#)
show ip command [2-44](#)
show license command [2-45](#)
show logging command [2-46](#)
show logins command [2-48](#)
show ntp command [2-50](#)
show process command [2-51](#)
show redundancy command [2-54](#)
show system command [2-56](#)
show tech command [2-58](#)
show version command [2-60](#)
shutdown command [2-61](#)
ssh command [2-62](#)
Starting a CLI Session [1-1](#)

T

tech command [2-63](#)
telnet command [2-65](#)
traceroute command [2-66](#)

U

user EXEC mode
 clear setup command [2-3](#)
 config command [2-5](#)
 copy command [2-6](#)
 db command [2-8](#)
 debug command [2-10](#)
 del install command [2-12](#)
 exit command [2-15](#)

REVIEW DRAFT—CISCO CONFIDENTIAL

gir command [2-37](#)
install command [2-18](#)
ping command [2-26](#)
reboot command [2-27](#)
show cdp command [2-32](#)
show clock command [2-33](#)
show fault command [2-34](#)
show files [2-36](#)
show hardware command [2-38](#)
show ids [2-40](#)
show install command [2-42](#)
show interface [2-43](#)
show ip command [2-44](#)
show license command [2-45](#)
show logging command [2-46](#)
show logins command [2-48](#)
show ntp command [2-50](#)
show process command [2-51](#)
show redundancy command [2-54](#)
show system command [2-56](#)
show tech [2-58](#)
show version command [2-60](#)
shutdown command [2-61](#)
ssh command [2-62](#)
tech command [2-63](#)
telnet command [2-65](#)
traceroute command [2-66](#)
user password command [2-67](#)
Using Ethernet Interface Configuration Mode [1-4](#)
Using Global Configuration Mode [1-3](#)
Using the Documentation [1-7](#)
Using User EXEC Mode [1-2](#)

V

vha connection command [2-69](#)

REVIEW DRAFT – CISCO CONFIDENTIAL