



## INDEX

---

### A

access, restricting MIB [2-8](#)  
access rights [2-2](#)  
access setup, example [2-10](#)  
activating lawful intercept [1-5](#)  
admin function (mediation device) [1-4, 1-5](#)

---

### C

CALEA, See Communications Assistance for Law Enforcement Act (CALEA)

CISCO-802-TAP-MIB

    overview [1-5](#)  
    restricting access to [2-9](#)

CISCO-IP-TAP-MIB

    citapStreamVRF [2-2](#)  
    overview [1-5](#)  
    restricting access to [2-9](#)

CISCO-TAP2-MIB

    accessing [2-8](#)  
    overview [1-5](#)  
    restricting access to [2-8, 2-9](#)

CISCO-USER-CONNECTION-TAP-MIB

    overview [1-6](#)  
    restricting access to [2-9](#)

collection function [1-3](#)

Communications Assistance for Law Enforcement Act

    CALEA for Voice [1-2](#)  
    lawful intercept [1-1](#)

configuring

    lawful intercept [2-9, 2-10, 2-11](#)  
    SNMP [2-8](#)

content IAP [1-3](#)  
cTap2MediationDebug notification [2-11](#)  
cTap2MediationNewIndex object [1-5](#)  
cTap2MediationTable [1-5](#)  
cTap2MediationTimedOut notification [2-11](#)  
cTap2MIBActive notification [2-11](#)  
cTap2StreamDebug notification [2-11](#)  
cTap2StreamTable [1-5](#)

---

### D

DNS, see Domain Name System  
Domain Name System [2-2](#)

---

### E

electronic traffic, monitoring [1-4](#)  
enabling  
    lawful intercept [1-5](#)  
    SNMP notifications [2-10](#)

---

### G

get requests [1-4, 1-5, 2-9](#)

---

### I

ID IAP [1-3](#)  
intercept access point (IAP) [1-3](#)  
intercept-related information (IRI) [1-3, 1-4](#)  
intercepts  
    VPN traffic [2-5](#)  
intercepts, multiple [1-3](#)

---

---

**L**

Law Enforcement Agency (LEA) **1-1**  
lawful intercept  
    admin function **1-4, 1-5**  
    collection function **1-3**  
    configuring **2-9, 2-10, 2-11**  
    enabling **1-5**  
    IAP **1-3**  
    IRI **1-3**  
    mediation device **1-3**  
    overview **1-1, 1-2**  
    prerequisites **2-1**  
    processing **1-4**  
    security considerations **2-1**  
    SNMP notifications **2-10, 2-11**  
    VPN-based (per-VRF) **2-5**

---

**M**

mediation device  
    admin function **1-4, 1-5**  
    description **1-3**  
MIBs  
    CISCO-802-TAP-MIB **1-5**  
    CISCO-IP-TAP-MIB **1-5, 2-2, 2-9**  
    CISCO-TAP2-MIB **1-5, 2-8, 2-9**  
    CISCO-USER-CONNECTION-TAP-MIB **1-6**  
    SNMP-COMMUNITY-MIB **2-2**  
    SNMP-USM-MIB **1-2, 2-2**  
    SNMP-VACM-MIB **1-2, 2-2**  
monitoring electronic traffic **1-4**

---

**N**

notifications, See SNMP notifications

---

**P**

per-VRF lawful intercept **2-5**  
prerequisites for lawful intercept **2-1**

---

**R**

restricting MIB access **2-8, 2-9**

---

**S**

security considerations **2-1**  
set requests **1-4, 1-5, 2-9**  
setting up lawful intercept **1-4**  
SNMP  
    configuring **2-8**  
    default view **2-2**  
    get and set requests **1-4, 1-5, 2-9**  
    notifications **2-1, 2-10**  
    SNMP-COMMUNITY-MIB **2-2**  
    SNMP-USM-MIB **1-2, 2-2**  
    SNMP-VACM-MIB **1-2, 2-2**  
    standards, lawful intercept **1-1**  
    surveillance **1-4**

---

**T**

traps, see SNMP notifications

---

**U**

UDP port for SNMP notifications **2-10**

---

**V**

VPN-based lawful intercept **2-5**

---

## W

wiretaps [1-1](#)