



APPENDIX

A

Channel Settings

This appendix lists the radio channels supported by Cisco access products in the regulatory domains of the world.

IEEE 802.11b (2.4-GHz Band)

The channel identifiers, center frequencies, and regulatory domains of each IEEE 802.11b 22-MHz-wide channel are shown in [Table A-1](#).

Table A-1 *Channels for IEEE 802.11b*

Channel Identifier	Center Frequency (MHz)	Regulatory Domains		
		Americas (-A)	EMEA (-E)	Japan (-J)
1	2412	X	X	X
2	2417	X	X	X
3	2422	X	X	X
4	2427	X	X	X
5	2432	X	X	X
6	2437	X	X	X
7	2442	X	X	X
8	2447	X	X	X
9	2452	X	X	X
10	2457	X	X	X
11	2462	X	X	X
12	2467	-	X	X
13	2472	-	X	X
14	2484	-	-	-



Note Mexico is included in the Americas (-A) regulatory domain; however, channels 1 through 8 are for indoor use only while channels 9 through 11 can be used indoors and outdoors. Users are responsible for ensuring that the channel set configuration is in compliance with the regulatory standards of Mexico.

IEEE 802.11g (2.4-GHz Band)

The channel identifiers, channel center frequencies, and regulatory domains of each IEEE 802.11g 22-MHz-wide channel are shown in [Table A-2](#).

Table A-2 *Channels for IEEE 802.11g*

Channel Identifier	Center Frequency (MHz)	Regulatory Domains					
		Americas (-A)		EMEA (-E)		Japan (-J)	
		CCK	OFDM	CCK	OFDM	CCK	OFDM
1	2412	X	X	X	X	X	X
2	2417	X	X	X	X	X	X
3	2422	X	X	X	X	X	X
4	2427	X	X	X	X	X	X
5	2432	X	X	X	X	X	X
6	2437	X	X	X	X	X	X
7	2442	X	X	X	X	X	X
8	2447	X	X	X	X	X	X
9	2452	X	X	X	X	X	X
10	2457	X	X	X	X	X	X
11	2462	X	X	X	X	X	X
12	2467	—	—	X	X	X	X
13	2472	—	—	X	X	X	X
14	2484	—	—	—	—	—	—

IEEE 802.11a (5-GHz Band)

The channel identifiers, channel center frequencies, and regulatory domains of each IEEE 802.11a 20-MHz-wide channel are shown in [Table A-3](#).

Table A-3 *5-GHz Radio Band*

Channel Identifier	Center Frequency (MHz)	Regulatory Domains				China
		North America (-A)	ETSI	Japan (-P)		
36	5180	X	X	X		
40	5200	X	X	X		

Table A-3 5-GHz Radio Band (continued)

Channel Identifier	Center Frequency (MHz)	Regulatory Domains			
		North America (-A)	ETSI	Japan (-P)	China
44	5220	X	X	X	
48	5240	X	X	X	
52	5260	X	X	X	
56	5280	X	X	X	
60	5300	X	X	X	
64	5320	X	X	X	
100	5500	—	X	—	
104	5520	—	X	—	
108	5540	—	X	—	
112	5560	—	X	—	
116	5580	—	X	—	
120	5600	—	X	—	
124	5620	—	X	—	
128	5640	—	X	—	
132	5660	—	X	—	
136	5680	—	X	—	
140	5700	—	X	—	
149	5745	X	—	—	X
153	5765	X	—	—	X
157	5785	X	—	—	X
161	5805	X	—	—	X

**Note**

All channel sets are restricted to indoor usage except the Americas (-A), which allows for indoor and outdoor use on channels 52 through 64 in the United States.

