

# CHAPTER 6

# clear configure through clear configure zonelabs-integrity Commands

# clear configure

To clear the running configuration, use the **clear configure** command in global configuration mode.

clear configure {primary | secondary | all | command}

#### **Syntax Description**

all	Clears the entire running configuration.
command	Clears the configuration for a specified command. For more information, see individual entries in this guide for each <b>clear configure</b> <i>command</i> command.
primary	Clears commands related to connectivity, including the following commands:
	• tftp-server
	• shun
	• route
	• ip address
	• mtu
	• failover
	• monitor-interface
	• boot
secondary	Clears commands not related to connectivity (that are cleared using the <b>primary</b> keyword).

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

#### **Command History**

Release	Modification
Preexisting	This command was preexisting.

# **Usage Guidelines**

When you enter this command in a security context, you clear only the context configuration. If you enter this command in the system execution space, you clear the system running configuration as well as all context running configurations. Because you cleared all context entries in the system configuration (see the **context** command), the contexts are no longer running, and you cannot change to a context execution space.

Before clearing the configuration, make sure you save any changes to the **boot config** command (which specifies the startup configuration location) to the startup configuration; if you changed the startup configuration location only in the running configuration, then when you restart, the configuration loads from the default location.

# Examples

The following example clears the entire running configuration:

hostname(config) # clear configure all

Command	Description
configure http	Merges a configuration file from the specified HTTP(S) URL with the running configuration.
configure memory	Merges the startup configuration with the running configuration.
configure net	Merges a configuration file from the specified TFTP URL with the running configuration.
configure factory-default	Adds commands you enter at the CLI to the running configuration.
show running-config	Shows the running configuration.

# clear configure aaa

To clear the aaa configuration, use the **clear configure aaa** command in global configuration mode. The **clear configure aaa** command removes the AAA command statements from the configuration.

#### clear configure aaa

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was modified for consistency within the CLI.

# **Usage Guidelines**

This command also resets the AAA parameters to their default values, if any.

There is no undo.

### **Examples**

hostname(config) # clear configure aaa

Command	Description			
aaa accounting	Enable, disable, or view the keeping of records about which network services a user has accessed.			
aaa authentication	Enable or view LOCAL, TACACS+, or RADIUS user authentication, on a server designated by the <b>aaa-server</b> command, or ASDM user authentication.			
aaa authorization	Enable or disable user authorization for a LOCAL or a TACACS+ server designated by the <b>aaa-server</b> command, or for ASDM user authentication.			
show running-config aaa	Display the AAA configuration.			

# clear configure aaa-server

To remove all AAA server groups or to clear the specified group, use the **clear configure aaa-server** command in global configuration mode.

clear configure aaa-server [server-tag]

clear configure aaa-server [server-tag] host server-ip

#### **Syntax Description**

server-ip	The IP address of the AAA server.
server-tag	(Optional) Symbolic name of the server group to be cleared.

#### **Defaults**

Remove all AAA server groups.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	_	_	•

#### **Command History**

Release	Modification
Preexisting	This command was preexisting.

### **Usage Guidelines**

You can specify a particular AAA server group or, by default, all AAA server groups.

Use the **host** keyword to specify a particular server within a server group.

This command also resets the AAA server parameters to their default values, if any.

# **Examples**

```
hostname(config)# aaa-server svrgrp1 protocol sdi
hostname(config)# aaa-server svrgrp1 host 1.2.3.4
hostname(config-aaa-server)# timeout 9
hostname(config-aaa-server)# retry 7
hostname(config-aaa-server)# sdi-version sdi-5
hostname(config-aaa-server)# exit
```

Given the preceding configuration, the following command shows how to remove a specific server from a group:

hostname(config) # clear config aaa-server svrgrp1 host 1.2.3.4

The following command shows how to remove a server group:

hostname(config) # clear config aaa-server svrgrp1

The following command shows how to remove all server groups:

hostname(config) # clear config aaa-server

Command	Description
aaa-server host	Specifies and manages host-specific AAA server connection data.
aaa-server protocol	Allows you to configure AAA server parameters that are group-specific and common to all hosts.
show running-config aaa	Display the current maximum number of concurrent proxy connections allowed per user, along with other AAA configuration values.

# clear configure access-group

To remove access groups from all the interfaces, use the **clear configure access-group** command in global configuration mode.

#### clear configure access-group

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	Added keyword <b>configure</b> .

# **Examples**

The following example shows how to remove all access groups:

hostname(config)# clear configure access-group

Command	Description
access-group	Binds an access list to an interface.
show running-config access-group	Displays the current access group configuration.

# clear configure access-list

To clear an access list from the running configuration, use the **clear configure access list** command in global configuration mode.

#### clear configure access-list [id]

### **Syntax Description**

id (Optional) Name or number of an access list.	
---	--

#### Defaults

All the access lists are cleared from the running configuration.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
Preexisting	This command was preexisting.

### **Usage Guidelines**

The clear configure access-list command automatically unbinds an access list from a crypto map command or interface. The unbinding of an access list from a crypto map command can lead to a condition that discards all packets because the crypto map commands referencing the access list are incomplete. To correct the condition, either define other access-list commands to complete the crypto map commands or remove the crypto map commands that pertain to the access-list command. Refer to the crypto map client command for more information.

#### **Examples**

This example shows how to clear the access lists from the running configuration:

hostname(config) # clear configure access-list

Command	Description
access-list extended	Adds an access list to the configuration and configures policy for IP traffic through the firewall.
access-list standard	Adds an access list to identify the destination IP addresses of OSPF routes, which can be used in a route map for OSPF redistribution.
clear access-list	Clears access list counters.

Command	Description
show access-list	Displays counters for an access list.
show running-config access-list	Displays the access list configuration running on the security appliance.

# clear configure alias

To remove all **alias** commands from the configuration, use the **clear configure alias** command in global configuration mode.

# clear configure alias

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	_	•	•	•

### **Command History**

Release	Modification
Preexisting	This command was preexisting.

# **Examples**

This example shows how to remove all **alias** commands from the configuration:

hostname(config)# clear configure alias

Command	Description
alias	Translates one address into another.
show running-config alias	Displays the overlapping addresses with dual NAT commands in the configuration.

# clear configure arp

To clear static ARP entries added by the **arp** command, use the **clear configure arp** command in global configuration mode.

# clear configure arp

# **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	_	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example clears static ARP entries from the configuration:

hostname(config)# clear configure arp

Command	Description
arp	Adds a static ARP entry.
arp-inspection	For transparent firewall mode, inspects ARP packets to prevent ARP spoofing.
firewall transparent	Sets the firewall mode to transparent.
show arp statistics	Shows ARP statistics.
show running-config arp	Shows the current configuration of the ARP timeout.

# clear configure arp-inspection

To clear the ARP inspection configuration, use the **clear configure arp-inspection** command in global configuration mode.

### clear configure arp-inspection

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	_	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example clears the ARP inspection configuration:

hostname(config)# clear configure arp-inspection

Command	Description
arp	Adds a static ARP entry.
arp-inspection	For transparent firewall mode, inspects ARP packets to prevent ARP spoofing.
firewall transparent	Sets the firewall mode to transparent.
show arp statistics	Shows ARP statistics.
show running-config arp	Shows the current configuration of the ARP timeout.

# clear configure asdm

To remove all **asdm** commands from the running configuration, use the **clear configure asdm** command in global configuration mode.

clear configure asdm [location | group | image]

# **Syntax Description**

group	(Optional) Clears only the <b>asdm group</b> commands from the running configuration.
image	(Optional) Clears only the <b>asdm image</b> command from the running configuration.
location	(Optional) Clears only the <b>asdm location</b> commands from the running configuration.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent	Single	Multiple	
				Context	System
Global configuration	•	•	•	•	•

### **Command History**

Modification
This command was changed from the <b>clear pdm</b> command to the <b>clear configure asdm</b> command.

# **Usage Guidelines**

To view the **asdm** commands in the running configuration, use the **show running-config asdm** command.

Clearing the **asdm image** command from the configuration disables ASDM access. Clearing the **asdm location** and **asdm group** commands from the configuration causes ASDM to regenerate those commands the next time ASDM is accessed, but may disrupt active ASDM sessions.



On security appliances running in multiple context mode, the **clear configure asdm image** command is only available in the system execution space, while the **clear configure asdm group** and **clear configure asdm location** commands are only available in the user contexts.

#### **Examples**

The following example clears the **asdm group** commands from the running configuration:

hostname(config) # clear configure asdm group

hostname(config)#

Command	Description			
asdm group	Used by ASDM to associate object group names with interfaces.			
asdm image	Specifies the ASDM image file.			
asdm location	Used by ASDM to record IP address to interface associations.			
show running-config asdm	Displays the <b>asdm</b> commands in the running configuration.			

# clear configure auth-prompt

To remove the previously specified authentication prompt challenge text and revert to the default value, if any, use the **clear configure auth-prompt** command in global configuration mode.

# clear configure auth-prompt

### **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	_	_	•

#### **Command History**

Release	Modification
7.0(1)	This command was modified to conform with CLI standards.

# **Usage Guidelines**

After you clear the authentication prompt, the prompt users see when they log in depends on the protocol they use:

- Users who log in using HTTP see HTTP Authentication.
- Users who log in using FTP see FTP Authentication.
- Users who log in using Telnet see no prompt.

#### **Examples**

This example shows how to clear the auth-prompt:

hostname(config)# clear configure auth-prompt

auth-prompt	Sets the user authorization prompts.			
show running-config auth-prompt	Displays the user authorization prompts.			

# clear configure banner

To remove all the banners, use the clear configure banner command in global configuration mode.

clear configure banner

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	•	•	•	•

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

This example shows how to clear banners:

hostname(config) # clear configure banner

Command	Description
banner	Configures the session, login, or message-of-the-day banner.
show running-config banner	Displays all banners.

# clear configure ca certificate map

To remove all certificate map entries or to remove a specified certificate map entry, use the **clear configure ca configurate map** command in global configuration mode.

clear configure ca certificate map [sequence-number]

### **Syntax Description**

sequence-number	(Optional) Specifies a number for the certificate map rule you are removing.
	The range is 1 through 65535.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# Examples

The following example removes all certificate map entries.

hostname(config)# clear configure ca certificate map hostname(config)#

Command	Description
crypto ca certificate map	Enters CA certificate map mode.

# clear configure class

To clear the resource class configuration, use the **clear configure class** command in global configuration mode.

### clear configure class

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	_	_	•

### **Command History**

Release	Modification	
7.2(1)	This command was introduced.	

# **Examples**

The following example clears the class configuration:

hostname(config)# clear configure class

Command	Description
class	Configures a resource class.
context	Configures a security context.
limit-resource	Sets the resource limit for a class.
member	Assigns a context to a resource class.
show class	Shows the contexts assigned to a class.

# clear configure class-map

To remove all class maps, use the **clear configure class-map** command in global configuration mode.

clear configure class-map [type {management | regex | inspect [protocol]}}

### **Syntax Description**

inspect	(Optional) Clears inspection class maps.	
management	(Optional) Clears management class maps.	
protocol	(Optional) Specifies the type of application map you want to clear. Available types include:	
	• dns	
	• ftp	
	• h323	
	• http	
	• im	
	• p2p-donkey	
• sip		
regex	(Optional) Clears regular expression class maps.	
type	(Optional) Specifies the type of class map you want to clear. To clear Layer 3/4 class maps, to not specify the type.	

### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Usage Guidelines**

To clear the class map for a specific class map name, use the **no** form of the **class-map** command.

# **Examples**

The following example shows how to clear all configured class maps:

hostname(config)# clear configure class-map

Command	Description
class-map	Applies a traffic class to an interface.
show running-config class-map	Displays the information about the class map configuration.

# clear configure client-update

To remove from the configuration the ability to force a client update, use the **clear configure client-update** command in global configuration mode or tunnel-group ipsec-attributes configuration mode.

#### clear configure client-update

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
			Single	Multiple	
Command Mode	Routed	Transparent		Context	System
Global configuration	•	_	•	_	_
Tunnel-group ipsec-attributes configuration	•	_	•	_	

### **Command History**

Release	Modification
7.0(1)	This command was introduced.
7.1(1)	Added tunnel-group ipsec-attributes configuration mode.

#### **Examples**

The following example entered in global configuration mode, removes the client-update capability from the configuration:

```
hostname(config) # clear configure client-update
hostname(config) #
```

The following example entered in tunnel-group ipsec-attributes configuration mode, removes the client-update capability from the configuration of the tunnel group named test:

```
hostname(config)# tunnel-group test ipsec-attributes
hostname(config-tunnel-ipsec)# clear configure client-update
hostname(config-tunnel-ipsec)#
```

Command	Description
client-update	Configures client-update.
show running-config client-update	Shows the current client-update configuration.

# clear configure clock

To clear the clock configuration, use the **clear configure clock** command in global configuration mode.

# clear configure clock

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	_	•

### **Command History**

Release	Modification
7.0(1)	This command was changed from <b>clear clock</b> .

# **Usage Guidelines**

This command clears all **clock** configuration commands. The **clock set** command is not a configuration command, so this command does not reset the clock. To reset the clock, you need to set a new time for the **clock set** command.

# **Examples**

The following example clears all clock commands:

hostname# clear configure clock

Command	Description
clock set	Manually sets the time.
clock summer-time	Sets the date range to show daylight savings time.
clock timezone	Sets the time zone.

# clear configure command-alias

To remove all non-default command aliases, use the **clear configure command-alias** command in global configuration mode.

### clear configure command-alias

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	•	•	•	•	

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

This command has no usage guidelines.

# Examples

The following example shows how to remove all non-default command aliases:

hostname(config) # clear configure command-alias

Command	Description
command-alias	Creates a command alias.
show running-config command-alias	Displays all non-default command aliases.

# clear configure compression

To reset the global compression configuration to the default (all compression techniques enabled), use the **clear configure compression** command from global configuration mode:

clear configure compression

### Defaults

There is no default behavior for this command.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
	Routed		Single	Multiple		
Command Mode		Transparent		Context	System	
Global configuration	•	_	•	_	_	

# **Command History**

Release	Modification
7.1(1)	This command was introduced.

#### **Examples**

In the following example, the compression configuration is cleared:

hostname(config)# clear configure compression

Command	Description
compression	Enables compression for all SVC, WebVPN, and Port Forwarding connections.
svc compression	Enables compression of http data over an SVC connection for a specific group or user.

# clear configure console

To reset the console connection settings to defaults, use the **clear configure console** command in global configuration mode.

### clear configure console

# **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed			Multiple	
		Transparent	Single	Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example shows how to reset the console connection settings to defaults:

hostname(config)# clear configure console

Command	Description
console timeout	Sets the idle timeout for a console connection to the security appliance.
show running-config console timeout	Displays the idle timeout for a console connection to the security appliance.

# clear configure context

To clear all context configurations in the system configuration, use the **clear configure context** command in global configuration mode.

#### clear configure context [noconfirm]

### **Syntax Description**

noconfirm	(Optional) Removes all contexts without prompting you for confirmation.
	This option is useful for automated scripts.

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	•	_	_	•

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Usage Guidelines**

This command lets you remove all contexts, including the admin context. The admin context cannot be removed using the **no context** command, but can be removed using the **clear configure context** command.

### **Examples**

The following example removes all contexts from the system configuration, and does not confirm the deletion:

hostname(config) # clear configure context noconfirm

Command	Description
admin-context	Sets the admin context.
changeto	Changes between contexts or the system execution space.
context	Creates a security context in the system configuration and enters context configuration mode.

Command	Description
mode	Sets the context mode to single or multiple.
show context	Shows a list of contexts (system execution space) or information about the current context.

# clear configure crypto

To remove the entire crypto configuration, including IPSec, crypto maps, dynamic crypto maps, CA trstpoints, all certificates, certificate map configurations, and ISAKMP, use the **clear configure crypto** command in global configuration. To remove specific configurations, use this command with keywords as shown in the syntax. Take caution when using this command.

clear configure crypto [ca | dynamic-map | ipsec | iskmp | map]

### **Syntax Description**

ca	Removes certification authority policy.	
dynamic-map	Removes dynamic crypto map configuration.	
ipsec	Removes IPSec configuration.	
isakmp	Removes ISAKMP configuration.	
map	Removes crypto map configuration.	

Defaults

No default behavior or values.

#### Command Modes

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent	Single	Multiple	
				Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

#### **Examples**

The following example issued in global configuration mode, removes all of the crypto configuration from the security appliance:

hostname(config)# clear configure crypto
hostname(config)#

Command	Description
clear configure crypto dynamic-map	Clears all or specified crypto dynamic maps from the configuration.
clear configure crypto map	Clears all or specified crypto maps from the configuration.
clear configure isakmp policy	Clears all ISAKMP policy configuration.
show running-config crypto	Displays the entire crypto configuration, including IPSec, crypto maps, dynamic crypto maps, and ISAKMP.

# clear configure crypto ca trustpoint

To remove all trustpoints from the configuration, use the **clear configure crypto ca trustpoint** command in global configuration.

### clear configure crypto ca trustpoint

### **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context	
	Routed	Transparent	Single	Multiple	
Command Mode				Context	System
Global configuration	•	_	•	_	

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# Examples

The following example entered in global configuration mode, removes all trustpoints from the configuration:

hostname(config)# clear configure crypto ca trustpoint
hostname(config)#

Command	Description
crypto ca trustpoint	Enters the trustpoint subconfiguration level for the indicated trustpoint.

# clear configure crypto dynamic-map

To remove all or specified crypto dynamic maps from the configuration, use the **clear configure crypto dynamic-map** command in global configuration.

clear configure crypto dynamic-map dynamic-map-name dynamic-seq-num

### **Syntax Description**

dynamic-map-name	Specifies the name of a specific crypto dynamic map.
dynamic-seq-num	Specifies the sequence number of the crypto dynamic map.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context	
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Examples**

The following example entered in global configuration mode, removes the crypto dynamic map mymaps with sequence number 3 from the configuration:

hostname(config)# clear configure crypto dynamic-map mymaps 3
hostname(config)#

Command	Description
clear configure crypto map	Clears the configuration of all or specified crypto maps.
show running-config crypto dynamic-map	Displays all the active configuration for all dynamic crypto maps.
show running-config crypto map	Displays all the active configuration for all crypto maps.

# clear configure crypto isakmp

To remove all of the ISAKMP configuration, use the **clear configure crypto isakmp** command in global configuration mode.

# clear configure crypto isakmp

### **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

### **Command History**

Release	Modification
7.0(1)	The clear configure isakmp command was introduced.
7.2(1)	This command was deprecated. The <b>clear configure crypto isakmp</b> command replaces it.

#### **Examples**

The following command, issued in global configuration mode, removes all of the ISAKMP configuration from the security appliance:

hostname(config) # clear configure crypto isakmp
hostname(config) #

Command	Description
clear configure crypto isakmp policy	Clears all ISAKMP policy configuration.
crypto isakmp enable	Enables ISAKMP negotiation on the interface on which the IPSec peer communicates with the security appliance.
show crypto isakmp stats	Displays runtime statistics.
show crypto isakmp sa	Displays IKE runtime SA database with additional information.
show running-config crypto isakmp	Displays all the active configuration.

# clear configure crypto isakmp policy

To remove all of the ISAKMP policy configuration, use the **clear configure isakmp policy** command in global configuration mode.

clear configure crypto isakmp policy priority

### **Syntax Description**

priority Specifies the priority of the I	SAKMP priority to be cleared.
--	-------------------------------

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	The clear configure isakmp policy command was introduced.
7.2(1)	The clear configure crypto isakmp policy command replaces the clear configure isakmp policy command.

#### **Examples**

The following example removes the ISAKMP policy with priority 3 from the configuration:

hostname(config) # clear configure isakmp policy 3
hostname(config) #

Command	Description
isakmp enable	Enables ISAKMP negotiation on the interface on which the IPSec peer communicates with the security appliance.
show isakmp stats	Displays runtime statistics.
show isakmp sa	Displays IKE runtime SA database with additional information.
show running-config isakmp	Displays all the active configuration.

# clear configure crypto map

To remove all or specified crypto maps from the configuration, use the **clear configure crypto map** command in global configuration.

clear configure crypto map map-name seq-num

# **Syntax Description**

тар-пате	Specifies the name of a specific crypto map.
seq-num	Specifies the sequence number of the crypto map.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
		Transparent		Multiple	
Command Mode	Routed		Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Examples**

The following example entered in global configuration mode, removes the crypto map mymaps with sequence number 3 from the configuration:

hostname(config) # clear configure crypto map mymaps 3
hostname(config) #

Command	Description
clear configure crypto dynamic-map	Clears the configuration of all or specified crypto dynamic maps.
crypto map interface	Applies a crypto map to an interface.
show running-config crypto map	Displays the active configuration for all crypto maps.
show running-config crypto dynamic-map	Displays the active configuration for all dynamic crypto maps.

# clear configure ctl-file

To clear configured CTL file instances, use the **clear configure ctl-file** command in global configuration mode.

clear configure ctl [ctl\_name]

# **Syntax Description**

ctl_name (C	ptional) Specifie	s the name of the C7	L instance.
-------------	-------------------	----------------------	-------------

#### **Command Default**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification	
8.0(4)	The command was introduced.	

# **Examples**

The following example shows the use of the **clear configure ctl-file** command to clear configured CTL file instances:

hostname# clear configure ctl asa\_phone\_proxy asa\_ctl

Command	Description
ctl-file (global)	Specifies the CTL file to create for Phone Proxy configuration or the CTL file to parse from Flash memory.
ctl-file (phone-proxy)	Specifies the CTL file to use for Phone Proxy configuration.
phone-proxy	Configures the Phone Proxy instance.

# clear configure ctl-provider

To remove all configured Certificate Trust List provider instances, use the **clear configure ctl-provider** command in global configuration mode.

# clear configure ctl-provider

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	•	•	•	_

# **Command History**

Release	Modification
8.0(2)	This command was introduced.

# **Examples**

The following example shows the syntax of the **clear configure ctl-provider** command:

hostname# clear configure ctl-provider

Command	Description
ctl	Parses the CTL file from the CTL client and install trustpoints.
ctl-provider	Configures a CTL provider instance in CTL provider mode.
export	Specifies the certificate to be exported to the client
service	Specifies the port to which the CTL provider listens.

# clear configure ddns

To clear all DDNS commands, use the **clear configure ddns** command in global configuration mode.

clear configure ddns

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent	Single	Multiple	
				Context	System
Global configuration	•	_	•	•	_

# **Command History**

Release	Modification
7.2(1)	This command was introduced.

# **Examples**

The following example clears all DDNS commands:

hostname(config)# clear configure ddns

Command	Description
ddns (DDNS-update- method mode)	Specifies a DDNS update method type for a created DDNS method.
ddns update (interface config mode)	Associates a security appliance interface with a DDNS update method or a DDNS update hostname.
ddns update method (global config mode)	Creates a method for dynamically updating DNS resource records.
show ddns update interface	Displays the interfaces associated with each configured DDNS method.
show ddns update method	Displays the type and interval for each configured DDNS method. a DHCP server to perform DDNS updates.
show running-config ddns	Displays the type and interval of all configured DDNS methods in the running configuration.

# clear configure dhcpd

To clear all of the DHCP server commands, binding, and statistics, use the **clear configure dhcpd** command in global configuration mode.

### clear configure dhcpd

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

# **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was changed from <b>clear dhcpd</b> to <b>clear configure dhcpd</b> .

# **Usage Guidelines**

The **clear configure dhcpd** command clears all of the **dhcpd** commands, bindings, and statistical information. To clear only the statistic counters or binding information, use the **clear dhcpd** command.

# **Examples**

The following example shows how to clear all **dhcpd** commands:

hostname(config)# clear configure dhcpd

Command	Description
clear dhcpd	Clears the DHCP server bindings and statistic counters.
show running-config dhcpd	Displays the current DHCP server configuration.

# clear configure dhcprelay

To clear all of the DHCP relay configuration, use the **clear configure dhcprelay** command in global configuration mode.

# clear configure dhcprelay

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

Firewall M		ode	Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was changed from clear dhcprelay to clear configure
	dhcprelay.

## **Usage Guidelines**

The clear configure dhcprelay command clears the DHCP relay statistics and configuration. To clear only the DHCP statistic counters, use the clear dhcprelay statistics command.

# Examples

The following example shows how to clear the DHCP relay configuration:

hostname(config) # clear configure dhcprelay

Command	Description
clear dhcprelay statistics	Clears the DHCP relay agent statistic counters.
debug dhcprelay	Displays debug information for the DHCP relay agent.
show dheprelay statistics	Displays DHCP relay agent statistic information.
show running-config dhcprelay	Displays the current DHCP relay agent configuration.

# clear configure dns

To clear all DNS commands, use the **clear configure dns** command in global configuration mode.

# clear configure dns

Syntax Description

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mo	Firewall Mode		Security Context		
				Multiple		
Command Mode	Routed	Transparent	Single	Context	System	
Global configuration	•	•	•	•	_	

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example clears all DNS commands:

hostname(config)# clear configure dns

Command	Description
dns domain-lookup	Enables the security appliance to perform a name lookup.
dns name-server	Configures a DNS server address.
dns retries	Specifies the number of times to retry the list of DNS servers when the security appliance does not receive a response.
dns timeout	Specifies the amount of time to wait before trying the next DNS server.
show dns-hosts	Shows the DNS cache.

# clear configure dynamic-access-policy-config

To clear the DAP configuration, use the **clear configure dynamic-access-policy-config** command in dynamic-access-policy-record configuration mode.

clear config dynamic-access-policy-config name

^ -	_			
Syntax	Desci	rı	Dti	on

name A string that specifies the name of the DAP configuration file.

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Dynamic-access-policy-record configuration	•	•	•	_	_

# **Command History**

Release	Modification
8.0(2)	This command was introduced.

## **Examples**

The following example shows how to set a priority of 15 for the DAP record called Finance.

hostname (config) config-dynamic-access-policy-record Finance
hostname(config-dynamic-access-policy-record) # priority 15
hostname(config-dynamic-access-policy-record) #

Command	Description
dynamic-access-policy-record	Creates a DAP record.
show running-config	Displays the running configuration for all DAP records, or for
dynamic-access-policy-record	the named DAP record.
[name]	

# clear config dynamic-access-policy-record

To clear a DAP record, use the **clear config dynamic-access-policy-record** command in global configuration mode with the name of the record. To clear all DAP records, use the **no** form of this command.

clear config dynamic-access-policy-record name

## **Syntax Description**

name	Specifies the name of the DAP record. The name can be up to 64
	characters long and cannot contain spaces.

### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	_	_

## **Command History**

Release	Modification
8.0(2)	This command was introduced.

# Examples

The following example shows how to clear a DAP record named Finance.

hostname(config) # clear configure dynamic-access-policy-record Finance
hostname(config-dynamic-access-policy-record) #

Command	Description		
dynamic-access-policy-record [name]	Creates a named DAP record.		
dynamic-access-policy-config url	Configures the DAP Selection Configuration file.		
show running-config dynamic-access-policy-record [name]	Displays the running configuration for all DAP records, or for the named DAP record.		

# clear configure established

To remove all established commands, use the **clear configure established** command in global configuration mode.

# clear configure established

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

## **Command History**

Release	Modification
7.0(1)	The keyword <b>configure</b> was added.

# **Usage Guidelines**

To remove an established connection created by the **established** command, enter the **clear xlate** command.

# **Examples**

This example shows how to remove established commands:

hostname(config)# clear configure established

Command	Description
established	Permits return connections on ports that are based on an established connection.
show running-config established	Displays the allowed inbound connections that are based on established connections.
clear xlate	Clears the current translation and connection slot information.

# clear configure failover

To remove **failover** commands from the configuration and restore the defaults, use the **clear configure failover** command in global configuration mode.

### clear configure failover

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	Command was changed from <b>clear failover</b> to <b>clear configure failover</b> .

# Usage Guidelines

This command clears all **failover** commands from the running configuration and restores the defaults. If you use the **all** keyword with the **show running-config failover** command, you will see the default failover configuration.

The **clear configure failover** command is not available in a security context in multiple configuration mode; you must enter the command in the system execution space.

## **Examples**

The following example clears all failover commands from the configuration:

```
hostname(config)# clear configure failover
hostname(config)# show running-configuration failover
no failover
```

Command	Description
show running-config failover	Displays the <b>failover</b> commands in the running configuration.

# clear configure filter

To clear URL, FTP, and HTTPS filtering configuration, use the **clear configure filter** command in global configuration mode.

# clear configure filter

### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The clear configure filter command clears the URL, FTP, and HTTPS filtering configuration.

# **Examples**

The following example clears the URL, FTP, and HTTPS filtering configuration:

hostname(config) # clear configure filter

Commands	Description			
filter ftp	Identifies the FTP traffic to be filtered by a URL filtering server.			
<b>filter https</b> Identifies the HTTPS traffic to be filtered by a Websense server.				
filter url	Directs traffic to a URL filtering server.			
show running-config filter	Displays the filtering configuration.			
url-server	Identifies an N2H2 or Websense server for use with the <b>filter</b> command.			

# clear configure fips

To clear the system or module FIPS configuration information stored in NVRAM, use the **clear configure fips** command in global configuration mode.

# clear configure fips

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	_	•

# **Command History**

Release	Modification
7.0(4)	This command was introduced.

# Examples

hostname(config)# clear configure fips

Command	Description
crashinfo console disable	Disables the reading, writing and configuration of crash write info to flash.
fips enable	Enables or disablea policy-checking to enforce FIPS compliance on the system or module.
fips self-test poweron	Executes power-on self-tests.
show crashinfo console	Reads, writes, and configures crash write to flash.
show running-config fips	Displays the FIPS configuration that is running on the security appliance.

# clear configure firewall

To set the firewall mode to the default routed mode, use the **clear configure firewall** command in global configuration mode.

# clear configure firewall

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
	Routed			Multiple		
Command Mode		Transparent	Single	Context	System	
Global configuration	•	•	•	_	•	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example sets the firewall mode to the default:

hostname(config)# clear configure firewall

Command	Description
arp	Adds a static ARP entry.
firewall transparent	Sets the firewall mode to transparent.
show arp statistics	Shows ARP statistics.
show running-config arp	Shows the current configuration of the ARP timeout.

# clear configure fixup

To clear the fixup configuration, use the **clear configure fixup** command in global configuration mode.

clear configure fixup

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

# **Command History**

Release	Modification
Preexisting	This command was preexisting.

# **Usage Guidelines**

The **clear configure fixup** command removes the fixup configuration.

# **Examples**

The following example clears the fixup configuration:

hostname# clear configure fixup

Commands	Description
class-map	Defines the traffic class to which to apply security actions.
policy-map	Associates a class map with specific security actions.

# clear configure fragment

To reset all the IP fragment reassembly configurations to defaults, use the **clear configure fragment** command in global configuration mode.

clear configure fragment [interface]

## **Syntax Description**

interface	(Optional)	Specifies the s	security ar	opliance ir	iterface.
	(				

#### Defaults

If an *interface* is not specified, the command applies to all interfaces.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	The <b>configure</b> keyword and optional <i>interface</i> argument were added. The command
	was also separated into two commands, clear fragment and clear configure
	fragment, to separate clearing of the configuration data from the operational data.

# Usage Guidelines

The **clear configure fragment** command resets all the IP fragment reassembly configurations to defaults. In addition, the the **chain**, **size**, and **timeout** keywords are reset to their default values, which are as follows:

- **chain** is 24 packets
- **size** is 200
- timeout is 5 seconds

### **Examples**

This example shows how to reset all the IP fragment reassembly configurations to defaults:

hostname(config) # clear configure fragment

Command	Description
clear fragment	Clears the operational data of the IP fragment reassembly module.
fragment	Provides additional management of packet fragmentation and improves compatibility with NFS.

Command	Description
show fragment	Displays the operational data of the IP fragment reassembly module.
show running-config fragment	Displays the IP fragment reassembly configuration.

# clear configure ftp

To clear the FTP configuration, use the **clear configure ftp** command in global configuration mode.

clear configure ftp

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
		Transparent		Multiple	
Command Mode	Routed		Single	Context	System
Global configuration	•	•	•	•	•

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The **clear configure ftp** command clears the FTP configuration.

# **Examples**

The following example clears the FTP configuration:

hostname# clear configure ftp

Commands	Description
filter ftp	Identifies the FTP traffic to be filtered by a URL filtering server.
filter https	Identifies the HTTPS traffic to be filtered by a Websense server.
filter url	Directs traffic to a URL filtering server.
show running-config filter	Displays the filtering configuration.
url-server	Identifies an N2H2 or Websense server for use with the <b>filter</b> command.

# clear configure global

To remove the **global** commands from the configuration, use the **clear configure global** command in global configuration mode.

# clear configure global

# **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	_	•	•	_

## **Command History**

Release	Modification
7.0(1)	Added keyword <b>configure</b> .

# **Examples**

The following example shows how to remove the **global** commands from the configuration:

hostname(config)# clear configure global

Command	Description
global	Creates entries from a pool of global addresses.
show running-config	Displays the <b>global</b> commands in the configuration.
global	

# clear configure group-delimiter

To remove from the configuration the group delimiter the delimiter used when parsing group names from the user names that are received when tunnels are being negotiated, use the **clear configure group-delimiter** command in global configuration mode. This disables group-name parsing.

### clear config group-delimiter

### **Defaults**

No default behavior or values.

# Command Modes

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	_	_	

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Usage Guidelines**

The delimiter is used to parse tunnel group names from usernames when tunnels are negotiated. If no delimiter is specified, group-name parsing is disabled.

## **Examples**

The following example entered in global configuration mode, removes the group delimiter from the configuration:

hostname(config)# clear config group-delimiter
hostname(config)#

Command	Description
group-delimiter	Enables group-name parsing and specifies the group delimiter for an IPSec remote access tunnel group.
show running-config group-delimiter	Shows the current configured group delimiter.

# clear configure group-policy

To remove the configuration for a particular group policy, use the **clear configure group-policy** command in global configuration mode, and append the name of the group policy. To remove all group-policy commands from the configuration except the default group policy, use this command without arguments.

clear configure group-policy [name]

## **Syntax Description**

name	(Optional) Specifies the name of the group policy.	

### **Defaults**

Remove all group-policy commands from the configuration, except the default group policy.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Examples**

The following example shows how to clear the configuration for the group policy named FirstGroup. hostname(config)# clear configure group-policy FirstGroup

Command	Description
group-policy	Creates, edits, or removes a group policy.
group-policy attributes	Enters group-policy attributes mode, which lets you configure AVPs for a specified group policy.
show running-config group-policy	Displays the running configuration for a particular group policy or for all group policies.

# clear configure hostname

To reset the hostname to the default, use the **clear configure hostname** command in global configuration mode.

# clear configure hostname

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

The default value depends on your platform.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example clears the hostname:

hostname(config) # clear configure hostname

Command	Description
banner	Sets a login, message of the day, or enable banner.
domain-name	Sets the default domain name.
hostname	Sets the hostname for the security appliance.

# clear configure http

To disable the HTTP server and to remove configured hosts that can access the HTTP server, use the **clear configure http** command in global configuration mode.

# clear configure http

### **Defaults**

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example shows how to clear the HTTP configuration.

hostname(config)# clear configure http

Command	Description				
http	Specifies hosts that can access the HTTP server by IP address and subnet mask. Specifies the security appliance interface through which the host accesses the HTTP server.				
http authentication-certificate	Requires authentication via certificate from users who are establishing HTTPS connections to the security appliance.				
http redirect	Specifies that the security appliance redirect HTTP connections to HTTPS.				
http server enable	Enables the HTTP server.				
show running-config http	Displays the hosts that can access the HTTP server, and whether or not the HTTP server is enabled.				

# clear configure icmp

To clear the configured access rules for ICMP traffic, use the **clear configure icmp** command in global configuration mode.

# clear configure icmp

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The **clear configure icmp** command clears the configured access rules for ICMP traffic.

# **Examples**

The following example clears the clear configured access rules for ICMP traffic:

hostname# clear configure icmp

Commands	Description
clear configure icmp	Clears the ICMP configuration.
debug icmp	Enables the display of debug information for ICMP.
show icmp	Displays ICMP configuration.
timeout icmp	Configures the idle timeout for ICMP.

# clear configure imap4s

To remove all IMAP4S commands from the configuration, reverting to default values, use the **clear configure imap4s** command in global configuration mode.

## clear configure imap4s

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example shows how to remove the IMAP4S configuration:

hostname(config)# clear configure imap4s
hostname(config)#

Command	Description
show running-configuration imap4s	Displays the running configuration for IMAP4S.
imap4s	Creates or edits an IMAP4S e-mail proxy configuration.

# clear configure interface

To clear the interface configuration, use the **clear configure interface** command in global configuration mode.

**clear configure interface** [physical\_interface[.subinterface] | mapped\_name | interface\_name]

# **Syntax Description**

interface_name	(Optional) Identifies the interface name set with the <b>nameif</b> command.
mapped_name	(Optional) In multiple context mode, identifies the mapped name if it was assigned using the <b>allocate-interface</b> command.
physical_interface	(Optional) Identifies the interface ID, such as <b>gigabitethernet0/1</b> . See the <b>interface</b> command for accepted values.
subinterface	(Optional) Identifies an integer between 1 and 4294967293 designating a logical subinterface.

### Defaults

If you do not specify an interface, the security appliance clears all interface configuration.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was changed from <b>clear interface</b> . This command was also
	modified to include the new interface numbering scheme.

## **Usage Guidelines**

When you clear the interface configuration for main physical interfaces, the security appliance uses the default settings.

You cannot use the interface name in the system execution space, because the **nameif** command is only available within a context. Similarly, if you mapped the interface ID to a mapped name using the **allocate-interface** command, you can only use the mapped name in a context.

### **Examples**

The following example clears the GigabitEthernet0/1 configuration:

hostname(config) # clear configure interface gigabitethernet0/1

The following example clears the inside interface configuration:

hostname(config)# clear configure interface inside

The following example clears the int1 interface configuration in a context. "int1" is a mapped name.

hostname/contexta(config)# clear configure interface int1

The following example clears all interface configuration.

hostname(config)# clear configure interface

Command	Description
allocate-interface	Assigns interfaces and subinterfaces to a security context.
clear interface	Clears counters for the <b>show interface</b> command.
interface	Configures an interface and enters interface configuration mode.
show interface	Displays the runtime status and statistics of interfaces.

# clear configure ip

To clear all IP addresses set by the **ip address** command, use the **clear configure ip** command in global configuration mode.

# clear configure ip

## **Syntax Description**

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

In transparent firewall mode, this command clears the management IP address and the Management 0/0 IP address, if configured.

If you want to stop all current connections that use the old IP addresses, enter the **clear xlate** command. Otherwise, the connections time out as usual.

### **Examples**

The following example clears all IP addresses:

hostname(config)# clear configure ip

Command	Description
allocate-interface	Assigns interfaces and subinterfaces to a security context.
clear configure interface	Clears all configuration for an interface.
interface	Configures an interface and enters interface configuration mode.
ip address	Sets the IP address for the interface.
show running-config interface	Displays the interface configuration.

# clear configure ip audit

To clear the entire audit policy configuration, use the **clear configure ip audit** command in global configuration mode.

clear configure ip audit [configuration]

# **Syntax Description**

configuration	(Optional) Yuo can enter this keyword, but the effect is the same without it.
---------------	---

### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

# **Command History**

Release	Modification
7.0(1)	This command was changed from clear ip audit.

# **Examples**

The following example clears all **ip audit** commands:

hostname# clear configure ip audit

Command	Description	
ip audit attack	Sets the default actions for packets that match an attack signature.	
ip audit info	Sets the default actions for packets that match an informational signature.	
ip audit interface	Assigns an audit policy to an interface.	
ip audit name	Creates a named audit policy that identifies the actions to take when a packet matches an attack signature or an informational signature.	
ip audit signature	Disables a signature.	

# clear configure ip local pool

To remove IP address pools, use the **clear configure ip local pool** command in global configuration mode.

clear ip local pool [poolname]

# **Syntax Description**

poolname	(Optional) Specifies the name of the IP address	s pool.
----------	---	---------

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example removes all IP address pools from the running configuration:

hostname(config)# clear config ip local pool
hostname(config)#

Command	Description
clear configure ip local pool	Removes all ip local pools.
ip local pool	Configures an IP address pool.

# clear configure ip verify reverse-path

To clear the **ip verify reverse-path** configuration, use the **clear configure ip verify reverse-path** command in global configuration mode.

### clear configure ip verify reverse-path

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

# **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was changed from <b>clear ip verify reverse-path</b> .

# **Examples**

The following example clears the **ip verify reverse-path** configuration for all interfaces:

hostname(config)# clear configure ip verify reverse-path

Command	Description
clear ip verify statistics	Clears the Unicast RPF statistics.
ip verify reverse-path	Enables the Unicast Reverse Path Forwarding feature to prevent IP spoofing.
show ip verify statistics	Shows the Unicast RPF statistics.
show running-config ip verify reverse-path	Shows the <b>ip verify reverse-path</b> configuration.

# clear configure ipv6

To clear the global IPv6 commands from the running configuration, use the **clear configure ipv6** command in global configuration mode.

clear configure ipv6 [route | access-list]

# **Syntax Description**

access-list	(Optional) Clears the IPv6 access list commands from the running configuration.
route	(Optional) Clears the commands that statically define routes in the IPv6 routing table from the running configuration.

### Defaults

Without keywords, this command clears all IPv6 commands from the running configuration.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	•	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

This command only clears the global IPv6 commands from the running configuration; it does not clear the IPv6 commands entered in interface configuration mode.

### **Examples**

The following example shows how to clear statically defined IPv6 routes from the IPv6 routing table:

hostname(config)# clear configure ipv6 route
hostname(config)#

Command	Description
ipv6 route	Defines a static route in the IPv6 routing table.
show ipv6 route	Displays the contents of the IPv6 routing table.
show running-config ipv6	Displays the IPv6 commands in the running configuration.

# clear configure isakmp

To remove all of the ISAKMP configuration, use the **clear configure isakmp** command in global configuration mode.

# clear configure isakmp

## **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mo	ode	Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	The clear configure isakmp command was introduced.
7.2(1)	This command was deprecated. The <b>clear configure crypto isakmp</b> command replaces it.

### **Examples**

The following example issued in global configuration mode, removes all of the ISAKMP configuration from the security appliance:

hostname(config)# clear configure isakmp
hostname(config)#

Command	Description	
clear configure isakmp policy	Clears all ISAKMP policy configuration.	
isakmp enable	Enables ISAKMP negotiation on the interface on which the IPSec peer communicates with the security appliance.	
show isakmp stats	Displays runtime statistics.	
show isakmp sa	Displays IKE runtime SA database with additional information.	
show running-config isakmp	Displays all the active configuration.	

# clear configure isakmp policy

To remove all of the ISAKMP policy configuration, use the **clear configure isakmp policy** command in global configuration mode.

clear configure isakmp policy priority

## **Syntax Description**

priority	Specifies the	priority of the ISAKMP	priority to be cleared.
Fire	- F	F	P

# Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode Se		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	The clear configure isakmp policy command was introduced.
7.2(1)	This command was deprecated. The <b>clear configure crypto isakmp policy</b> command replaces it.

### **Examples**

The following example removes the ISAKMP policy with priority 3 from the configuration:

hostname(config) # clear configure isakmp policy 3
hostname(config) #

Command	Description		
isakmp enable	Enables ISAKMP negotiation on the interface on which the IPSec peer communicates with the security appliance.		
show isakmp stats	Displays runtime statistics.		
show isakmp sa	Displays IKE runtime SA database with additional information.		
show running-config isakmp	Displays all the active configuration.		

# clear configure Idap attribute-map

To remove all the LDAP attribute maps from the running configuration of the security appliance, use the **clear configure ldap attribute-map** command in global configuration mode.

### clear configure ldap attribute-map

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode Security		Security C	Context	
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.1(1)	This command was introduced.

# Usage Guidelines

Use this command to remove the LDAP attribute maps from the running configuration of the security appliance.

# **Examples**

The following example, entered in global configuration mode, removes all LDAP attributes map from the running configuration and then confirms the removal by using the **show running-config ldap attribute-map** command:

```
hostname(config)# clear configuration ldap attribute-map hostname(config)# show running-config ldap attribute-map hostname(config)#
```

Command	Description
Idap attribute-map (global config mode)	Creates and names an LDAP attribute map for mapping user-defined attribute names to Cisco LDAP attribute names.
ldap-attribute-map (aaa-server host mode)	Binds an LDAP attribute map to an LDAP server.
map-name	Maps a user-defined LDAP attribute name with a Cisco LDAP attribute name.

Command	Description
map-value	Maps a user-defined attribute value to a Cisco attribute.
show running-config ldap attribute-map	Displays a specific running LDAP attribute map or all running attribute maps.

# clear configure logging

To clear logging configuration, use the **clear configure logging** command in global configuration mode.

clear configure logging [disabled | level]

#### **Syntax Description**

disabled	(Optional) Indicates that all disabled system log messages should be re-enabled. When you use this option, no other logging configuration is cleared.
level	(Optional) Indicates that the severity level assignments for system log messages should be reset to their default values. When you use this option, no other logging configuration is cleared.

### Defaults

With no keywords specified, this command returns all configuration settings to their default values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# Usage Guidelines

You can use the **show running-config logging** command to view all logging configuration settings. If you use the **clear configure logging** command without either the disabled or level keyword, all logging configuration settings are cleared and returned to their default values.

## **Examples**

The following example shows how to clear logging configuration settings. The output of the **show logging** command indicates that all logging features are disabled.

hostname(config)# clear configure logging
hostname(config)# show logging
Syslog logging: disabled
Facility: 20
Timestamp logging: disabled
Standby logging: disabled
Deny Conn when Queue Full: disabled

Console logging: disabled Monitor logging: disabled Buffer logging: disabled Trap logging: disabled History logging: disabled

### clear configure logging

Device ID: disabled Mail logging: disabled ASDM logging: disabled

Command	Description
show logging	Displays the enabled logging options.
show running-config logging	Displays the logging-related portion of the running configuration.

# clear configure logging rate-limit

To reset the logging rate limit, use the **clear configure logging rate-limit** command in global configuration mode.

# clear configure logging rate-limit

# Syntax DescriptionT

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(4)	This command was introduced.

## **Examples**

The following example shows how to reset the logging rate limit:

 $\verb|hostname(config) # \verb| clear configure logging rate-limit|\\$ 

After the information is cleared, nothing more displays until the hosts reestablish their connections.

Command	Description
logging rate limit	Limits the rate at which system log messages are generated.
show running config logging rate-limit	Shows the current logging rate limit setting.

# clear configure mac-address-table

To clear the **mac-address-table static** and **mac-address-table aging-time** configuration, use the **clear configure mac-address-table** command in global configuration mode.

clear configure mac-address-table

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
		Transparent		Multiple	
Command Mode	Routed		Single	Context	System
Global configuration	_	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example clears the **mac-address-table static** and **mac-address-table aging-time** configuration:

hostname# clear configure mac-address-table

Command	Description
firewall transparent	Sets the firewall mode to transparent.
mac-address-table aging-time	Sets the timeout for dynamic MAC address entries.
mac-address-table static	Adds static MAC address entries to the MAC address table.
mac-learn	Disables MAC address learning for an interface.
show mac-address-table	Shows the MAC address table, including dynamic and static entries.

# clear configure mac-learn

To clear the **mac-learn** configuration, use the **clear configure mac-learn** command in global configuration mode.

## clear configure mac-learn

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode Security Context				
		Transparent	Single	Multiple	
Command Mode	Routed			Context	System
Global configuration	_	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example clears the **mac-learn** configuration:

hostname# clear configure mac-learn

Command	Description	
firewall transparent	Sets the firewall mode to transparent.	
mac-address-table static	Adds static MAC address entries to the MAC address table.	
mac-learn	Disables MAC address learning for an interface.	
show mac-address-table	Shows the MAC address table, including dynamic and static entries.	

# clear configure mac-list

To remove the indicated list of MAC addresses, previously specified the **mac-list** command, use the **clear configure mac-list** command in global configuration mode:

clear configure mac-list id

## **Syntax Description**

#### Defaults

No default behaviors or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode Security Context				
	Routed	Transparent	Single	Multiple	
				Context	System
Global configuration	•	•	_	_	•

## **Command History**

Release	Modification
7.0(1)	This command was modified to conform with CLI standards.

## **Usage Guidelines**

To remove a list of MAC addresses, use the clear mac-list command.

## **Examples**

The following example shows how to clear a MAC address list:

hostname(config) # clear configure mac-list firstmaclist

Command	Description
mac-list	Adds a list of MAC addresses using a first-match search.
show running-config	Displays the MAC addresses in the MAC address list indicated by the id
mac-list	value.

# clear configure management-access

To remove the configuration of an internal interface for management access of the security appliance, use the **clear configure management-access** command in global configuration mode.

#### clear configure management-access

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode Se		Security Context		
			Single	Multiple	
	Routed	Transparent		Context	System
Global configuration	•	•	•	•	•

#### **Command History**

Release	Modification
7.0(1)	The keyword <b>configure</b> was added.

## **Usage Guidelines**

The **management-access** command lets you define an internal management interface using the IP address of the firewall interface specified in  $mgmt\_if$ . (The interface names are defined by the **nameif** command and displayed in quotes, "", in the output of the **show interface** command.) The **clear configure management-access** command removes the configuration of the internal management interface specified with the **management-access** command.

#### **Examples**

The following example removes the configuration of an internal interface for management access of the security appliance:

hostname(config) # clear configure management-access

Description
Configures an internal interface for management access.
Displays the name of the internal interface configured for management access.

# clear configure monitor-interface

To remove all **monitor-interface** commands from the running configuration and restore the default interface health monitoring, use the **clear configure monitor-interface** command in global configuration mode.

#### clear configure monitor-interface

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall M	all Mode Security Context			
	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

#### **Usage Guidelines**

By default, physical interfaces are monitored for failover. Using the **clear monitor-interface** command clears the **no monitor-interface** commands from the running configuration and restores default interface health monitoring. To view the **monitor-interface** commands in the running configuration, use the **show running-config all monitor-interface** command.

## **Examples**

The following example clears the **monitor-interface** commands from the running configuration:

hostname(config)# clear configure monitor-interface
hostname(config)#

Command	Description
monitor-interface	Enables health monitoring of a designated interface for failover purposes.
show running-config monitor-interface	Displays the <b>monitor-interface</b> commands in the running configuration.

# clear configure mroute

To remove the **mroute** commands from the running configuration, use the **clear configure mroute** command in global configuration mode.

## clear configure mroute

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example shows how to remove the **mroute** commands from the configuration:

hostname(config)# clear configure mroute
hostname(config)#

Command	Description
mroute	Configures a static multicast route.
show mroute	Displays IPv4 multicast routing table.
show running-config mroute	Displays the <b>mroute</b> commands in the running configuration.

# clear configure mtu

To clear the configured maximum transmission unit values on all interfaces, use the **clear configure mtu** command in global configuration mode.

## clear configure mtu

## **Syntax Description**

This command has no arguments or keywords.

#### Defaults

Using the clear configure mtu command sets the maximum transmission unit to the default of 1500 for all Ethernet interfaces.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	_	•	•	•	_	

## **Command History**

Release	Modification
Preexisting	This command was preexisting.

#### **Examples**

The following example clears the current maximum transmission unit values on all interfaces:

hostname(config)# clear configure mtu

Command	Description
mtu	Specifies the maximum transmission unit for an interface.
show running-config	Displays the current maximum transmission unit block size.
mtu	

# clear configure multicast-routing

To remove the **multicast-routing** command from the running configuration, use the **clear configure multicast-routing** command in global configuration mode.

#### clear configure multicast-routing

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

#### **Command History**

Release	Modification
7.0(1)	This command was introduced.

## Usage Guidelines

The clear configure multicast-routing command removes the multicast-routing from the running configuration. The no multicast-routing command also removes the multicast-routing command from the running configuration.

## **Examples**

The following example shows how to remove the **multicast-routing** command from the running configuration:

hostname(config)# clear configure multicast-routing

Command	Description
multicast-routing	Enables multicast routing on the security appliance.

# clear configure nac-policy

To remove all NAC policies from the running configuration, except for those that are assigned to group policies, use the **clear configure nac-policy** command in global configuration mode.

#### clear configure nac-policy

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	_	_	•

#### **Command History**

Release	Modification
8.0(2)	This command was introduced.

## **Usage Guidelines**

Use this command only if you want to remove all NAC policies. Use the **no** version of the nac-policy command to remove a single NAC policy from the configuration.

## Examples

The following command shows how to remove all NAC policies:

hostname(config) # clear config nac-policy

Command	Description
nac-policy	Creates and accesses a Cisco NAC policy, and specifies its type.
show nac-policy	Displays NAC policy usage statistics on the security appliance.
show running-config nac-policy	Displays the configuration of each NAC policy on the security appliance.
show vpn-session_summary.db	Displays the number IPSec, WebVPN, and NAC sessions.
show vpn-session.db	Displays information about VPN sessions, including NAC results.

# clear configure name

To clear the list of names from the configuration, use the **clear configure name** command in global configuration mode.

## clear configure name

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	The keyword <b>configure</b> was added.

## **Usage Guidelines**

This command has no usage guidelines.

## Examples

The following example shows how to clear the name list:

hostname(config)# clear configure name

Command	Description
name	Associates a name with an IP address.
show running-config name	Displays the list of names associated with IP addresses.

# clear configure nat

To remove the NAT configuration, use the clear configure nat command in global configuration mode.

clear configure nat

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	•	_	

## **Command History**

Release	Modification
7.0(1)	Added keyword <b>configure</b> .

## **Usage Guidelines**

The following applies to transparent firewall mode:



In transparent firewall mode, only NAT id 0 is valid.

## **Examples**

The following example shows how to remove the NAT configuration:

hostname(config) # clear configure nat

Command	Description
nat	Associates a network with a pool of global IP addresses.
show running-config	Displays a pool of global IP addresses that are associated with the network.
nat	

# clear configure nat-control

To disable the NAT configuration requirement, use the **clear configure nat-control** command in global configuration mode.

## clear configure nat-control

## **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example disables the NAT configuration requirement:

hostname(config)# clear configure nat-control

Command	Description
nat	Defines an address on one interface that is translated to a global address on another interface.
nat-control	Enforces NAT control. Disabling NAT control allows inside hosts to communicate with outside networks without configuring a NAT rule.
show running-config nat-control	Displays the NAT configuration requirement.

# clear configure ntp

To clear the NTP configuration, use the **clear configure ntp** command in global configuration mode.

clear configure ntp

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	_	•

## **Command History**

Release	Modification
7.0(1)	This command was changed from clear ntp.

## **Examples**

The following example clears all **ntp** commands:

hostname# clear configure ntp

Command	Description
ntp authenticate	Enables NTP authentication.
ntp authentication-key	Sets the NTP authentication key.
ntp server	Identifies an NTP server to set the time on the security appliance.
ntp trusted-key	Specifies the NTP trusted key.
show running-config ntp	Shows the NTP configuration.

# clear configure object-group

To remove all the **object group** commands from the configuration, use the **clear configure object-group** command in global configuration mode.

clear configure object-group [protocol | service | icmp-type | network]

## **Syntax Description**

icmp-type	(Optional) Clears all ICMP groups.
network	(Optional) Clears all network groups.
protocol	(Optional) Clears all protocol groups.
service	(Optional) Clears all service groups.

## Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context	
	Routed			Multiple	
Command Mode		Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
Preexisting	This command was preexisting.

## **Examples**

The following example shows how to remove all the **object-group** commands from the configuration: hostname(config)# clear configure object-group

Command	Description
group-object	Adds network object groups.
network-object	Adds a network object to a network object group.
object-group	Defines object groups to optimize your configuration.
port-object	Adds a port object to a service object group.
show running-config object-group	Displays the current object groups.

# clear configure passwd

To clear the login password configuration and restore the default setting of "cisco," use the **clear configure passwd** command in global configuration mode.

clear configure {passwd | password}

## **Syntax Description**

passwd   passwo	d You can	enter either co	ommand; they	are aliased to each other.
-----------------	-----------	-----------------	--------------	----------------------------

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	•	•	•	•

## **Command History**

Release	Modification
7.0(1)	This command was changed from clear passwd.

## **Examples**

The following example clears the login password and restores it to the default of "cisco":

hostname(config)# clear configure passwd

Command	Description
enable	Enters privileged EXEC mode.
enable password	Sets the enable password.
passwd	Sets the login password.
show curpriv	Shows the currently logged in username and the user privilege level.
show running-config	Shows the login password in encrypted form.
passwd	

# clear configure phone-proxy

To clear Phone Proxy configuration, use the **clear configure phone-proxy** command in global configuration mode.

clear configure phone-proxy [phone\_proxy\_name]

## **Syntax Description**

*phone\_proxy\_name* Specifies the name of the Phone Proxy instance.

#### **Command Default**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode Security Context Mult		Security Context		
			Multiple	ple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
8.0(4)	The command was introduced.

## **Examples**

The following example shows the use of the **clear configure phone-proxy** command to clear the Phone Proxy configuration:

hostname# clear configure phone-proxy asa\_phone\_proxy

Command	Description
phone-proxy	Configures the Phone Proxy instance.

## clear configure pim

To clear all of the global **pim** commands from the running configuration, use the **clear configure pim** command in global configuration mode.

#### clear configure pim

## **Syntax Description**

There are no keywords or arguments for this command.

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

#### **Command History**

Release	Modification
7.0(1)	This command was introduced.

## Usage Guidelines

The **clear configure pim** command clears all of the **pim** commands from the running configuration. To clear PIM traffic counters and topology information, use the **clear pim counters** and the **clear pim topology** commands.

The **clear configure pim** command only clears the **pim** commands entered in global configuration mode; it does not clear the interface-specific **pim** commands.

#### **Examples**

The following example shows how to clear all **pim** commands from the running configuration:

hostname(config)# clear configure pim

Command	Description
clear pim topology	Clears the PIM topology table.
clear pim counters	Clears the PIM traffic counters.
show running-config pim	Displays the <b>pim</b> commands in the running configuration.

# clear configure policy-map

To remove the all **policy-map** commands, use the **clear configure policy-map** command in global configuration mode.

 ${\bf clear \ configure \ policy-map \ [type \ inspect \ [{\it protocol}]\}}$ 

•		-	
SI	vntax	Descri	ntıon

type inspect	(Optional) Clears inspection policy maps.
protocol	(Optional) Specifies the type of inspection policy map you want to clear. Available types include:
	• dcerpc
	• dns
	• esmtp
	• ftp
	• gtp
	• h323
	• http
	• im
	• mgcp
	• netbios
	• p2p
	• radius-accounting
	• sip
	• skinny

## Defaults

No default behavior or values.

snmp

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Usage Guidelines**

To clear the policy map for a specific policy map name, use the **no** form of the **policy-map** command.

## Examples

The following example shows the **clear configure policy-map** command:

hostname(config)# clear configure policy-map

Command	Description
policy-map	Configures a policy; that is, an association of a traffic class and one or more actions.
show running-config policy-map	Displays the entire policy configuration.

# clear configure pop3s

To remove all POP3S commands from the configuration, reverting to default values, use the **clear configure pop3s** command in global configuration mode.

## clear configure pop3s

## **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
				Multiple		
Command Mode	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	_	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example shows how to remove the POP3S configuration:

hostname(config)# clear configure pop3s
hostname(config)#

Command	Description
show running-configuration pop3s	Displays the running configuration for POP3S.
pop3s	Creates or edits a POP3S e-mail proxy configuration.

# clear configure prefix-list

To remove the **prefix-list** commands from the running configuration, use the **clear configure prefix-list** command in global configuration mode.

clear configure prefix-list [prefix\_list\_name]

## **Syntax Description**

prefix_list_name	(Optional) The name of a prefix list. When a prefix list name is specified,
	only the commands for that prefix list are removed from the configuration.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Firewall Mode		de	Security Context		
	I		Multiple		
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was changed from clear prefix-list to clear configure
	prefix-list.

## Usage Guidelines

The clear configure prefix-list command removes the prefix-list commands and the prefix-list description commands from the running configuration. If a prefix list name is specified, then the prefix-list command and prefix-list description command, if present, for that prefix list only are removed from the running configuration.

This command does not remove the **no prefix-list sequence** command from the running configuration.

#### **Examples**

The following example removes all **prefix-list** commands from the running configuration for a prefix list named MyPrefixList:

hostname# clear configure prefix-list MyPrefixList

Command	Description
show running-config prefix-list	Displays the <b>prefix-list</b> commands in the running configuration.

# clear configure priority-queue

To remove the priority queue specification from the configuration, use the **clear configure priority-queue** command in global configuration mode.

clear configure priority queue interface-name

## **Syntax Description**

interface-name	Specifies the name of the interface for which you want to show the priority
	queue details

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode	Routed		Single	Multiple		
		Transparent		Context	System	
Global configuration	•	•	•	•	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## Examples

This example shows the use of the **clear configure priority-queue** command to remove the priority-queue configuration on the interface named test:

hostname(config)# clear configure priority-queue test

Command	Description
priority-queue	Configures priority queueing on an interface.
show running-config	Displays the current priority-queue configuration for the named interface.
priority-queue	

# clear configure privilege

To remove the configured privilege levels for commands, use the **clear configure privilege** command in global configuration mode.

## clear configure privilege

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode			ansparent Single	Multiple		
	Routed	Transparent		Context	System	
Global configuration	•	•	•	•	_	

## **Command History**

Release	Modification
7.0(1)	This command was modified to conform to CLI guidelines.

## **Usage Guidelines**

There is no undo.

## Examples

This example shows how to reset the configured privilege levels for the commands:

hostname(config)# clear configure privilege

Command	Description
privilege	Configures the command privilege levels.
show curpriv	Displays current privilege level
show running-config privilege	Displays privilege levels for commands.

# clear configure regex

To remove all regular expressions, use the **clear configure regex** command in global configuration mode.

## clear configure regex

## **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Usage Guidelines**

To clear the regular expression for a specific regular expression name, use the **no** form of the **regex** command.

## Examples

The following example shows how to clear all configured regular expressions:

hostname(config)# clear configure regex

Command	Description	
class-map type regex	Creates a regular expression class map.	
regex	Creates a regular expression.	
show running-config regex	Shows all regular expressions.	
test regex	Tests a regular expression.	

# clear configure route

To remove the **route** commands from the configuration that do not contain the **connect** keyword, use the **clear configure route** command in global configuration mode.

clear configure route [interface\_name ip\_address [netmask gateway\_ip]]

## **Syntax Description**

gateway_ip	(Optional) Specifies the IP address of the gateway router (the next hop address for this route).
interface_name	(Optional) Internal or external network interface name.
ip_address	(Optional) Internal or external network IP address.
netmask	(Optional) Specifies a network mask to apply to the <i>ip_address</i> .

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	Added keyword configure.

## **Usage Guidelines**

Use **0.0.0.0** to specify a default route. You can abbreviate the 0.0.0.0 IP address as **0** and the 0.0.0.0 netmask as **0**.

## **Examples**

The following example shows how to remove the **route** commands from the configuration that do not contain the **connect** keyword:

hostname(config)# clear configure route

Command	Description		
route	Specifies a static or default route for the an interface.		
show route	Displays route information.		
show running-config route	Displays configured routes.		

# clear configure route-map

To remove all of the route maps, use the **clear configure route-map** command in global configuration mode.

#### clear configure route-map

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

#### **Command History**

Release	Modification
Preexisting	This command was preexisting.

## Usage Guidelines

Use the **clear configure route-map** command in global configuration mode to remove all the **route-map** commands in the configuration. The **route-map** command is used to configure conditions of redistributing the routes from one routing protocol into another routing protocol.

To remove the individual **route-map** commands, use the **no route-map** command.

#### **Examples**

The following example shows how to remove the conditions of redistributing routes from one routing protocol into another routing protocol:

hostname(config)# clear configure route-map

Command	Description
route-map	Defines the conditions for redistributing routes from one routing protocol into another.
show running-config route-map	Displays information about the route map configuration.

# clear configure router

To clear the router configuration commands from the running configuration, use the **clear configure router** command in global configuration mode.

clear configure router [ospf  $[id] \mid rip \mid eigrp [as-number]$ ]

Syntax Description	as-number	(Optional) Clears the configuration commands for the specified EIGRP autonomous system number, also known as the process ID. If not specified, the configuration commands for all EIGRP routing processes are cleared. The range of values is 1 through 65535.
		Because only one EIGRP routing process is supported on the security appliance, including the optional <i>as-number</i> argument has the same effect as omitting it.
	eigrp	(Optional) Specifies that only EIGRP router configuration commands are removed from the configuration. EIGRP interface configuration mode commands are not removed.
	id	(Optional) Clears the configuration commands for the specified OSPF process ID. If not specified, the configuration commands for all OSPF processes are cleared.
	ospf	(Optional) Specifies that only OSPF configuration commands are removed from the configuration.
	rip	Specifies that only RIP configuration commands are removed from the configuration.

Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was changed from the <b>clear router</b> command to the <b>clear configure router</b> command.
7.2(1)	The <b>rip</b> keyword was added to the command.
8.0(2)	The <b>eigrp</b> keyword was added to the command.

## **Examples**

The following example clears all OSPF commands associated with OSPF process 1 from the running configuration:

hostname(config) # clear configure router ospf 1

The following example clears all global configuration mode commands associated with RIP routing process from the running configuration. It does not clear RIP commands entered in interface configuration mode.

hostname(config)# clear configure router rip

Command	Description		
show running-config router	Displays the commands in the global router configuration.		
router eigrp	Enables an EIGRP routing process and enters router configuration mode for that process.		
router ospf	Enables an OSPF routing process and enters router configuration mode for that process.		
router rip	Enables a RIP routing process and enters router configuration mode for that process.		

# clear configure same-security-traffic

To clear the same-security-traffic configuration, use the **clear configure same-security-traffic** command in global configuration mode.

#### clear configure same-security-traffic

## **Syntax Description**

This command has no arguments or keywords.

Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mo	Firewall Mode		Security Context		
Command Mode	Routed			Multiple		
		Transparent	Single	Context	System	
Global configuration	•	•	•	•	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

#### **Examples**

The following example clears the configuration when the **same-security-traffic** command is issued.:

 $\verb|hostname(config) # {\bf clear} {\bf configure} {\bf same-security-traffic}|\\$ 

Command	Description
same-security-traffic	Permits communication between interfaces with equal security levels.
show running-config	Displays the configuration when the <b>same-security-traffic</b> command is
same-security-traffic	issued.

# clear configure service-policy

To clear the service policy configuration, use the **clear configure service-policy** command in global configuration mode.

## clear configure service-policy

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode	Routed		Single	Multiple		
		Transparent		Context	System	
Global configuration	•	•	•	•	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following is an example of the clear configure service-policy command:

hostname(config)# clear configure service-policy

Command	Description
show service-policy	Displays the service policy.
show running-config service-policy	Displays the service policies configured in the running configuration.
service-policy	Configures the service policy.
clear service-policy	Clears service policy statistics.

## clear configure sla monitor

To remove the **sla monitor** commands from the running configuration, use the **clear configure sla monitor** command in global configuration mode.

clear configure sla monitor [sla-id]

## **Syntax Description**

sla-id	(Optional) The ID of the SLA operation. Valid values are from 1 to
	2147483647.

#### Defaults

If the *sla-id* is not specified, all SLA operation configurations are cleared.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mo	Firewall Mode		Security Context		
				Multiple		
Command Mode	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	_	_	

## **Command History**

Release	Modification
7.2(1)	This command was introduced.

## **Usage Guidelines**

This command clears the **sla monitor** command, associated SLA monitor configuration mode commands, and the associated **sla monitor** schedule command, if present. It does not remove the **track rtr** commands from the configuration.

To view the sla monitor commands in the running configuration, use the **show running-config sla monitor** command.

## Examples

The following example clears all **sla monitor** commands from the configuration:

hostname(config)# clear configure sla monitor

The following example clears the sla monitor commands associated with the SLA operation ID 5:

hostname(config)# clear configure sla monitor 5

Command	Description
show running-config	Displays the sla monitor commands in the running configuration.
sla monitor	

# clear configure smtps

To remove all SMTPS commands from the configuration, reverting to default values, use the **clear configure smtps** command in global configuration mode.

## clear configure smtps

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mo	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	_	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example shows how to remove the SMTPS configuration:

hostname(config)# clear configure smtps

Command	Description
show running-configuration smtps	Displays the running configuration for SMTPS.
smtps	Creates or edits an SMTPS e-mail proxy configuration.

# clear configure smtp-server

To clear all of the SMTP server commands and statistics, use the **clear configure smtp-server** command in global configuration mode.

#### clear configure smtp-server

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

Firewall M		ode	Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.1(1)	Support for this command was introduced.

## **Usage Guidelines**

The **clear configure smtp-server** command clears all of the **smtp** commands and statistical information.

## Examples

The following example shows how to clear all **smtp-server** commands:

hostname(config)# clear configure smtp-server

Command	Description
show running-config smtp-server	Displays the current DHCP server configuration.

# clear configure snmp-map

To clear the SNMP map configuration, use the **clear configure snmp-map** command in global configuration mode.

## clear configure snmp-map

Syntax DescriptionT

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	•	•	•	•	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Usage Guidelines**

The **clear configure snmp-map** command removes the SNMP map configuration.

## Examples

The following example clears the SNMP map configuration:

hostname# clear configure snmp-map

Commands	Description
class-map	Defines the traffic class to which to apply security actions.
deny version	Disallows traffic using a specific version of SNMP.
inspect snmp	Enable SNMP application inspection.
snmp-map	Defines an SNMP map and enables SNMP map configuration mode.

# clear configure snmp-server

To disable the SNMP server, use the **clear configure snmp-server** command in global configuration mode.

## clear configure snmp-server

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

This command has no default settings.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	irewall Mode		Security Context		
	Routed		Single	Multiple		
Command Mode		Transparent		Context	System	
Global configuration	•	•	•	•	_	

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

This example shows how to disable the SNMP server:

hostname# clear configure snmp-server

Command	Description
snmp-server	Provides the security appliance event information through SNMP.
show snmp-server statistics	Displays information about the SNMP server configuration.

# clear configure ssh

To clear all SSH commands from the running configuration, use the **clear configure ssh** command in global configuration mode.

## clear configure ssh

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

## **Command History**

Release	Modification
7.0(1)	This command was changed from the <b>clear ssh</b> command to the <b>clear</b>
	configure ssh command.

## Usage Guidelines

This command clears all SSH commands from the configuration. To clear specific commands, use the **no** form of those commands.

## Examples

The following example clears all SSH commands from the configuration:

hostname(config)# clear configure ssh

Command	Description			
show running-config ssh	Displays the current SSH commands in the running configuration.			
ssh	Allows SSH connectivity to the security appliance from the specified client or network.			
ssh scopy enable	Enables a secure copy server on the security appliance.			
ssh timeout	Sets the timeout value for idle SSH sessions.			
ssh version	Restricts the security appliance to using either SSH Version 1 or SSH Version 2.			

# clear configure ssl

To remove all SSL commands from the configuration, reverting to default values, use the **clear configure ssl** command in global configuration mode.

## clear configure ssl

## **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

By default:

- Both the SSL client and SSL server versions are any.
- SSL encryption is 3des-sha1 | des-sha1 | rc4-md5, in that order.
- There is no trust point association; the security appliance uses the default RSA key-pair certificate.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

## **Examples**

The following example shows how to use the **clear configure ssl** command:

hostname(config) # clear configure ssl

Command	Description		
show running-config ssl	Displays the current set of configured ssl commands.		
ssl client-version	Specifies the SSL/TLS protocol version the security appliance uses when acting as a client.		
ssl server-version	Specifies the SSL/TLS protocol version the security appliance uses when acting as a server.		
ssl trust-point	Specifies the certificate trust point that represents the SSL certificate for an interface.		

# clear configure static

To remove all the **static** commands from the configuration, use the **clear configure static** command in global configuration mode.

## clear configure static

# **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	The keyword <b>configure</b> was added.

# **Examples**

This example shows how to remove all the **static** commands from the configuration:

hostname(config)# clear configure static

Command	Description
show running-config static	Displays all <b>static</b> commands in the configuration.
static	Configures a persistent one-to-one address translation rule by mapping a local IP address to a global IP address.

# clear configure sunrpc-server

To clear the remote processor call services from the security appliance, use the **clear configure sunrpc-server** command in global configuration mode.

clear configure sunrpc-server [active]

### **Syntax Description**

active	(Optional) Identifies the SunRPC services that are currently active on the
	security appliance.

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

# **Command History**

Release	Modification
Preexisting	This command was preexisting.

### **Usage Guidelines**

The sunrpc-server command displays the configured router ospf commands.



If the highest-level IP address on the security appliance is a private address, this address is sent in hello packets and database definitions. To prevent this action, set the **router-id** *ip\_address* to a global address.

# Examples

The following example shows how to clear the SunRPC services from the security appliance:

hostname(config)# clear configure sunrpc-server active

Command	Description
sunrpc-server	Creates the SunRPC services table.
show running-config sunrpc-server	Displays the information about the SunRPC configuration.

# clear configure sysopt

To clear the configuration for all **sysopt** commands, use the **clear configure sysopt** command in global configuration mode.

# clear configure sysopt

# **Syntax Description**

This command has no arguments or keywords.

#### Defaults

No default behavior or values.

### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was changed from <b>clear sysopt</b> .

# **Examples**

The following example clears all **sysopt** command configuration:

hostname(config)# clear configure sysopt

Command	Description
show running-config sysopt	Shows the <b>sysopt</b> command configuration.
sysopt connection permit-ipsec	Permits any packets that come from an IPSec tunnel without checking any ACLs for interfaces.
sysopt connection tepmss	Overrides the maximum TCP segment size or ensures that the maximum is not less than a specified size.
sysopt connection timewait	Forces each TCP connection to linger in a shortened TIME_WAIT state after the final normal TCP close-down sequence.
sysopt nodnsalias	Disables alteration of the DNS A record address when you use the <b>alias</b> command.

# clear configure tcp-map

To clear tcp-map configuration, use the **clear configure tcp-map** command in global configuration mode.

## clear configure tcp-map

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example shows how to clear the TCP map configuration:

hostname(config)# clear configure tcp-map

Command	Description
tcp-map	Creates a TCP map and allows access to tcp-map configuration mode.
show running-config tcp-map	Displays the information about the TCP map configuration.

# clear configure telnet

To remove the Telnet connection and idle timeout from the configuration, use the **clear configure telnet** command in global configuration mode.

## clear configure telnet

### **Syntax Description**

This command has no arguments or keywords.

#### **Defaults**

No default behavior or values.

## **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	The keyword <b>configure</b> was added.

# **Examples**

This example shows how to remove the Telnet connection and the idle timeout from the security appliance configuration:

hostname(config)# clear configure telnet

Command	Description
show running-config	Displays the current list of IP addresses that are authorized to use Telnet
telnet	connections to the security appliance.
telnet	Adds Telnet access to the console and sets the idle timeout.

# clear configure terminal

To clear the terminal display width setting, use the **clear configure terminal** command in global configuration mode.

## clear configure terminal

**Syntax Description** 

This command has no keywords or arguments.

**Defaults** 

The default display width is 80 columns.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode				Multiple	
	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	The <b>configure</b> keyword was added.

# **Examples**

The following example clears the display width:

hostname# clear configure terminal

Command	Description
terminal	Sets the terminal line parameters.
terminal width	Sets the terminal display width.
show running-config terminal	Displays the current terminal settings.

# clear configure threat-detection

To clear the threat detection configuration, use the **clear configure threat-detection** command in global configuration mode.

# clear configure threat-detection

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed Tran		ransparent Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	_	_

### **Command History**

Release	Modification
8.0(2)	This command was introduced.

# **Usage Guidelines**

This command clears all threat-detection configuration commands.

# Examples

The following example clears all threat detection commands:

hostname# clear configure threat-detection

Command	Description
clear threat-detection rate	Clears basic threat detection statistics.
clear threat-detection shun	Releases currently shunned hosts.
show running-config threat-detection	Shows the threat detection configuration.
threat-detection basic-threat	enables basic threat detection.
threat-detection scanning-threat	Enables scanning threat detection.

# clear configure timeout

To restore the default idle time durations in the configuration, use the **clear configure timeout** command in global configuration mode.

# clear configure timeout

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
Command Mode				Multiple		
	Routed	Transparent	Single	Context	System	
Global configuration	•	•	•	•	_	

### **Command History**

Release	Modification
Preexisting	This command was preexisting.

# **Examples**

This example shows how to remove the maximum idle time durations from the configuration:

hostname(config)# clear configure timeout

Command	Description		
show running-config timeout	Displays the timeout value of the designated protocol.		
timeout	Sets the maximum idle time duration.		

# clear configure time-range

To clear all configured time ranges, use the **clear configure time-range** command in global configuration mode.

# clear configure time-range

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

Command Mode	Firewall M	ode	Security Context		
	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Examples**

The following example clears all configured time ranges:

hostname(config) # clear configure time-range

Command	Description
time-range	Enters time-range configuration mode and defines a time range that you can
	attach to traffic rules, or an action.

# clear configure tls-proxy

To remove all configured TLS proxy instances, use the **clear configure tls-proxy** command in global configuration mode.

## clear configure tls-proxy

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent		Multiple	
Command Mode			Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
8.0(2)	This command was introduced.

# **Examples**

The following following example removes all configured TLS proxy instances using the **clear configure tls-proxy** command:

hostname# clear configure tls-proxy

Command	Description
client	Defines a cipher suite and sets the local dynamic certificate issuer or keypair.
ctl-provider	Defines a CTL provider instance and enters provider configuration mode.
show running-config tls-proxy	Shows running configuration of all or specified TLS proxies.
tls-proxy	Defines a TLS proxy instance and sets the maximum sessions.

# clear configure tunnel-group

To remove all or specified tunnel groups from the configuration, use the **clear config tunnel-group** command in global configuration.

clear config tunnel-group [name]

## **Syntax Description**

name	(Optional) Specifies the name of a tunnel group.
------	--

#### Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
		Transparent		Multiple	
Command Mode	Routed		Single	Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# Examples

The following example entered in global configuration mode, removes the toengineering tunnel group from the configuration:

hostname(config) # clear config tunnel-group toengineering
hostname(config) #

Command	Description
show running-config	Displays information about all or selected tunnel-groups.
tunnel-group	
tunnel-group	Enters tunnel-group subconfiguration mode for the specified type.

# clear configure tunnel-group-map

The **clear configure tunnel-group-map** command clears the policy and rules by which the tunnel-group name is derived from the content of the certificate.

#### clear configure tunnel-group-map

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall M	ode	Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	_	_

#### **Command History**

Release	Modification
7.0(1)	This command was introduced.

#### **Usage Guidelines**

The tunnel-group-map commands configure the policy and rules by which certificate-based IKE sessions are mapped to tunnel groups. To associate the certificate map entries, created using the **crypto ca certificate map** command, with tunnel groups, use the **tunnel-group-map** command in global configuration mode. You can invoke this command multiple times as long as each invocation is unique and you do not reference a map index more than once.

The **crypto ca certificate map** command maintains a prioritized list of certificate mapping rules. There can be only one map. But this map can have up to 65535 rules. Refer to the documentation on the **crypto ca certificate map** command for more information.

The processing that derives the tunnel-group name from the certificate ignores entries in the certificate map that are not associated with a tunnel group (any map rule not identified by this command).

#### **Examples**

The following example entered in global configuration mode, specifies a default tunnel group to use when the name cannot be derived by other configured methods. The name of the tunnel group to use is group1:

hostname(config) # clear configure tunnel-group-map

Command	Description
crypto ca certificate map	Enters crypto ca certificate map mode.
subject-name (crypto ca certificate map)	Identifies the DN from the CA certificate that is to be compared to the rule entry string.
tunnel-group-map default-group	Designates an existing tunnel-group name as the default tunnel group.
tunnel-group-map enable	Configures the policy and rules by which certificate-based IKE sessions are mapped to tunnel groups.

# clear configure url-block

To clear clears URL pending block buffer and long URL support configuration, use the **clear configure url-block** command in global configuration mode.

#### clear configure url-block

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed		Single	Multiple	
		Transparent		Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The **clear configure url-block** command clears URL pending block buffer and long URL support configuration.

#### **Examples**

The following example clears URL pending block buffer and long URL support configuration:

hostname# clear configure url-block

Commands	Description
clear url-block block statistics	Clears the block buffer usage counters.
show url-block	Displays information about the URL cache, which is used for buffering URLs while waiting for responses from an N2H2 or Websense filtering server.
url-block	Manage the URL buffers used for web server responses.
url-cache	Enables URL caching while pending responses from an N2H2 or Websense server and sets the size of the cache.
url-server	Identifies an N2H2 or Websense server for use with the <b>filter</b> command.

# clear configure url-cache

To clear the URL cache, use the **clear configure url-cache** command in global configuration mode.

clear configure url-cache

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	•	•	•	•

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The clear configure url-cache command clears the URL cache.

# **Examples**

The following example clears the URL cache:

hostname# clear configure url-cache

Commands	Description
clear url-cache statistics	Removes <b>url-cache</b> command statements from the configuration.
filter url	Directs traffic to a URL filtering server.
show url-cache statistics	Displays information about the URL cache, which is used for buffering URLs while waiting for responses from an N2H2 or Websense filtering server.
url-cache	Enables URL caching while pending responses from an N2H2 or Websense server and sets the size of the cache.
url-server	Identifies an N2H2 or Websense server for use with the <b>scsc</b> command.

# clear configure url-list

To remove a configured set of URLs that WebVPN users can access, use the **clear configure url-list** command in global configuration mode. To remove all configured URLs, use this command without the *listname* argument. To remove only the URLs for a specific list, use this command with that *listname*.

clear configure url-list [listname]

### **Syntax Description**

listname	Groups the set of URLs WebVPN users can access. Maximum 64
	characters.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
Command Mode	Routed	Transparent		Multiple	
			Single	Context	System
Global configuration	•	_	•	_	_

## **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Examples**

The following example shows how to remove the URL list called *Marketing URLs*.

 $\verb|hostname(config)#| \textbf{clear configure url-list Marketing URLs}|$ 

Command	Description		
show running-configuration url-list	Displays the current set of configured <b>url-list</b> commands.		
url-list	Use this command in global configuration mode to configure the set of URLs that WebVPN users can access.		
url-list	Use this command in webvpn mode that you access from group-policy or username mode to enable WebVPN URL access for a specific group policy or user.		

# clear configure url-server

To clear the URL filtering server configuration, use the **clear configure url-server** command in global configuration mode.

## clear configure url-server

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed		Single	Multiple	
Command Mode		Transparent		Context	System
Global configuration	•	•	•	•	•

### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# **Usage Guidelines**

The clear configure url-server command clears the URL filtering server configuration.

# **Examples**

The following example URL filtering server configuration:

hostname# clear configure url-server

Commands	Description
clear url-server	Clears the URL filtering server statistics.
show url-server	Displays information about the URL cache, which is used for buffering URLs while waiting for responses from an N2H2 or Websense filtering server.
url-cache	Enables URL caching while pending responses from an N2H2 or Websense server and sets the size of the cache.
url-block	Manages the URL buffers used for web server responses while waiting for a filtering decision from the filtering server.
url-server	Identifies an N2H2 or Websense server for use with the <b>filter</b> command.

# clear configure username

To clear the username database, use the **clear configure username** command in global configuration mode. To clear the configuration for a particular user, use this command and append the username.

## clear configure username [name]

•		-	-	
.51	ntax	Des	crin	tion
-	III CUA	-	v p	

name (Optional) Provides the name of the u	ıser.
--	-------

Defaults

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

Command Mode	Firewall Mode		Security Context		
	Routed	Transparent	Single	Multiple	
				Context	System
Global configuration	•	_	•	_	_

# **Command History**

Release	Modification
7.0(1)	This command was introduced.

### **Usage Guidelines**

The internal user authentication database consists of the users entered with the username command. The login command uses this database for authentication.

## Examples

The following example shows how to clear the configuration for the user named anyuser:

hostname(config)# clear configure username anyuser

Command	Description	
show running-config username	Displays the running configuration for a particular user or for all users.	
username	Adds a user to the security appliance database.	
username attributes	Lets you configure AVPs for specific users.	

# clear configure virtual

To remove the authentication virtual server from the configuration, use the **clear configure virtual** command in global configuration mode.

## clear configure virtual

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
	Routed	Transparent	Single	Multiple	
Command Mode				Context	System
Global configuration	•	•	_	_	•

### **Command History**

Release	Modification
7.0(1)	This command was modified to conform to CLI guidelines.

# **Usage Guidelines**

There is no undo.

# Examples

This example shows the **clear configure virtual** command:

hostname(config)# clear configure virtual

Command	Description
show running-config virtual	Displays the IP address for the authentication virtual server.
virtual http	Allows separate authentication with the security appliance and with the HTTP server.
virtual telnet	Authenticates users with the virtual Telnet server for traffic types for which the security appliance does not supply an authentication prompt.

# clear configure vpdn group

To remove all **vpdn group** commands from the configuration, use the **clear configure vpdn group** command in global configuration mode.

#### clear configure vpdn group

n	efa	 lte

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
				Multiple		
Command Mode	Routed	Transparent	Single	Context	System	
Global configuration	•	_	•	_	_	

#### **Command History**

Release	Modification
7.2(1)	This command was introduced.

# **Usage Guidelines**

Entering the **clear configure vpdn group** command has no affect upon active PPPoE connections.

# **Examples**

The following example shows how to clear the vpdn group configuration:

hostname(config)# clear configure vpdn group

Command	Description
clear configure vpdn	Removes all vpdn username commands from the configuration.
username	
show running-config	Shows the current configuration for vpdn usernames.
vpdn username	

# clear configure vpdn username

To remove all **vpdn username** commands from the configuration, use the **clear configure vpdn username** command in global configuration mode.

#### clear configure vpdn username

#### **Defaults**

No default behavior or values.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall M	Firewall Mode		Security Context		
	Routed		Single	Multiple		
Command Mode		Transparent		Context	System	
Global configuration	•	_	•	_	_	

### **Command History**

Release	Modification
7.2(1)	This command was introduced.

# **Usage Guidelines**

Entering the **clear configure vpdn username** command has no affect upon active PPPoE connections.

# **Examples**

The following example shows how to clear the vpdn username configuration:

 $\verb|hostname(config)#| \textbf{clear configure vpdn username}|\\$ 

Command	Description
clear configure vpdn	Removes all vpdn group commands from the configuration.
group	
show running-config	Shows the current configuration for vpdn usernames.
vpdn username	

# clear configure vpn-load-balancing

To remove the previously specified VPN load-balancing configuration, thus disabling VPN load-balancing, use the **clear configure vpn load-balancing** command in global configuration mode.

#### clear configure vpn load-balancing

**Syntax Description** 

This command has no arguments or keywords.

Defaults

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

#### **Command History**

Release	Modification
7.0(1)	This command was introduced.

# Usage Guidelines

The clear configure vpn load-balancing command also clears the following related commands: cluster encryption, cluster ip address, cluster key, cluster port, nat, participate, and priority.

Examples

The following command removes vpn load-balancing configuration statements from the configuration:

hostname(config) # clear configure vpn load-balancing

show running-config	Displays the current VPN load-balancing configuration.
load-balancing	
vpn load-balancing	Enters vpn load-balancing mode.

# clear configure wccp

To remove all WCCP configuration, use the **clear configure wccp** command in global configuration mode.

# clear configure wccp

**Syntax Description** 

This command has no arguments or keywords.

**Defaults** 

No default behavior or values.

**Command Modes** 

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	•	•	•	_

### **Command History**

Release	Modification
7.2(1)	This command was introduced.

# **Examples**

The following example shows how to clear the WCCP configuration:

hostname(config)# clear configure wccp

Command	Description
show wccp	Displays the WCCP configuration.
wccp redirect	Enables support of WCCP redirection.

# clear configure zonelabs-integrity

To remove all Zone Labs Integrity Servers from the running configuration, use the **clear configure zonelabs-integrity** command in global configuration mode.

#### clear configure zonelabs-integrity

### **Syntax Description**

This command has no arguments or keywords.

**Defaults** 

Remove all Zone Lab Integrity Servers.

#### **Command Modes**

The following table shows the modes in which you can enter the command:

	Firewall Mode		Security Context		
				Multiple	
Command Mode	Routed	Transparent	Single	Context	System
Global configuration	•	_	•	_	_

#### **Command History**

Release	Modification
7.2.(1)	This command was introduced.

### **Usage Guidelines**

The **clear configure zonelabs-integrity** command removes all Zone Labs Integrity Servers from the running configuration including active and standby Integrity servers.

## **Examples**

The following example shows the removal of two configured Zone Labs Integrity Servers:

```
hostname(config) # show running-config zonelabs-integrity zonelabs-integrity server-address 10.0.9.1 10.0.9.2 hostname(config) # clear configure zonelabs-integrity hostname(config) # show running-config zonelabs-integrity hostname(config) #
```

Command	Description
show running-config	Display the configured Zone Labs Integrity Servers.
[all] zonelabs-integrity	