



INDEX

Symbols

- ! formatting symbol [A-27](#)
- & formatting symbol [A-27](#)
- < formatting symbol [A-27](#)
- > formatting symbol [A-27](#)
- @ formatting symbol [A-27](#)

A

- adding
 - data filters [25-25](#)
- advanced [20-5](#)
- antispware remediations [20-128](#)
- antivirus remediations [20-124](#)
- application condition [20-68](#)
- authentication policies
 - allowed protocols
 - authentication [16-15](#)
- conditions
 - compound [16-34](#)
- description [16-1](#)
- rule-based [16-5](#)
 - configuring [16-30](#)
- simple [16-4](#)
 - configuring [16-27](#)
- supported authentication types, protocols, and databases [16-2](#)
- supported dictionary attributes [16-7](#)
- terminology [16-3](#)
- UI elements [16-30](#)

- authentication results
 - viewing [16-41](#)

B

- base [20-5](#)

C

- case conversions [A-27](#)
- cautions
 - description [ii-xxxi](#)
- changing
 - chart subtypes [25-29](#)
- changing chart subtypes
 - chart types [25-29](#)
- character placeholder [A-27](#)
- charts
 - overview [25-28](#)
- CoA [18-9](#)
- columns
 - sorting data in [25-24](#)
- compliance [20-1](#)
- compound condition
 - av and as [20-88, 20-94](#)
- conditions
 - filtering data and [25-25](#)
- conversions [A-27](#)
- creating
 - data filters [25-25](#)
- Currency format option [A-26](#)
- Custom format option [A-26](#)

D

data

- plotting relationships for [25-28](#)
- sorting [25-14](#)

data filters [25-25](#)

data rows [25-16](#)

data sets [25-28](#)

date data types [A-26](#)

date expressions [25-21](#)

date formats [A-26](#)

displaying

- detail rows [25-16](#)

dynamically

- statically [4-15](#)

E

EAP-FAST

- PAC options [16-18](#)

endpoints

- attribute [18-55](#)
- identities [18-2](#)

exception actions [18-61](#)

expressions

- calculating data and [25-21](#)
- filtering data and [25-25](#)

F

file condition [20-44](#)

- types [20-44](#)

file remediation [20-115](#)

filter conditions [25-25](#)

filters [25-25](#)

Fixed format option [A-26](#)

G

General Date format option [A-26](#)

General Number format option [A-26](#)

guest port [21-26](#)

guest SSL setting [21-26](#)

H

hiding

- detail rows [25-16](#)

HTML codes

- AUP form [21-55](#)
- change password form [21-57](#)
- login form [21-53](#)
- self registration form [21-58](#)

I

identities

- endpoints [18-2](#)

identity groups [4-73](#)

- blacklist [4-72](#)
- profiled [4-72](#)
- RegisteredDevices [4-72](#)
- unknown [4-72](#)

identity store sequences [5-51](#)

L

languages, supported [21-33](#)

language template

- add and edit [21-36, 21-45](#)

- create single guest account [21-38](#)
- delete [21-38, 21-47](#)
- description [21-32](#)
- email notification [21-39](#)
- guest notification [21-39](#)
- print notification [21-42](#)
- SMS notification [21-41](#)
- licenses
 - evaluation
 - base [20-5](#)
- link remediation [20-119](#)
- Long Date format option [A-26](#)
- Long Time format option [A-26](#)
- Lowercase format option [A-26](#)

M

- MAC address [18-2](#)
- Medium Date format option [A-26](#)
- Medium Time format option [A-26](#)
- monitor
 - sponsor and guest [21-72](#)
- multiple guest portals [21-47](#)

N

- network scan action [18-66](#)
- note, description of [ii-xxxii](#)
- number formats [A-26](#)
- numeric data types [A-26](#)
- numeric expressions [25-21](#)

P

- Percent format option [A-26](#)
- periodic reassessment
 - PRA [20-13](#)
- permission
 - authorization profile [20-163](#)
- posture [20-1](#)
- posture condition [20-42](#)
- posture policy [20-33](#)
- posture requirement [20-151](#)
- Posture services [20-1](#)
- probe [18-13](#)
- profiling
 - policies [18-39](#)
- profiling services [18-1](#)
- program remediation
 - launching [20-133](#)

R

RADIUS

- server, defining [16-22](#)
- registry condition [20-56](#)
 - types [20-56](#)
- relationships [25-28](#)
- remediation [20-113](#)
 - Windows updates [20-139](#)
- remediations
 - wsus [20-145](#)
- rows [25-16](#)

S

- Scientific format option [A-26](#)
- service condition [20-74](#)

Short Date format
 option [A-26](#)
 Short Time format
 option [A-26](#)
 SMTP setting [21-25](#)
 sorting data [25-14](#)
 sponsor
 authenticate [21-28](#)
 customize
 background [21-31](#)
 banner [21-31](#)
 login page [21-30](#)
 group
 create and
 edit [21-21](#)
 delete [21-22](#)
 sponsor group policy
 description [21-16](#)
 sponsor SSL setting [21-26](#)
 statically
 dynamically [4-17](#)
 string conversions [A-27](#)
 string data types [A-26](#)
 subtypes (charts) [25-29](#)

T

text
 converting case [A-27](#)
 text formats [A-26](#)
 time data types [A-26](#)
 time formats [A-26](#)
 time profiles
 add and edit [21-69](#)
 delete [21-71](#)
 description [21-69](#)
 timesaver, description
 of [ii-xxxii](#)

U

Unformatted format
 option [A-26](#)
 updates
 dynamic
 offline [20-22](#)
 Uppercase format
 option [A-26](#)

V

values
 sorting highest or
 lowest [25-24](#)
 viewing
 detail rows [25-16](#)