



INDEX

A

- About tab [1-8](#)
- AnyConnect Client
 - features [2-1, 3-1](#)
- AnyConnect Client features [1-1](#)
- AnyConnect profile, sample [A-1](#)

C

- certificate distinguished name mapping [4-17](#)
- certificate key usage matching [4-16](#)
- certificate key usage matching, extended [4-16](#)
- certificate match attribute [4-15](#)
- certificate-only authentication [1-3](#)
- Cisco Secure Desktop [1-3](#)
- CLI
 - commands [1-2](#)
 - Linux connection commands [4-2](#)
 - Mac OS X connection commands [4-2](#)
 - Windows connection commands [4-2](#)
- client image, updating [6-4](#)
- Command Line Interface [1-2](#)
- compression
 - configuring with ASDM [2-11](#)
 - configuring with CLI [3-6](#)
 - definition [1-3](#)
- Connection tab [1-4](#)
- customizing the end-user experience
 - by the security appliance [5-2](#)

D

- Datagram Transport Layer Security (DTLS) [1-2](#)
 - enabling [2-4, 3-2](#)
- Dead Peer Detection (DPD), enabling [2-16, 3-8](#)
- documentation, related [1-viii](#)
- DTLS
 - (Datagram Transport Layer Security) [1-2](#)
 - enabling [2-4, 3-2](#)
 - fallback to TLS [1-3](#)
- dynamic access policies [1-3, 2-17, 3-7](#)

E

- ending AnyConnect session [6-3](#)
- exiting AnyConnect session [6-3](#)
- extended certificate key usage matching [4-16](#)

F

- fallback from DTLS to TLS [1-3](#)
 - configuring with ASDM [2-5](#)
 - configuring with CLI [3-2](#)
- features, AnyConnect [1-1, 2-1, 3-1](#)

G

- getting the necessary files [1-8](#)

I

- image, updating [6-4](#)
- installation [1-8](#)

interface

- user [1-4](#)

Internet Explorer

- adding security appliance to trusted sites using AD [B-1](#)

IPv6 VPN

- access [1-2](#)
- access, enabling with CLI [3-4](#)

K

- keepalive messages [2-13, 3-8](#)

key usage

- certificate matching [4-16](#)
- certificate matching, extended [4-16](#)

L

language localization

- translation [1-3](#)

Linux

- AnyConnect CLI commands [4-2](#)

localization [1-3](#)

- by the security appliance [5-13](#)

- logging off AnyConnect session [6-3](#)

- Logging on to a Windows Vista PC using PLAP [4-32](#)

M

Mac OS X

- AnyConnect CLI commands [4-2](#)

- Microsoft Installer (MSI) [1-2](#)

- mode, standalone and weblaunch [4-1](#)

modules, adding

- ASDM [2-7](#)

- CLI [3-5](#)

- MSI (Microsoft Installer) [1-2](#)

- MTU size, adjusting [6-2](#)

P

- PLAP [4-28](#)

- PLAP, configuring on Windows Vista systems [4-31](#)

- PLAP, disconnecting [4-35](#)

- PLAP, installing [4-32](#)

- PLAP, logging on [4-32](#)

profile

- attributes, configuring [4-26](#)

- downloading [4-5](#)

- user [4-5](#)

- profile, AnyConnect [A-1](#)

- prompting remote users [2-6, 3-3](#)

R

- rekey [1-3](#)

- remote user, prompting [2-6, 3-3](#)

- Route Details tab [1-7](#)

S

- SBL (start before login) [1-3](#)

- schema, XML [A-1](#)

- Security Alert dialog box [1-4](#)

- See also AnyConnect Client.

- ServerList attribute [4-24](#)

- simultaneous client and clientless connections [1-3](#)

SSL VPN Client

- logging out sessions [6-3](#)

- viewing sessions [6-1](#)

- standalone mode [1-2, 4-1](#)

- start before login (SBL) [1-3](#)

- start before logon (SBL)

- enabling [4-27](#)

- Start Before Logon, configuring on Windows Vista systems [4-31](#)

- Statistics Details window [1-6](#)

- Statistics tab [1-6](#)

svc modules, adding

ASDM [2-7](#)

CLI [3-5](#)

T

trusted sites

adding, using Active Directory [B-1](#)

U

updating AnyConnect image [6-4](#)

upgrading AnyConnect

its affect on language translation [5-23](#)

user interface

overview [1-4](#)

user profile [4-5](#)

V

Vista Start Before Logon [4-28](#)

W

WebLaunch

trusted sites IE requirement, AD [B-1](#)

WebLaunch mode [4-1](#)

Windows AnyConnect CLI commands [4-2](#)

Windows Mobile support [2-18](#)

Windows Vista

trusted sites requirement [B-1](#)

Windows Vista Start Before Logon [4-28](#)

X

XML profile file [4-5](#)

XML schema, sample [A-1](#)

