

Cisco MDS 9000 Family Release Notes for Cisco MDS VSFN Release 2.0(3)

Release Date: January 6, 2005

Text Part Number: OL-6223-05

This document describes the caveats and limitations for the VERITAS Storage Foundation for Networks (VSFN) software for the Cisco MDS Advanced Services Module (ASM). Use this document in conjunction with the documents listed in the “[Related Documentation](#)” section on page 6.



Note

Release notes are sometimes updated with new information on restrictions and caveats. Refer to the following website for the most recent version of the *Cisco MDS 9000 Family Release Notes*:
http://www.cisco.com/en/US/products/hw/ps4159/ps4358/prod_release_notes_list.html

For information on VERITAS Storage Foundation™ for Networks for the Cisco MDS 9000 Family, refer to the <http://support.veritas.com/> website.

Contents

This document includes the following sections:

- [Introduction, page 2](#)
- [System Requirements, page 2](#)
- [Image Upgrade, page 5](#)
- [New Features, page 5](#)
- [Limitations, page 5](#)
- [Compatibility Matrix, page 6](#)
- [Caveats, page 6](#)
- [Related Documentation, page 6](#)
- [Obtaining Documentation, page 7](#)
- [Documentation Feedback, page 8](#)



Corporate Headquarters:

Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

Copyright © 2003 - 2005. Cisco Systems, Inc. All rights reserved.

Send documentation comments to mdsfeedback-doc@cisco.com

- [Obtaining Technical Assistance, page 8](#)
- [Obtaining Additional Publications and Information, page 9](#)

Introduction

The ASM provides virtualization services for the Cisco MDS 9000 Family and supports up to 32 Fibre Channel ports. It provides the following distributed intelligent storage services:

- Network-based volume management
- Management and copy services
- 32 autosensing 1-Gbps/2-Gbps Fibre Channel interfaces
- Hot-swappable Fibre Channel small form-factor pluggable (SFP) transceiver connectivity
 - Short wavelength (SWL) for connectivity up to 500 m
 - Long wavelength (LWL) for connectivity up to 10 km
 - Coarse wavelength-division multiplexing (CWDM) for connectivity up to 100 km and aggregation of up to 8 ports onto a single optical fiber

Refer to the documents listed in the [“Virtualization Documentation for ASM” section on page 7](#).

System Requirements

This section describes the system requirements for Cisco MDS SAN-OS Release 2.0(3) and includes the following topics:

- [Components Supported, page 2](#)
- [Determining the Software Version, page 5](#)

Components Supported

[Table 1](#) lists the software and hardware components supported by the Cisco MDS 9000 Family.



Note

To use the Cisco Storage Services Enabler package, VERITAS Release 1.2(2b) or later must be installed on VERITAS Storage Foundation for Networks.

Table 1 *Cisco MDS 9000 Family Supported Software and Hardware Components*

Component	Part Number	Description	Applicable Products
Software	Not orderable	MDS 9500 Series Supervisor/Fabric-I, enterprise software	MDS 9500 Series only
	Not orderable	MDS 9216 enterprise software	MDS 9216 only
	Not orderable	MDS 9000 ASM add-on image	MDS 9500 Series and 9216

[Send documentation comments to mdsfeedback-doc@cisco.com](mailto:mdsfeedback-doc@cisco.com)

Table 1 *Cisco MDS 9000 Family Supported Software and Hardware Components (continued)*

Component	Part Number	Description	Applicable Products
License	M9500ENT1K9	Enterprise package	MDS 9500 Series
	M9200ENT1K9	Enterprise package	MDS 9200 Series
	M9100ENT1K9	Enterprise package	MDS 9100 Series
	M9500FIC1K9	Mainframe package	MDS 9500 Series
	M9200FIC1K9	Mainframe package	MDS 9200 Series
	M9100FIC1K9	Mainframe package	MDS 9100 Series
	M9500FMS1K9	Fabric Manager Server package	MDS 9500 Series
	M9200FMS1K9	Fabric Manager Server package	MDS 9200 Series
	M9100FMS1K9	Fabric Manager Server package	MDS 9100 Series
	M9500EXT1K9	SAN Extension over IP package for IPS-8 module	MDS 9500 Series
	M9200EXT1K9	SAN Extension over IP package for IPS-8 module	MDS 9200 Series
	M9500EXT14K9	SAN Extension over IP package for IPS-4 module	MDS 9500 Series
	M9200EXT14K9	SAN Extension over IP package for IPS-4 module	MDS 9200 Series
	M9500EXT12K9	SAN Extension over IP package for MPS-14/2 module	MDS 9500 Series
	M9200EXT12K9	SAN Extension over IP package for MPS-14/2 module	MDS 9200 Series
	M9500SSE1K9	Storage services enabler package	MDS 9500 series with ASM or SSM
	M9200SSE1K9	Storage services enabler package	MDS 9200 series with ASM or SSM
Chassis	DS-C9509	MDS 9509 director, base configuration (9-slot modular chassis includes 7 slots for switching modules and 2 slots for supervisor modules—SFPS sold separately)	MDS 9509 only
	DS-C9506	MDS 9506 director (6-slot modular chassis includes 4 slots for switching modules and 2 slots for supervisor modules—SFPS ¹ sold separately)	MDS 9506 only
	DS-C9216-K9	MDS 9216 16-port semi-modular fabric switch (includes 16 1-Gbps /2-Gbps Fibre Channel ports, power supply, and expansion slot—SFPS sold separately)	MDS 9216 only
	DS-C9216A-K9	MDS 9216A 16-port semi-modular fabric switch (includes 16 1-Gbps/2-Gbps Fibre Channel ports, power supply, and expansion slot—SFPS sold separately).	MDS 9216A only
	DS-C9216i-K9	MDS 9216i 16-port semi-modular fabric switch (includes 14 1-Gbps/2-Gbps Fibre Channel ports, 2 Gigabit Ethernet ports, power supply, and expansion slot—SFPS sold separately).	MDS 9216i only
Supervisor modules	DS-X9530-SF1-K9	MDS 9500 Supervisor/Fabric-I, module	MDS 9500 Series only

Send documentation comments to mdsfeedback-doc@cisco.com

Table 1 Cisco MDS 9000 Family Supported Software and Hardware Components (continued)

Component	Part Number	Description	Applicable Products
Switching modules	DS-X9016	MDS 9000 16-port 1-Gbps /2-Gbps Fibre Channel module (SFPs sold separately)	MDS 9500 Series and 9216
	DS-X9032	MDS 9000 32-port 1-Gbps /2-Gbps Fibre Channel module (SFPs sold separately)	
Services modules	DS-X9308-SMIP	8-port Gigabit Ethernet IP Storage Services module	
	DS-X9304-SMIP	4-port Gigabit Ethernet IP Storage Services module	
	DS-X9032-SMV	32-port Fibre Channel Advanced Services Module (ASM)	MDS 9000 Family
	DS-X9032-SSM	MDS 9000 32-Port 1-Gbps/2-Gbps Fibre Channel Storage Services Module (SSM)	
LC-type fiber-optic SFP	DS-SFP-FC-2G-SW	1-Gbps /2-Gbps Fibre Channel — short wavelength SFP	
	DS-SFP-FC-2G-LW	1-Gbps /2-Gbps Fibre Channel — long wavelength SFP	
	DS-SFP-FCGE-SW	1-Gbps Ethernet and 1-Gbps /2-Gbps Fibre Channel—short wavelength SFP	MDS 9000 Family
	DS-SFP-FCGE-LW	1-Gbps Ethernet and 1-Gbps /2-Gbps Fibre Channel — long wavelength SFP	
CWDM ²	CWDM-SFP-xxxx-2G	Gigabit Ethernet and 1-Gbps /2-Gbps Fibre Channel SFP LC interface xxxx nm, where xxxx = 1470, 1490, 1510, 1530, 1550, 1570, 1590, or 1610 nm	
	CWDM-MUX-4	Add/drop multiplexer for 4 CWDM wavelengths	
	CWDM-MUX-8	Add/drop multiplexer for 8 CWDM wavelengths	MDS 9100 Series only
	CWDM-CHASSIS-2	Two slot chassis for CWDM add/drop multiplexer(s)	
Power supplies	DS-CAC-300W	300-W ³ AC power supply	
	DS-CAC-845W	845-W AC power supply	
	DS-CAC-2500W	2500-W AC power supply	MDS 9509 only
	DS-CDC-2500W	2500-W DC power supply	
	DS-CAC-4000W-US	4000-W AC power supply for US (cable attached)	
	DS-CAC-4000W-INT	4000-W AC power supply international (cable attached)	
	DS-CAC-1900W	1900-W AC power supply	MDS 9506 only
	DS-CDC-1900W	1900-W DC power supply	
CompactFlash	MEM-MDS-FLD512M	MDS 9500 supervisor Compact Flash disk, 512 MB	MDS 9500 Series only
Port analyzer adapter	DS-PAA	A standalone Fibre Channel-to-Ethernet adapter that allows for simple, transparent analysis of Fibre Channel traffic in a switched fabric	MDS 9000 Family
	DS-PAA-2		

1. SFP = small form-factor pluggable

2. CWDM = coarse wavelength division multiplexing

3. W = Watt

Send documentation comments to mdsfeedback-doc@cisco.com

Determining the Software Version

**Note**

We strongly recommend that you use the latest available software release supported by your vendor for all Cisco MDS 9000 Family products.

To determine the version of the Cisco SAN-OS software currently running on a Cisco MDS 9000 Family switch using the CLI, log into the switch and enter the **show version EXEC** command.

To determine the version of the Cisco SAN-OS software currently running on a Cisco MDS 9000 Family switch using the Fabric Manager, from the Switches tab in the information pane, locate the switch using its IP address, logical name, or WWN, and then check its version in the Release column.

Image Upgrade

When ASMs are present in a Cisco MDS 9000 Family switch, several kinds of upgrade may be performed as required—upgrading a previous provider package, upgrading the SAN-OS image, or reformatting the ASM add-on image.

Refer to the *VERITAS Storage Foundation™ for Networks Installation and Configuration Guide*. You can access this document at <http://support.veritas.com/>.

A printed version of this document is also available through the VERITAS web store: <http://webstore.veritas.com/webstore/en/index.jsp?lang=en&country=US>

New Features

The Cisco MDS VSFN Release 2.0(3) is a patch release for switches in the Cisco MDS 9000 Family. See the “[Caveats](#)” section on page 6 for details on open and resolved caveats and limitations. There are no new features for this release.

**Note**

These release notes are specific to this patch release. For the entire Cisco MDS SAN-OS Release 2.x documentation set, see the “[Related Documentation](#)” section on page 6.

The VSFN Release 2.0(3) add-on image is compatible with the Cisco MDS SAN-OS Release 2.0(3) image.

Limitations

The VSFN Release 2.0(3) add-on image requires the Cisco MDS SAN-OS Release 2.0(3) image and will not work with earlier releases.

Send documentation comments to mdsfeedback-doc@cisco.com

Compatibility Matrix

The latest *Cisco MDS SAN-OS Release Compatibility Matrix for VERITAS Storage Foundation for Networks Software* is available from the following Cisco Systems website.

http://www.cisco.com/en/US/products/hw/ps4159/ps4358/products_device_support_tables_list.html



Note

We recommend that you upgrade to VSFN Release 2.0(3).

Caveats

There are no caveats for this release.

Related Documentation

The documentation set for the Cisco MDS 9000 Family includes the following documents:

- *Cisco MDS 9000 Family Release Notes for Cisco MDS SAN-OS Releases*
- *Cisco MDS 9000 Family Interoperability Support Matrix*
- *Cisco MDS SAN-OS Release Compatibility Matrix for IBM SAN Volume Controller Software for Cisco MDS 9000*
- *Cisco MDS SAN-OS Release Compatibility Matrix for VERITAS Storage Foundation for Networks Software*
- *Cisco MDS SAN-OS Release Compatibility Matrix for SSI Images*
- *Regulatory Compliance and Safety Information for the Cisco MDS 9000 Family*
- *Cisco MDS 9500 Series Hardware Installation Guide*
- *Cisco MDS 9200 Series Hardware Installation Guide*
- *Cisco MDS 9216 Switch Hardware Installation Guide*
- *Cisco MDS 9100 Series Hardware Installation Guide*
- *Cisco MDS 9000 Family Software Upgrade Guide*
- *Cisco MDS 9000 Family Configuration Guide*
- *Cisco MDS 9000 Family Command Reference*
- *Cisco MDS 9000 Family Fabric Manager Configuration Guide*
- *Cisco MDS 9000 Family Fabric and Device Manager Online Help*
- *Cisco MDS 9000 Family SAN Volume Controller Configuration Guide*
- *Cisco MDS 9000 Family MIB Quick Reference*
- *Cisco MDS 9000 Family CIM Programming Reference*
- *Cisco MDS 9000 Family System Messages Reference*
- *Cisco MDS 9000 Family Troubleshooting Guide*

Send documentation comments to mdsfeedback-doc@cisco.com

- *Cisco MDS 9000 Family Port Analyzer Adapter 2 Installation and Configuration Note*
- *Cisco MDS 9000 Family Port Analyzer Adapter Installation and Configuration Note*

Virtualization Documentation for ASM

For ASM information, refer to the *Cisco MDS 9216 Switch Hardware Installation Guide* or the *Cisco MDS 9500 Series Hardware Installation Guide*.

For Cisco MDS SAN-OS CLI commands, refer to the *Cisco MDS 9000 Family Command Reference*.

For information on VERITAS Storage Foundation™ for Networks 1.1, refer to the following Veritas documents available from the <http://support.veritas.com/> website:

- *VERITAS Storage Foundation for Networks Overview*
- *VERITAS Storage Foundation for Networks Installation and Configuration Guide*
- *VERITAS Storage Foundation for Networks Obtaining and Installing Licenses*
- *VERITAS Storage Foundation for Networks GUI Administrator's Guide*
- *VERITAS Storage Foundation for Networks CLI Administrator's Guide*
- *VERITAS Storage Foundation for Networks README*

Obtaining Documentation

Cisco documentation and additional literature are available on Cisco.com. Cisco also provides several ways to obtain technical assistance and other technical resources. These sections explain how to obtain technical information from Cisco Systems.

Cisco.com

You can access the most current Cisco documentation at this URL:

<http://www.cisco.com/univercd/home/home.htm>

You can access the Cisco website at this URL:

<http://www.cisco.com>

You can access international Cisco websites at this URL:

http://www.cisco.com/public/countries_languages.shtml

Ordering Documentation

You can find instructions for ordering documentation at this URL:

http://www.cisco.com/univercd/cc/td/doc/es_inpk/pdi.htm

You can order Cisco documentation in these ways:

- Registered Cisco.com users (Cisco direct customers) can order Cisco product documentation from the Ordering tool:

<http://www.cisco.com/en/US/partner/ordering/index.shtml>

Send documentation comments to mdsfeedback-doc@cisco.com

- Nonregistered Cisco.com users can order documentation through a local account representative by calling Cisco Systems Corporate Headquarters (California, USA) at 408 526-7208 or, elsewhere in North America, by calling 1 800 553-NETS (6387).

Documentation Feedback

You can send comments about technical documentation to bug-doc@cisco.com.

You can submit comments by using the response card (if present) behind the front cover of your document or by writing to the following address:

Cisco Systems
Attn: Customer Document Ordering
170 West Tasman Drive
San Jose, CA 95134-9883

We appreciate your comments.

Obtaining Technical Assistance

For all customers, partners, resellers, and distributors who hold valid Cisco service contracts, Cisco Technical Support provides 24-hour-a-day, award-winning technical assistance. The Cisco Technical Support Website on Cisco.com features extensive online support resources. In addition, Cisco Technical Assistance Center (TAC) engineers provide telephone support. If you do not hold a valid Cisco service contract, contact your reseller.

Cisco Technical Support Website

The Cisco Technical Support Website provides online documents and tools for troubleshooting and resolving technical issues with Cisco products and technologies. The website is available 24 hours a day, 365 days a year, at this URL:

<http://www.cisco.com/techsupport>

Access to all tools on the Cisco Technical Support Website requires a Cisco.com user ID and password. If you have a valid service contract but do not have a user ID or password, you can register at this URL:

<http://tools.cisco.com/RPF/register/register.do>



Note

Use the Cisco Product Identification (CPI) tool to locate your product serial number before submitting a web or phone request for service. You can access the CPI tool from the Cisco Technical Support Website by clicking the **Tools & Resources** link under Documentation & Tools. Choose **Cisco Product Identification Tool** from the Alphabetical Index drop-down list, or click the **Cisco Product Identification Tool** link under Alerts & RMAs. The CPI tool offers three search options: by product ID or model name; by tree view; or for certain products, by copying and pasting **show** command output. Search results show an illustration of your product with the serial number label location highlighted. Locate the serial number label on your product and record the information before placing a service call.

Send documentation comments to mdsfeedback-doc@cisco.com

Submitting a Service Request

Using the online TAC Service Request Tool is the fastest way to open S3 and S4 service requests. (S3 and S4 service requests are those in which your network is minimally impaired or for which you require product information.) After you describe your situation, the TAC Service Request Tool provides recommended solutions. If your issue is not resolved using the recommended resources, your service request is assigned to a Cisco TAC engineer. The TAC Service Request Tool is located at this URL:

<http://www.cisco.com/techsupport/servicerequest>

For S1 or S2 service requests or if you do not have Internet access, contact the Cisco TAC by telephone. (S1 or S2 service requests are those in which your production network is down or severely degraded.) Cisco TAC engineers are assigned immediately to S1 and S2 service requests to help keep your business operations running smoothly.

To open a service request by telephone, use one of the following numbers:

Asia-Pacific: +61 2 8446 7411 (Australia: 1 800 805 227)

EMEA: +32 2 704 55 55

USA: 1 800 553-2447

For a complete list of Cisco TAC contacts, go to this URL:

<http://www.cisco.com/techsupport/contacts>

Definitions of Service Request Severity

To ensure that all service requests are reported in a standard format, Cisco has established severity definitions.

Severity 1 (S1)—Your network is “down,” or there is a critical impact to your business operations. You and Cisco will commit all necessary resources around the clock to resolve the situation.

Severity 2 (S2)—Operation of an existing network is severely degraded, or significant aspects of your business operation are negatively affected by inadequate performance of Cisco products. You and Cisco will commit full-time resources during normal business hours to resolve the situation.

Severity 3 (S3)—Operational performance of your network is impaired, but most business operations remain functional. You and Cisco will commit resources during normal business hours to restore service to satisfactory levels.

Severity 4 (S4)—You require information or assistance with Cisco product capabilities, installation, or configuration. There is little or no effect on your business operations.

Obtaining Additional Publications and Information

Information about Cisco products, technologies, and network solutions is available from various online and printed sources.

- Cisco Marketplace provides a variety of Cisco books, reference guides, and logo merchandise. Visit Cisco Marketplace, the company store, at this URL:

<http://www.cisco.com/go/marketplace/>

- The Cisco *Product Catalog* describes the networking products offered by Cisco Systems, as well as ordering and customer support services. Access the Cisco Product Catalog at this URL:

<http://cisco.com/univercd/cc/td/doc/pcat/>

Send documentation comments to mdsfeedback-doc@cisco.com

- *Cisco Press* publishes a wide range of general networking, training and certification titles. Both new and experienced users will benefit from these publications. For current Cisco Press titles and other information, go to Cisco Press at this URL:

<http://www.ciscopress.com>

- *Packet* magazine is the Cisco Systems technical user magazine for maximizing Internet and networking investments. Each quarter, Packet delivers coverage of the latest industry trends, technology breakthroughs, and Cisco products and solutions, as well as network deployment and troubleshooting tips, configuration examples, customer case studies, certification and training information, and links to scores of in-depth online resources. You can access Packet magazine at this URL:

<http://www.cisco.com/packet>

- *iQ Magazine* is the quarterly publication from Cisco Systems designed to help growing companies learn how they can use technology to increase revenue, streamline their business, and expand services. The publication identifies the challenges facing these companies and the technologies to help solve them, using real-world case studies and business strategies to help readers make sound technology investment decisions. You can access iQ Magazine at this URL:

<http://www.cisco.com/go/iqmagazine>

- *Internet Protocol Journal* is a quarterly journal published by Cisco Systems for engineering professionals involved in designing, developing, and operating public and private internets and intranets. You can access the Internet Protocol Journal at this URL:

<http://www.cisco.com/ipj>

- World-class networking training is available from Cisco. You can view current offerings at this URL:

<http://www.cisco.com/en/US/learning/index.html>

Send documentation comments to mdsfeedback-doc@cisco.com

This document is to be used in conjunction with the documents listed in the “[Related Documentation](#)” section.

CCSP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, ASIST, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Empowering the Internet Generation, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, *Packet*, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StrataView Plus, SwitchProbe, TeleRouter, The Fastest Way to Increase Your Internet Quotient, TransPath, and VCO are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0501R)

Copyright © 2003 - 2005 Cisco Systems, Inc. All rights reserved.

Send documentation comments to mdsfeedback-doc@cisco.com