



INDEX

A

about DMM [1-1](#)
active-passive arrays [3-15](#)
Array-Specific Library. See ASL
ASL [4-3](#)

B

best practices [6-1](#)

C

CLI command reference [A-1](#)
commands
 CLI [7-1](#)
 Delete [5-49](#)
 GUI [5-48](#)
 Modify [5-49](#)
 Start [5-49](#)
 Stop [5-49](#)
 Verify [5-48](#)
Configuring [5-20, 5-27](#)
configuring IP connectivity [2-4](#)
Creating [5-12](#)

D

data migration
 lifecycle [1-6](#)
 planning [4-1](#)
 software requirements [1-9](#)
Data Migration Status display [5-3](#)

data migration wizards [5-2](#)
delayed server reconfiguration [1-6](#)
DMM
 best practices [6-1](#)
 command reference [A-1](#)
 configuring migration rate [2-21](#)
 server-based migration [1-4](#)
 topologies [3-1](#)

E

enabling DMM [2-8](#)
enclosures
 configuring [4-5](#)
error reason codes [6-12](#)
existing storage
 about [1-2](#)
 configuring [4-2](#)

F

FC Redirect [3-1](#)

G

guidelines for deploying DMM [2-3](#)

H

heterogeneous SANs [3-1](#)
homogeneous SANs [3-1](#)

Send documentation comments to mdsfeedback-doc@cisco.com

I

installing DMM [2-1](#)
IP configuration [2-4](#)

J

job creation errors [5-7, 5-14, 5-34](#)
job status values [5-46](#)

L

licenses
 for fixed slot - MDS 9222i Switch [2-2](#)
 for MSM-18/4 module-MDS 9200 Series with
 SSM [2-2](#)
Logical Unit Number
 See LUN
LUN [1-3](#)

M

migration jobs
 Method 1
 creating [5-6, 5-24](#)
 deleting [5-51, 7-20](#)
 overview [1-5](#)
 Method 2
 creating [5-6, 5-24](#)
 deleting [5-50](#)
 finishing [5-50, 5-51, 7-20](#)
 finishing, cli command [7-17](#)
 finishing, command [5-48](#)
 overview [1-5](#)
 Method 3
 server-based [5-11](#)
 storage-based [5-22](#)
MSM
 configuring [4-2](#)

N

new storage
 about [1-2](#)
 configuring [4-2](#)

P

paths
 manually selecting [5-8](#)
post-migration [5-51](#)

S

schedule
 changing [5-49](#)
Selecting [5-15, 5-17, 5-18](#)
server-based job
 selecting ports [5-4](#)
Server Lunmap Discovery Tool. See SLD
server MSM-18/4 module
 selecting [5-15](#)
sessions
 configuring [5-9](#)
session state values [5-47](#)
SLD [4-3](#)
storage ports
 including in a job [3-12](#)

T

topologies
 about [3-1](#)
 guidelines [3-3](#)
 Method 3 [3-5](#)
 one-fabric [3-10](#)
 three-fabric [3-6](#)
 two-fabric [3-7](#)

Send documentation comments to mdsfeedback-doc@cisco.com

troubleshooting

checklist [6-2](#)

V

verifying new zone

server-based [5-19](#)

storage-based [5-29](#)

virtual initiator

configuring [7-3](#)

virtual target

about [1-3](#)

VT. See virtual target

Send documentation comments to mdsfeedback-doc@cisco.com