



INDEX

A

about DMM [1-1](#)
active-passive arrays [3-15](#)
Array-Specific Library. See ASL
ASL [4-3](#)

B

best practices [6-1](#)

C

CLI command reference [A-1](#)
commands
 CLI [7-1](#)
 Delete [5-50](#)
 GUI [5-49](#)
 Modify [5-50](#)
 Start [5-50](#)
 Stop [5-50](#)
 Verify [5-49](#)
Configuring [5-21, 5-28](#)
configuring IP connectivity [2-4](#)
Creating [5-13](#)

D

data migration
 lifecycle [1-6](#)
 planning [4-1](#)
 software requirements [1-9](#)
Data Migration Status display [5-3](#)

data migration wizards [5-1](#)
delayed server reconfiguration [1-6](#)
DMM
 best practices [6-1](#)
 command reference [A-1](#)
 configuring migration rate [2-9](#)
 server-based migration [1-4](#)
 topologies [3-1](#)

E

enabling DMM [2-8](#)
enclosures
 configuring [4-5](#)
error reason codes [6-12](#)
existing storage
 about [1-2](#)
 configuring [4-2](#)

F

FC Redirect [3-1](#)

G

guidelines for deploying DMM [2-3](#)

H

heterogeneous SANs [3-1](#)
homogeneous SANs [3-1](#)

Send documentation comments to mdsfeedback-doc@cisco.com

I

installing DMM [2-1](#)
 IP configuration [2-4](#)

J

job creation errors [5-7, 5-15, 5-36](#)
 job status values [5-46](#)

L

licenses
 for fixed slot - MDS 9222i Switch [2-2](#)
 for MSM-18/4 module-MDS 9200 Series with SSM [2-2](#)
 Logical Unit Number
 See LUN
 LUN [1-3](#)

M

migration jobs
 Method 1
 creating [5-6, 5-25](#)
 deleting [5-52, 7-20](#)
 overview [1-4](#)
 Method 2
 creating [5-6, 5-25](#)
 deleting [5-51](#)
 finishing [5-51, 5-52, 7-20](#)
 finishing, cli command [7-17](#)
 finishing, command [5-49](#)
 overview [1-4](#)
 Method 3
 server-based [5-12](#)
 storage-based [5-23](#)

N

new storage
 about [1-2](#)
 configuring [4-2](#)

P

paths
 manually selecting [5-8](#)
 post-migration [5-52](#)

S

schedule
 changing [5-50](#)
 Selecting [5-15, 5-18, 5-19](#)
 server-based job
 selecting ports [5-3](#)
 Server Lunmap Discovery Tool. See SLD
 server SSM
 selecting [5-15](#)
 sessions
 configuring [5-10](#)
 session state values [5-48](#)
 SLD [4-3](#)
 SSM
 configuring [4-2](#)
 storage ports
 including in a job [3-12](#)

T

topologies
 about [3-1](#)
 guidelines [3-3](#)
 Method 3 [3-5](#)
 one-fabric [3-10](#)

Send documentation comments to mdsfeedback-doc@cisco.com

three-fabric [3-6](#)

two-fabric [3-7](#)

troubleshooting

checklist [6-2](#)

V

verifying new zone

server-based [5-20](#)

storage-based [5-30](#)

virtual initiator

configuring [7-3](#)

virtual target

about [1-3](#)

VT. See virtual target

Send documentation comments to mdsfeedback-doc@cisco.com