



INDEX

A

Access Control Lists. See ACLs.

ACLs

- commands for troubleshooting [9-2](#)
- configuration limits [9-1](#)
- debugging policy verification [9-3](#)
- description [9-1](#)
- displaying ACL policies on the VEM [9-2](#)
- restrictions [9-2](#)

C

Cisco Nexus 1000V

- copying files to or from [18-3](#)
- system overview [17-1](#)
- terminology [5-1](#)

CLI

- ping command [2-1](#)
- traceroute command [2-2](#)

connectivity

- vCenter Server [3-6](#)
- verifying [1-3](#)
- verifying between VSM and vCenter Server [3-5](#)
- verifying between VSM and VEM [5-6](#)
- VSM and vCenter Server problem symptoms and solutions [17-3](#)

core dumps [18-2](#)

CPU status

- monitoring [2-2](#)

customer support

- contacting Cisco or VMware [1-7](#)

D

documentation

- additional publications [i-xiii, i-xiv](#)
- conventions [i-xii](#)
- updates [i-xiv](#)

domain parameters [3-4](#)

DVS

- find extension key [3-8](#)
- recovering [17-2](#)

E

error messages

- vSphere Client [17-7](#)

extension key

- finding for specific DVS [3-8](#)
- unregistering in vCenter Server [3-13](#)

H

HA

- commands to troubleshoot [16-5](#)
- description [16-1](#)
- network level support [16-2](#)
- problem symptoms and solutions [16-3](#)
- system level support [16-2](#)

High Availability. See HA

hosts

- problem symptoms and solutions [17-4, 17-5](#)

Send document comments to nexus1k-docfeedback@cisco.com.

I

IGMP snooping

- commands for troubleshooting [14-2](#)
- description [14-1](#)
- problem symptoms and solutions [14-4](#)
- troubleshooting guidelines [14-2](#)

installation

- recreating the installation flowchart [3-4, 3-11](#)

Internet Group Management Protocol snooping. See IGMP snooping

K

- key, extension [3-8](#)

L

Layer 2 switching

- inter-VEM ping [8-5](#)
- intra-VEMping [8-4](#)
- overview [8-1](#)
- problem symptoms and solutions [8-7](#)
- traffic interruptions [8-6](#)

license

- Cisco Nexus N1000V license package [4-1](#)
- contents of Cisco Nexus N1000V license file [4-3](#)
- installation issues [4-3](#)
- post-installation issues [4-4](#)
- removal [4-5](#)
- troubleshooting checklist [4-3](#)
- usage [4-3](#)
- VMware Enterprise Plus [3-1](#)

licensed module [4-1](#)

Link Aggregation Control Protocol (LACP) [16-2](#)

logging levels [2-5](#)

logs [1-6](#)

M

MAC address tables

- verifying [8-7](#)

Managed Object Browser (MOB) [3-8](#)

module

- licensed [4-1](#)
- not coming up on the VSM [5-3](#)
- unlicensed [4-1](#)
- verifying module state [6-2](#)
- virtual Ethernet module (VEM) [5-1](#)
- virtual supervisor module (VSM) [5-1](#)

multicast

- description [14-1](#)

N

NetFlow

- commands for troubleshooting [11-2](#)
- configuration problems [11-3](#)
- description [11-1](#)

network adapter [3-5](#)

Nexus 1000V switch

- plug-in [3-7](#)

P

port channels

- asymmetric [7-3](#)
- cannot create port channel [7-3](#)
- commands to troubleshoot [7-2](#)
- description [7-1](#)
- forcing port channel characteristics onto an interface [7-4](#)
- initial checklist [7-2](#)
- interface does not come online [7-4](#)
- troubleshooting checklist [7-2](#)
- verifying a port channel configuration [7-5](#)

port groups

Send document comments to nexus1k-docfeedback@cisco.com.

assigning to VSM VM [3-4](#)

virtual interfaces [3-5](#)

port profiles

commands to troubleshoot [6-14](#)

creating corresponding port groups on vCenter Server [17-4](#)

debug logs [6-14](#)

description [6-13](#)

problem symptoms and solutions [6-18](#)

system port profiles [6-18](#)

transferring from the VSM to vCenter Server [6-19](#)

ports

error disabled [6-7](#)

flapping [6-6](#)

interface configuration [6-2](#)

interface description [6-1](#)

link flapping [6-6](#)

overview [6-1](#)

ping from a VM with port security enabled [6-9](#)

port counters [6-4](#)

port enabled and port security is ErrDisabled [6-11](#)

port interface cannot be enabled [6-5](#)

port security address count exceed violation [6-11](#)

port security MAC move violation [6-11](#)

port security problems [6-8](#)

port security restrictions and limitations [6-12](#)

port state is ErrDisabled [6-7](#)

port state is link failure or not connected [6-6](#)

port types [8-3](#)

troubleshooting checklist [6-2](#)

troubleshooting with CLI [6-3](#)

verifying [1-3](#)

viewing port state [6-3](#)

private VLANs

commands to troubleshoot [13-2](#)

description [13-1](#)

troubleshooting guidelines [13-2](#)

Q

QoS

commands to troubleshoot [10-2](#)

configuration limits [10-1](#)

debugging policy verification errors [10-3](#)

description [10-1](#)

troubleshooting QoS policies on the VEM [10-2](#)

Quality of Service. See QoS

R

RADIUS

accounting logs [2-5](#)

Really Simple Syndication. See RSS

related documents [i-xiii](#), [i-xiv](#)

RSS

documentation feed [i-xiv](#)

S

service

requests [i-xiv](#)

software

core dumps [18-2](#)

SPAN

commands to troubleshoot [15-3](#)

configuration guidelines [15-3](#)

description [15-1](#)

destinations [15-2](#)

ERSPAN destinations [15-2](#)

problem symptoms and solutions [15-4](#)

session requirements [15-3](#)

sessions [15-2](#)

sources [15-1](#)

Switched Port Analyzer. See SPAN

synchronization problems [6-4](#)

syslog

See system messages

Send document comments to nexus1k-docfeedback@cisco.com.

system messages

- explanation and recommended action [1-5](#)
- logging levels [2-5](#)
- overview [1-4, 2-5](#)
- syslog server [1-5](#)
- using CLI [1-5](#)

system port profiles

- description [6-18](#)

system processes

- monitoring [2-2](#)

T

terminology [5-1](#)

troubleshooting process

- best practices [1-1](#)
- common CLI commands [1-3](#)
- general process steps [1-2](#)
- guidelines [1-2](#)
- overview [1-1](#)

trunking

- initial checklist [7-2](#)
- overview [7-2](#)

U

unlicensed module [4-1](#)

unregistering an extension key [3-13](#)

V

vCenter Server

- refreshing connection [3-4](#)
- removing the VSM [3-12](#)
- restrictions [17-2](#)
- unregistering the VSM [3-13](#)
- verifying connection to VSM [5-5](#)
- verifying correct configuration [5-6](#)

VEM

- commands for vemlog [17-6](#)
- commands to troubleshoot [17-5](#)
- domain parameters [3-4](#)
- physical ports [8-2](#)
- unlicensed [4-2](#)
- verifying correct configuration [5-7](#)
- view of ports [8-2](#)
- virtual ports [8-2](#)

verifying

- MAC address tables [8-7](#)

Virtual Ethernet Module. See VEM.

virtual Ethernet port (veth) [8-2](#)

virtual NIC [8-2](#)

Virtual Supervisor Module. See VSM.

VLAN

- cannot create [12-3](#)
- traffic does not traverse trunk [7-5](#)
- troubleshooting checklist [12-2](#)

VLANs

- description [12-1](#)

VM

- improving performance [3-4](#)
- traffic problems [17-5](#)

vmnic

- number allocation [8-3](#)

VSM

- commands to troubleshoot [5-10](#)
- creating [17-4](#)
- domain parameters [3-4](#)
- identifying extension key [3-13](#)
- removing hosts from [3-12](#)
- verifying correct configuration [5-5](#)
- view of ports [8-3](#)

vSphere Client

- error messages [17-7](#)