

***Send comments to [nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)***



## New and Changed Information

---

This chapter provides release-specific information for each new and changed feature in the *Cisco Nexus 5000 Series NX-OS Unicast Routing Command Reference*. The latest version of this document is available at the following Cisco website:

[http://www.cisco.com/en/US/products/ps9670/prod\\_command\\_reference\\_list.html](http://www.cisco.com/en/US/products/ps9670/prod_command_reference_list.html)

To check for additional information about this Cisco NX-OS Release, see the *Cisco Nexus 5000 Series Switch Release Notes* available at the following Cisco website:

[http://www.cisco.com/en/US/products/ps9670/prod\\_release\\_notes\\_list.html](http://www.cisco.com/en/US/products/ps9670/prod_release_notes_list.html)

## New and Changed Information for Cisco NX-OS Releases

This section includes the following topics:

- [New and Changed Information for Cisco NX-OS Release 5.2\(1\)N1\(1\), page xxx](#)
- [New and Changed Information for Cisco NX-OS Release 5.1\(3\)N1\(1\), page xxx](#)
- [New and Changed Information for Cisco NX-OS Release 5.0\(3\)N2\(1\), page xxxi](#)
- [New and Changed Information for Cisco NX-OS Release 5.0\(3\)N1\(1\), page xxxi](#)

**[Send comments to nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)**

## New and Changed Information for Cisco NX-OS Release 5.2(1)N1(1)

[Table 2](#) summarizes the new and changed features for Cisco NX-OS Release 5.2(1)N1(1) and tells you where they are documented

**Table 1** *New and Changed Information for Release 5.2(1)N1(1)*

Feature	Description	Where Documented
IPv6	This feature was introduced.	<a href="#">BGP A Commands</a> <a href="#">BGP C Commands</a> <a href="#">BGP I Commands</a> <a href="#">BGP M Commands</a> <a href="#">BGP R Commands</a> <a href="#">BGP S Commands</a> <a href="#">BGP Show Commands</a> <a href="#">EIGRP A Commands</a> <a href="#">EIGRP I Commands</a> <a href="#">EIGRP Show Commands</a> <a href="#">HSRP H Commands</a> <a href="#">HSRP Show Commands</a> <a href="#">Layer 3 H Commands</a> <a href="#">Layer 3 I Commands</a> <a href="#">RIB and FIB C Commands</a> <a href="#">RIB and FIB H Commands</a> <a href="#">RIB and FIB I Commands</a> <a href="#">RIB and FIB Show Commands</a> <a href="#">RIB and FIB T Commands</a>
OSPFv3	This feature was introduced.	<a href="#">OSPF Commands</a>

## New and Changed Information for Cisco NX-OS Release 5.1(3)N1(1)

[Table 2](#) summarizes the new and changed features for Cisco NX-OS Release 5.1(3)N1(1) and tells you where they are documented.

**Table 2** *New and Changed Information for Release 5.1(3)N1(1)*

Feature	Description	Where Documented
TCP connection enhancements	The following command was added: <ul style="list-style-type: none"> <li><code>ip tcp synwait-time</code></li> </ul>	<a href="#">ip tcp synwait-time</a>

***Send comments to [nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)***

## New and Changed Information for Cisco NX-OS Release 5.0(3)N2(1)

There are no new and changed features for Cisco NX-OS Release 5.0(3)N2(1).

## New and Changed Information for Cisco NX-OS Release 5.0(3)N1(1)

[Table 3](#) summarizes the new and changed features for Cisco NX-OS Release 5.0(3)N1(1) and tells you where they are documented.

**Table 3** *New and Changed Information for Release 5.0(3)N1(1)*

Feature	Description	Where Documented
Layer 3 interfaces	<p>This feature was introduced.</p> <p>The following Layer 3 interface commands were introduced:</p> <ul style="list-style-type: none"> <li>• <b>interface ethernet (Layer 3)</b></li> <li>• <b>interface loopback</b></li> <li>• <b>no switchport</b></li> </ul> <p>The following interface commands were modified to include Layer 3 support:</p> <ul style="list-style-type: none"> <li>• <b>interface port-channel</b></li> </ul>	<a href="#">interface ethernet (Layer 3)</a> <a href="#">interface loopback</a> <a href="#">interface port-channel</a> <a href="#">no switchport</a>
IPv4 Unicast Routing	<p>This feature was introduced.</p>	<a href="#">clear ip arp</a> <a href="#">clear ip interface statistics</a> <a href="#">ip address</a> <a href="#">ip arp</a> <a href="#">ip arp gratuitous</a> <a href="#">ip arp timeout</a> <a href="#">ip directed-broadcast</a> <a href="#">ip local-proxy-arp</a> <a href="#">ip port-unreachable</a> <a href="#">ip proxy-arp</a> <a href="#">ip tcp path-mtu-discovery</a> <a href="#">ip unreachablees</a> <a href="#">routing-context vrf</a> <a href="#">Show Commands</a>

***Send comments to [nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)***

**Table 3**      ***New and Changed Information for Release 5.0(3)N1(1) (continued)***

<b>Feature</b>	<b>Description</b>	<b>Where Documented</b>
Border Gateway Protocol (BGP)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">B Commands</a> <a href="#">C Commands</a> <a href="#">E Commands</a> <a href="#">F Commands</a> <a href="#">I Commands</a> <a href="#">L Commands</a> <a href="#">M Commands</a> <a href="#">N Commands</a> <a href="#">P Commands</a> <a href="#">R Commands</a> <a href="#">S Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a> <a href="#">V Commands</a>
Enhanced Interior Gateway Routing Protocol (EIGRP)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">C Commands</a> <a href="#">D Commands</a> <a href="#">E Commands</a> <a href="#">F Commands</a> <a href="#">I Commands</a> <a href="#">L Commands</a> <a href="#">M Commands</a> <a href="#">R Commands</a> <a href="#">S Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a>
Hot Standby Router Protocol (HSRP)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">D Commands</a> <a href="#">F Commands</a> <a href="#">H Commands</a> <a href="#">I Commands</a> <a href="#">P Commands</a> <a href="#">Show Commands</a>

***Send comments to [nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)***

**Table 3**      ***New and Changed Information for Release 5.0(3)/N1(1) (continued)***

<b>Feature</b>	<b>Description</b>	<b>Where Documented</b>
Object Tracking	This Layer 3 unicast routing feature was introduced.	<a href="#">D Commands</a> <a href="#">O Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a> <a href="#">V Commands</a>
Open Shortest Path First version 2 (OSPFv2)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">C Commands</a> <a href="#">D Commands</a> <a href="#">F Commands</a> <a href="#">H Commands</a> <a href="#">I Commands</a> <a href="#">L Commands</a> <a href="#">M Commands</a> <a href="#">P Commands</a> <a href="#">R Commands</a> <a href="#">S Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a> <a href="#">V Commands</a>
Routing Information Protocol (RIP)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">C Commands</a> <a href="#">D Commands</a> <a href="#">F Commands</a> <a href="#">I Commands</a> <a href="#">M Commands</a> <a href="#">R Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a>

***Send comments to [nexus5k-docfeedback@cisco.com](mailto:nexus5k-docfeedback@cisco.com)***

**Table 3**      ***New and Changed Information for Release 5.0(3)N1(1) (continued)***

<b>Feature</b>	<b>Description</b>	<b>Where Documented</b>
Unicast Routing Information Base (RIB) and Forwarding Information Base (FIB)	This Layer 3 unicast routing feature was introduced.	<a href="#">C Commands</a> <a href="#">H Commands</a> <a href="#">I Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a>
Virtual Router Redundancy Protocol (VRRP)	This Layer 3 unicast routing feature was introduced.	<a href="#">A Commands</a> <a href="#">C Commands</a> <a href="#">F Commands</a> <a href="#">P Commands</a> <a href="#">S Commands</a> <a href="#">Show Commands</a> <a href="#">T Commands</a> <a href="#">V Commands</a>