

V Commands

This chapter describes the system management commands available that begin with V.

■ verify (session)

verify (session)

To verify the current configuration session, use the **verify** command.

verify

Syntax Description This command has no arguments or keywords.

Command Default None

Command Modes Session configuration mode

Command History	Release	Modification
	5.2(1)N1(1)	This command was introduced.

Examples This example shows how to verify a session:

```
switch(config-s)# verify
Failed to start Verification: Session Database already locked, Verify/Commit in
Progress.
switch(config-s)#

```

Related Commands	Command	Description
	commit	Commits a session.
	configure session	Creates a configuration session.
	show configuration session	Displays the contents of the session.

vrf (ERSPAN)

To configure a virtual routing and forwarding (VRF) instance for Encapsulated Remote Switched Port Analyzer (ERSPAN) traffic forwarding in the source, use the **vrf** command. To revert to the defaults, use the **no** form of this command.

vrf {vrf_name | default | management}

no vrf {vrf_name | default | management}

Syntax Description	<p>vrf_name Name of the VRF. The VRF name can be any case-sensitive, alphanumeric string up to 32 characters.</p> <p>default Specifies the default VRF instance.</p> <p>management Specifies the management VRF instance.</p>						
Command Default	None						
Command Modes	ERSPAN session configuration mode						
Command History	<table border="1"> <thead> <tr> <th>Release</th><th>Modification</th></tr> </thead> <tbody> <tr> <td>5.2(1)N1(1)</td><td>This command was introduced.</td></tr> </tbody> </table>	Release	Modification	5.2(1)N1(1)	This command was introduced.		
Release	Modification						
5.2(1)N1(1)	This command was introduced.						
Usage Guidelines	This command does not require a license.						
Examples	<p>This example shows how to configure a VRF instance for the ESRSPAN source:</p> <pre>switch# configure terminal switch(config)# monitor session 1 type erspan-source switch(config-erspan-src)# vrf default switch(config-erspan-src)# </pre>						
Related Commands	<table border="1"> <thead> <tr> <th>Command</th><th>Description</th></tr> </thead> <tbody> <tr> <td>monitor-session</td><td>Enters the monitor configuration mode for configuring an ERSPAN session for analyzing traffic between ports.</td></tr> <tr> <td>show monitor session</td><td>Displays information about the Ethernet switched port analyzer (SPAN) or ERSPAN monitor session.</td></tr> </tbody> </table>	Command	Description	monitor-session	Enters the monitor configuration mode for configuring an ERSPAN session for analyzing traffic between ports.	show monitor session	Displays information about the Ethernet switched port analyzer (SPAN) or ERSPAN monitor session.
Command	Description						
monitor-session	Enters the monitor configuration mode for configuring an ERSPAN session for analyzing traffic between ports.						
show monitor session	Displays information about the Ethernet switched port analyzer (SPAN) or ERSPAN monitor session.						

vrf (ERSPAN)