



CHAPTER 2

CTRS Delete Commands

Revised: November 2009, OL-19547-01

This chapter contains Cisco TelePresence Recording Server (CTRS) **delete** commands:

- [delete account](#), page 2-2
- [delete dns addr](#), page 2-3
- [delete process](#), page 2-4
- [delete recording](#), page 2-5



Note

For information about using the CTRS administration software, refer to the *Cisco TelePresence Recording Server Release 1.6 Administration Guide* at the following URL:

http://www.cisco.com/en/US/products/ps10341/prod_maintenance_guides_list.html

delete account

delete account *name*

Syntax Description

<i>name</i>	Name of the administrative account to be deleted
-------------	--

Command Modes

Admin

Command History

Release	Modifications
1.6	This command was introduced.

Usage Guidelines

Use this command to delete an administrative account.

Examples

admin: **delete account admin1**

delete dns addr

delete dns addr *address*

Syntax Description	<i>address</i>	IP address of the Domain Name System (DNS) server to be deleted
--------------------	----------------	---

Command Modes	Admin
---------------	-------

Command History	Release	Modifications
	1.6	This command was introduced.

Usage Guidelines	Use this command to delete the specified Domain Name System (DNS) server from the system.
------------------	---

Examples

```
admin: delete dns addr 1xx.2xx.3xx.4xx
***  W A R N I N G  ***
This will cause the system to temporarily lose network connectivity

Do you want to continue ?

Enter "yes" to continue or any other key to abort
yes
executing...
```

delete process

delete process *pid* [**force** | **terminate** | **crash**]

Syntax Description

<i>pid</i>	Process identification number
force	Stops the process. Use this option only if the delete process <i>pid</i> command does not terminate the process.
terminate	Tells the operating system to stop the process. Use this option only if the delete process <i>pid</i> force command does not terminate the process.
crash	Crashes the process with a crash dump

Command Modes

Admin

Command History

Release	Modifications
1.6	This command was introduced.

Usage Guidelines

Use this command to delete a process.

Examples

admin: **delete process 1429**

delete recording

delete recording *recid*

Syntax Description	<i>recid</i>	Recording identification number
Command Modes	Admin	
Command History	Release	Modifications
	1.6	This command was introduced.
Usage Guidelines	Use this command to delete an mp4 file corresponding to its recording identification number.	
Examples	admin: delete recording 3	

■ delete recording