



---

## A

- Apple Mail, configuring to access voice messages [3-2](#)
- Apple Safari, configuring to access the Cisco PCA [1-2](#)

---

## B

- browser, configuring to access the Cisco PCA [1-1](#)

---

## C

- caller groups, user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- caller options
  - user settings [4-4](#)
  - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- call holding
  - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
  - user settings in Connection Messaging Assistant [4-4](#)
- call screening
  - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
  - user settings in Connection Messaging Assistant [4-4](#)
- call transfers
  - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
  - user settings in Connection conversation [4-4, 4-7](#)
  - user settings in Connection Messaging Assistant [4-4](#)
- Cisco PCA
  - changing the GUI language [1-3](#)
  - configuring browser to access [1-1](#)
  - managing security alerts when using SSL connections [1-3](#)

### configuring

- browser to access the Cisco PCA [1-1](#)
- email application to access voice messages [3-1](#)
- contacts, user settings in Connection Messaging Assistant [4-6](#)
- conversation
  - user settings in Connection conversation [4-4](#)
  - user settings in Connection Messaging Assistant [4-4](#)
- conversation speed, addressing user concerns [5-6](#)

---

## D

- delayed messages, addressing user concerns [5-3](#)
- deleted messages, addressing user concerns [5-3](#)
- destinations, user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- directory listing, addressing user concerns [5-4](#)

---

## E

- email application, configuring to access voice messages [3-1](#)
- Eudora, configuring to access voice messages [3-4](#)

---

## F

- full mailbox, addressing user concerns [5-5](#)

---

## G

- greetings
  - user settings in Connection conversation [4-5](#)
  - user settings in Connection Messaging Assistant [4-5](#)
- GroupWise, configuring to access voice messages [3-10](#)

**I**

IBM Lotus Notes, configuring to access voice messages [3-5](#)

IMAP behavior when deleting messages [5-4](#)

**L**

language, changing the Cisco PCA language [1-3](#)

**M**

managing security alerts when using SSL connections [1-3](#)

MAPI behavior when deleting messages [5-4](#)

Media Master

addressing user concerns [5-6](#)

overview [2-1](#)

message addressing

user settings in Connection conversation [4-6](#)

user settings in Connection Messaging Assistant [4-6](#)

message notification

addressing user concerns [5-5](#)

user settings in Connection conversation [4-5](#)

user settings in Connection Messaging Assistant [4-5](#)

message playback

user settings in Connection conversation [4-5](#)

user settings in Connection Messaging Assistant [4-5](#)

Microsoft Internet Explorer, configuring to access the Cisco PCA [1-2](#)

Microsoft Outlook, configuring to access voice messages [3-7](#)

Microsoft Outlook Express, configuring to access voice messages [3-9](#)

misconceptions, potential user [5-3](#)

Mozilla Firefox, configuring to access the Cisco PCA [1-2](#)

MWIs, addressing user concerns [5-6](#)

**N**

Notes, configuring to access voice messages [3-5](#)

notification

user settings in Connection conversation [4-5](#)

user settings in Connection Messaging Assistant [4-5](#)

Novell GroupWise, configuring to access voice messages [3-10](#)

**O**

Opera, configuring to access voice messages [3-12](#)

operator orientation [5-1](#)

orientation

for operators [5-1](#)

for support desk [5-2](#)

for users [4-1](#)

**P**

passwords, addressing user concerns [5-6](#)

personal settings

user settings in Connection conversation [4-6](#)

user settings in Connection Messaging Assistant [4-6](#)

playback device

considerations for choosing [2-2](#)

events when computer speakers are used [2-3](#)

events when phone is used [2-3](#)

how users specify [2-3](#)

private lists

user settings in Connection conversation [4-6](#)

user settings in Connection Messaging Assistant [4-6](#)

**R**

recording device

considerations for choosing [2-2](#)

events when computer microphone is used [2-3](#)

events when phone is used [2-3](#)

how users specify [2-3](#)

---

## S

security alerts, managing when using SSL connections [1-3](#)

support desk

- orientation [5-2](#)

- resources [5-2](#)

---

## T

Thunderbird, configuring to access voice messages [3-13](#)

---

## U

unsent messages, addressing user concerns [5-7](#)

user misconceptions, potential [5-3](#)

user orientation [4-1](#)

---

## V

ViewMail for Microsoft Outlook

- configuring IMAP account [3-17](#)

- secure messaging [3-17](#)

- task list [3-16](#)

---

## W

Windows Mail, configuring to access voice messages [3-14](#)

