



INDEX

A

- about Cisco Unity Connection Serviceability [1-1](#)
- accessing
 - Cisco Unity Connection Serviceability [1-3](#)
 - Help [1-4](#)
- activating services [5-2](#)
- administrator workstations, configuring browsers on [1-2](#)
- alarms
 - definitions [2-1](#)
 - overview [2-1](#)
 - searching for definitions in database [2-1](#)
 - viewing definitions [2-1](#)

B

- browsers, configuring on administrator workstations [1-2](#)

C

- Call Handler Traffic report, description [6-4](#)
- Cisco Unified Real-Time Monitoring Tool. *See* RTMT
- configuring browsers on administrator workstations [1-2](#)
- Control Center
 - list of services [5-1](#)
 - using to manage services [5-2](#)

D

- database, searching for alarm definitions [2-1](#)
- deactivating services [5-2](#)
- diagnostic traces, overview [3-1](#)
- Dial Plan report, description [6-2](#)

- Dial Search Scope report, description [6-2](#)
- Distribution Lists report, description [6-3](#)

F

- feature services
 - list of [5-1](#)
 - starting, stopping, restarting and refreshing [5-2](#)
- finding version [1-4](#)
- Firefox, configuring on administrator workstations [1-2](#)
- functionality in Cisco Unity Connection Serviceability [1-1](#)

G

- generating reports [6-5](#)

H

- Help, accessing [1-4](#)

I

- interface, using [1-4](#)
- Internet Explorer, configuring on administrator workstations [1-2](#)

L

- log files, configuring for traces [3-2](#)

M

macro traces

enabling [3-8](#)

list of [3-9](#)

Mailbox Store report, description [6-2](#)

managing

ports in a Cisco Unity Connection cluster [4-1](#)

server status in a Cisco Unity Connection cluster [4-1](#)

Message Traffic report, description [6-2](#)

micro traces

enabling [3-2](#)

list of [3-3](#)

O

Outcall Billing Detail report, description [6-3](#)

Outcall Billing Summary report, description [6-4](#)

P

parameters, setting for reports [6-4](#)

Phone Interface Failed Logon report, description [6-1](#)

Port Activity report, description [6-2](#)

ports, managing in a Cisco Unity Connection cluster [4-1](#)

R

refreshing services [5-2](#)

reports

descriptions of [6-1](#)

generating [6-5](#)

setting configuration parameters [6-4](#)

viewing [6-5](#)

RTMT, using to collect and view alarms [2-1](#)

S

server status, managing in a Cisco Unity Connection cluster [4-1](#)

services

activating [5-2](#)

deactivating [5-2](#)

list of [5-1](#)

refreshing [5-2](#)

starting [5-2](#)

stopping [5-2](#)

setting report configuration parameters [6-4](#)

SQL database, searching for alarm definitions [2-1](#)

starting services [5-2](#)

stopping services [5-2](#)

Subscriber Message Activity report, description [6-3](#)

System Configuration report, description [6-4](#)

T

traces

configuring log files [3-2](#)

macro, enabling [3-8](#)

macro, list of [3-9](#)

micro, enabling [3-2](#)

micro, list of [3-3](#)

overview [3-1](#)

Transfer Call Billing report, description [6-3](#)

U

Unused Voice Mail Accounts report, description [6-3](#)

User Lockout report, description [6-3](#)

Users report, description [6-1](#)

using interface [1-4](#)

V

version, finding [1-4](#)

viewing reports [6-5](#)

