



INDEX

A

addressing options

- for non-networked phone systems [1-13](#)

- VPIM Networking [4-18](#)

- alternate names, adding for VPIM locations [4-14](#)

- audio format for VPIM Networking [4-18](#)

B

- blind addressing, VPIM Networking [4-18](#)

Bulk Administration Tool

- creating VPIM contacts [4-7, 4-8](#)

- errors, correcting (VPIM) [4-9](#)

C

- Cisco Unity, changing a site gateway [5-3](#)

Cisco Unity Connection site

- changing the gateway [5-3](#)

- intersite link with Cisco Unity, removing [5-4](#)

- linking [1-3](#)

- linking to Cisco Unity [1-3](#)

- linking two sites [2-16](#)

- prerequisites [2-1](#)

- procedures to setting up [2-3](#)

- removing a location [5-1](#)

- removing intersite link between two sites [5-6](#)

- task list [2-2](#)

- Cisco Unity sites, linking to Cisco Unity Connection [1-3](#)

- Cisco Voicemail Organization, definition [1-2](#)

cross-server features

- notable behavior [6-22](#)

- overview [6-1](#)

- search space considerations [6-2](#)

cross-server live reply

- definition [1-12](#)

- overview [6-16](#)

- prerequisites [6-16](#)

- procedures [6-18](#)

- task list [6-17](#)

cross-server sign-in

- definition [1-12](#)

- overview [6-3](#)

- prerequisites [6-4](#)

- procedures [6-5, 6-11](#)

- task list [6-4](#)

cross-server transfer

- definition [1-12](#)

- overview [6-9](#)

- prerequisites [6-9](#)

- procedures [6-11](#)

- task list [6-10](#)

CSV files

- correcting errors for Bulk Administration Tool [4-9](#)

- creating VPIM contacts [4-7](#)

D

- delivery locations, creating for VPIM [4-6](#)

- dialing domains [1-15](#)

dial plan

- addressing options [1-13](#)

- considerations [1-13](#)

- directory size limits [1-10](#)

- directory synchronization

between Cisco Unity and Cisco Unity Connection sites [1-8](#)

between two Connection sites [1-7](#)

within a Cisco Unity Connection site [1-6](#)

DNS, resolving names with IP addresses [4-4](#)

G

gateway

changing [5-3](#)

changing for a Cisco Unity site [5-3](#)

I

identified user messaging [1-14](#)

intersite link between Cisco Unity and Cisco Unity Connection

prerequisites [3-1](#)

procedures [3-4](#)

task list [3-2](#)

intersite links

definition [1-2](#)

removing [5-6](#)

intrasite links, definition [1-1](#)

L

linking servers [2-7](#)

location, removing [5-1](#)

N

name resolution, VPIM [4-4](#)

R

replication

between Cisco Unity and Cisco Unity Connection sites [1-8](#)

between two Connection sites [1-7](#)

within a Cisco Unity Connection site [1-6](#)

S

search spaces [1-15](#)

servers, linking [2-7](#)

site, definition [1-1](#)

system distribution lists and messaging [1-11](#)

V

VPIM contacts

after creating [4-11](#)

correcting CSV errors for Bulk Administration Tool [4-9](#)

creating [4-7](#)

creating by using Bulk Administration Tool [4-8](#)

creating by using CSV files [4-7](#)

creating with Bulk Administration Tool [4-7](#)

creating with Connection Administration [4-9](#)

customizing directory update settings [4-11](#)

deleting [4-15](#)

VPIM locations

adding alternate names [4-14](#)

creating [4-6](#)

customizing [4-6](#)

VPIM Networking

adding alternate names for VPIM locations [4-14](#)

adding VPIM contacts with Connection Administration [4-9](#)

addresses [4-17](#)

addressing options [4-18](#)

after creating VPIM contacts [4-11](#)

audio formats [4-18](#)

configuring remote voice messaging system [4-15](#)

creating VPIM contacts [4-7](#)

creating VPIM contacts with Bulk Administration Tool [4-7, 4-8](#)

- creating VPIM locations [4-6](#)
- customizing VPIM contact directory update settings [4-11](#)
- customizing VPIM locations [4-6](#)
- definition [1-5](#)
- deleting VPIM contacts [4-15](#)
- design decisions [4-3](#)
- DNS [4-4](#)
- messages [4-16](#)
- messaging similarities and limitations [4-18](#)
- overview [4-1](#)
- prerequisites [4-2](#)
- removing a VPIM location [4-15](#)
- resolving names with IP addresses [4-4](#)
- sample message [4-16](#)
- setting up [4-1](#)
- setup procedures [4-3](#)
- using CSV files for creating VPIM contacts [4-7](#)
- verifying connectivity with remote voice messaging system [4-5](#)

