



## INDEX

---

### A

#### addressing options

for non-networked phone systems [1-13](#)

VPIM Networking [4-18](#)

alternate names, adding for VPIM locations [4-14](#)

audio format for VPIM Networking [4-18](#)

---

### B

blind addressing, VPIM Networking [4-18](#)

#### Bulk Administration Tool

creating VPIM contacts [4-7, 4-8](#)

errors, correcting (VPIM) [4-9](#)

---

### C

Cisco Unity, changing a site gateway [5-3](#)

#### Cisco Unity Connection site

changing the gateway [5-3](#)

intersite link with Cisco Unity, removing [5-4](#)

linking [1-3](#)

linking to Cisco Unity [1-3](#)

linking two sites [2-16](#)

prerequisites [2-1](#)

procedures to setting up [2-3](#)

removing a location [5-1](#)

removing intersite link between two sites [5-6](#)

task list [2-2](#)

Cisco Unity sites, linking to Cisco Unity Connection [1-3](#)

Cisco Voicemail Organization, definition [1-2](#)

#### cross-server features

notable behavior [6-22](#)

overview [6-1](#)

search space considerations [6-2](#)

#### cross-server live reply

definition [1-12](#)

overview [6-15](#)

prerequisites [6-16](#)

procedures [6-17](#)

task list [6-16](#)

#### cross-server sign-in

definition [1-12](#)

overview [6-3](#)

prerequisites [6-4](#)

procedures [6-5](#)

task list [6-4](#)

#### cross-server transfer

definition [1-12](#)

overview [6-9](#)

prerequisites [6-9](#)

procedures [6-11](#)

task list [6-10](#)

#### CSV files

correcting errors for Bulk Administration Tool [4-9](#)

creating VPIM contacts [4-7](#)

---

### D

delivery locations, creating for VPIM [4-6](#)

dialing domains [1-15](#)

#### dial plan

addressing options [1-13](#)

considerations [1-13](#)

directory size limits [1-10](#)

directory synchronization

between Cisco Unity and Cisco Unity Connection sites [1-8](#)

between two Connection sites [1-7](#)

within a Cisco Unity Connection site [1-5](#)

DNS, resolving names with IP addresses [4-4](#)

## G

gateway

changing [5-3](#)

changing for a Cisco Unity site [5-3](#)

## I

identified user messaging [1-14](#)

intersite link between Cisco Unity and Cisco Unity Connection

prerequisites [3-1](#)

procedures [3-4](#)

task list [3-2](#)

intersite links

definition [1-2](#)

removing [5-6](#)

intrasite links, definition [1-1](#)

## L

linking servers [2-7](#)

location, removing [5-1](#)

## N

name resolution, VPIM [4-4](#)

## R

replication

between Cisco Unity and Cisco Unity Connection sites [1-8](#)

between two Connection sites [1-7](#)

within a Cisco Unity Connection site [1-5](#)

## S

search spaces [1-15](#)

servers, linking [2-7](#)

site, definition [1-1](#)

system distribution lists and messaging [1-11](#)

## V

VPIM contacts

after creating [4-11](#)

correcting CSV errors for Bulk Administration Tool [4-9](#)

creating [4-7](#)

creating by using Bulk Administration Tool [4-8](#)

creating by using CSV files [4-7](#)

creating with Bulk Administration Tool [4-7](#)

creating with Connection Administration [4-9](#)

customizing directory update settings [4-11](#)

deleting [4-15](#)

VPIM locations

adding alternate names [4-14](#)

creating [4-6](#)

customizing [4-6](#)

VPIM Networking

adding alternate names for VPIM locations [4-14](#)

adding VPIM contacts with Connection Administration [4-9](#)

addresses [4-17](#)

addressing options [4-18](#)

after creating VPIM contacts [4-11](#)

audio formats [4-18](#)

configuring remote voice messaging system [4-15](#)

creating VPIM contacts [4-7](#)

creating VPIM contacts with Bulk Administration Tool [4-7, 4-8](#)

- creating VPIM locations [4-6](#)
- customizing VPIM contact directory update settings [4-11](#)
- customizing VPIM locations [4-6](#)
- definition [1-5](#)
- deleting VPIM contacts [4-15](#)
- design decisions [4-3](#)
- DNS [4-4](#)
- messages [4-16](#)
- messaging similarities and limitations [4-18](#)
- overview [4-1](#)
- prerequisites [4-2](#)
- removing a VPIM location [4-15](#)
- resolving names with IP addresses [4-4](#)
- sample message [4-16](#)
- setting up [4-1](#)
- setup procedures [4-3](#)
- using CSV files for creating VPIM contacts [4-7](#)
- verifying connectivity with remote voice messaging system [4-5](#)

