



## INDEX

---

### A

#### addressing

- intersite networking problems with Cisco Unity [20-6](#)
- intrasite or intersite networking problems [20-4](#)
- networked messages [20-4](#)
- to local recipients [19-2](#)
- VPIM messages and blind addressing, problems [20-8](#)
- VPIM messages to specific recipients, problems [20-8](#)

#### Apache Tomcat

- and CPCA errors [27-3](#)
- and Web Inbox errors [28-3](#)
- service, verifying [27-5, 28-6](#)

#### Apple Safari, configuring for Media Master [30-2](#)

#### audio quality

- Check Telephony Configuration test [11-1](#)
- choppy audio [11-2](#)
- garbled prompts [11-3](#)
- garbled recordings [11-2](#)
- low volume of recordings [11-4](#)
- prompts with jitter [11-3](#)
- traces [11-5](#)

#### authentication, troubleshooting when Cisco Unified CM authentication is configured for ports [9-9](#)

---

### B

#### blind addressing, VPIM [20-8](#)

#### busy greeting, does not play [15-4](#)

---

### C

#### calendar integrations

#### Connection 8.0 [6-6](#)

#### Connection 8.5 and later [7-15](#)

#### call control [9-2](#)

#### Call Transfer Rule Tester [26-3](#)

#### call transfers, fail for Cisco Unified CM Express SCCP integrations [15-5](#)

#### changing passwords, effect on IMAP email client access to Connection [17-2](#)

#### Cisco PCA

- access problems [14-2, 14-4](#)
- Apache Tomcat errors [27-3](#)
- error messages [27-2](#)
- locked user account [27-2](#)
- managing security alerts when using SSL connections [14-3](#)
- saving changes, problems [14-4](#)
- sign-in account errors [27-3](#)
- Tomcat service, verifying [27-5](#)

#### Cisco Unified Real-Time Monitoring Tool (RTMT) [3-3](#)

#### Cisco Unified Serviceability [3-3](#)

#### Cisco Unity Diagnostic Tool

- voice-recognition macro trace logs [25-5](#)
- voice-recognition micro trace logs [25-5](#)

#### Cisco Utilities Database Link for Informix [3-4](#)

#### Cisco Voice Technology Group Subscription tool [3-3](#)

#### Connection cluster

- Add New button disabled [13-5](#)
- both servers have Primary status [13-3](#)
- cannot access alert logs when publisher server is not functioning [13-6](#)
- cluster does not function correctly [13-4](#)
- server does not handle calls [13-1](#)

#### Connection Serviceability [3-2](#)

#### Connection SNMP Agent service, confirming configuration [32-2](#)

cross-server sign-in

about [20-16](#)

home server cannot be reached [20-17](#)

user ID and PIN not accepted [20-17](#)

users do not hear PIN prompt [20-17](#)

cross-server transfers

about [20-16](#)

call cannot be completed [20-19](#)

callers prompted to leave a message [20-18](#)

callers transferred to wrong user [20-18](#)

CUDLI [3-4](#)

Custom Key Map tool [24-1](#)

## D

Database Proxy [3-4](#)

delayed messages [16-2](#)

diagnostics

collecting from ViewMail for Outlook [17-8](#)

IMAP client problems [7-14, 17-8](#)

SpeechView transcriptions [18-7](#)

directory handler [19-1](#)

disappearing messages [16-2](#)

## E

emails, accessing in an external message store [6-1](#)

encryption, troubleshooting when Cisco Unified CM

encryption is configured for ports [9-9](#)

English-United States language unavailable [12-1](#)

error messages for Cisco PCA [27-2](#)

error messages for Web Inbox [28-2](#)

Exchange calendar, accessing calendar information [6-6](#)

external message store, access to emails [6-1](#)

external services

access to emails in an external message store [6-1](#)

calendar integration [6-6](#)

diagnostic tool [6-11](#)

personal call transfer rules (PCTRs) [6-11, 7-20](#)

Test button, diagnostic tool [6-11](#)

## F

fax

delivery to fax machine [5-3](#)

delivery to users [5-1](#)

notifications by Connection [5-5](#)

quality [5-7](#)

receipts [5-5](#)

full-mailbox warnings [16-1](#)

## G

Grammar Statistics tool, accessing [3-1](#)

greetings, busy greeting does not play [15-4](#)

## H

Help menu, long pauses when listening to [24-2](#)

hostname entered does not match the remote site  
certificate [20-3](#)

## I

IMAP client, messages not received [17-3](#)

IMAP email access to Connection

overview [17-2](#)

with LDAP configured [17-3](#)

without LDAP configured [17-2](#)

integration

call control [9-2](#)

calls not answered [9-13](#)

calls not transferred to the correct greeting [15-1](#)

calls to Cisco Unity Connection fail [9-2](#)

Check Telephony Configuration test [9-1](#)

Cisco Unified CM authentication or encryption [9-9](#)

Cisco Unified CM through SCCP or SIP trunk [9-9](#)

IP address, changing for Cisco Unified CM server [9-5](#)  
 not answering calls [9-3](#)  
 not answering some calls [9-3](#)  
 port do not register [9-5, 9-7](#)  
 ports repeatedly disconnect [9-5, 9-7](#)  
 Remote Port Status Monitor [9-1](#)  
 intersite networking, linking sites [20-1, 21-3](#)

## K

key mapping problems [24-1](#)  
 key presses (touchtones) [14-1](#)

## L

language (English-United States) unavailable [12-1](#)  
 license, troubleshooting [12-1](#)

## M

mailboxes, warnings about full [16-1](#)  
 Media Master  
   and phone device [30-3, 30-4](#)  
   Apple Safari [30-2](#)  
   display problems [30-1](#)  
   Microsoft Internet Explorer [30-2](#)  
   Mozilla Firefox [30-3](#)  
   opening a file that is saved on a workstation [30-5](#)  
   phone device ringing [30-4](#)  
 MeetingPlace, accessing calendar information [6-6](#)  
 MeetingPlace Express, accessing calendar information [6-6](#)  
 message delivery problems [7-11, 17-5](#)  
 message notifications  
   devices added are triggered at all hours [22-10](#)  
   intermittent failure [22-9](#)  
   missed attempts [22-4](#)  
   nonfunctional [22-6](#)

port configuration [22-2](#)  
 repeat notifications [22-5](#)  
 slow for a user [22-3](#)  
 slow for multiple users [22-1](#)  
 SMS [22-9](#)  
 SMTP [22-9](#)

### messages

addressing [19-2](#)  
 delayed [16-2](#)  
 disappearing [16-2](#)  
 intrasite or intersite networking, not received [20-9](#)  
 intrasite or intersite networking, replies not delivered [20-10](#)  
 limited to 30 seconds [12-1](#)  
 networked message transport [20-9](#)  
 received in email account [7-11, 17-5](#)  
 recordings limited to 30 seconds [16-5](#)  
 undeliverable [16-2](#)  
 VPIM, incoming not received [20-10](#)  
 VPIM, outgoing not received [20-11](#)

### Messaging Assistant

access problems [14-4](#)  
 saving changes, problems [14-4](#)

### Messaging Inbox

access problems [14-4](#)  
 saving changes, problems [14-4](#)

### Microsoft Internet Explorer, configuring for Media Master [30-2](#)

### Mozilla Firefox, configuring for Media Master [30-3](#)

### MWIs

causes for turning on and off [10-1](#)  
 configuring port memory [10-5](#)  
 delay turning on or off [10-6](#)  
 deleting MWI ports when port memory is used [10-5](#)  
 do not turn on or off [10-2](#)  
 message count not given on the phone [10-7](#)  
 synchronizing [10-4](#)  
 turn on but not off [10-4](#)  
 when to synchronize [10-4](#)

## N

### networking, intersite

- Cisco Unity users unable to address messages [20-6](#)
- directory synchronization problems between a Connection site and a Cisco Unity site [20-14](#)
- directory synchronization problems between two Connection sites [20-13](#)
- failed to assess the current network size [20-3](#)
- hostname entered does not match the remote site certificate [20-3](#)
- linking sites [20-1, 21-3](#)
- specified location is already part of the network [20-4](#)
- unable to contact the remote site [20-1](#)

### networking, intrasite

- automatic replication stalled [20-12](#)
- directory synchronization problems [20-11](#)
- manual replication stalled [20-13](#)
- push and pull replication status mismatch [20-13](#)
- USN mismatch [20-12](#)

### networking, intrasite or intersite

- addressing messages [20-4](#)
- Connection users unable to address messages [20-4](#)
- cross-server sign-in and transfer problems [20-16](#)
- message transport [20-9](#)
- message transport problems [20-9](#)
- replies to messages sent by remote senders not delivered [20-10](#)

### nondelivery receipts [23-1](#)

## P

### passwords, effect that changing has on IMAP email client access to Connection [17-2](#)

### personal call transfer rules

- access problems [14-4](#)
- access to calendar information [6-11, 7-20](#)
- call behavior, inconsistent [26-8](#)
- call holding unavailable [26-2](#)
- call looping during rule processing [26-8](#)

### call screening unavailable [26-2](#)

### Call Transfer Rule Tester, using [26-3](#)

### conditions related to meetings [26-4](#)

### destinations [26-2](#)

### destinations, editing prepopulated [26-2](#)

### performance counters [26-9](#)

### phone menu options [26-7](#)

### rule set failure [26-3](#)

### rules without a "from" condition, creating [26-3](#)

### saving changes, problems [14-4](#)

### settings unavailable [12-1, 26-1](#)

### Transfer All rule, failure [26-6](#)

### voice-recognition conversation problems [26-7](#)

### phone system integration

#### call control [9-2](#)

#### calls not answered [9-13](#)

#### calls not transferred to the correct greeting [15-1](#)

#### calls to Cisco Unity Connection fail [9-2](#)

#### Check Telephony Configuration test [9-1](#)

#### Cisco Unified CM authentication or encryption [9-9](#)

#### Cisco Unified CM through SCCP or SIP trunk [9-9](#)

#### configuration for Phone View [31-2](#)

#### IP address, changing for Cisco Unified CM server [9-5](#)

#### not answering calls [9-3](#)

#### not answering some calls [9-3](#)

#### ports do not register [9-5, 9-7](#)

#### ports repeatedly disconnect [9-5, 9-7](#)

#### Remote Port Status Monitor [9-1](#)

### Phone View

#### application user configuration [31-1](#)

#### phone system integration configuration [31-2](#)

#### traces [31-3](#)

#### user phone configuration [31-2](#)

### ports, troubleshooting when Cisco Unified CM authentication or encryption is configured [9-9](#)

### prompts, garbled or jitter [11-3](#)

## R

- reconfiguring MWI ports when port memory is used [10-5](#)
- recordings
  - garbled audio stream [11-2](#)
  - low volume [11-4](#)
- Remote Administration Tools [3-4](#)
- Remote Port Status Monitor [3-4](#)
- reorder tone, user hears when answering call from Connection [15-5](#)
- reports
  - Connection Reports Harvester Service, confirming [4-1](#)
  - data collection cycle, adjusting [4-2](#)
  - no data appears [4-1](#)

## S

- security alerts, managing when using SSL connections [14-3](#)
- single inbox [7-1](#)
- slow delivery of messages [16-2](#)
- SMS notifications [22-9](#)
- SMTP notifications [22-9](#)
- SNMP
  - Connection SNMP Agent [32-2](#)
  - SNMP community string [32-2](#)
  - SNMP Master Agent [32-1](#)
  - traces [32-2](#)
- specified location is already part of the network [20-4](#)
- SpeechView
  - basic configuration settings [18-1](#)
  - confirming services [18-4](#)
  - proxy server issues [18-2](#)
  - SMTP configuration, verifying [18-4](#)
  - task list for troubleshooting [18-1](#)
  - transcription notifications [18-3](#), [18-6](#)
  - transcription service configuration [18-2](#)
  - user expectation issues [18-3](#)

## T

- Task Management tool, accessing [3-2](#)
- Tomcat, verifying service started [27-5](#), [28-6](#)
- traces
  - accessing emails in an external message store [2-3](#)
  - audio [2-2](#), [2-7](#)
  - audio quality [11-5](#)
  - backing up and restoring [2-12](#)
  - calendar integration [2-2](#)
  - call issues [2-7](#)
  - call issues (micro traces) [2-2](#)
  - Cisco Unified Serviceability traces for selected problems [2-11](#)
  - Cisco Unity Connection Serviceability [2-8](#)
  - Cisco Unity Connection Serviceability macro traces for selected problems [2-7](#)
  - Cisco Unity Connection Serviceability micro traces for selected problems [2-2](#)
  - client issues [2-7](#)
  - client issues (micro traces) [2-2](#)
  - Connection cluster [2-3](#)
  - conversations [2-8](#)
  - digital networking [2-9](#)
  - enabling [2-9](#), [2-12](#)
  - external services [2-2](#), [2-3](#), [2-5](#), [2-6](#)
  - fax [2-3](#)
  - LDAP [2-4](#), [2-12](#)
  - messages [2-4](#), [2-8](#)
  - MWIs [2-9](#)
  - networking [2-5](#), [2-9](#)
  - personal call transfer rules [2-5](#)
  - personal call transfer rules, access to calendar information [6-11](#), [7-20](#)
  - Phone View [2-6](#), [31-3](#)
  - reports [2-6](#)
  - restoring and backing up [2-12](#)
  - RSS feeds [2-6](#)
  - SNMP [2-6](#), [32-2](#)
  - SpeechView, Transcriptions [2-6](#)

startup issues [2-9](#)  
 Test button (external service diagnostic tool) [6-11](#)  
 Test button (external services and external service accounts) [2-6](#)  
 Text to Speech [2-9](#)  
 use for viewing WAV filenames [24-2](#)  
 viewing trace logs [2-9, 2-12](#)  
 VMREST [2-6](#)  
 VPIM [2-5, 2-9](#)  
 web application sign-in [2-12](#)  
 Web Inbox [2-6](#)

---

## U

unable to contact the remote site [20-1](#)  
 undeliverable messages [16-2](#)  
 unified messaging [7-1, 8-1](#)  
 user phone configuration for Phone View [31-2](#)  
 users, locating
 

- during message addressing [19-2](#)
- in a directory handler [19-1](#)

 utilities and tools
 

- Cisco Unified Serviceability [3-3](#)
- Cisco Voice Technology Group Subscription Tool [3-3](#)
- Connection Serviceability [3-2](#)
- Grammar Statistics [3-1](#)
- Remote Port Status Monitor [3-4](#)
- RTMT [3-3](#)
- Task Management [3-2](#)

 utterance captures, using to diagnose voice-recognition problems [25-5](#)

---

## V

ViewMail for Outlook
 

- collecting diagnostics [17-8](#)
- form does not appear [17-7](#)

voice messaging ports, troubleshooting when Cisco Unified CM authentication or encryption is configured [9-9](#)

voice-recognition conversation
 

- confirmation confidence setting [25-4](#)
- Grammar Statistics tool [3-1](#)
- service not available [25-2](#)
- usernames not recognized [25-2](#)
- users hear phone keypad (touchtone) conversation [25-1](#)
- using diagnostic traces [25-4](#)
- using the Remote Port Status Monitor [25-6](#)
- using utterance captures [25-5](#)
- voice commands not recognized [25-3](#)

### VPIM

incoming messages not received [20-10](#)  
 outgoing messages not received [20-11](#)  
 users unable to address messages to specific recipients [20-8](#)  
 users unable to blind address messages [20-8](#)

---

## W

WAV file, determining which is played [24-2](#)  
 Web Inbox
 

- Apache Tomcat errors [28-3](#)
- error messages [28-2](#)
- locked user account [28-2, 29-2](#)
- No messages displayed [28-5, 28-7](#)
- Sent messages not displayed [28-6](#)
- sign-in account errors [28-3, 29-4](#)
- Tomcat service, verifying [28-6](#)
- Unresponsive Flash Player dialog box [28-5](#)