



INDEX

A

- Apple Mail, configuring to access voice messages [3-2](#)
- Apple Safari, configuring to access the Cisco PCA [1-2](#)

B

- browser, configuring to access the Cisco PCA [1-1](#)

C

- caller groups, user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- caller options
 - user settings [4-4](#)
 - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- call holding
 - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
 - user settings in Connection Messaging Assistant [4-4](#)
- call screening
 - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
 - user settings in Connection Messaging Assistant [4-4](#)
- call transfers
 - user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
 - user settings in Connection conversation [4-4](#), [4-7](#)
 - user settings in Connection Messaging Assistant [4-4](#)
- Cisco PCA
 - changing the GUI language [1-3](#)
 - configuring browser to access [1-1](#)
 - managing security alerts when using SSL connections [1-4](#)

configuring

- browser to access the Cisco PCA [1-1](#)
- email application to access voice messages [3-1](#)
- contacts, user settings in Connection Messaging Assistant [4-6](#)
- conversation
 - user settings in Connection conversation [4-4](#)
 - user settings in Connection Messaging Assistant [4-4](#)
- conversation speed, addressing user concerns [5-6](#)
- customizing Messaging Inbox for low-bandwidth deployment [1-3](#)

D

- delayed messages, addressing user concerns [5-3](#)
- deleted messages, addressing user concerns [5-3](#)
- destinations, user settings in Cisco Unity Personal Call Transfer Rules [4-7](#)
- directory listing, addressing user concerns [5-4](#)

E

- email application, configuring to access voice messages [3-1](#)
- Eudora, configuring to access voice messages [3-4](#)

F

- full mailbox, addressing user concerns [5-5](#)

G

- greetings
 - user settings in Connection conversation [4-5](#)

user settings in Connection Messaging Assistant [4-5](#)
GroupWise, configuring to access voice messages [3-10](#)

I

IBM Lotus Notes, configuring to access voice messages [3-5](#)
IMAP behavior when deleting messages [5-4](#)

L

language, changing the Cisco PCA language [1-3](#)
low bandwidth, customizing Messaging Inbox for [1-3](#)

M

managing security alerts when using SSL connections [1-4](#)
MAPI behavior when deleting messages [5-4](#)
Media Master
 addressing user concerns [5-6](#)
 overview [2-1](#)
message addressing
 user settings in Connection conversation [4-6](#)
 user settings in Connection Messaging Assistant [4-6](#)
message notification
 addressing user concerns [5-5](#)
 user settings in Connection conversation [4-5](#)
 user settings in Connection Messaging Assistant [4-5](#)
message playback
 user settings in Connection conversation [4-5](#)
 user settings in Connection Messaging Assistant [4-5](#)
Messaging Inbox, customizing for low-bandwidth deployment [1-3](#)
Microsoft Internet Explorer, configuring to access the Cisco PCA [1-2](#)
Microsoft Outlook, configuring to access voice messages [3-7](#)
Microsoft Outlook Express, configuring to access voice messages [3-8](#)
misconceptions, potential user [5-3](#)

Mozilla Firefox, configuring to access the Cisco PCA [1-2](#)
MWIs, addressing user concerns [5-6](#)

N

Notes, configuring to access voice messages [3-5](#)
notification
 user settings in Connection conversation [4-5](#)
 user settings in Connection Messaging Assistant [4-5](#)
Novell GroupWise, configuring to access voice messages [3-10](#)

O

Opera, configuring to access voice messages [3-11](#)
operator orientation [5-1](#)
orientation
 for operators [5-1](#)
 for support desk [5-2](#)
 for users [4-1](#)

P

passwords, addressing user concerns [5-6](#)
personal settings
 user settings in Connection conversation [4-6](#)
 user settings in Connection Messaging Assistant [4-6](#)
playback device
 considerations for choosing [2-2](#)
 events when computer speakers are used [2-3](#)
 events when phone is used [2-3](#)
 how users specify [2-3](#)
private lists
 user settings in Connection conversation [4-6](#)
 user settings in Connection Messaging Assistant [4-6](#)

R

recording device

- considerations for choosing [2-2](#)
- events when computer microphone is used [2-3](#)
- events when phone is used [2-3](#)
- how users specify [2-3](#)

S

- security alerts, managing when using SSL connections [1-4](#)
- support desk
 - orientation [5-2](#)
 - resources [5-2](#)

T

- Thunderbird, configuring to access voice messages [3-13](#)

U

- unsent messages, addressing user concerns [5-7](#)
- user misconceptions, potential [5-3](#)
- user orientation [4-1](#)

V

- ViewMail for Microsoft Outlook
 - configuring IMAP account [3-16](#)
 - secure messaging [3-17](#)
 - task list [3-16](#)

W

- Windows Mail, configuring to access voice messages [3-14](#)

