

# Release Notes for Cisco Unity Connection ViewMail for Microsoft Outlook Release 7.0(1)

#### Revised April 3, 2012 (Originally published October 8, 2008)

These release notes contain requirements, download and installation instructions, limitations and restrictions, and open caveats for Cisco Unity Connection ViewMail for Microsoft Outlook Release 7.0(1).

The ViewMail 7.0(1) files for all languages are available only from the Cisco Download Software website. (The location is provided in the applicable procedure later in these release notes.)

Note

Items in release notes may be added, or revised to correct or clarify information after the initial publication date (the date the software was released). When an item has been changed, the phrase "Added <date>" or "Revised <date>" is included in the text of an item.



For full access to the Download Software website, you must be logged on to Cisco.com as a registered user.

# **Contents**

- Requirements, page 2
- Related Documentation, page 3
- Installation and Upgrade Information, page 3
- Limitations and Restrictions, page 5
- Caveats, page 6
- Obtaining Documentation and Submitting a Service Request, page 6



# **Requirements**

- To install ViewMail, you must have local administrator rights on the user workstation.
- The user workstation must have at least 2 MB of hard-disk space available for ViewMail.
- The ViewMail version must be supported with the version of Microsoft Outlook that is installed and the operating system. (See the applicable section in *Compatibility Matrix: Cisco Unity Connection and the Software on User Workstations* at http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/compatibility/matrix/cucclientmtx. html, depending on the Connection version.)
- ViewMail can be installed in only one language at a time on the user workstation. (If a second language is installed, the first language is automatically uninstalled.)
- The user must belong to a class of service that allows access to Connection voice messages by using an IMAP client.
- The user must have an e-mail account in Outlook configured to access Connection voice messages. (See the "Creating and Configuring an Account in Microsoft Outlook" section in the "Configuring an E-Mail Account to Access Cisco Unity Connection Voice Messages" chapter of the User Workstation Setup Guide for Cisco Unity Connection Release 7.x at http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/7x/user\_setup/guide/7xcucusx.html .)
- To install VMO in a language that uses non-Roman characters on a workstation with an English operating system, both the Regional Options tab and the Advanced tab of the Regional and Language Options tool in Windows Control Panel must first be set to that language.

### **Compatibility Information**

- For information on all qualified version combinations of ViewMail, Cisco Unity Connection, and the software on user workstations, see *Compatibility Matrix: Cisco Unity Connection and the Software on User Workstations* at http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/compatibility/matrix/cucclientmtx. html. The document also contains the support policy for software on user workstations.
- For a list of all languages available for ViewMail, see the "Available Languages for Cisco Unity Connection Components" section of *System Requirements for Cisco Unity Connection Release* 7.x at

http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/7x/requirements/7xcucsysreqs.html

## **Determining the ViewMail Version**

To Determine the ViewMail Version in Use from Outlook

In the Outlook Inbox on the user workstation, from the Help menu, click About ViewMail for Outlook.

# **Related Documentation**

For descriptions and URLs of Cisco Unity Connection documentation on Cisco.com, see the *Documentation Guide for Cisco Unity Connection Release* 7.x. The document is shipped with Connection and is available at http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/7x/roadmap/7xcucdg.html.

# Installation and Upgrade Information

- Task List for Installing ViewMail, page 3
- Downloading ViewMail 7.0(1), page 3
- Installing ViewMail 7.0(1), page 4

## Task List for Installing ViewMail

Do the following tasks in the order listed for a new ViewMail installation.

- Download ViewMail from the Cisco Download Software website. See the "Downloading ViewMail 7.0(1)" section on page 3.
- 2. Install ViewMail. See the "Installing ViewMail 7.0(1)" section on page 4.
- 3. Configure ViewMail. See the "Configuring ViewMail" section on page 5.

## Downloading ViewMail 7.0(1)

#### Revised 03 April, 2012

Do the following procedure to download the software from the Cisco Download Software website.

#### To Download ViewMail 7.0(1)

**Step 1** On a computer with a high-speed Internet connection, go to the Cisco Unified Communications Applications Downloads page at http://tools.cisco.com/support/downloads/pub/Redirect.x?mdfid=278875240.

Note To access the software download page, you must be logged on to Cisco.com as a registered user.

- Step 2In the tree control on the Downloads page, expand Products>Voice and Unified Communications>IPTelephony>Unified Messaging>Cisco Unity Connection, and click Cisco Unity ConnectionViewMail for Microsoft Outlook Version 7.x.
- **Step 3** In the Latest Releases folder, click **VMO 7.0(1)**.
- Step 4 In the list of MSI files, download the applicable CiscoUnityConnection.VMO7.0.1.<language code>.msi file to the directory of your choice. (For example, for U.S. English, the filename is CiscoUnityConnection.VMO7.0.1.ENU.msi.)

## Installing ViewMail 7.0(1)

ViewMail can be installed on user workstations throughout your organization in a number of ways. Installation and deployment methods include:

- Installing ViewMail from a network drive. See the "Installing ViewMail 7.0(1) from a Network Drive" section on page 4. Alternatively, consider providing users with network access to the ViewMail setup application and a procedure so that they can install ViewMail themselves.
- Using a software publishing tool—such as Microsoft IntelliMirror or Microsoft Systems Management Server (SMS)—to deploy ViewMail to multiple user workstations at one time. For information on using either of the tools, see the Microsoft website.
- If you use IntelliMirror, deploy ViewMail by assigning or publishing it to a computer, rather than to an individual user. You can also use IntelliMirror or SMS for future upgrades of ViewMail.
- Deploying ViewMail with Microsoft Office, as part of the Office 2007 or Office 2003 suites.



Caution

When installing a new version of Microsoft Outlook on user workstations, you must first uninstall ViewMail. After you have installed Outlook, reinstall ViewMail. Otherwise, ViewMail will seem to be installed properly with the new version of Outlook, but it may not work.

By default, ViewMail files are installed in the directory C:\Program Files\ViewMail for Outlook. You can specify a different directory during a first-time installation of ViewMail.

ViewMail installs and uses the following files and registry keys:

Files <sup>1</sup>	• AvTsmSL.dll			
	• AvVox.acm			
	• AvWavSL.dll			
	• SL_g729a.acm			
	VMOLogging.dll			
Registry keys	HKEY_CURRENT_USER\Software\Cisco Systems\Cisco Unity Connection\VMO\Profiles\Cisco Enterprise Exchange			
	HKEY_CURRENT_USER\Software\Cisco Systems\Cisco Unity Connection\VMO\Options			
	HKEY_LOCAL_MACHINE\SOFTWARE\Cisco Systems\Cisco Unity Connection\VMO\Default Wave Format			
	<ul> <li>HKEY_CURRENT_USER\Software\Cisco Systems\Cisco Unity Connection\VMO\Profiles\<profile name=""></profile></li> </ul>			
	HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Exchange\Client\Extension     \VMO Extension			

1. Depending on the Windows version, the files are installed in one of three directories: C:\Windows\System, C:\Windows\System32, or C:\Windows\System32.

### Installing ViewMail 7.0(1) from a Network Drive

Do the procedure in this section to install ViewMail on user workstations from a network drive. You can also install ViewMail for multiple users who share a workstation.

#### To Install ViewMail 7.0(1) from a Network Drive

Step 1	Confirm that ViewMail requirements have been met. See the "Requirements" section on page 2.	
Step 2	Browse to the directory on the network drive where you downloaded the ViewMail file.	
Step 3	Double-click the file <b>CiscoUnityConnection.VMO7.0.1.<language code="">.msi</language></b> . (For example, CiscoUnityConnection.VMO7.0.1.ENU.msi.)	
Step 4	Follow the on-screen prompts to complete the installation.	

## **Configuring ViewMail**

To configure ViewMail, see the "Configuring Cisco Unity Connection ViewMail for Microsoft Outlook" section in the "Configuring an E-Mail Account to Access Cisco Unity Connection Voice Messages" chapter of the *User Workstation Setup Guide for Cisco Unity Connection Release* 7.x at http://www.cisco.com/en/US/docs/voice\_ip\_comm/connection/7x/user\_setup/guide/7xcucusx.html.

# **Limitations and Restrictions**

### Only One ViewMail Language Can Be Installed

ViewMail can be installed in only one language at a time on a user workstation. If a second language is installed, the first language is automatically uninstalled.

## Some Software on User Workstations Can Cause ViewMail to Fail

Some security and VPN software installed on user workstations can cause ViewMail to fail when users use the phone as the playback device for the Media Master. In particular, software that offers personal firewalls is problematic.

Disable or remove security and VPN software from user workstations. Alternatively, you can set up the Media Master so users can play messages in ViewMail with computer speakers.

### ViewMail Limitations Regarding Secure Messages

#### Added February 22, 2010

- Secure messages cannot be forwarded by using ViewMail for Outlook.
- ViewMail for Outlook supports only playing secure messages.
- Messages that are composed or replied to by using ViewMail for Outlook are not sent as secure, even when users are assigned to a class of service for which the Require Secure Messaging field is set to Always or to Ask.

## Yamaha Synthesizer Software Is Not Supported

Yamaha sound synthesizer software is not supported on Cisco Unity Connection user workstations with ViewMail.

# Caveats

The table in this section lists any Severity 1, 2, and 3 caveats in this release.

You can find the latest caveat information for Cisco Unity Connection ViewMail for Microsoft Outlook version 7.0(1)—in addition to caveats of any severity for any release—by using Bug Toolkit, an online tool available for customers to query defects according to their own needs. Bug Toolkit is available at http://www.cisco.com/go/bugs.



To access Bug Toolkit, you must be logged on to Cisco.com as a registered user.

## **Open Caveats—Release 7.0(1)**

Click a link in the Caveat Number column to view the latest information on the caveat in Bug Toolkit. (Caveats are listed in order by severity, then by component, then by caveat number.)

#### Table 1 Connection ViewMail Release 7.0(1) Open Caveats

Caveat Number	Component	Severity	Description
CSCsr57829	vmo	3	VMO does not install default way files
CSCsr90132	vmo	3	VMO: In Outlook2007, VMO form is removed when we save the Msg

# **Obtaining Documentation and Submitting a Service Request**

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html

Subscribe to the *What's New in Cisco Product Documentation* as a Really Simple Syndication (RSS) feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service and Cisco currently supports RSS version 2.0.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2012 Cisco Systems, Inc. All rights reserved

