



Common Phone Profile Configuration

Common phone profiles provide data that Cisco TFTP requires. After you configure a common phone profile, use the Phone Configuration window to associate an SCCP or SIP phone with a common phone profile.

Use the following topics to configure and locate common phone profiles:

- [Finding Common Phone Profiles, page 80-1](#)
- [Configuring Common Phone Profiles, page 80-2](#)
- [Common Phone Profile Configuration Settings, page 80-3](#)
- [Deleting Common Phone Profiles, page 80-3](#)
- [Related Topics, page 80-4](#)

Finding Common Phone Profiles

This topic describes how to use the Find and List Common Phone Profile window. The function searches every type of common phone profile against the following categories:

- Name
- Description

Procedure

Step 1 Choose **Device > Device Settings > Common Phone Profile**.

The Find and List Common Phone Profiles window displays.

Step 2 From the first Find Common Profile drop-down list box, choose the field that you want to use to search for common phone profiles; for example, Name, Description.



Note To find all common phone profiles that are registered in the database, do not enter any search text and click **Find**. A list of common phone profiles that matches your search criteria displays.

Step 3 From the second Find Common Phone Profile drop-down list box, choose a search pattern for your text search; for example, begins with, contains, or ends with.

Step 4 Specify the appropriate search text, if applicable, and click **Find**.

The records that match your search criteria display. You can change the number of items that display on each page by choosing a different value from the Rows per Page drop-down list box.



Tip

To search for common phone profiles within the search results, click the **Search Within Results** check box and enter your search criteria as described in this step.



Note

You can delete multiple common phone profiles by checking the check boxes next to the appropriate common phone profiles and clicking **Delete Selected**. You can delete all the common phone profiles in the window by clicking **Select All** and then clicking **Delete Selected**.



Note

You cannot delete the Standard Common Phone Profile.

Step 5 From the list of records that match your search criteria, click the name of the common phone profile that you want to view.

The Common Phone Profile Configuration window displays with the common phone profile that you choose.

Additional Information

See the [“Related Topics” section on page 80-4](#).

Configuring Common Phone Profiles

Perform the following procedure to add, copy, or update a common phone profile.

Procedure

Step 1 Choose **Device > Device Settings > Common Phone Profile**.

The Find and List Common Phone Profiles window displays.

Step 2 Perform one of the followings tasks:

- To copy an existing common phone profile, locate the appropriate common phone profile as described in [“Finding Common Phone Profiles” section on page 80-1](#), click the **Copy** button next to the common phone profile that you want to copy and continue with [Step 3](#).
- To add a new common phone profile, click the **Add New** button, and continue with [Step 3](#).
- To update an existing common phone profile, locate the appropriate common phone profile as described in [“Finding Common Phone Profiles” section on page 80-1](#) and continue with [Step 3](#).

Step 3 Enter the appropriate settings as described in [Table 80-1](#).

Step 4 Click **Save**.

Additional Information

See the [“Related Topics”](#) section on page 80-4.

Common Phone Profile Configuration Settings

[Table 80-1](#) describes the available settings in the Common Phone Profile Configuration window. For more information about related procedures, see the [“Related Topics”](#) section on page 80-4.

Table 80-1 Common Phone Profile Configuration Settings

Field	Description
Common Phone Profile Information	
Name	Enter a name to identify the common phone profile; for example, CPP_7905. The value can include 1 to 50 characters, including alphanumeric characters, dot, dash, and underscores.
Description	Identify the purpose of the common phone profile; for example, common phone profile for model 7905.
Local Phone Unlock Password	Enter the password that is used to unlock a local phone. Valid values comprise 1 to 15 characters.
Enable End User Access to Phone Background Image Setting	Check this check box to enable end users to change the background image on phones that use this common phone profile.

Deleting Common Phone Profiles

This section describes how to delete a common phone profile.

Before You Begin

To find out which devices are using the common phone profile, choose **Dependency Records** link from the Related Links drop-down list box in the Common Phone Profile Configuration window. If dependency records are not enabled for the system, the dependency records summary window displays a message. For more information about dependency records, see the [“Accessing Dependency Records”](#) section on page A-2.

Procedure

- Step 1** Locate the common phone profile that you want to delete. See the [“Finding Common Phone Profiles”](#) section on page 80-1.



Note You cannot delete the Standard Common Phone Profile.

- Step 2** From the Common Phone Profile Configuration window, click **Delete**.
A message displays that states that you cannot undo this action.
- Step 3** To delete the common phone profile, click **OK** or, to cancel the deletion, click **Cancel**.
-

Additional Information

See the [“Related Topics”](#) section on page 80-4.

Related Topics

- [Finding Common Phone Profiles, page 80-1](#)
- [Configuring Common Phone Profiles, page 80-2](#)
- [Common Phone Profile Configuration Settings, page 80-3](#)
- [Deleting Common Phone Profiles, page 80-3](#)
- [Cisco Unified IP Phone Configuration, page 70-1](#)
- [Cisco TFTP, *Cisco Unified CallManager System Guide*](#)
- [Understanding Session Initiation Protocol \(SIP\), *Cisco Unified CallManager System Guide*](#)
- [Cisco Unified IP Phones, *Cisco Unified CallManager System Guide*](#)