



A

administrators, CAR [1-4](#)

alerts

- enabling or disabling, by mail [4-8](#)

authenticate and show CAR pages [1-13](#)

authorization code name

- system report [6-18](#)

authorization code name report [6-18](#)

authorization level

- system report [6-19](#)

authorization level report [6-19](#)

automatic

- database purge [3-13](#)
- report generation [4-6](#)

B

base rate [4-2](#)

bill

- department [5-3](#)
- department detail, report results [10-3](#)
- department summary, report results [10-2](#)
- individual [5-1](#)
- individual detail, report results [10-3](#)
- individual summary, report results [10-2](#)

C

call detail

- conference call detail, report results [10-21](#)

call termination

- CDR search by [8-4](#)

call types

- QoS by [6-7](#)
- QoS report results by call types [10-12](#)

CAR

- administrators, managers, users [1-4](#)
- assistant call usage configuration [5-11](#)
- automatic database purge configuration [3-13](#)
- automatic report generation/alert configuration [4-6](#)
- call termination details, viewing [8-4](#)
- CDR/CMR records configuration [9-1](#)
- CDR error report [6-21](#)
- CDR error report configuration [6-21](#)
- CDR search
 - by call precedence levels [8-5](#)
 - configuration [8-1](#)
 - malicious calls [8-6](#)
 - overview [1-11](#)

- CDR search by cause for call termination configuration [8-4](#)

- CDR search by gateway configuration [8-2](#)

- CDR search by user extension configuration [8-1](#)

- checklist [1-14](#)

- Cisco IP manager/assistant, described [5-10](#)

- Cisco IP Phone services report configuration [5-12](#)

- conference bridge utilization report [7-14](#)

- conference call details configuration [7-13](#)

- configuration, gateway [3-5](#)

- department bills configuration [5-3](#)

- described [1-2](#)

- device report, described [7-1](#)

- device reports

 - overview [1-9](#)

- dial plan default values [3-4](#)

- disabling automatic database purge [3-13](#)
 - event log report output parameters [3-15](#)
 - event log report status [3-15](#)
 - export CDR/CMR records results [9-2](#)
 - gateway report [7-1, 7-7](#)
 - generate report fields [6-6, 6-8, 6-10, 6-13, 6-16](#)
 - individual bills configuration [5-2](#)
 - list of topics [1-1](#)
 - load CDR and CMR values [3-8](#)
 - logging off [2-4](#)
 - Malicious Call Identification [6-15](#)
 - manager call usage configuration [5-10](#)
 - manual database purge [3-12](#)
 - notification limits configuration [4-8](#)
 - overview [2-1](#)
 - precedence call summary [6-15](#)
 - QoS by call types configuration [6-7](#)
 - QoS by call types report [6-7](#)
 - QoS by gateway configuration [6-6](#)
 - QoS by gateway report [6-6](#)
 - QoS default values [4-5](#)
 - QoS detail report
 - call types [6-2](#)
 - voice quality [6-3, 6-11](#)
 - QoS detail report configuration [6-2](#)
 - QoS parameter operators [6-21](#)
 - QoS parameters
 - call types [6-8](#)
 - described [6-5](#)
 - QoS reports, described [6-1](#)
 - QoS summary report [6-4](#)
 - call types [6-4](#)
 - QoS summary report configuration [6-4](#)
 - QoS values, defining [4-5](#)
 - rating engine configuration [4-1](#)
 - report configuration, described [4-1](#)
 - reports, results [10-1](#)
 - restoring database purge defaults [3-12](#)
 - restoring dial plan default values [3-4](#)
 - searching for users [5-14](#)
 - system configuration [1-5, 3-1](#)
 - system log screens, described [3-14](#)
 - system overview report [6-20](#)
 - system overview report configuration [6-20](#)
 - system preferences parameters [3-6](#)
 - system reports
 - overview [1-7](#)
 - system reports, described [6-1](#)
 - top N, described [5-4](#)
 - top N by charge
 - call types [5-5](#)
 - report types [5-5](#)
 - top N by charge configuration [5-4](#)
 - top N by duration
 - call types [5-6](#)
 - report types [5-7](#)
 - top N by duration configuration [5-6](#)
 - top N by number of calls
 - call types [5-8](#)
 - report types [5-9](#)
 - top N by number of calls configuration [5-8](#)
 - traffic reports
 - described [6-9](#)
 - traffic summary (extn), call types [6-13](#)
 - traffic summary, call types [6-11](#)
 - traffic summary by extensions report [6-12](#)
 - traffic summary by extensions report configuration [6-12](#)
 - traffic summary report [6-10](#)
 - traffic summary report configuration [6-10](#)
 - uninhibited loading of CDR values [3-8](#)
 - user reports [1-6](#)
 - user reports, described [5-1](#)
 - voice messaging utilization report [7-15](#)
- CDR**
- automatic database purge configuration [3-13](#)
 - disabling automatic database purge [3-13](#)
 - disabling loading [3-7](#)

- dump table [10-25](#)
- error, report results [10-18](#)
- error report [6-21](#)
- load schedule configuration [3-7](#)
- restoring the default load schedule [3-7](#)
- search [8-1](#)
- search by cause for call termination [8-4](#)
- search by gateway [8-2](#)
- search by user extension [8-1](#)
- search by user extension, report results [10-23](#)
- service parameters, configuring [2-2](#)
- values
 - CDR load [3-8](#)
- CDR analysis and reporting
 - general information [1-5](#)
 - internationalization [1-12, 1-13](#)
- CDR Analysis and Reporting Tool
 - described [2-1](#)
 - logging off [2-4](#)
- CDRs
 - understanding [1-1](#)
- CDR values
 - uninhibited loading [3-8](#)
- Cisco IP manager/assistant [5-10, 5-11](#)
 - assistant call usage [5-11](#)
 - manager call usage [5-10](#)
- Cisco IP Phone services, report results [10-10](#)
- Cisco IP Phone services report, configuration [5-12](#)
- client matter code
 - system report [6-17](#)
- client matter code report [6-17](#)
- CMR dump table [10-25](#)
- CMR values, CDR load [3-8](#)
- conference bridge utilization, report results [10-22](#)
- conference call detail, report results [10-21](#)
- configuration checklist
 - CAR [1-14](#)
- configuring [6-15, 8-5, 8-6](#)
- conventions [xi](#)

- customizing, reports for automatic generation [4-7](#)
- customizing reports for automatic generation [1-10](#)

D

- daily charges, notification limits configuration [4-8](#)
- daily reports
 - scheduling [3-9](#)
- database
 - automatic purge configuration [3-13](#)
 - disabling automatic purge [3-13](#)
 - restoring purge defaults [3-12](#)
- department bill
 - detail [5-3](#)
 - summary [5-3](#)
- department bill detail, report results [10-3](#)
- department bill summary, report results [10-2](#)
- detail
 - department bill [5-3](#)
 - department bill, report results [10-3](#)
 - gateway [7-1](#)
 - gateway, report results [10-19](#)
 - individual bill [5-1](#)
 - individual bill, report results [10-3](#)
 - QoS, report results [10-10](#)
 - QoS report [6-2](#)
- details report [6-15](#)
- device reports [7-1](#)
- device reports, CAR [1-9](#)
- dial plan, configuration [3-2](#)
- disabling
 - alerts by mail [4-8](#)
 - automatic CAR and CDR database purge [3-13](#)
 - automatic database purge [3-13](#)
 - CDR loading [3-7](#)
- document
 - audience [x](#)
 - conventions [xi](#)
 - organization [x](#)

purpose [ix](#)
 documentation
 related [x](#)
 dump table, CDR and CMR [10-25](#)
 duration [4-2](#)

E

enabling
 alerts by mail [4-8](#)
 reports for automatic generation [4-7](#)
 enabling reports for automatic generation [1-10](#)
 error
 CDR report [6-21](#)
 CDR report, results [10-18](#)
 event log
 generating [3-14](#)
 event log, generating [1-5](#)
 event log report
 output [3-15](#)
 status [3-15](#)
 extension
 CDR search by [8-1](#)
 CDR search by, report results [10-23](#)

G

gateway
 CDR search by [8-2](#)
 configuration for CAR [3-5](#)
 QoS by [6-6](#)
 QoS report results by gateway [10-12](#)
 gateway detail
 call types [7-2, 7-4](#)
 voice quality [7-3](#)
 gateway detail, report results [10-19](#)
 gateway detail report [7-1](#)
 gateway report, configuring [7-1](#)

gateway summary, report results [10-19](#)
 gateway summary report [7-4](#)
 gateway utilization, report results [10-21](#)
 gateway utilization report [7-5](#)
 generate report fields [7-6, 7-8, 7-10, 7-11, 7-14, 7-16](#)
 generating
 event log [3-14](#)

I

individual bill
 configuration [5-2](#)
 detail [5-1](#)
 summary [5-1](#)
 individual bill detail, report results [10-3](#)
 individual bill summary, report results [10-2](#)
 internationalization for CDR analysis and reporting [1-12](#)

L

load
 CDR schedule configuration [3-7](#)
 disabling CDR [3-7](#)
 restoring the default CDR schedule [3-7](#)
 logging off CAR [2-4](#)
 logon page [1-13](#)

M

mailing a report [5-13](#)
 mail server parameters [3-2](#)
 managers, CAR [1-4](#)
 manual database purge, configuration [3-12](#)
 media information [10-25](#)
 monthly reports
 scheduling [3-11](#)

N

notification limits [4-8](#)

O

organization [x](#)

overview

 automatic report generation [4-6](#)

 CAR [2-1](#)

 department bill reports [5-3](#)

 device reports [7-1](#)

 error and event logs [1-5](#)

 individual bill reports [5-1](#)

 system report [6-20](#)

P

parameters

 factoring time of day for rating [4-3](#)

 factoring voice quality for rating [4-4](#)

 mail server configuration [3-2](#)

 setting the base rate and duration for rating [4-2](#)

 system configuration [3-1](#)

preferences

 system configuration [3-6](#)

purge

 automatic database configuration [3-13](#)

 disabling automatic database [3-13](#)

 restoring database defaults [3-12](#)

Q

QoS

 default values [4-5](#)

 defining values [4-5](#)

 notification limits configuration [4-8](#)

QoS by call types, report results [10-12](#)

QoS by call types report [6-7](#)

QoS by gateway, report results [10-12](#)

QoS by gateway report [6-6](#)

QoS detail, report results [10-10](#)

QoS detail report

 call types [6-2](#)

 voice quality [6-3, 6-11](#)

QoS parameter operators [6-21](#)

QoS parameters, call types [6-8](#)

QoS summary, report results [10-11](#)

QoS summary report

 call types [6-4](#)

R

rating engine, configuration [4-1](#)

rating parameters

 factoring time of day [4-3](#)

 factoring voice quality [4-4](#)

 setting the base rate and duration [4-2](#)

related documentation [x](#)

report

 authorization code name [6-18](#)

 authorization level [6-19](#)

 CDR error [6-21](#)

 CDR search [8-1](#)

 CDR search by cause for call termination [8-4](#)

 CDR search by gateway [8-2](#)

 CDR search by user extension [8-1](#)

 Cisco IP manager/assistant [5-10, 5-11](#)

 Cisco IP phone services [5-12](#)

 client matter code [6-17](#)

 department bill [5-3](#)

 device [7-1](#)

 gateway detail report [7-1](#)

 gateway summary [7-4](#)

 gateway utilization [7-5](#)

 individual bill [5-1](#)

 mailing [5-13](#)

- QoS by call types report [6-7](#)
 - QoS by gateway report [6-6](#)
 - QoS detail [6-2](#)
 - route and line group utilization [7-7](#)
 - route list utilization [7-9](#)
 - route pattern/hunt pilot utilization [7-11](#)
 - system [6-1](#)
 - system overview [6-20](#)
 - top N by charge [5-4](#)
 - top N by duration [5-6](#)
 - top N by number of calls [5-8](#)
 - traffic summary [6-10](#)
 - traffic summary by extensions [6-12](#)
 - voice-mail utilization [7-15](#)
 - report configuration, CAR [4-1](#)
 - report results
 - CDR error [10-18](#)
 - CDR search by user extension [10-23](#)
 - Cisco IP Phone services [10-10](#)
 - conference bridge utilization [10-22](#)
 - conference call detail [10-21](#)
 - department bill, detail [10-3](#)
 - department bill, summary [10-2](#)
 - gateway detail [10-19](#)
 - gateway summary [10-19](#)
 - gateway utilization [10-21](#)
 - individual bill, detail [10-3](#)
 - individual bill, summary [10-2](#)
 - QoS by gateway [10-12](#)
 - QoS detail [10-10](#)
 - QoS report by call types [10-12](#)
 - QoS summary [10-11](#)
 - route group utilization [10-21](#)
 - route list utilization [10-21](#)
 - route pattern utilization [10-21](#)
 - system overview [10-17](#)
 - top N by charge [10-4](#)
 - top N by duration [10-4](#)
 - top N by number of calls [10-5](#)
 - traffic summary [10-13](#)
 - traffic summary by extensions [10-13](#)
 - voice mail utilization [10-23](#)
 - Reports
 - CAR report results [10-1](#)
 - reports
 - automatic generation configuration [4-6](#)
 - automatic report generation/alert [4-6](#)
 - customizing for automatic generation [1-10, 4-7](#)
 - enabling for automatic generation [1-10, 4-7](#)
 - overview [1-13](#)
 - scheduling daily [3-9](#)
 - scheduling monthly [3-11](#)
 - scheduling weekly [3-10](#)
 - system overview results [10-17](#)
 - user [5-1](#)
 - user, CAR [1-6](#)
 - restoring
 - CAR database purge defaults [3-12](#)
 - default CDR load schedule [3-7](#)
 - route
 - group utilization, report results [10-21](#)
 - list utilization, report results [10-21](#)
 - pattern utilization, report results [10-21](#)
 - route and line group utilization report [7-7](#)
 - route list utilization report [7-9](#)
 - route pattern/hunt pilot utilization report [7-11](#)
 - route plan utilization report, configuring [7-7](#)
-
- ## S
- schedule
 - CDR load configuration [3-7](#)
 - restoring the default CDR load [3-7](#)
 - scheduling
 - daily reports [3-9](#)
 - monthly reports [3-11](#)
 - weekly reports [3-10](#)
 - search

- CDR by cause for call termination 8-4
- CDR by gateway 8-2
- CDR by user extension 8-1
- CDR by user extension, report results 10-23
- CDRs 8-1
- searching for users, CAR 5-14
- server, mail parameters 3-2
- summary
 - department bill 5-3
 - department bill, report results 10-2
 - gateway 7-4
 - gateway, report results 10-19
 - individual bill 5-1
 - individual bill, report results 10-2
 - QoS, report results 10-11
 - traffic 6-10
 - traffic, report results 10-13
 - traffic by extensions 6-12
 - traffic by extensions, report results 10-13
- system, CAR 1-5
- system log screens
 - CAR 3-14
- system overview, report results 10-17
- system overview report 6-20
- system parameters, configuration 3-1
- system preferences
 - configuration 3-6
- system preferences parameters for CAR 3-6
- system reports, CAR 1-7

T

- table, CDR and CMR dump 10-25
- time of day 4-3
- top N
 - by charge 5-4
 - by charge, report results 10-4
 - by duration 5-6
 - by duration, report results 10-4

- by number of calls 5-8
- by number of calls, report results 10-5
- top N by charge
 - call types 5-5
 - report types 5-5
- top N by charge, report results 10-4
- top N by duration
 - call types 5-6
 - configuration 5-6
 - report types 5-7
- top N by duration, report results 10-4
- top N by number of calls
 - call types 5-8
 - configuration 5-8
 - report types 5-9
- top N by number of calls, report results 10-5
- traffic summary 6-10
- traffic summary (extn), call types 6-13
- traffic summary, call types 6-11
- traffic summary, report results 10-13
- traffic summary by extensions, report results 10-13
- traffic summary by extensions report 6-12

U

- uninhibited loading of CDR values 3-8
- user reports, CAR 1-6
- user reports, described 5-1
- users, CAR 1-4
- using 3-12
- utilization
 - conference bridge, report results 10-22
 - gateway 7-5
 - gateway, report results 10-21
 - route and line group 7-7
 - route group, report results 10-21
 - route list 7-9
 - route list, report results 10-21
 - route pattern/hunt pilot 7-11

voice-mail [7-15](#)

voice mail, report results [10-23](#)

V

viewing [9-2](#)

voice mail utilization, report results [10-23](#)

voice-mail utilization report [7-15](#)

voice quality [4-4](#)

W

weekly reports

scheduling [3-10](#)