

Configuring and Using Performance Monitoring

You can monitor the performance of Cisco Unified CallManager by choosing the counters for any object by using RTMT. The counters for each object display when the folder expands. You can also enable troubleshooting perfmon data logging to automatically collect statistics from a set of perfmon counters that will provide comprehensive information on the system state. Be aware that enabling troubleshooting perfmon data logging uses extensive system resources and may system performance.

This chapter contains information on the following topics:

- Displaying Performance Counters, page 9-1
- Removing a Counter from the RTMT Performance Monitoring Pane, page 9-2
- Adding a Counter Instance, page 9-3
- Configuring Alert Notification for a Counter, page 9-3
- Zooming a Counter, page 9-6
- Displaying a Counter Description, page 9-7
- Configuring a Data Sample, page 9-7
- Viewing Counter Data, page 9-8

Displaying Performance Counters

RTMT displays perfmon counters in chart or table format. The chart format displays the perfmon counter information by using line charts. For each category tab that you create, you can display up to six charts in the RTMT Perfmon Monitoring pane with up to three counters in one chart.

<u>}</u> Tip

You can display up to three counters in one chart in the RTMT Perfmon Monitoring pane. To add another counter in a chart, click the counter and drag it to the RTMT Perfmon Monitoring pane. Repeat again to add up to three counters.

By default, RTMT displays perfmon counters in a chart format. You can also choose to display the perfmon counters in a table format. To display the perfmon counters in table format, you need to check the **Present Data in Table View** check box when you create a new category.

You can organize the perfmon counters to display a set of feature-based counters and save it in a category. After you save your RTMT profile, you can quickly access the counters that you are interested in. After you create a category, you cannot change the display from a chart format to a table format, or vice versa.

Procedure

Step 1	Perform one of the following tasks:			
	• In the Quick Launch Channel, click Perfmon ; then, click the Perfmon Monitoring icon.			
	Choose Perfmon > Open Perfmon Monitoring.			
Step 2	Click the name of the server where you want to add a counter to monitor.			
	The tree hierarchy expands and displays all the perfmon objects for the node.			
Step 3	To monitor a counter in table format, see Step 4. To monitor a counter in chart format, see Step 5.			
Step 4	To monitor a counter in table format, perform the following procedure.			
	a. Choose Edit > New Category.			
	b. In the Enter Name field, enter a name for the tab.			
	c. To display the perfmon counters in table format, check the Present Data in Table View check box.			
	d. Click OK . A new tab with the name that you entered displays at the bottom of the pane.			
	e. Click the file icon next to the object name that lists the counters that you want to monitor.			
	TipTo display the counter in chart format after you display it in table format, right-click the category tab and choose Remove Category . The counter displays in chart format.			
Step 5	To monitor a counter in chart format, perform the following tasks:			
	• Click the file icon next to the object name that lists the counters that you want to monitor.			
	A list of counters displays.			
	• To display the counter information, either right-click the counter and click Counter Monitoring , double-click the counter, or drag and drop the counter into the RTMT Perfmon Monitoring pane.			

The counter chart displays in the RTMT Perfmon Monitoring pane.

Additional Information

See the Related Topics, page 9-9.

Removing a Counter from the RTMT Performance Monitoring Pane

You can remove counters from the RTMT Perfmon Monitoring pane when you no longer need them. This section describes how to remove a counter from the pane.

Perform one of the following tasks:

- Right-click the counter that you want to remove and choose **Remove**.
- Click the counter that you want to remove and choose **Perfmon > Remove Chart/Table Entry**.

The counter no longer displays in the RTMT Perfmon Monitoring pane.

Additional Information

See the Related Topics, page 9-9.

Adding a Counter Instance

To add a counter instance, perform the following procedure:

Procedure

- **Step 1** Display the performance monitoring counter, as described in the "Displaying Performance Counters" section on page 9-1.
- **Step 2** Perform one of the following tasks:
 - Double-click the performance monitoring counter in the performance monitoring tree hierarchy.
 - Click the performance monitoring counter in the performance monitoring tree hierarchy and choose **Performance > Counter Instances**.
 - Right-click the performance monitoring counter in the performance monitoring tree hierarchy and choose **Counter Instances**.
- **Step 3** In the Select Instance window, click the instance; then, click Add.

The counter displays.

Additional Information

See the Related Topics, page 9-9.

Configuring Alert Notification for a Counter

The following procedure describes how to configure alert notification for a counter.

<u>P</u> Tip

To remove the alert for the counter, right-click the counter and choose Remove Alert. The option appears gray after you remove the alert.

Procedure

- **Step 1** Display the performance counter, as described in the "Displaying Performance Counters" section on page 9-1.
- **Step 2** From the counter chart or table, right-click the counter for which you want to configure the alert notification, and choose **Alert/Threshold**.
- **Step 3** Check the **Enable Alert** check box.
- Step 4 In the Severity drop-down list box, choose the severity level at which you want to be notified.
- **Step 5** In the Description pane, enter a description of the alert.
- Step 6 Click Next.

Step 7 Use Table 9-1 to configure the settings in the Threshold, Value Calculated As, Duration, Frequency, and Schedule panes. After you enter the settings in the window, click Next to proceed to the next panes.

Setting	Description
Threshold Pane	
Trigger alert when following	Check the check box and enter the value that applies.
conditions met (Over, Under)	• Over—Check this check box to configure a maximum threshold that must be met before an alert notification is activated. In the Over value field, enter a value. For example, enter a value that equals the number of calls in progress.
	• Under—Check this check box to configure a minimum threshold that must be met before an alert notification is activated. In the Under value field, enter a value. For example, enter a value that equals the number of calls in progress.
	TipUse these check boxes in conjunction with the Frequency and Schedule configuration parameters.
Value Calculated As Pane	
Absolute, Delta, % Delta	Click the radio button that applies.
	• Absolute—Because some counter values are accumulative (for example, CallsAttempted or CallsCompleted), choose Absolute to display the data at its current status.
	• Delta—Choose Delta to display the difference between the current counter value and the previous counter value.
	• % Delta—Choose % Delta to display the counter performance changes in percentage.
Duration Pane	
Trigger alert only when value constantly; Trigger alert immediately	• Trigger alert only when value constantly—If you want the alert notification only when the value is constantly below or over threshold for a desired number of seconds, click this radio button and enter seconds after which you want the alert to be sent.
	• Trigger alert immediately—If you want the alert notification to be sent immediately, click this radio button.

 Table 9-1
 Counter Alert Configuration Parameters

Setting	Description				
Frequency Pane					
Trigger alert on every poll;	Click the radio button that applies.				
trigger up to	• trigger alert on every poll—If you want the alert notification to activate on every poll when the threshold is met, click this radio button.				
	If the calls in progress continue to go over or under the threshold, the system does not send another alert notification. When the threshold is normal (between 50 and 100 calls in progress), the system deactivates the alert notification; however, if the threshold goes over or under the threshold value again, the system reactivates alert notification.				
	• trigger up to—If you want the alert notification to activate at certain intervals, click this radio button and enter the number of alerts that you want sent and the number of minutes within which you want them sent.				
Schedule Pane					
24-hours daily; start/stop	Click the radio button that applies:				
	• 24-hours daily—If you want the alert to be triggered 24 hours a day, click this radio button.				
	• start/stop—If you want the alert notification activated within a specific time frame, click the radio button and enter a start time and a stop time. If the check box is checked, enter the start and stop times of the daily task. For example, you can configure the counter to be checked every day from 9:00 am to 5:00 pm or from 9:00 pm to 9:00 am.				

Table 9-1 Counter Alert Configuration Parameters (continued)

- **Step 8** If you want the system to send an e-mail message for the alert, check the **Enable Email** check box.
- **Step 9** If you want to trigger an alert action that is already configured, choose the alert action that you want from the Trigger Alert Action drop-down list box.
- **Step 10** If you want to configure a new alert action for the alert, click **Configure**.

Note	

Whenever the specified alert is triggered, the system sends the alert action.

The Alert Action dialog box displays.

Step 11 To add a new alert action, click **Add**.

The Action Configuration dialog box displays.

- **Step 12** In the Name field, enter a name for the alert action.
- **Step 13** In the Description field, enter a description for the alert action.
- Step 14 To add a new e-mail recipient for the alert action, click Add.The Input dialog box displays.

- **Step 15** Enter either the e-mail or e-page address of the recipient that you want to receive the alert action notification.
- Step 16 Click OK.

The recipient address displays in the Recipient list. The Enable check box gets checked.

$$\rho$$

- **Tip** To disable the recipient address, uncheck the Enable check box. To delete a recipient address from the Recipient list, highlight the address and click **Delete**.
- Step 17 Click OK.
- **Step 18** The alert action that you added displays in Action List.

\mathcal{P}
Tip

- To delete an alert action from the action list, highlight the alert action and click **Delete**. You can also edit an existing alert action by clicking **Edit**.
- Step 19 Click Close.
- Step 20 In the User-defined email text box, enter the text that you want to display in the e-mail message.
- Step 21 Click Activate.

Additional Information

See the Related Topics, page 9-9.

Zooming a Counter

To get a closer look at perfmon counters, you can zoom the perfmon monitor counter in the RTMT Perfmon Monitoring pane.

Procedure

Step 1 Perform one of the following tasks:

- In the RTMT Performance Monitoring pane, double-click the counter that you want to zoom. The box with the counter appears highlighted, and the Zoom window automatically displays.
- In the RTMT Performance Monitoring pane, click the counter that you want to zoom. The box with the counter appears highlighted. Choose **Perfmon > Zoom Chart**. The Zoom window automatically displays.

The minimum, maximum, average, and last fields show the values for the counter since the monitoring began for the counter.

Step 2 To close the window, click **OK**.

Additional Information

See the Related Topics, page 9-9.

Displaying a Counter Description

Use one of two methods to obtain a description of the counter:

Procedure

- **Step 1** Perform one of the following tasks:
 - In the Perfmon tree hierarchy, right-click the counter for which you want property information and choose **Counter Description**.
 - In the RTMT Performance Monitoring pane, click the counter and choose **Perfmon > Counter Description**.

ρ

- Tip
 - To display the counter description and to configure data-sampling parameters, see the "Configuring a Data Sample" section on page 9-7.

The Counter Property window displays the description of the counter. The description includes the host address, the object to which the counter belongs, the counter name, and a brief overview of what the counter does.

Step 2 To close the Counter Property window, click **OK**.

Additional Information

See the Related Topics, page 9-9.

Configuring a Data Sample

The Counter Property window contains the option to configure data samples for a counter. The perfmon counters that display in the RTMT Perfmon Monitoring pane contain green dots that represent samples of data over time. You can configure the number of data samples to collect and the number of data points to show in the chart. After the data sample is configured, view the information by using the View All Data/View Current Data menu option. See the "Viewing Counter Data" section on page 9-8.

This section describes how to configure the number of data samples to collect for a counter.

Procedure

- **Step 1** Display the counter, as described in the "Displaying Performance Counters" section on page 9-1.
- **Step 2** Perform one of the following tasks:
 - Right-click the counter for which you want data sample information and choose **Monitoring Properties** if you are using chart format and **Properties** if you are using table format.
 - Click the counter for which you want data sample information and choose **Perfmon > Monitoring Properties**.

The Counter Property window displays the description of the counter, as well as the tab for configuring data samples. The description includes the host address, the object to which the counter belongs, the counter name, and a brief overview of what the counter does.

- **Step 3** To configure the number of data samples for the counter, click the **Data Sample** tab.
- **Step 4** From the No. of data samples drop-down list box, choose the number of samples (between 100 and 1000). The default specifies 100.
- **Step 5** From the No. of data points shown on chart drop-down list box, choose the number of data points to display on the chart (between 10 and 50). The default specifies 20.
- **Step 6** Click one parameter, as described in Table 9-2.

Parameter	Description
Absolute	Because some counter values are accumulative (for example, CallsAttempted or CallsCompleted), choose Absolute to display the data at its current status.
Delta	Choose Delta to display the difference between the current counter value and the previous counter value.
% Delta	Choose % Delta to display the counter performance changes in percentage.

Table 9-2Data Sample Parameters

Step 7 To close the Counter Property window and return to the RTMT Perfmon Monitoring pane, click the **OK** button.

Additional Information

See the Related Topics, page 9-9.

Viewing Counter Data

Perform the following procedure to view the data that is collected for a performance counter.

Procedure

Step 1 In the RTMT Perfmon Monitoring pane, right-click the counter chart for the counter for which you want to view data samples and choose **View All Data**.

The counter chart displays all data that has been sampled. The green dots display close together, almost forming a solid line.

Step 2 Right-click the counter that currently displays and choose **View Current**.

The counter chart displays the last configured data samples that were collected. See the "Configuring a Data Sample" section on page 9-7 procedure for configuring data samples.

Additional Information

See the Related Topics, page 9-9.

9-9

Related Topics

- Displaying Performance Counters, page 9-1
- Removing a Counter from the RTMT Performance Monitoring Pane, page 9-2
- Configuring Alert Notification for a Counter, page 9-3
- Zooming a Counter, page 9-6
- Displaying a Counter Description, page 9-7
- Configuring a Data Sample, page 9-7
- Viewing Counter Data, page 9-8