



INDEX

A

- administrators, CAR [1-4](#)
- alerts
 - enabling or disabling, by mail [4-8](#)
- authenticate and show CAR pages [1-13](#)
- authorization code name
 - system report [6-18](#)
- authorization code name report [6-18](#)
- authorization level
 - system report [6-19](#)
- authorization level report [6-19](#)
- automatic
 - database purge [3-14](#)
 - report generation [4-6](#)

B

- base rate [4-2](#)
- bill
 - department [5-3](#)
 - department detail, report results [10-3](#)
 - department summary, report results [10-2](#)
 - individual [5-1](#)
 - individual detail, report results [10-3](#)
 - individual summary, report results [10-2](#)

C

- call detail
 - conference call detail, report results [10-20](#)
- call termination
 - CDR search by [8-4](#)

call types

- QoS by [6-7](#)
- QoS report results by call types [10-11](#)

CAR

- administrators, managers, users [1-4](#)
- assistant call usage configuration [5-11](#)
- automatic database purge configuration [3-14](#)
- automatic report generation/alert configuration [4-6](#)
- call termination details, viewing [8-4](#)
- CDR/CMR records configuration [9-1](#)
- CDR error report [6-21](#)
- CDR error report configuration [6-21](#)
- CDR search
 - by call precedence levels [8-5](#)
 - configuration [8-1](#)
 - malicious calls [8-6](#)
 - overview [1-11](#)
- CDR search by cause for call termination configuration [8-4](#)
- CDR search by gateway configuration [8-2](#)
- CDR search by user extension configuration [8-1](#)
- checklist [1-14](#)
- Cisco IP Manager Assistant usage reports, described [5-10](#)
- Cisco IP Phone services report configuration [5-12](#)
- conference bridge utilization report [7-14](#)
- conference call details configuration [7-13](#)
- configuration, gateway [3-5](#)
- department bills configuration [5-3](#)
- described [1-2](#)
- device report, described [7-1](#)
- device reports
 - overview [1-9](#)
- dial plan default values [3-4](#)

- disabling automatic database purge [3-14](#)
- event log report output parameters [3-16](#)
- event log report status [3-15](#)
- export CDR/CMR records results [9-2](#)
- gateway report [7-1, 7-8](#)
- generate report fields [6-6, 6-8, 6-10, 6-13, 6-16](#)
- individual bills configuration [5-2](#)
- list of topics [1-1](#)
- load CDR and CMR values [3-8](#)
- logging off [2-5](#)
- Malicious Call Identification [6-15](#)
- manager call usage configuration [5-10](#)
- manual database purge [3-12](#)
- notification limits configuration [4-9](#)
- overview [2-1](#)
- precedence call summary [6-16](#)
- QoS by call types configuration [6-7](#)
- QoS by call types report [6-7](#)
- QoS by gateway configuration [6-6](#)
- QoS by gateway report [6-6](#)
- QoS default values [4-5](#)
- QoS detail report
 - call types [6-2](#)
 - voice quality [6-3, 6-12](#)
- QoS detail report configuration [6-2](#)
- QoS parameter operators [6-21](#)
- QoS parameters
 - call types [6-8](#)
 - described [6-5](#)
- QoS reports, described [6-1](#)
- QoS summary report
 - call types [6-4](#)
- QoS summary report configuration [6-4](#)
- QoS values, defining [4-5](#)
- rating engine configuration [4-1](#)
- report configuration, described [4-1](#)
- reports, results [10-1](#)
- restoring database purge defaults [3-12](#)
- restoring dial plan default values [3-4](#)
- searching for users [5-14](#)
- system configuration [1-5, 3-1](#)
- system log screens, described [3-15](#)
- system overview report [6-20](#)
- system overview report configuration [6-20](#)
- system preferences parameters [3-6](#)
- system reports
 - overview [1-7](#)
- system reports, described [6-1](#)
- top N, described [5-4](#)
- top N by charge
 - call types [5-5](#)
 - report types [5-5](#)
- top N by charge configuration [5-4](#)
- top N by duration
 - call types [5-7](#)
 - report types [5-7](#)
- top N by duration configuration [5-6](#)
- top N by number of calls
 - call types [5-9](#)
 - report types [5-9](#)
- top N by number of calls configuration [5-8](#)
- traffic reports
 - described [6-9](#)
- traffic summary (extn), call types [6-14](#)
- traffic summary, call types [6-11](#)
- traffic summary by extensions report [6-13](#)
- traffic summary by extensions report configuration [6-13](#)
- traffic summary report [6-10](#)
- traffic summary report configuration [6-10](#)
- uninhibited loading of CDR values [3-8](#)
- user reports [1-6](#)
- user reports, described [5-1](#)
- voice messaging utilization report [7-15](#)
- car_CDRSearchByCauseCodesReport [8-4](#)
- CDR
 - automatic database purge configuration [3-14](#)
 - disabling automatic database purge [3-14](#)

- disabling loading 3-7
- dump table 10-24
- error, report results 10-17
- error report 6-21
- load schedule configuration 3-7
- restoring the default load schedule 3-7
- search 8-1
- search by cause for call termination 8-4
- search by gateway 8-2
- search by user extension 8-1
- search by user extension, report results 10-22
- service parameters, configuring 2-2
- values
 - CDR load 3-8
- CDR analysis and reporting
 - general information 1-6
 - internationalization 1-12, 1-13
- CDR Analysis and Reporting Tool
 - described 2-1
 - logging off 2-5
- CDRs
 - understanding 1-1
- CDR values
 - uninhibited loading 3-8
- Cisco IPMA usage reports
 - assistant call usage 5-11
 - manager call usage 5-10
- Cisco IP Phone services
 - report configuration 5-12
 - report results 10-9
- client matter code
 - system report 6-17
- client matter code report 6-17
- CMR dump table 10-24
- CMR values, CDR load 3-8
- conference bridge utilization, report results 10-21
- conference call detail, report results 10-20
- configuration checklist
 - CAR 1-14

- configuring 6-15, 6-16, 8-5, 8-6
- conventions xi
- customizing, reports for automatic generation 4-7
- customizing reports for automatic generation 1-10

D

- daily charges, notification limits configuration 4-9
- daily reports
 - scheduling 3-9
- database
 - automatic purge configuration 3-14
 - disabling automatic purge 3-14
 - restoring purge defaults 3-12
- department bill
 - detail 5-3
 - summary 5-3
- department bill detail, report results 10-3
- department bill summary, report results 10-2
- detail
 - department bill 5-3
 - department bill, report results 10-3
 - gateway 7-1
 - gateway, report results 10-18
 - individual bill 5-1
 - individual bill, report results 10-3
 - QoS, report results 10-9
 - QoS report 6-2
- details report 6-15
- device reports 7-1
- device reports, CAR 1-9
- dial plan, configuration 3-2
- disabling
 - alerts by mail 4-8
 - automatic CAR and CDR database purge 3-14
 - automatic database purge 3-14
 - CDR loading 3-7
- document
 - audience x

- conventions [xi](#)
- organization [x](#)
- purpose [ix](#)
- documentation
 - related [xi](#)
- dump table, CDR and CMR [10-24](#)
- duration [4-2](#)

E

- enabling
 - alerts by mail [4-8](#)
 - reports for automatic generation [4-7](#)
- enabling reports for automatic generation [1-10](#)
- error
 - CDR report [6-21](#)
 - CDR report, results [10-17](#)
- event log
 - generating [3-15](#)
- event log, generating [1-5](#)
- event log report
 - output [3-16](#)
 - status [3-15](#)
- extension
 - CDR search by [8-1](#)
 - CDR search by, report results [10-22](#)

G

- gateway
 - CDR search by [8-2](#)
 - configuration for CAR [3-5](#)
 - QoS by [6-6](#)
 - QoS report results by gateway [10-11](#)
- gateway detail
 - call types [7-2, 7-4](#)
 - voice quality [7-3](#)
- gateway detail, report results [10-18](#)

- gateway detail report [7-1](#)
- gateway report, configuring [7-1](#)
- gateway summary, report results [10-19](#)
- gateway summary report [7-4](#)
- gateway utilization, report results [10-20](#)
- gateway utilization report [7-5](#)
- generate report fields [7-6, 7-8, 7-10, 7-12, 7-14, 7-16](#)
- generating
 - event log [3-15](#)

I

- individual bill
 - configuration [5-2](#)
 - detail [5-1](#)
 - summary [5-1](#)
- individual bill detail, report results [10-3](#)
- individual bill summary, report results [10-2](#)
- internationalization for CDR analysis and reporting [1-12](#)

L

- load
 - CDR schedule configuration [3-7](#)
 - disabling CDR [3-7](#)
 - restoring the default CDR schedule [3-7](#)
- logging off CAR [2-5](#)
- logon page [1-13](#)

M

- mailing a report [5-13](#)
- mail server parameters [3-2](#)
- managers, CAR [1-4](#)
- manual database purge, configuration [3-12](#)
- media information [10-24](#)
- monthly reports
 - scheduling [3-11](#)

N

notification limits [4-9](#)

O

organization [x](#)

overview

automatic report generation [4-6](#)

CAR [2-1](#)

department bill reports [5-3](#)

device reports [7-1](#)

error and event logs [1-5](#)

individual bill reports [5-1](#)

system report [6-20](#)

P

parameters

factoring time of day for rating [4-3](#)

factoring voice quality for rating [4-4](#)

mail server configuration [3-2](#)

setting the base rate and duration for rating [4-2](#)

system configuration [3-1](#)

preferences

system configuration [3-6](#)

purge

automatic database configuration [3-14](#)

disabling automatic database [3-14](#)

restoring database defaults [3-12](#)

Q

QoS

default values [4-5](#)

defining values [4-5](#)

notification limits configuration [4-9](#)

QoS by call types, report results [10-11](#)

QoS by call types report [6-7](#)

QoS by gateway, report results [10-11](#)

QoS by gateway report [6-6](#)

QoS detail, report results [10-9](#)

QoS detail report

call types [6-2](#)

voice quality [6-3, 6-12](#)

QoS parameter operators [6-21](#)

QoS parameters, call types [6-8](#)

QoS summary, report results [10-11](#)

QoS summary report

call types [6-4](#)

R

rating engine, configuration [4-1](#)

rating parameters

factoring time of day [4-3](#)

factoring voice quality [4-4](#)

setting the base rate and duration [4-2](#)

related documentation [xi](#)

report

authorization code name [6-18](#)

authorization level [6-19](#)

CDR error [6-21](#)

CDR search [8-1](#)

CDR search by cause for call termination [8-4](#)

CDR search by gateway [8-2](#)

CDR search by user extension [8-1](#)

Cisco IPMA [5-10, 5-11](#)

client matter code [6-17](#)

department bill [5-3](#)

device [7-1](#)

gateway detail report [7-1](#)

gateway summary [7-4](#)

gateway utilization [7-5](#)

individual bill [5-1](#)

mailing [5-13](#)

QoS by call types report [6-7](#)

- QoS by gateway report [6-6](#)
 - QoS detail [6-2](#)
 - route and line group utilization [7-8](#)
 - route list utilization [7-9](#)
 - route pattern/hunt pilot utilization [7-11](#)
 - system [6-1](#)
 - system overview [6-20](#)
 - top N by charge [5-4](#)
 - top N by duration [5-6](#)
 - top N by number of calls [5-8](#)
 - traffic summary [6-10](#)
 - traffic summary by extensions [6-13](#)
 - voice-mail utilization [7-15](#)
 - report configuration, CAR [4-1](#)
 - report results
 - CDR error [10-17](#)
 - CDR search by user extension [10-22](#)
 - Cisco IP Phone services [10-9](#)
 - conference bridge utilization [10-21](#)
 - conference call detail [10-20](#)
 - department bill, detail [10-3](#)
 - department bill, summary [10-2](#)
 - gateway detail [10-18](#)
 - gateway summary [10-19](#)
 - gateway utilization [10-20](#)
 - individual bill, detail [10-3](#)
 - individual bill, summary [10-2](#)
 - QoS by gateway [10-11](#)
 - QoS detail [10-9](#)
 - QoS report by call types [10-11](#)
 - QoS summary [10-11](#)
 - route group utilization [10-20](#)
 - route list utilization [10-20](#)
 - route pattern utilization [10-20](#)
 - system overview [10-16](#)
 - top N by charge [10-4](#)
 - top N by duration [10-4](#)
 - top N by number of calls [10-5](#)
 - traffic summary [10-12](#)
 - traffic summary by extensions [10-12](#)
 - voice mail utilization [10-22](#)
 - Reports
 - CAR report results [10-1](#)
 - reports
 - automatic generation configuration [4-6](#)
 - automatic report generation/alert [4-6](#)
 - customizing for automatic generation [1-10, 4-7](#)
 - enabling for automatic generation [1-10, 4-7](#)
 - overview [1-13](#)
 - scheduling daily [3-9](#)
 - scheduling monthly [3-11](#)
 - scheduling weekly [3-10](#)
 - system overview results [10-16](#)
 - user [5-1](#)
 - user, CAR [1-6](#)
 - restoring
 - CAR database purge defaults [3-12](#)
 - default CDR load schedule [3-7](#)
 - route
 - group utilization, report results [10-20](#)
 - list utilization, report results [10-20](#)
 - pattern utilization, report results [10-20](#)
 - route and line group utilization report [7-8](#)
 - route list utilization report [7-9](#)
 - route pattern/hunt pilot utilization report [7-11](#)
 - route plan utilization report, configuring [7-8](#)
-
- ## S
- schedule
 - CDR load configuration [3-7](#)
 - restoring the default CDR load [3-7](#)
 - scheduling
 - daily reports [3-9](#)
 - monthly reports [3-11](#)
 - weekly reports [3-10](#)
 - search
 - CDR by cause for call termination [8-4](#)

- CDR by gateway [8-2](#)
- CDR by user extension [8-1](#)
- CDR by user extension, report results [10-22](#)
- CDRs [8-1](#)
- searching for users, CAR [5-14](#)
- server, mail parameters [3-2](#)
- summary
 - department bill [5-3](#)
 - department bill, report results [10-2](#)
 - gateway [7-4](#)
 - gateway, report results [10-19](#)
 - individual bill [5-1](#)
 - individual bill, report results [10-2](#)
 - QoS, report results [10-11](#)
 - traffic [6-10](#)
 - traffic, report results [10-12](#)
 - traffic by extensions [6-13](#)
 - traffic by extensions, report results [10-12](#)
- system, CAR [1-5](#)
- system log screens
 - CAR [3-15](#)
- system overview, report results [10-16](#)
- system overview report [6-20](#)
- system parameters, configuration [3-1](#)
- system preferences
 - configuration [3-6](#)
- system preferences parameters for CAR [3-6](#)
- system reports, CAR [1-7](#)

T

- table, CDR and CMR dump [10-24](#)
- time of day [4-3](#)
- top N
 - by charge [5-4](#)
 - by charge, report results [10-4](#)
 - by duration [5-6](#)
 - by duration, report results [10-4](#)
 - by number of calls [5-8](#)

- by number of calls, report results [10-5](#)
- top N by charge
 - call types [5-5](#)
 - report types [5-5](#)
- top N by charge, report results [10-4](#)
- top N by duration
 - call types [5-7](#)
 - configuration [5-6](#)
 - report types [5-7](#)
- top N by duration, report results [10-4](#)
- top N by number of calls
 - call types [5-9](#)
 - configuration [5-8](#)
 - report types [5-9](#)
- top N by number of calls, report results [10-5](#)
- traffic summary [6-10](#)
- traffic summary (extn), call types [6-14](#)
- traffic summary, call types [6-11](#)
- traffic summary, report results [10-12](#)
- traffic summary by extensions, report results [10-12](#)
- traffic summary by extensions report [6-13](#)

U

- uninhibited loading of CDR values [3-8](#)
- user reports, CAR [1-6](#)
- user reports, described [5-1](#)
- users, CAR [1-4](#)
- using [3-12](#)
- utilization
 - conference bridge, report results [10-21](#)
 - gateway [7-5](#)
 - gateway, report results [10-20](#)
 - route and line group [7-8](#)
 - route group, report results [10-20](#)
 - route list [7-9](#)
 - route list, report results [10-20](#)
 - route pattern/hunt pilot [7-11](#)
 - voice-mail [7-15](#)

voice mail, report results [10-22](#)

V

viewing [9-2](#)

voice mail utilization, report results [10-22](#)

voice-mail utilization report [7-15](#)

voice quality [4-4](#)

W

weekly reports

scheduling [3-10](#)