



Release Notes for Cisco Unified Attendant Console Compact Edition Version 8.6.5.1215

Revised: April 3, 2013, OL-25986-01

These release notes describe the new features and caveats for Cisco Unified Attendant Console Compact Edition version 8.6.5.1215.

You can access the most current Cisco documentation at this URL: <http://www.cisco.com/techsupport>

You can access the Cisco website at this URL: <http://www.cisco.com>

You can access international Cisco websites at this URL:
http://www.cisco.com/public/countries_languages.shtml

Contents

About Cisco Business Edition 3000	2
Benefits of Cisco Unified Attendant Console Compact Edition	2
Performance Information	2
Hardware/Software Minimum Specification	3
Software Compatibility	3
Antivirus Software	3
Cisco Unified Attendant Console Compact Edition TCP Port	4
Core Languages	4
New and Changed Information	4
Caveats	5
Related Documentation	6
Obtaining Documentation, Support and Security	6
Cisco Product Security Overview	6



About Cisco Business Edition 3000

Cisco Business Edition 3000 is a unified communications system designed for small to medium sized businesses. This product provides the following benefits:

- Easy provisioning of users, phones, lines, and phone features,
- Simple monitoring and troubleshooting features,
- Easily maintained through simplified backup and restore process.

More about Cisco Business Edition 3000 can be found by visiting <http://www.cisco.com/go/cmbe3000>.

Benefits of Cisco Unified Attendant Console Compact Edition

The Cisco Unified Attendant Console Compact Edition is an intuitive client application that enables you to:

- Answer telephone calls using your Windows PC to control your Cisco IP Phone
- Search a directory of your co-workers (up to 300 contacts can be searched) including the ability to create custom directories to make sorting easy
- Transfer calls to a contact in the directory
- Set Do Not Disturb or Call Forward on your co-workers' telephone if desired
- Page (one way speech through the speaker) a co-worker through your Cisco phone
- Group Paging
- Use the mouse to select a number in Microsoft Office applications, and dial it using the Cisco Unified Attendant Console Compact Edition
- Set Do Not Disturb or Call Forward on your own Cisco phone

Performance Information

Performance of Cisco Unified Attendant Console Compact Edition can be measured in several ways:

Table 1 Performance of Cisco Unified Attendant Console Compact Edition

Performance Item	Maximum numbers with Cisco Unified Attendant Console Compact Edition
Number of Attendant Consoles	10
Number of Contacts Supported	300
Number of Lines Supported	400

Hardware/Software Minimum Specification

The following table provides the minimum specification required for the Cisco Unified Attendant Console Compact Edition.

Table 2 Minimum specification Cisco Unified Attendant Console Compact Edition

Applies To	PC Specification
Cisco Unified Attendant Console Compact Edition	2.2 Ghz Pentium 4 processor 1 GB RAM 1.5 GB of available hard drive space Network Card Connected to Network via TCP/IP SVGA (1024x768) display card 17 inch Monitor highly recommended The PC hosting Cisco Unified Attendant Console Compact Edition must be running one of the following operating systems: <ul style="list-style-type: none"> • Microsoft Windows XP Professional Service Pack 3 (32-bit) • Microsoft Windows Vista Professional (32-bit) • Microsoft Windows 7 (32-bit or 64-bit) Audio output capability

Software Compatibility

Cisco Unified Attendant Console Compact Edition	Cisco Business Edition 3000
8.6.5.1215	8.6(2)
	8.6(3)
	8.6(4)
	8.6(5)

Antivirus Software

There are many different antivirus products that are supported on a Cisco Unified Attendant Console Compact Edition. Supporting guidelines on antivirus software can be found on the following site:

http://www.cisco.com/en/US/prod/collateral/voicesw/ps6788/vcallcon/ps556/prod_bulletin0900aecd806f6221.html.

It is important that the antivirus product supports **exclusions** – the ability for the user to define specific files and/or folders that will NOT be scanned by the antivirus program.

The following exclusions should be set when using antivirus software on a Cisco Unified Attendant Console Compact Edition:

File Name	File Location	Use
All	%APPDATA%\Cisco\CUDC	These are the main trace files created by the Cisco Unified Attendant Console Compact Edition
CiscoTSPLog001(x).txt	\\Temp\Cisco\Trace	This is where the Cisco TSP Trace files are located



Note

The File Location and File Name may be changed by your System Administrator.

The files in the above table are constantly being written to and updated during standard operation of the Cisco Unified Attendant Console Compact Edition. Due to this, these files are permanently being accessed – an antivirus *scan on access* policy for these files will mean that the files are constantly being scanned for viruses. This will, in turn, slow down the operation of the server; therefore, excluding these files from being continuously scanned will allow the server to function as expected.

Cisco Unified Attendant Console Compact Edition TCP Port

The Cisco Unified Attendant Console Compact Edition uses the following TCP/IP Port to communicate with the Cisco Business Edition 3000:

TCP/IP	Use
2748	This is the Port used by the Cisco TSP. The Cisco Unified Attendant Console Compact Edition uses this port to communicate with the Cisco Business Edition 3000.

Core Languages

The Cisco Unified Attendant Console Compact Edition Help is translated into the following languages:

- Chinese (Simplified)
- English (U.S.)
- French (Canada)
- Portuguese (Brazil)
- Russian
- Spanish (Universal)

New and Changed Information

Cisco Unified Attendant Console Compact Edition Version 8.6.5.1215 adds this new feature, Compatibility with Cisco Business Edition 3000 version 8.6(5).

Caveats

This section describes:

- [Resolved Caveats - Release 8.6.5.1215](#)
- [Open Caveats - Release 8.6.5.1215](#)

Resolved Caveats - Release 8.6.5.1215

The following caveats were discovered and resolved during the quality testing of the Cisco Unified Attendant Console Compact Edition version 8.6.5.1215.

Table 3 Resolved Caveats for Cisco Unified Attendant Console Compact Edition

Bug ID	Description
CSCub89949	CUACCE Install Error http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCub89949

Open Caveats - Release 8.6.5.1215

The following open caveats have been discovered during the quality testing of the Cisco Unified Attendant Console Compact Edition version 8.6.5.1215.

Table 4 Open Caveats for Cisco Unified Attendant Console Compact Edition

Bug ID	Description
CSCtw90362	Restoring a pre-existing call to a shared line http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCtw90362
CSCtw90369	Adding or deleting lines in real-time http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCtw90369

Related Documentation

The documents related to this product include:

- Cisco Unified Attendant Console Compact Edition Quick Reference Guide
- Cisco Unified Attendant Console Compact Edition User Guide

The latest documents may be found at:

http://www.cisco.com/en/US/products/ps7282/products_user_guide_list.html

Obtaining Documentation, Support and Security

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New* in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at:

<http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>. If you require further assistance please contact us by sending email to export@cisco.com.

This document is to be used in conjunction with the documents listed in the “Related Documentation” section.

CCDE, CCENT, CCSI, Cisco Eos, Cisco HealthPresence, Cisco Ironport, the Cisco logo, Cisco Lumin, Cisco Nexus, Cisco Nurse Connect, Cisco Stackpower, Cisco StadiumVision, Cisco TelePresence, Cisco Unified Computing System, Cisco WebEx, DCE, Flip Channels, Flip for Good, Flip Mino, Flip Video, Flip Video (Design), Flipshare (Design), Flip Ultra, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn, Cisco Store, and Flip Gift Card are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0907R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2013 Cisco Systems, Inc. All rights reserved.

♻️ Printed in the USA on recycled paper containing 10% postconsumer waste.