



Release Notes for Cisco Unified Business/Department Attendant Console Release v1.1.2.25

Revised: April 15, 2008, OL-16562-01

These release notes describe the new features and caveats for Cisco Unified Business/Department Attendant Console Release v1.1.2.25.

For a list of the open and resolved caveats for the Cisco Unified Business/Department Attendant Console see [Open Caveats - Release v1.1.2.25](#) section on Page 7 and [Resolved Caveats - Release v1.1.1.21](#) section on Page 9.

You can access the most current Cisco documentation at this URL:

<http://www.cisco.com/techsupport>

You can access the Cisco website at this URL:

<http://www.cisco.com>

You can access international Cisco websites at this URL:

http://www.cisco.com/public/countries_languages.shtml



Americas Headquarters:

Cisco Systems, Inc., 170 West Tasman Drive, San Jose, CA 95134-1706 USA

© 2008 Cisco Systems, Inc. All rights reserved.

Contents

These release notes cover the following subjects:

Contents	2
Introduction	2
System Requirements	3
Hardware/Software Supported	3
Software Compatibility	5
Installation of Software.....	5
New and Changed Information	6
New Software Features in Release v1.1.2.25	6
New Software Features in Release v1.1.2.23	6
New Software Features in Release v1.1.1.21	6
Caveats	7
Using Bug Toolkit	7
Open Caveats - Release v1.1.2.25	7
Resolved Caveats - Release v1.1.1.21	9
Obtaining Documentation, Obtaining Support, and Security	10
Cisco Product Security Overview.....	10

Introduction

Cisco Unified Business/Department Attendant Console is an efficient application specially designed for handling calls and messages. This application enables you to answer calls from predefined set of queues and transfer them to desired extensions.

The application enables you to perform comprehensive tasks like Call Conference, Call Transfer, Call Parking and Call Retrievals. The user-friendly design of the application gives speed and flexibility and facilitates you to manipulate calls with simple mouse clicks or keystrokes.

System Requirements

Hardware/Software Supported

The information provided below gives details of the minimum hardware/software required to run Cisco Unified Business/Department Attendant applications.

Applies To	PC Specification
Cisco Unified Business/Department Attendant Server	Pentium 4 2.2 GHz 1 GB RAM 40 GB Hard Drive CD-ROM/DVD-Rom Network Card SVGA (1024x768) display card with correct drivers Windows 2000 Server SP4 running Windows English Regional Settings.* Internet Information Service (IIS) .Net Framework 2.0** MS SQL Server 2005 (Express) ** Internet Explorer 6.0 (or higher)** * Note: Support is also available for Windows 2003 Server (Service Pack 2 or higher) and has been included from CUBAC/CUDAC v1.1.2.23 onwards. ** Note: The Attendant Console Server installation will install these applications automatically. If MS SQL Express 2005 is installed manually, it must be installed as the Default instance for the Attendant Console to function. Cisco Unified Attendant applications will not work with a Named instance of SQLEXPRESS. Internet Explorer will also be upgraded to 6.0 if required.

The Server should be connected to the network via the TCP/IP protocol.

You will require appropriate Operating System Licenses.

2. The minimum specification required by Cisco Unified Business/Department Attendant Console is as follows,

Applies To	PC Specification
Cisco Unified Business/Department Attendant Console	Pentium 4 Entry Level Specification 512 MB RAM 1GB available Hard Drive space CD-ROM/DVD-ROM Network Card Connected to Network via TCP/IP SVGA (1024x768) display card Windows Small Fonts <i>17 inch Monitor highly recommended</i> Windows 2000 Professional / Windows XP Professional / Windows 2003 SoundBlaster compatible sound card and speakers are recommended for the Console Operator.

3. Backups – As with all systems, we advise that backup facilities are provided to ensure application and data integrity, should an unforeseen circumstance arise.

Examples:

CD Writer

Tape streamer. DLT, DAT, Travan etc

Zip / Jaz drive or other type of Magneto Optical drive

If possible, choose a solution that gives a one step disaster recovery. This is a solution that has the ability to restore the complete contents of a hard drive from a bootable floppy disk and the restore media.

4. Server Redundancy – It is strongly recommended that the PC Server should be a redundant system with the following redundancy methods. This is at the discretion of the customer

Multiple hot-swap power supplies

Hot-swap Hard Drive arrays

UPS / power conditioners

RAID

5. Security Considerations

All servers in a Windows environment have a requirement for Anti Virus software, any of the following anti virus software may be used.

McAfee NetShield, Norton Antivirus, Trend OfficeScan

6. The following table outlines the network requirements for running Cisco Unified Business/Department Attendant applications.

Applies To	Network Specification
All Network Types	The network will need to support/run TCP/IP.
	Cisco Unified Business/Department Attendant Admin application will need to run under an Administrator profile. (Local Administrator is acceptable)
Microsoft Windows Network	If the network uses DHCP then the PC Server will need a static IP address allocated to it.

Software Compatibility

Table 1 Software Compatibility with CUCM software

CUBAC / CUDAC Version	CUBAC/CUDAC-CM TSP Version	Cisco Unified Communication Manager
1.1.2.25	4.3 (0.1)	4.3
	5.1 (0.1801)	5.1
	6.0.0.6	6.0
	6.1 (0.10)	6.1

Installation of Software

The installation instructions for Cisco Unified Business/Department Attendant Console are covered in Chapter 4 of the [Cisco Unified Business/Department Attendant Consoles Web Admin / Installation Guide](#) which is available via the following address:

http://www.cisco.com/en/US/products/ps7282/prod_maintenance_guides_list.html

New and Changed Information

New Software Features in Release *v1.1.2.25*

New CUCM platforms supported	CUCM 6.1 platform support.
Supported languages:	Dutch Swedish Danish Russian Arabic

New Software Features in Release *v1.1.2.23*

New Operating System supported	Windows 2003 server platform support
New CUCM platforms supported	CUCM 4.3 platform support

New Software Features in Release *v1.1.1.21*

New CUCM platforms supported	CUCM 5.1 platform support CUCM 6.0 platform support
Supported languages:	English German French (Parisian) Spanish Italian Portuguese (Portugal)

Caveats

This section contains these topics:

- [Using Bug Toolkit](#), Page 7
- [Open Caveats - Release v1.1.2.25](#), page 7
- [Resolved Caveats - Release v1.1.1.21](#), page 9

Using Bug Toolkit

Known problems (bugs) are graded according to severity level. These release notes contain descriptions of:

- All severity level 1 or 2 bugs.
- Significant severity level 3 bugs.

You can search for problems by using the Cisco Software Bug Toolkit.

To access Bug Toolkit, you need the following items:

- Internet connection
- Web browser
- Cisco.com user ID and password

Open Caveats - Release v1.1.2.25

[Table 2](#) lists Severity 1, 2 and 3 defects that are open for Cisco Unified Business/Department Attendant Console

[Table 3](#) lists Severity 1, 2 and 3 defects that are open for documentation related to Cisco Unified Business/Department Attendant Console

For more information about an individual defect, you can access the online record for the defect by clicking the Identifier or going to the URL shown. You must be a registered Cisco.com user to access this online information.

Because defect status continually changes, be aware that [Table 2](#) and [Table 3](#) reflects a snapshot of the defects that were open at the time this report was compiled. For an updated view of open defects, access Bug Toolkit as described in the “[Using Bug Toolkit](#)” section on page 5.

Table 2 Open Caveats for Cisco Unified Business/Department Attendant Console - v1.1.2.25

Application	Description
CSCsj56467	Enhancement: Do not dial digit-by-digit for calling, transferring, etc. http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj56467

Application	Description
CSCsj97724	Server name/IP dialog confusion http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj97724
CSCsk38562	Some data required to be re-entered for upgrade http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk38562

Table 3 Open Caveats for Cisco Unified Business/Department Attendant Console - v1.1.2.25

Documentation	Description
CSCsj89845	CUBAC Admin Guide: CM 4.3 missing from compatibility table http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj89845
CSCsj89835	CUBAC Admin Guide Park Devices unclear http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj89835
CSCsj89812	Admin Guide Overview should provide screenshot http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj89812
CSCsj89828	CUBAC Admin Guide acronyms not explained in context http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj89828
CSCsj91506	Admin Guide install checklist missing table reference http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj91506
CSCsj91512	CUBAC Admin Guide Install Chapter should be reviewed http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj91512
CSCsj91522	CUBAC Guide Appendix A and B names are confusing http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj91522
CSCsj97618	Admin Guide, Admin page internal extension length issue http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsj97618
CSCsk19633	Incorrect items listed in General Settings http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk19633
CSCsk19622	Directory Synchronization instructions and Help incomplete http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk19622

Documentation	Description
CSCsk32286	"Enable CTI Application Use" needs to be documented http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk32286
CSCsk38563	SQL user and password required during upgrade hard to locate http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk38563
CSCsk38555	LDAP Directory Connectivity configuration not explained http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsk38555
CSCsl41732	Re-registering ARC to another CCM doesnt work. System goes down http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsl41732

Resolved Caveats - Release v1.1.1.21

Table 4 lists Severity 1, 2 and 3 Caveats that have been resolved in Cisco Unified Business/Department Attendant Console v1.1.1.21

For more information about an individual defect, you can access the online record for the defect by clicking the Identifier or going to the URL shown. You must be a registered Cisco.com user to access this online information.

Table 4 Resolved Caveats for Cisco Unified Business/Department Attendant Console v1.1.1.21

CSCsi70926	Potential TSP issue with Super Provider de-acquire functionality http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi70926
CSCsi63428	Admin GUI Menu goes Missing after Doing a Stop & Start http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi63428
CSCsi70926	Potential TSP issue with Super Provider de-acquire functionality http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi70926
CSCsi63537	Error "Unable to amend Contact Number" seen on adding additional info http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi63537
CSCsi65601	CUBAC User should be notified of device sync failure with CUCM http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi65601

CSCsi29554	Unable to synchronize system devices http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi29554
CSCsi65565	CTI Ports status goes from registered to unknown http://tools.cisco.com/Support/BugToolKit/search/getBugDetails.do?method=fetchBugDetails&bugId=CSCsi65565

Obtaining Documentation, Obtaining Support, and Security

For information on obtaining documentation, obtaining support, providing documentation feedback, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New* in Cisco Product Documentation, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Cisco Product Security Overview

This product contains cryptographic features and is subject to United States and local country laws governing import, export, transfer and use. Delivery of Cisco cryptographic products does not imply third-party authority to import, export, distribute or use encryption. Importers, exporters, distributors and users are responsible for compliance with U.S. and local country laws. By using this product you agree to comply with applicable laws and regulations. If you are unable to comply with U.S. and local laws, return this product immediately.

A summary of U.S. laws governing Cisco cryptographic products may be found at: <http://www.cisco.com/wwl/export/crypto/tool/stqrg.html>. If you require further assistance please contact us by sending email to export@cisco.com.

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0711R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

© 2008 Cisco Systems, Inc. All rights reserved.

♻️ Printed in the USA on recycled paper containing 10% postconsumer waste.