


Cisco Content Services Gateway Service Manager 4.0

Product Overview

Cisco Systems® announces the availability of the Cisco® Content Services Gateway (CSG) Service Manager 4.0, which is part of the Mobile Wireless Center for Cisco Mobile Exchange suite of applications, which complements the CiscoWorks LAN Management Solution (LMS) to provide end-to-end management of Cisco Mobile Exchange (Figure 1). The Mobile Wireless Center for Cisco Mobile Exchange addresses the element-management requirements of mobile operators and provides fault and configuration capability as mobile operators transition their wireless service delivery networks from second-generation (2G) circuit-based traffic to 2.5G and third-generation (3G) IP-based services.

Figure 1

Mobile Wireless Center for Cisco Mobile Exchange



Service Activation

The Cisco CSG Service Manager is a feature-rich application for managing the configuration of the Cisco CSG. The Cisco CSG Service Manager provides service activation, modification, and deactivation of the following configuration components:

- Map
- Policy and filter
- Content
- Rule set

- Billing services
- Billing plans
- Cisco CSG user group
- E-mail post and prepaid support (IMAP support)

The Cisco CSG adds user-aware accounting and content-based billing features to the Cisco Catalyst® 6500 Series Switch and the Cisco 7600 Router platforms. The Cisco CSG is typically located at the edge of an Internet service provider (ISP) network. It provides IP flow accounting and content accounting by examining HTTP request URLs and header information. Additionally, the Cisco CSG gathers username and usage statistics and enables differentiated billing for individual transactions.

In this context, a typical IP-based mobile wireless network is built around Cisco Mobile Exchange, and the Cisco CSG solution allows mobile operators to provide content-based billing to their wireless subscribers.

Integrated with the CiscoWorks LMS desktop, the Cisco CSG Service Manager provides an interface that is similar to other CiscoWorks applications and integrates with the CiscoWorks Resource Manager Essentials (RME) Job Manager to provide a powerful tool for bidirectional device interaction and status. Cisco CSG Service Manager GUIs are intuitive and allow you to easily navigate through the different configuration tasks in a familiar environment. Figure 2 provides an example of the Cisco CSG Service Manager console interface for activating billing services.

Figure 2


Cisco CSG Service Manager Billing Services-Activation Console

Configuration Discrepancy Analysis

Cisco CSG Service Manager also provides the capability of analyzing home agent configuration discrepancies within the defined grouping to proactively flag questionable configurations and prevent service-impacting misconfigurations. The Sync Report dashboard provides an intuitive report card that shows the status of devices out of sync (Figure 3). The dashboard also allows the operator to see the actual commands that are not matching.

Figure 3

Cisco CSG Service Manager Console for Configuration Discrepancy Analysis




Troubleshooting Dashboard

Cisco CSG Service Manager features a troubleshooting dashboard (Figure 4), which provides predefined key information on:

- Show commands outputs (billing mediation agents, accounting, billing plans, statistics, etc.)
- Debug results (users, timers, record storage, quota, etc.) using RADIUS, IMAP, POP3, User Datagram Protocol (UDP), Wireless Application Protocol (WAP), Extensible Markup Language (XML), etc.
- Syslog messages
- Clearing counters

Figure 4
Cisco CSG Service Manager Console for Troubleshooting Dashboard



Key Features and Benefits

Table 1 describes the benefits of the Cisco CSG Service Manager when deployed as part of an element manager system (EMS) infrastructure.

Table 1. Features and Benefits of the Cisco CSG Service Manager

Features	Description	Benefits
Service activation, modification, deactivation	<ul style="list-style-type: none"> Automatically activates, modifies, and deactivates services in Cisco CSG server farms: <ul style="list-style-type: none"> Mapping Content Policy Rule set Billing services Billing plans Cisco CSG user group E-mail post and prepaid support (IMAP support) 	<ul style="list-style-type: none"> Significantly reduces time to activate services Eliminates syntactic and semantic command-line interface (CLI) errors Reduces configuration complexity by removing CLI interaction and providing an intuitive device interaction

Features	Description	Benefits
Discrepancy analysis	<ul style="list-style-type: none"> Determines if configuration deltas exist within the Cisco CSGs defined in the server farm Provides a report with found discrepancies; shows any diverging Cisco IOS® Software CLIs between Cisco CSGs 	<ul style="list-style-type: none"> Eliminates service-impacting misconfigurations Increases productivity by noting questionable configurations Accelerates time to service Increases network serviceability
Troubleshooting dashboard	<ul style="list-style-type: none"> Allows operators to execute maintenance tasks on Cisco Home Agent Allows easy selection of tools to view syslogs, show commands output, and debug 	<ul style="list-style-type: none"> Improves network serviceability by allowing operators to proactively assess Cisco Home Agent status Simplifies problem identification and troubleshooting
Cisco CSG server farm integration	<ul style="list-style-type: none"> Cisco CSG server farm includes groupings of 2 or 4 Cisco Catalyst 6500 Series or Cisco 7600 Series chassis with a maximum of 4 Cisco CSG cards of the same version Automatically downloads configurations in all Cisco CSGs in the server farm 	<ul style="list-style-type: none"> Reduces complexity Increases productivity Eliminates out-of-sync configurations
CiscoWorks LMS interface	<ul style="list-style-type: none"> Interacts with CiscoWorks RME Job Manager to download device configurations to Cisco CSGs The latest Cisco CSG running configuration is automatically uploaded by CiscoWorks RME and then synchronized with Cisco CSG Service Manager Provides option for running or start-up configuration download 	<ul style="list-style-type: none"> Helps ensure that Cisco CSG device configurations are synchronized with Cisco CSG Service Manager Extends RME Job Manager award-winning capability to Cisco CSG configuration tasks Helps ensure that designated device is the standard against which new Cisco CSG configuration is applied, thus eliminating out-of-sync configurations
Device configuration display	<ul style="list-style-type: none"> Provides hierarchical Cisco CSG-only configuration view Other Cisco IOS configurations unrelated to CSG are filtered out View configuration of any chassis in server farm 	<ul style="list-style-type: none"> Operator can focus on Cisco CSG mission-critical tasks without being overwhelmed by the whole device's configuration Reduces errors by showing only Cisco CSG-related configurations Eliminates configuration complexity
Batch-mode configuration	<ul style="list-style-type: none"> Allows an operator to group multiple instances of the same service activation and download it to all Cisco CSG in the server farm Operator can cut and paste actual Cisco IOS Software configuration prior to downloading 	<ul style="list-style-type: none"> Increases productivity by bypassing sequential operations in case service activation of multiple Cisco CSGs is required Accelerates time to service
System security and user account management	<ul style="list-style-type: none"> Uses CiscoWorks user security levels to assign Cisco Home Agent Service Manager predefined user roles User security levels include Help Desk Approver, Network Operator, Network Administrator, and System Administrator 	<ul style="list-style-type: none"> Increases system security to restrict potential disruptions to the network or to the application itself Helps maintain system integrity by preventing accidental or malicious operations by unauthorized users

Product Specifications

The Cisco CSG Service Manager supports the following Cisco Mobile Exchange devices (Table 2):

Table 2. Cisco CSG Service Manager Device Support

Supported Device	Cisco IOS Software Release	Cisco Hardware
Cisco CSG 5.3	12.2(18)SXD	CSG card
Cisco CSG 5.4	12.2(18)SXD	CSG card
Cisco CSG 5.5	12.2(18)SXD	CSG card
Cisco CSG 5.6	12.2(18)SXD	CSG card
Cisco CSG 5.7	12.2(18)SXD	CSG card
Cisco CSG 5.8	12.2(18)SXD	CSG card
Cisco CSG 6.2	12.2(18)SXD	CSG card

System Requirements

Tables 3 and 4 list the system and client requirements for Cisco CSG Service Manager.

Table 3. Sun Server System Requirements

Requirement Type	Minimum Requirement
System hardware	Dual processor UltraSPARC IIIi at minimum, clock speed 1 GHz, RAM 4 GB
Swap space	8 GB
Disk drives	Dual 80+ GB SCSI or FC-AL drives
Network adapter	100 MB or more recommended
Operating system	Solaris 2.9
CiscoWorks LMS for coexistence	2.5 with RME 4.0.2

Table 4. Client Requirements

Requirement Type	Minimum Requirement
System hardware	<ul style="list-style-type: none">At least a 1 GHz single CPU running Windows 2000 Professional or Windows XPSun UltraSPARC IIIi, single CPU 1 GHz or equivalent
Software	<ul style="list-style-type: none">Windows: Internet Explorer 6.0 SP1, Mozilla 1.7Solaris: Mozilla 1.7
Memory (RAM)	512 MB
Available disk space	80 GB
Operating environment	<ul style="list-style-type: none">Sun Solaris 2.9Windows XP, Windows 2000 Professional, Windows Server 2003
Swap space	Space equal to twice the amount of memory (RAM)
Java Runtime Environment (JRE)	<ul style="list-style-type: none">Java Plug-in version 1.4.2_04



Ordering Information

The Cisco CSG Service Manager 4.0 and related upgrades for Cisco CSG Service Manager 2.2 customers are available for purchase through regular Cisco sales and distribution channels worldwide. To place an order, visit the [Cisco Ordering Home Page](#).

Service and Support

Cisco offers a wide range of services programs to accelerate customer success. These innovative services programs are delivered through a unique combination of people, processes, tools, and partners, resulting in high levels of customer satisfaction. Cisco services help you to protect your network investment, optimize network operations, and prepare the network for new applications to extend network intelligence and the power of your business. For more information about Cisco services, see [Cisco Technical Support Services](#) or [Cisco Advanced Services](#).

For More Information

For more information about the Cisco CSG Service Manager, visit <http://www.cisco.com/go/mwc-cmx> or contact your local account representative or send an e-mail to the Customer Support group at cs-mwc@cisco.com.

**Corporate Headquarters**

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 526-4100

European Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: 31 0 20 357 1000
Fax: 31 0 20 357 1100

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-7660
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica
Croatia • Cyprus • Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR
Hungary • India • Indonesia • Ireland • Israel • Italy • Japan • Korea • Luxembourg • Malaysia • Mexico
The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal • Puerto Rico • Romania • Russia
Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

All contents are Copyright © 1992–2005 Cisco Systems, Inc. All rights reserved. Catalyst, Cisco, Cisco IOS, Cisco Systems, and the Cisco Systems logo are registered trademarks or trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0502R)
KW/LW9377 09/05

