End-of-Sale and End-of-Life Announcement for the Select Cisco UCS C-Series & B-Series Distribution Bundles and Accessories

EOL9167—Amended

Cisco announces the end-of-sale and end-of life dates for the Select Cisco UCS C-Series & B-Series Distribution Bundles and Accessories. The last day to order the affected product(s) is September 30, 2013. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

Table 1. End-of-Life Milestones and Dates for the Select Cisco UCS C-Series & B-Series Distribution Bundles and Accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end of sale and end of life of a product is distributed to the general public.	April 1, 2013
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	September 30, 2013
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	December 29, 2013
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	September 30, 2014
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	September 30, 2014
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	December 26, 2017
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	September 30, 2018

HW = Hardware   OS SW = Operating System Software   App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
A03V-D146GC2=	146GB 6Gb SAS 15K RPM 2.5	A03-D146GC2=	146GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	—
A03V-D1TBSATA=	1TB SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	A03-D1TBSATA=	1TB 6Gb SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	—
A03V-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	A03-D300GA2=	300GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	—
A03V-D500GC3=	500GB SATA 7.2K RPM SFF HDD/hot plug/drive sled mounted	A03-D500GC3=	500GB 6Gb SATA 7.2K RPM SFF hot plug/drive sled mounted	—
A03V-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	A03-D600GA2=	600GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	—
N2XXV-ABPCI03-M3=	Broadcom 5709 Quad Port 10/100/1Gb NIC w/TOE iSCSI for M3 Se	N2XX-ABPCI03-M3=	Broadcom 5709 Quad Port 10/100/1Gb NIC w/TOE iSCSI for M3 Se	—
N2XXV-AIPCI01=	Intel Dual Port 10 GbE Ethernet X520 Server Adapter	N2XX-AIPCI01=	Intel Dual Port 10 GbE Ethernet X520 Server Adapter	—
UCSB-DBUN-B200-301	DISTI Only: UCS B200 M3 Blade, 2xE5-2680, 2x8GB	UCSB-B200-M3	UCS B200 M3 Blade Server w/o CPU, memory, HDD, mLOM/mezz	—
UCSB-DBUN-B200-302	DISTI Only: UCS B200 M3 Blade, 2xE5-2665, 2x8GB	UCSB-B200-M3	UCS B200 M3 Blade Server w/o CPU, memory, HDD, mLOM/mezz	—
UCSB-DBUN-B200-303	DISTI Only: UCS B200 M3 Blade, 2xE5-2650, 2x8GB	UCSB-B200-M3	UCS B200 M3 Blade Server w/o CPU, memory, HDD, mLOM/mezz	—
UCSB-DBUN-B200-304	DISTI Only: UCS B200 M3 Blade, 2xE5-2640, 2x8GB	UCSB-B200-M3	UCS B200 M3 Blade Server w/o CPU, memory, HDD, mLOM/mezz	—
UCSB-DBUN-B200-305	DISTI Only: UCS B200 M3 Blade, 2xE5-2620, 2x8GB	UCSB-B200-M3	UCS B200 M3 Blade Server w/o CPU, memory, HDD, mLOM/mezz	—
UCSC-DBUN-C220-107	UCS C220 M3 SFF, 2xE5-2690,2x8GB,9266CV, 2x650W,SD,RAILS	UCS-SPV-C220-P	UCS C220 M3 SFF, 2xE5-2660, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-108	UCS C220 M3 SFF, 2xE5-2680,2x8GB,9266CV, 2x650W,SD,RAILS	UCS-SPV-C220-P	UCS C220 M3 SFF, 2xE5-2660, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-109	UCS C220 M3 SFF, 2xE5-2665,2x8GB,9266CV, 2x650W,SD,RAILS	UCS-SPV-C220-P	UCS C220 M3 SFF, 2xE5-2660, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-110	UCS C220 M3 SFF, 2xE5-2650,2x8GB,9266CV, 2x650W,SD,RAILS	UCS-SPV-C220-P	UCS C220 M3 SFF, 2xE5-2660, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-110	UCS C220 M3 SFF, 2xE5-2650,2x8GB,9266CV, 2x650W,SD,RAILS	UCS-SPV-C220-V	UCS C220 M3 SFF, 2xE5-2640, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-111	UCS C220 M3 SFF, 1xE5-2640,1x8GB,ROM55, 2x650W,SD,RAILS	UCS-SPV-C220-V	UCS C220 M3 SFF, 2xE5-2640, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-112	UCS C220 M3 SFF, 1xE5-2620,1x8GB,ROM55, 2x650W,SD,RAILS	UCS-SPV-C220-EP	UCS C220 M3 SFF, 1xE5-2620, 1x8GB, 2x450W, SD, RAILS	—

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
UCSC-DBUN-C220-113	UCS C220 M3 SFF, 1xE5-2609,1x8GB,ROM55, 2x650W,SD,RAILS	UCS-SPV-C220-E	UCS C220 M3 SFF, 1xE5-2609, 1x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-114	UCS C220 M3 SFF, 2xE5-2640,2x8GB, 9266CV, 2x650W, SD, RAILS	UCS-SPV-C220-V	UCS C220 M3 SFF, 2xE5-2640, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-115	UCS C220 M3 SFF, 2xE5-2620,2x8GB, RAID-11,2x650W,SD,RAILS	UCS-SPV-C220-EP	UCS C220 M3 SFF, 1xE5-2620, 1x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-116	UCS C220 M3 SFF, 2xE5-2609,2x8GB,RAID-11,2x650W,SD,RAILS	UCS-SPV-C220-E	UCS C220 M3 SFF, 1xE5-2609, 1x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-351	UCS C220 M3 LFF, 1xE5-2609,1x8GB,ROM15, 2x650W,SD,RAILS	UCS-SPV-C220-E	UCS C220 M3 SFF, 1xE5-2609, 1x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-352	UCS C220 M3 LFF, 1xE5-2620,1x8GB,ROM15, 2x650W,SD,RAILS	UCS-SPV-C220-EP	UCS C220 M3 SFF, 1xE5-2620, 1x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C220-353	UCS C220 M3 LFF, 1xE5-2640,1x8GB,ROM15, x650W,SD,RAILS	UCS-SPV-C220-V	UCS C220 M3 SFF, 2xE5-2640, 2x8GB, 2x450W, SD, RAILS	—
UCSC-DBUN-C240-111	UCS C240 M3 SFF, 2xE5-2650,2x8GB,9266CV, 2x650W,SD,RAILS,EXPDR	UCS-SPV-C240-P	UCS C240 M3 SFF-16DR, 2xE5-2660, 2x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-111	UCS C240 M3 SFF, 2xE5-2650,2x8GB,9266CV, 2x650W,SD,RAILS,EXPDR	UCS-SPV-C240-V	UCS C240 M3 SFF-16DR, 2xE5-2640, 2x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-112	UCS C240M3 SFF, 2xE5-2620,2x8GB,RAID-11,2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-EP	UCS C240 M3 SFF-16DR, 1xE5-2620, 1x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-113	UCS C240M3 SFF, 2xE5-2609,2x8GB,RAID-11,2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-E	UCS C240 M3 SFF-16DR, 1xE5-2609, 1x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-114	UCS C240 M3 SFF, 2xE5-2640,2x8GB,9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-V	UCS C240 M3 SFF-16DR, 2xE5-2640, 2x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-311	UCS C240 M3 SFF2, 1xE5-2609, 1x8GB, ROM55, 2x650W, SD,RAILS	UCS-SPV-C240-E	UCS C240 M3 SFF-16DR, 1xE5-2609, 1x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-312	UCS C240 M3 SFF2, 1xE5-2620,1x8GB, ROM55, 2x650W, SD, RAILS	UCS-SPV-C240-EP	UCS C240 M3 SFF-16DR, 1xE5-2620, 1x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-313	UCS C240 M3 SFF2, 1xE5-2640,1x8GB, ROM55, 2x650W, SD, RAILS	UCS-SPV-C240-V	UCS C240 M3 SFF-16DR, 2xE5-2640, 2x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-331	UCS C240M3 LFF, 2xE5-2620, 2x8GB, 9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-EP	UCS C240 M3 SFF-16DR, 1xE5-2620, 1x8GB, 2x650W, SD, RAILS	—
UCSC-DBUN-C240-332	UCS C240M3 LFF, 2xE5-2640,2x8GB,9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-V	UCS C240 M3 SFF-16DR, 2xE5-2640, 2x8GB, 2x650W, SD, RAILS	—

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
UCSC-EZ-C240-108	UCS C240 M3 SFF, 2xE5-2690,2x8GB, 9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-P	UCS C240 M3 SFF-16DR, 2xE5-2660, 2x8GB, 2x650W, SD, RAILS	—
UCSC-EZ-C240-109	UCS C240 M3 SFF, 2xE5-2680,2x8GB,9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-P	UCS C240 M3 SFF-16DR, 2xE5-2660, 2x8GB, 2x650W, SD, RAILS	—
UCSC-EZ-C240-110	UCS C240 M3 SFF, 2xE5-2665,2x8GB,9266CV, 2x650W,SD,RAILS, EXPDR	UCS-SPV-C240-P	UCS C240 M3 SFF-16DR, 2xE5-2660, 2x8GB, 2x650W, SD, RAILS	—
UCSV-EZ-C22-301	UCS C22 M3 SFF, 1xE5-2403, 1x8GB, 1x450W, RAILS	UCS-SPV-C22-E	UCS C22 M3 SFF, 1xE5-2403, 1x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-302	UCS C22 M3 SFF, 1xE5-2420, 1x8GB, 1x450W, RAILS	UCS-SPV-C22-E	UCS C22 M3 SFF, 1xE5-2403, 1x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-303	UCS C22 M3 SFF, 1xE5-2440, 1x8GB, 1x450W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-304	UCS C22 M3 SFF, 1xE5-2450, 1x8GB, 1x450W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-305	UCS C22 M3 SFF, 1xE5-2470, 1x8GB, 1x650W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-306	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 9240-8i, 1x450W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-307	UCS C22 M3 SFF, 2xE5-2450, 2x8GB, 9240-8i, 1x450W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C22-308	UCS C22 M3 SFF, 2xE5-2470, 2x8GB, 9265CV, 1x650W, RAILS	UCS-SPV-C22-V	UCS C22 M3 SFF, 2xE5-2440, 2x8GB, 1x450W, USB , RAILS	—
UCSV-EZ-C24-321	UCS C24 M3 SFF, 2xE5-2403, 2x8GB, 9240-8i,2x450W,RAILS, EXPDR	UCS-SPV-C24-E	UCS C24 M3 SFF-16DR, 1xE5-2403, 1x8GB, 2x450W, USB, RAILS	—
UCSV-EZ-C24-322	UCS C24 M3 SFF, 2xE5-2420,2x8GB,9240-8i,2x450W,RAILS, EXPDR	UCS-SPV-C24-E	UCS C24 M3 SFF-16DR, 1xE5-2403, 1x8GB, 2x450W, USB, RAILS	—
UCSV-EZ-C24-323	UCS C24 M3 SFF, 2xE5-2440,2x8GB,9265CV, 2x450W,RAILS, EXPDR	UCS-SPV-C24-V	UCS C24 M3 SFF-16DR, 2xE5-2440, 2x8GB, 2x450W, USB, RAILS	—
UCSV-EZ-C24-324	UCS C24 M3 SFF, 2xE5-2450,2x8GB,9240-8i,2x450W,RAILS, EXPDR	UCS-SPV-C24-V	UCS C24 M3 SFF-16DR, 2xE5-2440, 2x8GB, 2x450W, USB, RAILS	—
UCSV-EZ-C24-325	UCS C24 M3 SFF, 2xE5-2470,2x8GB,9265CV, 2x650W,RAILS, EXPDR	UCS-SPV-C24-V	UCS C24 M3 SFF-16DR, 2xE5-2440, 2x8GB, 2x450W, USB, RAILS	—
UCSV-HD300GI2F105=	300GB 6Gb SAS 15K RPM SFF HDD/hot plug/drive sled mounted	There is currently no replacement product available for this product.		—
UCSV-HD900GI2F106=	900GB 6Gb SAS 10K RPM SFF HDD/hot plug/drive sled mounted	There is currently no replacement product available for this product.		—
UCSV-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/x4/1.35v	UCS-MR-1X082RY-A	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	—

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
UCSV-MR-1X082RY-A=	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/x4/1.35v	UCS-MR-1X082RY-A=	8GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	—
UCSV-MR-1X162RY-A=	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/x4/1.35v	UCS-MR-1X162RY-A=	16GB DDR3-1600-MHz RDIMM/PC3-12800/dual rank/1.35v	—
UCSV-PCIE-IRJ45=	Intel Quad GbE adapter	There is currently no replacement product available for this product.		—
UCSV-RAID-9240-8I=	MegaRAID 9240-8i, RAID 0/1/10/5/50 for C22/C24	UCS-RAID-9240-8I=	VOID	—

Product Migration Options

Customers are encouraged to migrate to the replacement products indicated in Table 2, where applicable. Information about these products can be found at: http://www.cisco.com/en/US/products/ps10265/products.html.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at http://www.cisco.com/web/partners/incentives_and_promotions/tmp.html

Customers may be able to continue to purchase the Select Cisco UCS C-Series & B-Series Distribution Bundles and Accessories through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: www.cisco.com/go/eos

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to: http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html

For More Information

For more information about the Cisco UCS C-Series Velocity Bundles, visit http://www.cisco.com/en/US/products/ps10265/products.html, or contact your local account representative.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/products_end-of-life_policy.html

For more information about the Cisco Product Warranties, go to: http://www.cisco.com/en/US/products/prod_warranties_listing.html

To subscribe to receive end-of-life/end-of-sale information, go to: http://www.cisco.com/cisco/support/notifications.html

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application: http://www.cisco.com/web/feeds/products/end_of_life_rss.xml

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

Printed in USA

C51-727476-01   05/13