

Cisco MDS 9000 NX-OS Software Release 5.2(1)

PB639744

This product bulletin discusses the Cisco® MDS 9000 Family multilayer switches that run Cisco MDS 9000 NX-OS Software Release 5.2(1). It summarizes the hardware features supported and the software features available and provides software ordering information.

Supported Hardware

Table 1 summarizes the hardware features that Cisco MDS 9000 NX-OS Release 5.2(1) supports. Please note that Cisco MDS 9000 NX-OS Release 5.2(1) does not support any Generation 1 modules.

Table 1. Cisco MDS 9000 NX-OS Release 5.2(1) Supported Hardware Features.

Product Name and Part Number	Description
Cisco MDS 9513 Multilayer Director (DS-C9513)	13-slot multilayer director: <ul style="list-style-type: none"> Modular chassis requires 2 slots for supervisor modules, with 11 slots available for switching modules Supervisor-2/Supervisor-2A module provides control engine for Cisco MDS 9513 Two crossbar modules provide 2.2 terabits per second (Tbps) of chassis switching bandwidth
Cisco MDS 9509 Multilayer Director (DS-C9509)	9-slot multilayer director: <ul style="list-style-type: none"> Modular chassis requires 2 slots for supervisor modules, with 7 slots available for switching modules Supervisor module consists of control engine and integrated crossbar Cisco MDS 9000 NX-OS 5.2(1) requires the Supervisor-2/Supervisor-2A module
Cisco MDS 9506 Multilayer Director (DS-C9506)	6-slot multilayer director: <ul style="list-style-type: none"> Modular chassis requires 2 slots for supervisor modules, with 4 slots available for switching modules Supervisor module consists of control engine and integrated crossbar Cisco MDS 9000 NX-OS 5.2(1) requires the Supervisor-2/Supervisor-2A module
Cisco MDS 9222i Multilayer Fabric Switch (DS-C9222i-K9)	3-rack-unit (3RU) semimodular multilayer fabric switch with 18 4-Gbps Fibre Channel ports, 4 Gigabit Ethernet ports, and optional switching module or services module
Cisco MDS 9148 48-Port Multilayer Fabric Switch (DS-C9148-16P-K9, DS-C9148-24P-K9, and DS-C9148-48P-K9)	1RU fixed-configuration multilayer fabric switch with 48 2/4/8-Gbps Fibre Channel ports
Cisco MDS 9148 48-Port Multilayer Fabric Switch (DS-C9148D-8G16P-K9, DS-C9148D-8G24P-K9, and DS-C9148D-8G48P-K9)	1RU fixed-configuration multilayer fabric switch with 48 2/4/8-Gbps Fibre Channel ports including 8Gbps SFPs
Cisco MDS 9148 48-Port Multilayer Fabric Switch (DS-C9148D-4G16P-K9, DS-C9148D-4G24P-K9, and DS-C9148D-4G48P-K9)	1RU fixed-configuration multilayer fabric switch with 48 2/4/8-Gbps Fibre Channel ports including 4Gbps SFPs
Cisco MDS 9134 34-Port Multilayer Fabric Switch (DS-C9134-K9, DS-C9134-1K9, DS-C9134AP-K9, DS-9134G-K9, DS-9134G-1K9)	1RU fixed-configuration multilayer fabric switch with 32 4-Gbps and 2 10-Gbps Fibre Channel ports
Cisco MDS 8G Fibre Channel Blade Switch for HP c-Class BladeSystem (DS-HP-8GFC-K9, DS-HP-8GFC-L-K9, and HP-PL12-8G)	8Gbps FC Switch for HP Blade System
Cisco MDS 9500 Series Supervisor-2 Module (DS-X9530-SF2-K9)	Supervisor-2 module for Cisco MDS 9500 Series Multilayer Directors

Product Name and Part Number	Description
Cisco MDS 9500 Series Supervisor-2A Module (DS-X9530-SF2AK9)	Supervisor-2A module for Cisco MDS 9500 Series Multilayer Directors
Cisco MDS 9000 12-port 4-Gbps Fibre Channel Switching Module with Small Form-Factor Pluggable (SFP) LC (DS-X9112)	12-port, 4-Gbps Fibre Channel switching module with SFP LC connectors for Cisco MDS 9200 Series Multilayer Switches and Cisco MDS 9500 Series Multilayer Directors
Cisco MDS 9000 24-port 4-Gbps Fibre Channel Switching Module with SFP LC (DS-X9124)	24-port, 4-Gbps Fibre Channel switching module with SFP LC connectors for Cisco MDS 9200 Series Multilayer Switches and Cisco MDS 9500 Series Multilayer Directors
Cisco MDS 9000 48-port 4-Gbps Fibre Channel Switching Module with SFP LC (DS-X9148)	48-port, 4-Gbps Fibre Channel switching module with SFP LC connectors for Cisco MDS 9200 Series Multilayer Switches and Cisco MDS 9500 Series Multilayer Directors
Cisco MDS 9000 4-Port 10-Gbps Fibre Channel Switching Module with SFP LC (DS-X9704)	4-port, 10-Gbps Fibre Channel switching module with X2 SC connectors for Cisco MDS 9222i and Cisco MDS 9500 Series
Cisco MDS 9000 24-Port 8-Gbps Fibre Channel Switching Module with SFP and SFP+ LC (DS-X9224-96K9)	24-port, 8-Gbps Fibre Channel switching module with SFP and SFP+ LC connectors for Cisco MDS 9500 Series
Cisco MDS 9000 48-Port 8-Gbps Fibre Channel Switching Module with SFP and SFP+ LC (DS-X9248-96K9)	48-port, 8-Gbps Fibre Channel switching module with SFP and SFP+ LC connectors for Cisco MDS 9500 Series
Cisco MDS 9000 4/44-Port Host-Optimized 8-Gbps Fibre Channel Switching Module with SFP and SFP+ LC (DS-X9248-48K9)	4/44-port, Host-Optimized 8-Gbps Fibre Channel switching module with SFP and SFP+ LC connectors for Cisco MDS 9222i and Cisco MDS 9500 Series
Cisco MDS 9000 16-Port Storage Services Node (SSN) (DS-X9316-SSNK9)	16-port Gigabit Ethernet IP and storage services module with SFP LC connectors for Cisco MDS 9222i and Cisco MDS 9500 Series
Cisco MDS 9000 18/4-Port Multiprotocol Services Module (MSM) (DS-X9304-18K9)	18-port, 4-Gbps Fibre Channel plus 4-port Gigabit Ethernet IP services and switching module with SFP LC connectors for Cisco MDS 9200 and 9500 Series
Cisco MDS 9513 Switching Fabric Module (DS-13SLT-FAB1)	Cisco MDS Switching Fabric Module for Cisco MDS 9513 Multilayer Director
Cisco MDS 9513 Switching Fabric 2 Module (DS-13SLT-FAB2)	Cisco MDS Switching Fabric 2 Module for Cisco MDS 9513 Multilayer Director
Cisco MDS 9000 10-Gbps 8-Port Fibre Channel over Ethernet (FCoE) Module	Cisco 10-Gbps 8-port FCoE Module for Cisco MDS 9500 Series Multilayer Director; Cisco 10-Gbps 8-port FCoE Module requires Supervisor-2A
Cisco 10-Gbps X2 Fibre Channel Short-Reach Interface (DS-X2-FC10G-SR)	X2 SC optics for 10-Gbps Fibre Channel for short reach for Cisco MDS 9134, MDS 9200 and MDS 9500 Series
Cisco 10-Gbps X2 Fibre Channel Long-Reach Interface (DS-X2-FC10G-LR)	X2 SC optics for 10-Gbps Fibre Channel for long reach (10 km) for Cisco MDS 9134, MDS 9200 and MDS 9500 Series
Cisco 10-Gbps X2 Fibre Channel Extended-Reach Interface (DS-X2-FC10G-ER)	X2 SC optics for 10-Gbps Fibre Channel for extended reach (40 km) for Cisco MDS 9134, MDS 9200 and MDS 9500 Series
Cisco 10-Gbps X2 Fibre Channel Copper Interface (DS-X2-FC10G-CX4)	X2 SC optics for 10-Gbps Fibre Channel over copper for Cisco MDS 9134, MDS 9200 and MDS 9500 Series
Cisco 10-Gbps X2 Ethernet Short-Reach Interface (DS-X2-E10G-SR=)	X2 SC optics for 10-Gbps Ethernet for short reach for Cisco MDS 9134, MDS 9200 and MDS 9500 Series
Cisco 2-, 4-, or 8-Gbps Autosensing SFP+ LC Shortwave Interface (DS-SFP-FC8G-SW)	SFP+ optics (LC type) for 2-, 4-, or 8-Gbps Fibre Channel for shortwave mode for Cisco MDS 9148 and MDS DS-X9200 Series switching modules
Cisco 2-, 4, or 8-Gbps Autosensing SFP+ LC Longwave Interface (DS-SFP-FC8G-LW)	SFP+ optics (LC type) for 2-, 4-, or 8-Gbps Fibre Channel for longwave mode for Cisco MDS 9148 and MDS DS-X9200 Series switching modules; supports distances up to 10 km

Product Name and Part Number	Description
Cisco 1-, 2-, or 4-Gbps Autosensing SFP LC Shortwave Interface (DS-SFP-FC4G-SW)	SFP optics (LC type) for 1-, 2-, or 4-Gbps Fibre Channel for shortwave mode for Cisco MDS 9100, MDS 9200, and MDS 9500 Series
Cisco 1-, 2-, or 4-Gbps Autosensing SFP LC Longwave (4-km Reach) Interface (DS-SFP-FC4G-MR)	SFP optics (LC type) for 1-, 2-, or 4-Gbps Fibre Channel for longwave mode for Cisco MDS 9100, MDS 9200, and MDS 9500 Series; supports distances up to 4 km
Cisco 1-, 2-, or 4-Gbps Autosensing SFP LC Longwave Interface (DS-SFP-FC4G-LW)	SFP optics (LC type) for 1-, 2-, or 4-Gbps Fibre Channel for longwave mode for Cisco MDS 9100, MDS 9200, and MDS 9500 Series; supports distances up to 10 km
Cisco 1-Gbps Ethernet and 1- or 2-Gbps Fibre Channel SFP LC Shortwave Interface (DS-SFP-FCGE-SW)	SFP optics (LC type) for 1-Gbps Ethernet and 1- or 2-Gbps Fibre Channel for shortwave mode for Cisco MDS 9500, 9200, and 9100 Series Switches; not supported for use in 4-Gbps-capable or 8-Gbps-capable ports
Cisco 1-Gbps Ethernet and 1- or 2-Gbps Fibre Channel SFP LC Longwave Interface (DS-SFP-FCGE-LW)	SFP optics (LC type) for 1-Gbps Ethernet and 1- or 2-Gbps Fibre Channel for longwave mode for Cisco MDS 9500, 9200, and 9100 Series; not supported for use in 4-Gbps-capable or 8-Gbps-capable ports
Cisco 1-Gbps Copper Ethernet SFP (DS-SFP-GE-T)	SFP (RJ-45 connector) for Gigabit Ethernet over copper for Cisco MDS 9500, 9200, and 9100 Series
Cisco Coarse Wavelength-Division Multiplexing (CWDM) Gigabit Ethernet and 1- or 2-Gbps Fibre Channel SFP LC Interface (DS-CWDM-xxxx=)	CWDM Gigabit Ethernet and 1- or 2-Gbps Fibre Channel SFP LC type for Cisco MDS 9500, 9200, and 9100 Series, where product number xxxx = 1470, 1490, 1510, 1530, 1550, 1570, 1590, or 1610 nm
Cisco CWDM 4-Gbps Fibre Channel SFP LC Interface (DS-CWDM4Gxxxx=)	CWDM 4-Gbps Fibre Channel SFP LC type for Cisco MDS 9500, 9200, and 9100 Series, where product number xxxx = 1470, 1490, 1510, 1530, 1550, 1570, 1590, or 1610 nm
Cisco Dense Wavelength-Division Multiplexing (DWDM) 10-Gbps X2 Ethernet for Fibre Channel SC Interface (DWDM-X2-xx.xx=)	DWDM X2 SC optics for 10-Gbps Fibre Channel connectivity to an existing Ethernet DWDM infrastructure for Cisco MDS 9134, MDS 9500 and 9200 Series, with 15xx.xx nm wavelength, where xx.xx = 60.61, 59.79, 58.98, 58.17, 56.55, 55.75, 54.94, 54.13, 52.52, 51.72, 50.92, 50.12, 48.51, 47.72, 46.92, 46.12, 44.53, 43.73, 42.94, 42.14, 40.56, 39.77, 38.98, 38.19, 36.61, 35.82, 35.04, 34.25, 32.68, 31.90, 31.12, or 30.33
Cisco DWDM Gigabit Ethernet and 1- or 2-Gbps Fibre Channel SFP LC Interface (DWDM-SFP-xxxx=)	DWDM Gigabit Ethernet and 1- or 2-Gbps Fibre Channel SFP LC type for Cisco MDS 9500, 9200, and 9100 Series, where product number xxxx = 3033, 3112, 3190, 3268, 3425, 3504, 3582, 3661, 3819, 3898, 3977, 4056, 4214, 4294, 4373, 4453, 4612, 4692, 4772, 4851, 5012, 5092, 5172, 5252, 5413, 5494, 5575, 5655, 5817, 5898, 5979, or 6061nm
Cisco DWDM 4-Gbps Fibre Channel SFP LC Interface (ONS-SC-4G-xx.x=)	DWDM 4-Gbps Fibre Channel SFP LC type for Cisco MDS 9500, 9200, and 9100 Series, where product number xx.x = 61.4, 60.6, 59.7, 58.9, 58.1, 57.3, 56.5, 55.7, 54.9, 54.1, 53.3, 52.5, 51.7, 50.9, 50.1, 49.3, 48.5, 47.7, 46.9, 46.1, 45.3, 44.5, 43.7, 42.9, 42.1, 41.3, 40.5, 39.7, 38.9, 38.1, 37.4, 36.6, 35.8, 35.0, 34.2, 33.4, 32.6, 31.9, 31.1, or 30.3
Cisco 4-Wavelength Add/Drop Multiplexer (ADM) (DS-CWDMOADM4A=)	4-channel CWDM optical ADM (OADM) module (Cisco CWDM 1470, 1490, 1510, or 1530 NM ADM)
Cisco 4-Wavelength ADM (DS-CWDMOADM4B=)	4-channel CWDM OADM module (Cisco CWDM 1550, 1570, 1590, or 1610 NM ADM)
Cisco 8-Wavelength ADM (DS-CWDM-MUX8A=)	ADM for 8 CWDM wavelengths
Cisco CWDM Multiplexer Chassis (DS-CWDMCHASSIS=)	2-slot chassis for CWDM ADMs
Cisco 300W AC Power Supply (DS-C48-300AC)	300W AC power supply for Cisco MDS 9148 Multilayer Fabric Switch
Cisco 845W AC Power Supply (DS-CAC-845W)	845W AC power supply for Cisco MDS 9200 Series
Cisco 3000W AC Power Supply (DS-CAC-3000W)	3000W AC power supply for Cisco MDS 9509
Cisco 2500W AC Power Supply (DS-CAC-2500W)	2500W AC power supply for Cisco MDS 9509
Cisco 6000W AC Power Supply (DS-CAC-6000W)	6000W AC power supply for Cisco MDS 9513
Cisco 1900W AC Power Supply (DS-CAC-1900W)	1900W AC power supply for Cisco MDS 9506

Product Name and Part Number	Description
Cisco 512-MB Compact Flash Memory (MEM-MDS-FLD512M)	Cisco MDS 9500 Series external 512-MB compact flash memory for supervisor module
Cisco MDS 9000 Port Analyzer Adapter (DS-PAA-2, DS-PAA)	Cisco MDS 9000 port analyzer adapter for troubleshooting and analysis of Fibre Channel traffic
Cisco Storage Media Encryption (SME) Smart Card Reader (DS-SCR-K9=)	Cisco MDS 9000 SME smart card reader
Cisco SME Smart Card (DS-SC-K9=)	Cisco MDS 9000 SME smart card

New Software Features

Table 2 summarizes the major new software features available in Cisco MDS 9000 NX-OS Release 5.2(1).

Table 2. Cisco MDS 9000 NX-OS Release 5.2(1) Features

Software Feature	Description
Cisco MDS 9000 NX-OS	Cisco MDS 9000 NX-OS enhancements include Cisco SME for Disk. Software support for Cisco MDS 9000 10-Gbps 8-Port FCoE Module Software support for FCIP SAN Extension for FCoE
Cisco DCNM for SAN (Both Essentials Edition and Advanced Edition)	Cisco DCNM for SAN enhancements include the following: <ul style="list-style-type: none"> • Summary and host dashboards • VMware topology and performance monitoring (VMpath) • Performance forecasting charts • Support for external Storage Management Initiative Specification (SMI-S) 1.4 • FCoE provisioning and monitoring

Ordering Information for Software Images

Table 3 lists the new software images and applicable software ordering information for the Cisco MDS 9000 Family.

Table 3. Software Ordering Information

Part Number	Description
M95S2K9-5.2.1	Cisco MDS 9500 Supervisor/Fabric-2, NX-OS Software Release 5.2(1)
M92S2K9-5.2.1	Cisco MDS 9200 Supervisor/Fabric-2, NX-OS Software Release 5.2(1)
M92S1K9-5.2.1	Cisco MDS 9200 Supervisor/Fabric-I, NX-OS Software Release 5.2(1)
M91S2K9-5.2.1	Cisco MDS 9100 Supervisor/Fabric-2, NX-OS Software Release 5.2(1)
M91S1K9-5.2.1	Cisco MDS 9100 Supervisor/Fabric-I, NX-OS Software Release 5.2(1)
SSI-M9K9-5.2.1	Cisco Storage Services Interface-version 5.2.1
M9DCNM-SAN-CD-521=	Cisco MDS 9000 Data Center Network Manager for SAN Software and Documentation CD-ROM for Cisco MDS 9000 NX-OS Software Release 5.2(1)

For More Information

For more detailed information about this Cisco software release, refer to the Cisco MDS 9000 Family release notes at http://www.cisco.com/en/US/products/hw/ps4159/ps4358/prod_release_notes_list.html.

For more information about the Cisco MDS 9000 Family, refer to the product literature at http://www.cisco.com/en/US/products/hw/ps4159/ps4358/prod_literature.html.

For more information about license packages, refer to the data sheets within the product literature.



Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)