



## Cisco Catalyst 2960G-48TC Switch

Cisco Systems® is introducing the intelligent Ethernet Cisco® Catalyst® 2960G-48TC Switch, a new member of the Cisco Catalyst 2960 Series of fixed-configuration standalone devices that provide desktop Fast Ethernet and Gigabit Ethernet connectivity for entry-level enterprise, midmarket, and branch office networks, helping enable enhanced LAN services. The Cisco Catalyst 2960G-48TC Switch accelerates the deployment of Gigabit to the Desktop (GTTD) by providing 48 ports of Gigabit Ethernet in one rack unit (RU) along with integrated security, including Network Admission Control (NAC), as well as advanced quality of service (QoS) and resiliency, delivering intelligent services for the network edge.

Table 1 provides brief descriptions of the Cisco Catalyst 2960G-48TC Switch.

**Table 1.** Cisco Catalyst 2960G-48TC Switch

Product Name (Part Number)	Description
Cisco Catalyst 2960G-48TC Switch (WS-C2960G-48TC-L)	<ul style="list-style-type: none"><li>• 44 Ethernet 10/100/1000 ports and four dual-purpose uplinks (10/100/1000BASE-T or Small Form-Factor Pluggable [SFP])</li><li>• 1-RU, fixed-configuration switch</li><li>• Entry-level enterprise-class intelligent services</li><li>• LAN Base image installed</li></ul>

The Cisco Catalyst 2960 Series offers the following benefits:

- Intelligent features at the network edge—for example, sophisticated access control lists (ACLs) and enhanced security.
- Dual-purpose uplinks for Gigabit Ethernet uplink flexibility, allowing use of either a copper or a fiber uplink. Each dual-purpose uplink port has one 10/100/1000 Ethernet port and one SFP-based Gigabit Ethernet port, with one port active at a time.
- Network control and bandwidth optimization through advanced QoS, granular rate limiting, ACLs, and multicast services.
- Network security through a wide range of authentication methods, data encryption technologies, and NAC based on users, ports, and MAC addresses.
- Easy network configuration, upgrades, and troubleshooting as part of the midmarket or branch solution using the embedded device manager and Cisco Network Assistant.
- Autoconfiguration for specialized applications using Cisco Smartports.
- Limited lifetime hardware warranty.

## PRODUCT AVAILABILITY

The Cisco Catalyst 2960G-48TC Switch will begin shipping in May 2006.

## PRODUCT INFORMATION

- Cisco Catalyst Express 500 Series Switches: <http://www.cisco.com/go/catalystexpress500>
- Cisco Catalyst 2960 Series Switches: <http://www.cisco.com/go/catalyst2960>
- Cisco Catalyst 3560 Series Switches: <http://www.cisco.com/go/catalyst3560>
- Cisco Catalyst 3750 Series Switches: <http://www.cisco.com/go/catalyst3750>

## SERVICE AND SUPPORT

Cisco SMARTnet® and SMB Support Assistant maintenance contracts are available for Cisco Catalyst 2960 Series Switches.



### Corporate Headquarters

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 526-4100

### European Headquarters

Cisco Systems International BV  
Haarlerbergpark  
Haarlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www-europe.cisco.com](http://www-europe.cisco.com)  
Tel: 31 0 20 357 1000  
Fax: 31 0 20 357 1100

### Americas Headquarters

Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-7660  
Fax: 408 527-0883

### Asia Pacific Headquarters

Cisco Systems, Inc.  
168 Robinson Road  
#28-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7799

Cisco Systems has more than 200 offices in the following countries and regions. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

Argentina • Australia • Austria • Belgium • Brazil • Bulgaria • Canada • Chile • China PRC • Colombia • Costa Rica • Croatia • Cyprus  
Czech Republic • Denmark • Dubai, UAE • Finland • France • Germany • Greece • Hong Kong SAR • Hungary • India • Indonesia • Ireland • Israel  
Italy • Japan • Korea • Luxembourg • Malaysia • Mexico • The Netherlands • New Zealand • Norway • Peru • Philippines • Poland • Portugal  
Puerto Rico • Romania • Russia • Saudi Arabia • Scotland • Singapore • Slovakia • Slovenia • South Africa • Spain • Sweden • Switzerland • Taiwan  
Thailand • Turkey • Ukraine • United Kingdom • United States • Venezuela • Vietnam • Zimbabwe

Copyright © 2006 Cisco Systems, Inc. All rights reserved. CCSP, CCVP, the Cisco Square Bridge logo, Follow Me Browsing, and StackWise are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn, and iQuick Study are service marks of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, LightStream, Linksys, MeetingPlace, MGX, the Networkers logo, Networking Academy, Network Registrar, Packet, PIX, Post-Routing, Pre-Routing, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0601R)

