Cisco Video Surveillance Stream Manager Version 5.3

PB493608

Overview

Cisco[®] Video Surveillance Stream Manager Software is a collection of independent software modules that provide advanced and flexible configuration, management, and operation of video surveillance networks and solutions. Featuring intuitive graphical user interfaces and comprehensive features, Cisco Video Surveillance Stream Manager Software functions as an integration platform for security systems and enables true convergence of closed circuit television (CCTV) and the enterprise LAN. Stream Manager Software applications provide digital video, audio, and serial data management across any IP network.

New Features

Cisco Video Surveillance Stream Manager Software Version 5.3 includes the following features:

- Storage platform health monitoring. Cisco Video Surveillance Stream Manager Monitor monitors the status of the video surveillance network and devices. Storage Platform Health Monitoring provides additional, proactive system monitoring for temperature, fan speed, voltages, and memory usage. Visual alerts, actions, and emails can be sent to warn the administrator before problems occur. Storage Platform Health Monitoring increases the overall system reliability.
- **Database backup and restore.** Cisco Video Surveillance Stream Manager uses a database to maintain the user rights and privileges information. Database backup and restore to a PC provides an additional level of security and reliability to the system.
- Dual Ethernet NIC support. Cisco Video Surveillance Stream Manager allows two
 Ethernet network interface cards (NICs) in the PC that runs the applications. Dual NIC
 support provides a deterministic method of selecting the network card to interface with the
 Stream Manager network.
- Satellite matrix switch support for American Dynamics (AD) 1024. The AD 1024 Matrix Switch allows a "satellite" or remote configuration. Cameras are selected using the site number, then the camera number. Support is added to interoperate with the satellite configuration.
- AD CC1100 Keyboard support. Support is added for the AD CC1100 Keyboard in hybrid mode.
- Panasonic WV-CU950 Keyboard support. Panasonic produces a true Ethernet-based keyboard. Support is added so that Cisco Video Surveillance Stream Manager Decoders can interoperate with the Panasonic WV-CU950 Keyboard.
- H.264 encoding/decoding. H.264 encoding and decoding support has been added to Cisco Video Surveillance IP Gateways. H.264 is a compression mechanism that provides similar quality video to MPEG-4, but with lower bit rates, reducing both network traffic and storage requirements. IP Gateway Encoders are required for H.264 support. The CIVS-SG1B-ECMD-C16=, and CIVS-SG1B-ECOD-FE encoders support H.264. The CIVS-SG1A-

DCMD-C16=, CIVS-SG1A-DCOD-FE, CIVS-SG1B-DCMD-C16=, and CIVS-SG1B-DCOD-FE decoders all support H.264.

- Serial pass-through. Cisco Video Surveillance Stream Manager IP Gateways have two serial ports. Serial pass-through allows serial data to be sent transparently through one of the serial ports without requiring Stream Manager to understand or translate the data. This feature is desirable to interoperate with other devices, particularly pan, tilt, zoom (PTZ) cameras controlled from Cisco Video Surveillance Manager.
- Support for Microsoft Vista Business. Cisco Video Surveillance Stream Manager applications run on Windows-based PCs. Support for Microsoft Vista OS, Business Edition is added in Version 5.3.

Ordering Information

Table 1 lists ordering information for Cisco Video Surveillance Stream Manager Software Version 5.0. Cisco Video Surveillance Stream Manager Software Version 5.3 is an enhancement to Version 5.0 and is available for download at

<u>http://www.cisco.com/en/US/products/ps6940/tsd_products_support_series_home.html</u>. To place an order, visit <u>Cisco.com</u>.

Table 1.Ordering Information

Product Name	Part Number
Cisco Video Surveillance Stream Manager Configuration Module	CIVS-SM-CFG50=
Cisco Video Surveillance Stream Manager Client Viewing Module	CIVS-SM-CL50=
Cisco Video Surveillance Stream Manager Administration and Monitoring Module	CIVS-SM-AS50=
Cisco Video Surveillance Stream Manager Administration and Monitoring Module with Failover	CIVS-SM-ASF50=

Service and Support

Cisco and our certified partners can help you accelerate success and improve the return on your investment in a Cisco Physical Security Solution. The Cisco lifecycle approach to services defines the requisite activities at each phase of the solution lifecycle:

- Reduce deployment costs by identifying the features that will best meet your business requirements
- Accelerate migration by assessing the readiness of your network to support the system and by developing a sound design
- Support smooth implementation through effective planning and expert installation, configuration, and integration
- Increase operational efficiency and extend the value of your investment with award-winning technical support
- For more information about Cisco services, visit <u>http://www.cisco.com/go/services</u>.

For More Information

For more information, visit <u>http://www.cisco.com/go/physicalsecurity</u>, contact your local account representative, or send e-mail to <u>pss_physec@cisco.com</u>.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco Stadium/Vision, Cisco TelePresence, the Cisco logo, DCE, and Welcome to the Human Network are trademarks: Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks: and Access Registrar, Aironet, AsyncoS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo. Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IQ Expertise, the IQ logo, iQ Net Readiness Scorecard, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0807R)

Printed in USA

C25-493608-00 08/08