

## Cisco Secure Services Client Version 5.1

PB421396

This bulletin describes Cisco® Secure Services Client Version 5.1 for Windows Vista, a new release containing the features listed in Table 2.


### New Features

Version 5.1 of the Cisco Secure Services Client (SSC) for Windows Vista includes the following new features.

#### Integrated Cisco IPSec VPN

The SSC can now be configured to automatically start the Cisco IPSec VPN. This improves the end user experience by initiating the VPN application automatically upon establishment of a success network connection without additional user intervention. The feature is accessible by the end user via the GUI (Figure 1), or the IT administrator can select this option in the XML file for enterprisewide deployment. Note that using the integrated Cisco IPSec VPN feature requires that the end station have version 5.0.03.0560 of the IPSec VPN preinstalled.

**Figure 1.** The Automatic VPN Connection Setting



## Secure Services Client Feature Highlights

Here are some highlights of SSC features.

### Graphical User Interface

The Cisco Secure Services Client graphical user interface provides a convenient “two-click connect” to office, home, and public wired and wireless networks. This allows end users to connect to the network more easily and eliminates the security concerns of connecting to an open (public) wireless network. End users no longer have to worry about overriding the office profile, while IT administrators are assured that the corporate policies will remain intact.

The user interface provides a comprehensive range of features and is accessible by right-clicking the taskbar icon or using the desktop icon. End users can view the connection status indicator for network name, strength, connection status, and IP address.

### Enterprise Client Deployment

The Cisco Secure Services Client enables large-scale enterprise deployment through the use of a single XML configuration file. The deployment file is set up by the IT administrator using any standard XML editor or the Cisco-supplied management utility, a wizard that steps the IT administrator through the policy and configuration settings for users, devices, VPNs, and networks.

The XML configuration file contains:

- Policy restrictions
- Network profiles
- Users file
- Static Wired Equivalent Privacy (WEP) keys
- Wi-Fi Protected Access-Pre-Shared Keys (WPA-PSK)
- Trusted server validation rules
- Product license
- Integrated VPN policy and configuration settings

Automatic generation of configuration files is enabled by running scripts that configure the XML file elements according to the enterprise policy.

IT staff can use the Cisco-supplied management utility to create an .msi file containing the .exe and the .xml, which can be deployed using standard deployment tools, including Microsoft Active Directory group policy objects (GPOs), Microsoft SMS, and Altiris.

### Filtering Unwanted Service Set Identifiers (SSIDs)

The ability to filter unwanted SSID networks also gives IT administrators more control. This feature is useful in an environment where there are multiple wireless networks.

### No Wireless When Wired

The SSC helps maintain corporate security policy by not allowing two active network connections. This security feature helps prevent bridging wireless and wired networks, which can compromise network security.

### Upgrade Paths and Trial Versions

Cisco Secure Services Client 5.1 for Windows Vista is the first version for the Windows Vista platform. To download a trial version of Version 5.1 for Windows, visit:

<http://www.cisco.com/en/US/products/ps7034/index.html>.

Table 1 lists the trial versions that are available for the Cisco Secure Services Client.

**Table 1.** Trial Versions for Cisco Secure Services Client

License	Description
<b>90-day trial license</b>	A 90-day trial license is available for the full wired and wireless feature set of the Cisco Secure Services Client. Upon completion of the 90-day period, a valid license key must be purchased. The 90-day trial license key is posted in the download section of the site. This license key must be entered through the activation screen of the client.
<b>Nonexpiring wired-only license</b>	A nonexpiring license is available for the client with a limited feature set. (See the "New Features" section for more information.) This is the default license that comes in the download; it does not require a purchase.
<b>Nonexpiring wired and wireless license</b>	A nonexpiring license for the full feature set must be purchased using the Cisco standard ordering procedure.

## Wired and Wireless Versus Wired-Only Feature Comparison

Table 2 provides a comparison between the features available in the fully licensed wired and wireless Cisco Secure Services Client and the basic feature set available with the wired-only nonexpiring license. Note: Support for Novell networks is not included in Version 5.1.

**Table 2.** Wired and Wireless Versus Wired-Only Feature Set Comparison

Features	Wired-Only License	Wired/Wireless License
Wi-Fi device compatibility	No	Yes
Support for all Wi-Fi encryption modes: WEP, Wi-Fi Protected Access-personal mode (WPA-personal mode), WPA2-personal mode, WPA-enterprise mode, WPA2-enterprise mode, Dynamic WEP (802.1X), Advanced Encryption Standard (AES), Temporal Key Integrity Protocol (TKIP)	No	Yes
Protection of user privacy with Extensible Authentication Protocol (EAP) "anonymous" access	No	Yes
Cisco Secure Access Control Server (ACS) compatibility	Yes	Yes
Centrally deploys Microsoft Active Directory machine or user group policies	Yes	Yes
Enables automatic configuration of VLANs	Yes	Yes
Windows single sign-on (SSO)	Yes	Yes
Interactive user passwords or Windows passwords	Yes	Yes
RSA SecureID tokens	Yes	Yes
One-time password (OTP) tokens	Yes	Yes
X.509 certificates	Yes	Yes
<b>EAP Methods</b>		
EAP-Flexible Authentication via Secure Tunneling (FAST) (includes EAP-MSCHAPv2, EAP-GTC, and EAP-TLS)	Yes	Yes
Protected Extensible Authentication Protocol (PEAP) (includes EAP-MSCHAPv2 and EAP-GTC)	No	Yes
Cisco LEAP	No	Yes
<b>Media Support</b>		
Wi-Fi 802.11a, 802.11b, 802.11g, 802.11n	No	Yes
Wired Ethernet 802.3	Yes	Yes
Microsoft Internet Authentication Service compatibility	Yes	Yes
Microsoft Active Directory and user authentication	Yes	Yes

## Ordering Information

To place an order, you enter the product ID **AIR-SSC-VISTA** with a quantity of **1** into the form on standard Cisco ordering page. Then you select the option tier appropriate for the number of licenses required. For example, if you need 200 licenses, you should check the option **AIR-SSC-VISTA-L1** and enter the quantity **200** in the Quantity field of the option.

Table 3 lists ordering information for Cisco Secure Services Client Version 5.1.

**Table 3.** Ordering Information for Cisco Secure Services Client 5.1

Part Number	Status	Description
<a href="#">AIR-SSC-VISTA</a>	NONORD	Software Client 5.1 for Windows Vista for wired/wireless devices
<a href="#">AIR-SSC-VISTA-L1</a>	ENABLE-OPT	Specified seat count up to 250
<a href="#">AIR-SSC-VISTA-L2</a>	ENABLE-OPT	Specified seat count in range 251-1000
<a href="#">AIR-SSC-VISTA-L3</a>	ENABLE-OPT	Specified seat count in range 1001-2500
<a href="#">AIR-SSC-VISTA-L4</a>	ENABLE-OPT	Specified seat count in range 2501-5000
<a href="#">AIR-SSC-VISTA-L5</a>	ENABLE-OPT	Specified seat count in range 5001-10,000
<a href="#">AIR-SSC-VISTA-L6</a>	ENABLE-OPT	Specified seat count in range 10,001-25,000
<a href="#">AIR-SSC-VISTA-L7</a>	ENABLE-OPT	Specified seat count in range 25,001-50,000
<a href="#">AIR-SSC-VISTA-L8</a>	ENABLE-OPT	Specified seat count in range 50,001-100,000

## For More Information

For more information about the Cisco Secure Services Client, visit <http://www.cisco.com/en/US/products/ps7034/index.html> or contact your local account representative.

For more information about the Cisco Unified Wireless Network framework, visit: <http://www.cisco.com/go/unifiedwireless>

For more information about the Cisco Wireless LAN Security Solution for large enterprises, visit: [http://www.cisco.com/en/US/netsol/ns340/ns394/ns348/ns386/networking\\_solutions\\_package.html](http://www.cisco.com/en/US/netsol/ns340/ns394/ns348/ns386/networking_solutions_package.html)

For more information about the Cisco Self-Defending Network, visit: [http://www.cisco.com/en/US/netsol/ns340/ns394/ns171/ns413/networking\\_solutions\\_package.html](http://www.cisco.com/en/US/netsol/ns340/ns394/ns171/ns413/networking_solutions_package.html)

For more information about Network Admission Control, visit: [http://www.cisco.com/en/US/netsol/ns466/networking\\_solutions\\_package.html](http://www.cisco.com/en/US/netsol/ns466/networking_solutions_package.html)

For more information about the Cisco Secure Access Control Server for Windows, visit: <http://www.cisco.com/en/US/products/sw/secursw/ps2086/index.html>

For more information about Cisco Wireless LAN Services, visit: <http://www.cisco.com/go/wirelesslanservices>



**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV  
Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, the Cisco logo, DCE, and Welcome to the Human Network are trademarks; Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks; and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0809R)