Supplie	ers Declara	ation of Co	onformity fo	or USGv6 I	Products		USGv6-v1 SDOC-v1.9 Page 1						
1	The Docu	ment Req	uiring Conf	ormity:			USGv6 Profile Version 1.0, July 2008. (NIST SP500-267)						
2	Product Identifier: Cisco Cloud Services Router 1000V												
3	Supplier's Name, Address and SDOC Contact Details												
	Cisco Systems, Inc.												
	170 West Tasman Dr.												
San Jos	an Jose, CA 95134												
4	Trouber to Total Postal Car Trouber I do Interior Trouber I morning a ctail of Commigaration to Con-												
	IOS XE 03.11.1.S or later												
-	Product Family (other products using some IDv6 stock(s) to which these results are declared to apply). Check Product Family attactation helevy												
3	5 Product Family (other products using same IPv6 stack(s) to which these results are declared to apply). Check Product Family attestation below.												
	C. HOOVE Completite common (For each distinct ID-C stock in the graduation of the LOC Completition of the Local Completiti												
6	USGv6 Capability summary. (For each distinct IPv6 stack in the product provide a summary of its USGv6 capabilities below and include a detailed test result summary). <i>e.g. example-prod-id/stack-1: USGv6-v1-Host: IPv6-Base+Addr-Arch+IPsec-v3+IKEv2+SLAC+Link=Ethernet.</i>												
	(Summary)	. e.g. exar	пріе-ргоа-іа			able: IPv6 Base+Addr-A							
				U	SGV6 Capa	able. IPVO Dase + SLA	AC + Addi	-Alch + OS	orr + bur				
7	Self Contained or Composite SDOC? (Must indicate one).												
YES	All of the declared USGv6 capabilities of this product Some or all of the USGv6 capabilities of this product are provided by the use and/or integration of umodified components that												
123			test results rep			have their own unique USG	v6 SDOCs. A	All of the releva	ant referenced SDOCs are identified in section 8 and attached. This				
	SDOC.					product's page 2 will indicat	te which capa	bilities are pro	vided by specific referenced components (product-id/stack-id).				
8	Additiona	l Doclarati	one / Attac	hmonts: //	ist sunnlia	r & product-id/stack-id t	for referenc	and atta	ched test results in the case of composite products).				
	· ·					<u> </u>	_						
F41	Component Supplier				Product II	υ:	Stack ID:		Notes:				
[1]													
[2]													
[3]													
[4]			4.41 (4										
9	Supplementary Attestations (Answer all).												
	YES		•			ents.That is, no claimed	YES	This product is fully functional in IPv6 only environments. That is, no claimed capabilities are invalidated if this product is deployed in a network environment that					
		4)network ei		nuns product	is operated in	a dual stack (6 and		does not sup					
	YES	′							All of the products listed in the product family in section 5 are implemented such that				
	product. If not, the stacks/ports not covered are documented, and how their lpv6							their USGv6	their USGv6 capabilities are identical in form and function across the entire product				
		capabilities differ from those reported are explained.							family. The specific conformance and interoperability test results for the USGv6 capabilities of an identified member of this product family are provided in this SDOC.				
									The SDOC attests that these tested USGv6 capabilities are identical and unmodified for				
	all the products cited above.												
10	Signature		Darryll Gadson				Date						
	Print Name	e / Title	Darryll Gad	dson Lead	USGv6 Cid	sco Systems	<u> </u>	1					
	Print Name / Title Darryll Gadson, Lead USGv6 Cisco Systems												
See instr	See instructions for fields 1-12 on Page 4.												

11	Suppl	ers Declaration of Conformity for USGv6	Products: De	clared	Capabil	ities an	d Test Results Sum	mary	US	Gv6-v1 SDOC-v1.9 Page			
Product Id:		Cisco Cloud Services Router 1000V Stack I							N/A				
			Context /	Context / Supported				USGv6 Testing Program Results					
Spec /			Configuration				Test Suite	Test Lab / Result ID, Note #, or	Test Suite	Test Lab / Result ID, Note #,			
eference	Section	USGv6-v1 Profile Requirements	Option	Host	Router	NPD	Conformance/NPD	Component Ref	Interoperability	Component Ref			
P500-267	6.1	IPv6 Basic Requirements											
		support of IPv6 base (IPv6;ICMPv6;PMTU;ND)	IPv6-Base					UNH/IOL - 17920	Basic_V1.*_I	UNH/IOL - 17923			
		support of stateless address auto-configuration	SLAAC				_	UNH/IOL - 17922	SLAAC-V1.0_I	UNH/IOL - 17925			
		support of SLAAC privacy extensions.	PrivAddr				Self Test		Self Test				
		support of stateful (DHCP) address auto-	DHCP-Client				DHCP_Client_v1.*_C		DHCP_Client_v1.*_I				
		support of automated router prefix delegation	DHCP-Prefix				Self Test		Self Test				
		support of neighbor discovery security extensions	SEND				Self Test		Self Test				
P500-267	6.6	Addressing Requirements											
		support of addressing architecture reqts						UNH/IOL - 17921	Addr_Arch_v1.*_I	UNH/IOL - 17924			
		support of cryptographically generated addresses	CGA				Self Test		Self Test				
P500-267	6.7	IP Security Requirements											
		support of the IP security architecture					IPsecv3_v1.*_C		IPsecv3_v1.*_I				
		support for automated key management	IKEv2				IKEv2_v1.*_C		IKEv2_v2.*_I				
		support for encapsulating security payloads in IP	ESP				ESPv3_v1.*_C		ESP_v1.*_I				
P500-267	6.11	Application Requirements	- 115 E::				=		6 ::=				
		support of DNS client/resolver functions					Self Test		Self Test				
		support of Socket application program interfaces	SOCK				Self Test		Self Test				
		support of IPv6 uniform resource identifiers	URI				Self Test		Self Test				
		support of a DNS server application	DNS-Server				Self Test		Self Test				
		support of a DHCP server application	DHCP-Server				Self Test		DHCP_Serv_v1.*_I				
P500-267	6.2	Routing Protocol Requirements											
		support of the intra-domain (interior) routing	IGW				Self Test		OSPFv3_v1.*_I	UNH/IOL - 17927			
		support for inter-domain (exterior) routing protocols	EGW				Self Test		BGP_v1.*_I	UNH/IOL - 17926			
P500-267	6.4	Transition Mechanism Requirements											
		support of interoperation with IPv4-only systems	IPv4				Self Test		Self Test				
		support of tunneling IPv6 over IPv4 MPLS services	6PE				Self Test		Self Test				
P500-267	6.8	Network Management Requirements	6) 11 (5)						Self Test				
		support of network management services	SNMP				Self Test		Self Test				
P500-267	6.9	Multicast Requirements					0.45						
		support of basic multicast	Mcast				Self Test		0 " 7				
DE00 007	0.40	full support of multicast communications	SSM				Self Test		Self Test				
P500-267	6.10	Mobility Requirements	MID				Call Table		Colf Tool				
		support of mobile IP capability.	MIP				Self Test		Self Test				
DE00.007	0.0	support of mobile network capabilities	NEMO				Self Test		Self Test				
P500-267	6.3	Quality of Service Requirements	DO				O. W. T		0.15 To a 1				
DE00 007	0.40	support of Differentiated Services capabilities	DS				Self Test		Self Test				
P500-267	6.12	Network Protection Device Requirements	1100				and late to the total of the to						
		support of common NPD regts					N1 N2 N3 N4_v1.3						
		support of basic firewall capabilities					N1_FW_v1.3						
		support of application firewall capabilities					Self Test						
		support of intrusion detection capabilities					N3_IDS_v1.3						
		support of intrusion protection capabilities	IPS				N4_IPS_v1.3						
P500-267	6.5	Link Specific Technologies	506				=		6=				
		support of robust packet compression services					Self Test		Self Test				
		support of link technology [O:1]	Link=				Self Test		Self Test				
		(repeat as needed) support of link technology	Link=										
12		< Check HERE if this stack's DOC included	les additional i	informa	ation ab	out tes	ted capabilities and	options on an attached page	e 3 of notes.				
Level	Level o	support for USGv6-v1 Requirements for capabil	lity.			Color	lor Indication of USGv6-v1 Recommended Level of Support for device type / stack role.						
		SDOC makes no declaration for this capability.				Indicates capability that is recommendend as mandatory (unconditional MUST) in the USGv6-v1 Profile.							
		required tests of USGv6-V1 requirements for these of				· · · · · · · · · · · · · · · · · · ·	, ,	,					
	See notes page for details on the level of support of USGv6-v1 reequirements for this capability.						Indicates cabability that is unusal for a given device type / stack role. Do not select without careful analysis. Indicates capability that is left optional / ocnditional by the recommedations of the USGv6-v1 Profile.						
X		capability not supported in product.	v i reequirements i	or triis ca	ιμαυιιιίγ.		mulcales capability that is	ien optional/ ochultional by the reco	ommedations of the USG	VO-VI FIUIIIC.			
est Suite -	Specific	USGv6 Test suite used for test. See: http://www.ant	d nist gov/usav6/te	st-specif	ications h	tml		Note # - reference to a d	detailed note about this c	apability or result on attached pa			
		Abbreviation of accredited laboratory and its local is			100110113.11	W111	Component Pof	- Supplier / Product / Stack ID of dist					
		Appreviation of accidulted laboratory and its 100al it	acminion noi tillo teo	หายอนแ.				Supplier / I TOUUCL / STACK ID UI UISI		TIGI DIOVIDES IIIS GADADIIIV.			

Suppliers Declaration of Conformity for USGv6 Products: Notes Page and Detailed Test Results Summary USGv6-v1 SDOC-v1.9 Page 3												
Field Product Id:			Cisco Cloud Services Route	er 1000V Stack ld:					N/A			
13				Context /	Suppo	Supported Capabilities			Notes about USGv6-v1 Capabilities.			
Note #	Spec / Reference	Section	USGv6-v1 Profile Requirements	Configuration Option	Host	Router	NPD	Test Suite Conformance/NPD	Test Lab / Result ID, Note	Test Suite Interoperability	Test Lab / Result ID, Note	
HOLE #	Reference	Section	00000-V1110ille Requirements	Option	11031	Router	INI D	Comormance/Ni D	rest Lab / Nesult ID, Note	interoperability	rest Lab / Result ID, Note	
1												
Discussio	n:											
2												
Discussion:												
3												
Discussio	n:											
4												
Discussio	n:											
5												
Discussio	n:											
6												
Discussio	n:											
7												
Discussio	n:											
8												
Discussio	n:											
9												
Discussio	n:				_							
10												
Discussio	n:											
Discussion: Vendor's General Notes / Discussion about this Product / Stack's capabilities:												

General: This document describes network product from the identified supplier that claims support of USGv6 capabilities. General product and supplier identification is given on Page 1. Overall results of testing USGv6 capabilities for conformance, interoperability and network protection are given on Page 2. Detailed instructions for completing and interpreting each numbered field are given below. Note USGv6 Testing website at: http://www.antd.nist.gov/usgv6/testing.html. Contact: usgv6-project@antd.nist.gov.

Field Description and Instructions Field Description and Instructions

- 1 The Document Requiring Conformity: Identifies the profile version implemented. Not a user completable field.
- **2 Product Identifier**: Supplier's concise name for the product declared.
- 3 Suppliers Name, Address and Contact Details: Company name and point of contact for SDOC questions, street address, phone and email.
- 4 **Product as Tested/Declared**: Product Identifier and detailed version information. If this SDOC reports oringal test results (page 2), include information about the specific product configuration(s) that was actually tested (e.g., hardware configuration, operating system, etc).
- 5 Product Family: A list of other products that use the same, unmodified IPv6 stacks such that their USGv6 capabilities are identical in form and function to the specific product configuration above. Test labs are only required to affirm the results for specific products tested. Test labs optionally may affirm recognized product families.
- **6 USGv6 Capability Summary**: The USGv6 stack implementation summary as identified by the '+' notation described in the USGv6 profile, Appendix A. For each IPv6 stack implementation in the product, a distinct Stack Id and reference to the attached Results Summary page (Page 2).
- 7 Self Contained or Composite SDOC: If this SDOC relies on the test results of other disinct products, list the Supplier & Product ID/Stack IDs referenced and attach those original SDOCs to this one.
- 8 Additional Declarations / Attachements: List the supplier / product ID / Stack ID of any test results of composite components referenced by this SDOC.
- 9 Supplementary Attestations: Suppliers disclosure of IPv6 only capabilities; multiple stacks present; product family applicabilities. These are not included to qualify or disqualify a product from purchase considerations, but to inform network administrators of potential configuration options relevant to USGv6 interoperability. Check all that apply.
- Signature Block: Wet ink signature of the responsible product manager, dated. Printed name and position title on the line below.

Summary of Results: The format of this table mirrors the USGv6-v1.0 capabilities checklist (USGv6 Profile, Appendix A). The 12 categories of USGv6 capabilities are listed as subheadings, with subsidiary functions as line items. Configuration options related to conditional implementation of selected capabilities.

Product Id/Stack Id: The identification line of this page includes space for Product Id and Stack Id labels. Product Id is the same as given on Page 1. As there may be more than one unique IPv6 stack implemented in the product, the Stack Id field identifies the particular stack described. One Results Summary page per stack is required.

Host, Router and Network Protection (NPD) columns identify 'preferred' options: cells in green represent the NIST recommendations. Cells in grey denote atypical options, very unlikely to be implemented. The procuring Agency may additionally tailor these fields to indicate requirements for this acquisition.

Test Suite Conformance and Interoperability columns identify capability sets for which a public test suite exists, and the versions applicable to USGv6-v1.0 test results. Major version v1 and all its minor versions are deemed acceptable. Over time, new versions will be added and older ones retired. There may be periods when more than one major version is acceptable concurrently.

The supplier completes the adjacent Test Lab and Result Id column with the test lab acronym and unique result identifier (See Test Lab and Accreditor page on the Website). The buyer may opt to query results with the test laboratory using the specified Result Id(s). The supplier may opt to provide particular explanation of some results (partial results, additional options) in which case reference to note on an attached page 3. (e.g. "See Note# N"). See the USGv6 testing website to identify the test lab, and find contact details.

Cells marked **Self Test** have no associated public test suite. If implemented by the supplier, the required adjacent annotation is "Self Declaration". Note that vendors declaring support for such a capability are declaring support for the associated specific requirements in the USGv6 Profile.

Additional Options Tested: Vendor checks if it is desired to record tested options not part of the 'Musts' in the profile. Explanations on the page following the results summary.

Headings and Special Notations: as described.

Options for Test Lab and Result Id: Currently 3 cases: (1) the test lab acronym and alphanumeric Id of the result set as assigned by the test laboratory; (2) 'Self declaration' denoting the supplier attests to adequate QA testing of the capability; (3) See attachment or note 'N', where the supplier explains variations in greater detail.

Stack-1 Notes Instructions: The supplier may choose to use the Notes (page 3) in order to clarify unsupported features or non passing results. Each Note # must reference the same Note # from Page 2.

Complete the Note by including the Spec/Reference and Section (i.e. RFC or USGv6 Profile version), USGv6-v1 Profile Requirements, Config Option (i.e. IPv6-Base), choosing Host/Router/NPD, and Test Selection table version along with Test Lab Result ID. The Discussion includes details about the test result that will be disclosed to the buyer.